(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
4 April 2013 (04.04.2013)

WIPO | PCT

(10) International Publication Number
WO 2013/046704 A2

(51) International Patent Classification:
C07K 16/28 (2006.01)

(21) International Application Number:
PCT/JP2012/006218

(22) International Filing Date:
28 September 2012 (28.09.2012)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

2011-218736	30 September 2011 (30.09.2011)	JP
PCT/JP2012/058603	30 March 2012 (30.03.2012)	JP
2012-123781	30 May 2012 (30.05.2012)	JP
2012-123782	30 May 2012 (30.05.2012)	JP
2012-123773	30 May 2012 (30.05.2012)	JP
2012-139211	20 June 2012 (20.06.2012)	JP
2012-177311	9 August 2012 (09.08.2012)	JP

(71) Applicant: **CHUGAI SEIYAKU KABUSHIKI KAISHA** [JP/JP]; 5-1, Ukima 5-chome, Kita-ku, Tokyo, 1158543 (JP).

(72) Inventors: **IGAWA, Tomoyuki**; c/o CHUGAI SEIYAKU KABUSHIKI KAISHA, 135, Komakado 1-chome, Gotemba-shi, Shizuoka, 4128513 (JP). **MAEDA, Atsuhiko**; c/o CHUGAI SEIYAKU KABUSHIKI KAISHA, 135, Komakado 1-chome, Gotemba-shi, Shizuoka, 4128513 (JP). **MIMOTO, Futa**; c/o CHUGAI SEIYAKU KABUSHIKI KAISHA, 135, Komakado 1-chome, Gotemba-shi, Shizuoka, 4128513 (JP). **KURAMOCHI, Taichi**; c/o CHUGAI SEIYAKU KABUSHIKI KAISHA, 135, Komakado 1-chome, Gotemba-shi, Shizuoka, 4128513 (JP).

(74) Agents: **SHIMIZU, Hatsushi** et al.; Kantetsu Tsukuba Bldg. 6F, 1-1-1, Oroshi-machi, Tsuchiura-shi, Ibaraki, 3000847 (JP).

(81) Designated States *(unless otherwise indicated, for every kind of national protection available)*: AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States *(unless otherwise indicated, for every kind of regional protection available)*: ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

— *as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii))*

Published:

— *without international search report and to be republished upon receipt of that report (Rule 48.2(g))*

— *with sequence listing part of description (Rule 5.2(a))*

WO 2013/046704 A2

(54) **Title**: THERAPEUTIC ANTIGEN-BINDING MOLECULE WITH A FcRn-BINDING DOMAIN THAT PROMOTES ANTIGEN CLEARANCE

(57) **Abstract**: The present invention provides: a modified FcRn-binding domain having an enhanced affinity for the Fc Receptor neonatal (FcRn) at neutral pH; an antigen-binding molecule comprising said FcRn-binding domain, which has low immunogenicity, high stability and form only a few aggregates; a modified antigen-binding molecule having an increased FcRn-binding activity at neutral or acidic pH without an increased binding activity at neutral pH for a pre-existing anti-drug antibody; use of the antigen-binding molecules for improving antigen-binding molecule-mediated antigen uptake into cells; use of the antigen-binding molecules for reducing the plasma concentration of a specific antigen; use of the modified FcRn-binding domain for increasing the total number of antigens to which a single antigen-binding molecule can bind before its degradation; use of the modified FcRn-binding domain for improving pharmacokinetics of an antigen-binding molecule; methods for decreasing the binding activity for a pre-existing anti-drug antibody; and methods for producing said antigen-binding molecules.