FIG. 1



SD-809
Placebo
Washout
Mean (SEM) Total Maximal Chorea Score
15
14
13
12
11
10
9
8
7
6
5
0
2
4
6
9
12
13
Maintenance Endpoint
Study Week
SD-809, n: 45 45 44 44 45 45 44 45
Placebo, n: 45 45 45 44 42 43 43 45

FIG. 2



SD-809
Placebo
Washout
Mean (SEM) Change in SDQ Score
1
0
-1
-2
SD-809, n: 45 44 44 45 45 44
Placebo, n: 45 45 44 42 43 42
-1 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15
Study Week

FIG. 3



SD-809
Placebo
Washout
Mean (SEM) Change in Body Weight (kg)
4
3
2
1
0
-1
-2
-3
SD-809, n: 45 44 44 45 45 44
Placebo, n: 45 45 44 42 43 44
0 1 2 3 4 5 6 7 8 9 10 11 12 13 14
Study Week

FIG. 4A



SD-809
Placebo
0
-2
-4
-6
Mean (SEM) Change
SD-809, n: 44 45 45
Placebo, n: 45 42 43
-1 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15
Study Week

FIG. 4B



SD-809
Placebo
Mean (SEM) Change
2
1
0
-1
-2
SD-809, n:
Placebo, n:
44
45
45
42
45
43
-1 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15
Study Week

FIG. 4C



SD-809
Placebo
Mean (SEM) Change
2
1
0
-1
-2
SD-809, n: 44 45 45
Placebo, n: 45 42 43
-1 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15
Study Week

FIG. 5



Total Maximal Chorea Score (Mean Change from Baseline)
37 Patients on Stable Dose of Tetrabenazine
Overnight switch to SD-809
42.1 mg TBZ
20.3 mg SD-809 n = 37
29.7 mg SD-809 n = 36
33.9 mg SD-809 n = 21
Chorea Score Change (mean ± SE)
3
2
1
0
-1
-2
-3
Baseline (TBZ)
1
2
3
4
5
6
7
8*
(Weeks on SD-809 Therapy)

FIG. 6



Total Motor Score (Mean Change from Baseline)
37 Patients on Stable Dose of Tetrabenazine
Overnight switch to SD-809
SD-809 n = 37
SD-809 n = 36
SD-809 n = 24
TBZ
Total Motor Score Change (mean ± SE)
3
2
1
0
-1
-2
-3
-4
-5
-6
Improvement
Baseline (TBZ)
1*
2
3
4
5
6
7
8**
(Weeks on SD-809 Therapy)
*p=0.0218 **p=0.0279

FIG. 7



Swallowing Disturbance Questionnaire Score
Overnight switch to SD-809
SD-809 n = 37
SD-809 n = 35
SD-809 n = 24
SD-809 n = 15
SD-809 n = 5
TBZ n = 37
SDQ Score (mean ± SE)
Improvement
0
1
2
3
4
5
6
1
4
8
15
28
(Weeks on SD-809 Therapy)

FIG. 8




100%
80%
60%
40%
20%
0%
% Subjects Much Improved or Very Much Improved
PGIC
CGIC
64%64%
Week 4 (n=26)
Week 6 (n=22)
Week 15 (n=10)
Maintenance Weeks 6 and 15

FIG. 9



	Baseline	Week 2	Week 4	Week 8	Week 9
TTS Score	0	-2.9	-6	-11.6	-6.3
Motor	0	-1.9	-3.5	-6.1	-3.5
Vocal	0	-1	-2.5	-5.5	-2.7

FIG. 10




Reduction in TS-CGI from Baseline to Week 8
14
12
10
8
6
4
2
0
Number of Patients
-6
-5
-4
-3
-2
-1
0
Reduction in TS-CGI Score

FIG. 11


PGIC at Week 8
14
12
10
8
6
4
2
0
Number of Patients
-3
-2
-1
0
1
2
3
PGIC Score at Week 8