

SUMMARY OF THE INVENTION

In one aspect, the present disclosure provides a compound having the structure:




.

Another aspect of the invention relates to a compound of formula XII:




(XII)

where:


(i) R^a is H; R^b is Cl; X is  ; and

R^2 is H, R^4 is -OH, and R^7 is selected from $-CH_2CF_3$, $-(CH_2)_2CF_3$, $-CH_2CF_2CH_3$, $-CH_2CF_2CF_3$, $-C(CH_3)(CF_3)_2$, $-CH(CH_2CH_3)CF_3$, $-CH(CH_3)CF_2CF_3$, $-(CH_2)_{2\text{-}3}OH$, $-CH_2CH(NH_2)COOCH_3$, $-(CH_2)_2OCH_3$, $-CHR^cOC(O)-C_{1\text{-}4}$alkyl, $-CHR^cOC(O)O-C_{2\text{-}4}$alkyl, $-CHR^cOC(O)O$-cyclohexyl, $-C_{2\text{-}4}$alkylene-$N(CH_3)_2$, $-CH_2OC(O)CHR^d-NH_2$, $-CH_2OC(O)CHR^d-NHC(O)O-C_{1\text{-}6}$alkyl, benzyl, and

 ;

or R^2 is H, R^4 is selected from -O-benzyl, $-OCHR^cOC(O)-C_{1\text{-}4}$alkyl, $-OCH_2OC(O)CHR^d-NH_2$, and $-OCH_2OC(O)CHR^d-NHC(O)O-C_{1\text{-}6}$alkyl, and R^7 is selected from H and $-CH_2OC(O)CH_3$; or R^2 is selected from $-C(O)-C_{1\text{-}6}$alkyl, $-C(O)CHR^d-NH_2$, $-C(O)CHR^d-$

NHC(O)O-C_{1-6}alkyl, and -P(O)(OR^e)$_2$, R^4 is -OH, and R^7 is H; or


(ii) R^a is H; R^b is Cl; X is 

; and

R^2 is H, R^3 is -OH and R^7 is selected from -CH_2CF_3, -$(CH_2)_2CF_3$, -$CH_2CF_2CH_3$, -$CH_2CF_2CF_3$, -$C(CH_3)(CF_3)_2$, -$CH(CH_2CH_3)CF_3$, -$CH(CH_3)CF_2CF_3$, -$(CH_2)_{2-3}OH$, -$CH_2CH(NH_2)COOCH_3$, -$(CH_2)_2OCH_3$, -$CHR^cOC(O)$-C_{1-4}alkyl, -$CHR^cOC(O)O$-C_{2-4}alkyl, -$CHR^cOC(O)O$-cyclohexyl, -C_{2-4}alkylene-$N(CH_3)_2$, -$CH_2OC(O)CHR^d$-NH_2, -$CH_2OC(O)CHR^d$-$NHC(O)O$-C_{1-6}alkyl, benzyl, and

CLAIMS

1. A compound having the structure:



.