
CLAIMS

1. A compound of Formula (I):



(I)

wherein:

E is O or is absent;

R is (a) an 8-, 9-, or 10-membered bicyclic heteroaryl comprising one heteroatom selected from N, S, and O, and one, two, or three additional N atoms, wherein said bicyclic heteroaryl is unsubstituted or is substituted with one or more substituents selected from the group consisting of deuterium, amino, alkylamino, dialkylamino, alkyl, halo, cyano, haloalkyl, hydroxy, hydroxyalkyl, and alkoxy, and wherein one or more N atoms of said bicyclic heteroaryl is optionally an N-oxide; or

(b) a five- or six-membered nitrogen-linked heterocycloalkyl ring fused to a phenyl or monocyclic six-membered heteroaryl, wherein said phenyl or heteroaryl is unsubstituted or is substituted with one or more substituents selected from the group consisting of deuterium, amino, alkylamino, dialkylamino, alkyl, halo, cyano, haloalkyl, hydroxy, hydroxyalkyl, and alkoxy;

R^1 is (1) a saturated, monocyclic heterocycloalkyl, which is unsubstituted or substituted with one or more substituents R^x;

wherein each R^x substituent is independently selected from the group consisting of: deuterium, halo, hydroxy, cyano, $-NR^aR^b$, -alkylenyl-NR^aR^b, oxo, alkyl, hydroxyalkyl, cyanoalkyl, haloalkyl, alkoxy, haloalkoxy, alkoxyalkyl-, -S-alkyl, alkenyl, alkynyl, aryl, arylalkyl-, aryloxy-, arylalkoxy-, cycloalkyl, cycloalkoxy, (cycloalkyl)alkyl-, heterocycloalkyl, (heterocycloalkyl)alkyl-, (heterocycloalkyl)alkoxy-, -C(O)alkyl, $-CO_2$alkyl, $-CO_2H$, -C(O)cycloalkyl, -C(O)aryl,

-C(O)heterocycloalkyl, -S(O)-alkyl, -SO_2-alkyl, -SO_2-aryl, -SO_2-(haloalkyl), -$CONH_2$, C(O)NH(alkyl), -C(O)NH(haloalkyl), -C(O)N(alkyl)$_2$, -C(O)NH(cycloalkyl), heteroaryl, (heteroaryl)alkyl-, -N(R^e)-C(O)-alkyl, -N(R^e)-C(O)-aryl, -N(R^e)-CO_2-alkyl, -SO_2NH_2, -SO_2NH(alkyl), -SO_2N(alkyl)$_2$, -SO_2NH(cycloalkyl), and -N(H)(SO_2alkyl), or two adjacent R^x substituents taken together form a phenyl ring,

wherein each of said cycloalkyl, heterocycloalkyl, aryl, heteroaryl, and phenyl substituents within R^x is independently unsubstituted or substituted with one or more substituents selected from the group consisting of alkyl, halo, hydroxy, cyano, alkoxy, amino, -NHCO_2alkyl, -C(O)alkyl, and -CO_2alkyl;

wherein R^a and R^b are each independently H, alkyl, alkoxy, alkoxyalkyl, cyanoalkyl, or haloalkyl; and

R^c is H or alkyl; or

(2) a saturated, bicyclic or tricyclic, nitrogen-linked heterocycloalkyl, wherein said heterocycloalkyl comprises a fused, bridged, or spiro bicyclic system, and said heterocycloalkyl is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: alkyl, halo, haloalkyl, hydroxy, hydroxyalkyl, alkoxy, cyano, cyanoalkyl, oxo, -NR^dR^e, -alkylenyl-NR^dR^e, -C(O)alkyl, -CO_2alkyl, and -SO_2alkyl;


wherein R^d is H or alkyl; and


R^e is H, alkyl, haloalkyl, -C(O)alkyl, -CO_2alkyl, or -SO_2alkyl; and


R^2 and R^3 are each independently H or deuterium;


or a pharmaceutically acceptable salt thereof,


with the proviso that the compound of Formula I is not one of the following compounds:


























































or


2. The compound of claim 1, wherein E is O.

3. The compound of claim 1, wherein E is absent.

4. The compound of claim 1, wherein R is an unsubstituted or substituted bicyclic heteroaryl.



5. The compound of claim 1, wherein R is an unsubstituted or substituted 8- or 9-membered heteroaryl.

6. The compound of claim 1, wherein R is a bicyclic heteroaryl selected from the group consisting of:



each unsubstituted or substituted as in claim 1.

7. The compound of claim 1, wherein R is a five- or six-membered nitrogen-linked heterocycloalkyl ring fused to an unsubstituted or substituted phenyl or monocyclic heteroaryl.

8. The compound of claim 1, wherein R is  or .

9. The compound of claim 1, wherein R^1 is a saturated, monocyclic, nitrogen-linked heterocycloalkyl, unsubstituted or substituted as in claim 1.

10. The compound of claim 9, wherein the saturated, monocyclic, nitrogen-linked heterocycloalkyl is azetidinyl, pyrrolidinyl, piperidinyl, morpholinyl, piperazinyl, azepanyl, or diazepanyl, unsubstituted or substituted as in claim 9.

11. The compound of claim 9, wherein the saturated, monocyclic, nitrogen-linked heterocycloalkyl is substituted with one or more R^x groups independently selected from the group consisting of: hydroxy, methoxy, cyano, cyanomethyl, amino, difluoroethylamino, methoxyethylamino, cyanoethylamino, hydroxymethyl, pyrrolidinyl, methyl, ethyl, isopropyl, isobutyl, trifluoroethyl, trifluoromethyl, cyclohexyl, tetrahydropyranyl, pyrrolidinyl, oxetanyl, fluoro, -C(O)(4-methyl-piperazin-1-yl), 4-methylpiperazinyl, -NH(Boc), acetyl, hydroxyethyl, dimethylaminoethyl, cyanoethyl, methoxyethyl, -N(Me)(acetyl), dimethylamino, -C(O)(dimethylamino), and oxo, and where two adjacent substituents taken together form a phenyl ring.

12. The compound of claim 9, wherein the saturated, monocyclic, nitrogen-linked heterocycloalkyl is substituted with 1, 2, or 3 R^x groups independently selected from the group consisting of: methyl, ethyl, isopropyl, hydroxy, methoxy, amino, cyano, fluoro, and trifluoromethyl.

13. The compound of claim 1, wherein R^1 is a saturated, monocyclic, carbon-linked heterocycloalkyl, unsubstituted or substituted as in claim 1.

14. The compound of claim 13, wherein the saturated, monocyclic, carbon-linked heterocycloalkyl is tetrahydropyranyl, pyrrolidinyl, piperidinyl, or tetrahydrofuranyl, unsubstituted or substituted as described in claim 13.

15. The compound of claim 13, wherein the saturated, monocyclic, carbon-linked heterocycloalkyl is pyrrolidin-3-yl, tetrahydropyran-4-yl, tetrahydropyran-3-yl, piperidin-3-yl, piperidin-4-yl, or tetrahydrofuran-3-yl, unsubstituted or substituted as described in claim 13.

16. The compound of claim 13, wherein the saturated, monocyclic, carbon-linked heterocycloalkyl is substituted with one or more substituents independently selected from the group consisting of methyl, ethyl, propyl, isopropyl, isobutyl, tert-butyl, trifluoromethyl, trifluoroethyl, acetyl, propionyl, butyryl, isobutyryl, benzoyl, methylsulfonyl, phenylsulfonyl, tert-butoxycarbonyl, tetrahydropyranyl, and oxetanyl.

17. The compound of claim 1, wherein R^1 is a saturated, bicyclic or tricyclic, nitrogen-linked heterocycloalkyl, wherein said heterocycloalkyl comprises a fused, bridged, or spiro bicyclic system, and is unsubstituted or substituted as described in claim 1.







18. The compound of claim 17, wherein R^1 is a bridged, bicyclic, nitrogen-linked heterocycloalkyl, unsubstituted or substituted as described for claim 17.











19. The compound of claim 17, wherein R^1 is an azetidine, pyrrolidine, piperidine, morpholine, azepane, 1,4-diazepane, or azocane ring, substituted with two substituents on the same or different carbons that together form a C_{1-6}alklenyl group, wherein one carbon atom of the alkylenyl group is optionally replaced with one or two O, S, or NH groups, and the resulting bicyclic heterocycloalkyl is optionally further substituted as described for claim 17.










20. The compound of claim 17, wherein R^1 is substituted with one or more substituents independently selected from the group consisting of: methyl, ethyl, isopropyl, acetyl, fluoro, oxo, hydroxy, tert-butoxycarbonyl, amino, aminomethyl, tert-butoxycarbonylamino, and tert-butoxycarbonyl-aminomethyl.











21. The compound of claim 1, wherein both R^2 and R^3 are H.










22. A compound selected from the group consisting of:










	5H-Imidazo[1,2-b]pyrazole-2-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(8-oxa-3-aza-bicyclo[3.2.1]octane-3-sulfonyl)-benzylamide;
	Thieno[2,3-c]pyridine-2-carboxylic acid 4-(8-oxa-3-aza-bicyclo[3.2.1]octane-3-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(8-oxa-3-aza-bicyclo[3.2.1]octane-3-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;








	Furo[2,3-c]pyridine-2-carboxylic acid 4-(4-methoxy-piperidine-1-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(morpholine-4-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(morpholine-4-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(morpholine-4-sulfonyl)-benzylamide;
	Thieno[2,3-c]pyridine-2-carboxylic acid 4-(morpholine-4-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(4-cyano-piperidine-1-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(4-cyanomethyl-piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(morpholine-4-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(morpholine-4-sulfonyl)-benzylamide;
	Imidazo[1,2-b]pyridazine-6-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;








	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-methyl-piperazine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-isopropyl-piperazine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(3-hydroxy-piperidine-1-sulfonyl)-benzylamide (racemic);
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(tetrahydro-pyran-4-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(tetrahydro-pyran-4-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(tetrahydro-pyran-4-sulfonyl)-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(tetrahydro-pyran-4-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(tetrahydro-pyran-4-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[4-(2,2,2-trifluoro-ethyl)-piperazine-1-sulfonyl]-benzylamide;









	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(8-oxa-3-aza-bicyclo[3.2.1]octane-3-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(8-oxa-3-aza-bicyclo[3.2.1]octane-3-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(4-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(4-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(4-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(3-hydroxy-piperidine-1-sulfonyl)-benzylamide (racemic);
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(3-hydroxy-piperidine-1-sulfonyl)-benzylamide (racemic);
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(3-hydroxy-piperidine-1-sulfonyl)-benzylamide (racemic);
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(3-hydroxy-piperidine-1-sulfonyl)-benzylamide (racemic);









	Thieno[2,3-c]pyridine-2-carboxylic acid 4-(4-amino-piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-[4-(2,2-difluoro-ethylamino)-piperidine-1-sulfonyl]-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(4-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-[4-(2-methoxy-ethylamino)-piperidine-1-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-cyclohexyl-piperazine-1-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(piperidine-4-sulfonyl)-benzylamide;
	Thieno[2,3-c]pyridine-2-carboxylic acid 4-(piperidine-4-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-isobutyl-piperazine-1-sulfonyl)-benzylamide;
	Thieno[2,3-c]pyridine-2-carboxylic acid 4-((1R,3R,5S)-3-amino-8-aza-bicyclo[3.2.1]octane-8-sulfonyl)-benzylamide;










	[1,2,4]Triazolo[1,5-a]pyridine-6-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;
	Thieno[2,3-c]pyridine-2-carboxylic acid 4-((3R,5S)-3,5-dimethyl-piperazine-1-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-[1-(tetrahydro-pyran-4-yl)-piperidine-4-sulfonyl]-benzylamide;
	Pyrazolo[1,5-a]pyridine-5-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrazolo[4,3-b]pyridine-6-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-((R)-3-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-((S)-3-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-((S)-3-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-((R)-3-hydroxy-piperidine-1-sulfonyl)-benzylamide;











	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-((S)-3-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	[1-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-piperidin-4-yl]-carbamic acid tert-butyl ester;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-[1-(tetrahydro-pyran-4-yl)-piperidine-4-sulfonyl]-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-[4-(2-cyano-ethylamino)-piperidine-1-sulfonyl]-benzylamide;
	Pyrazolo[1,5-a]pyrimidine-5-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[4-(tetrahydro-pyran-4-yl)-piperazine-1-sulfonyl]-benzylamide;
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-((3R,5S)-3,5-dimethyl-piperazine-1-sulfonyl)-benzylamide;









	cis-Furo[2,3-c]pyridine-2-carboxylic acid 4-((3R,5S)-3,5-dimethyl-piperazine-1-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(1-acetyl-piperidine-4-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-[1-(2,2,2-trifluoro-ethyl)-piperidine-4-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-[1-(2,2,2-trifluoro-ethyl)-piperidine-4-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[1-(2,2,2-trifluoro-ethyl)-piperidine-4-sulfonyl]-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-[1-(2,2,2-trifluoro-ethyl)-piperidine-4-sulfonyl]-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-[1-(2,2,2-trifluoro-ethyl)-piperidine-4-sulfonyl]-benzylamide;









	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-[1-(tetrahydro-pyran-4-yl)-piperidine-4-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[1-(tetrahydro-pyran-4-yl)-piperidine-4-sulfonyl]-benzylamide;
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-((3aR,6aS)-5,5-difluoro-hexahydro-cyclopenta[c]pyrrole-2-sulfonyl)-benzylamide;
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[(3aR,6aS)-(tetrahydro-furo[3,4-c]pyrrol-5-yl)sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(hexahydro-furo[2,3-c]pyrrole-5-sulfonyl)-benzylamide (mixture of diastereomers);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4,4-difluoro-hexahydro-cyclopenta[c]pyrrole-2-sulfonyl)-benzylamide (isomer A);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4,4-difluoro-hexahydro-cyclopenta[c]pyrrole-2-sulfonyl)-benzylamide (isomer B);
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-[(S)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;






	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-[(S)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[(S)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-[1-(tetrahydro-pyran-4-yl)-piperidine-4-sulfonyl]-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-[(R)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-[(R)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[(R)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-((R)-3-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[(3R,5S)-3,5-dimethyl-4-(2,2,2-trifluoro-ethyl)-piperazine-1-sulfonyl]-benzylamide;







	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[(1S,4S)-(2-oxa-5-aza-bicyclo[2.2.1]hept-5-yl)sulfonyl]-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(1-acetyl-piperidine-4-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(1-acetyl-piperidine-4-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-[(S)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-[(S)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-[(R)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-[(R)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(piperidine-4-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-oxetan-3-yl-piperazine-1-sulfonyl)-benzylamide;






	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-acetyl-piperazine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[4-(2-hydroxy-ethyl)-piperazine-1-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-cyano-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-hydroxymethyl-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-pyrrolidin-1-yl-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[4-(2-methoxy-ethyl)-piperazine-1-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(3,3-difluoro-pyrrolidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-acetyl-[1,4]diazepane-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[3-(acetyl-methyl-amino)-pyrrolidine-1-sulfonyl]-benzylamide (racemic);
	7-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-2,7-diaza-spiro[4.5]decane-2-carboxylic acid tert-butyl ester (racemic);









	8-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-2,8-diaza-spiro[4.5]decane-2-carboxylic acid tert-butyl ester;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[4-(2-cyano-ethyl)-piperazine-1-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[4-(2-dimethylamino-ethyl)-piperazine-1-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-((R)-2-hydroxymethyl-pyrrolidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-((S)-2-hydroxymethyl-pyrrolidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-((S)-3-dimethylamino-pyrrolidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[4-(4-methyl-piperazine-1-carbonyl)-piperidine-1-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[4-(4-methyl-piperazin-1-yl)-piperidine-1-sulfonyl]-benzylamide;








	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(3-trifluoromethyl-pyrrolidine-1-sulfonyl)-benzylamide (racemic);
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4,4-difluoro-piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(1-acetyl-piperidine-4-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(1-oxetan-3-yl-piperidine-4-sulfonyl)-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(1-oxetan-3-yl-piperidine-4-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(1-oxetan-3-yl-piperidine-4-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(4-oxetan-3-yl-piperazine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(1-oxetan-3-yl-piperidine-4-sulfonyl)-benzylamide;








	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(4-oxetan-3-yl-piperazine-1-sulfonyl)-benzylamide;
	Thieno[2,3-c]pyridine-2-carboxylic acid 4-(1-oxetan-3-yl-piperidine-4-sulfonyl)-benzylamide;
	9-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-3,9-diaza-spiro[5.5]undecane-3-carboxylic acid tert-butyl ester;
	9-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-2,9-diaza-spiro[5.5]undecane-2-carboxylic acid tert-butyl ester;
	8-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-1,8-diaza-spiro[5.5]undecane-1-carboxylic acid tert-butyl ester (racemic);










	4-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-1-oxa-4,9-diaza-spiro[5.5]undecane-9-carboxylic acid tert-butyl ester;
	8-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-1,8-diaza-spiro[4.5]decane-1-carboxylic acid tert-butyl ester;
	4-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-1-oxa-4,8-diaza-spiro[5.5]undecane-8-carboxylic acid tert-butyl ester (racemic);
	[7-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-7-aza-spiro[3.5]non-2-yl]-carbamic acid tert-butyl ester;
	cis-3-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-3,6-diaza-bicyclo[3.2.0]heptane-6-carboxylic acid tert-butyl ester (racemic);
	[2-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-2-aza-bicyclo[2.1.1]hex-1-ylmethyl]-carbamic acid tert-butyl ester;










	cis-4-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-hexahydro-pyrrolo[3,4-b][1,4]oxazine-6-carboxylic acid tert-butyl ester (racemic);
	2-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-2,9-diaza-spiro[5.5]undecane-9-carboxylic acid tert-butyl ester;
	cis-[3-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-3-aza-bicyclo[3.1.0]hex-1-yl]-carbamic acid tert-butyl ester (racemic);
	cis-7-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-9-oxa-3,7-diaza-bicyclo[3.3.1]nonane-3-carboxylic acid tert-butyl ester (racemic);
	cis-4-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-hexahydro-pyrrolo[3,4-b][1,4]oxazine-6-carboxylic acid tert-butyl ester (racemic);









	cis-1-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-hexahydro-pyrrolo[3,4-b]pyrrole-5-carboxylic acid tert-butyl ester (racemic);
	cis-5-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-hexahydro-pyrrolo[3,4-b]pyrrole-1-carboxylic acid tert-butyl ester (racemic);
	cis-5-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-hexahydro-pyrrolo[3,4-c]pyrrole-2-carboxylic acid tert-butyl ester (racemic).
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(9-hydroxy-3-oxa-7-aza-bicyclo[3.3.1]nonane-7-sulfonyl)-benzylamide (mixture of diastereomers);
	trans-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(3-hydroxy-4-methyl-pyrrolidine-1-sulfonyl)-benzylamide (racemic);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(7-hydroxy-3-oxa-9-aza-bicyclo[3.3.1]nonane-9-sulfonyl)-benzylamide (racemic);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(5,5-difluoro-2-aza-bicyclo[2.2.1]heptane-2-sulfonyl)-benzylamide (racemic);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(7-methyl-9-oxa-3,7-diaza-bicyclo[3.3.1]nonane-3-sulfonyl)-benzylamide (racemic);






	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(5-methyl-hexahydro-pyrrolo[3,4-b]pyrrole-1-sulfonyl)-benzylamide (racemic);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(1-methyl-hexahydro-pyrrolo[3,4-b]pyrrole-5-sulfonyl)-benzylamide (racemic);
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-hydroxy-4-methyl-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(hexahydro-furo[3,2-c]pyridine-5-sulfonyl)-benzylamide (mixture of diastereomers);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(6,6-difluoro-3-aza-bicyclo[3.2.0]heptane-3-sulfonyl)-benzylamide (racemic);
	Pyrazolo[1,5-a]pyrazine-2-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(4-oxetan-3-yl-piperazine-1-sulfonyl)-benzylamide;









	Furo[2,3-c]pyridine-2-carboxylic acid 4-((S)-3-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-((R)-3-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(2,8-diaza-spiro[4.5]decane-8-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(tetrahydro-furo[3,4-c]pyrrole-5-sulfonyl)-benzylamide (mixture of diastereomers);
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(tetrahydro-pyran-3-sulfonyl)-benzylamide (racemic);
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(tetrahydro-pyran-3-sulfonyl)-benzylamide (racemic);
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(4-pyrrolidin-1-yl-piperidine-1-sulfonyl)-benzylamide;









	Furo[2,3-c]pyridine-2-carboxylic acid 4-(4-pyrrolidin-1-yl-piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(tetrahydro-furo[3,4-c]pyrrole-5-sulfonyl)-benzylamide (mixture of diastereomers);
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(2-aza-bicyclo[2.1.1]hexane-2-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(3-aza-bicyclo[3.1.0]hexane-3-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(3-hydroxy-3-methyl-pyrrolidine-1-sulfonyl)-benzylamide (racemic);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(9-methyl-3-oxa-7,9-diaza-bicyclo[3.3.1]nonane-7-sulfonyl)-benzylamide (racemic);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(5-acetyl-2,5-diaza-bicyclo[2.2.1]heptane-2-sulfonyl)-benzylamide (racemic)
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(5-fluoro-2-aza-bicyclo[2.2.1]heptane-2-sulfonyl)-benzylamide (racemic);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(3-methyl-3,6-diaza-bicyclo[3.2.1]octane-6-sulfonyl)-benzylamide (racemic);







	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(2-aza-bicyclo[3.1.0]hexane-2-sulfonyl)-benzylamide (racemic);
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(2,6-dioxa-9-aza-spiro[4.5]decane-9-sulfonyl)-benzylamide (racemic);
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(tetrahydro-pyran-3-sulfonyl)-benzylamide (racemic);
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(tetrahydro-pyran-3-sulfonyl)-benzylamide (racemic);
	Furo[2,3-c]pyridine-2-carboxylic acid 4-[4-(tetrahydro-pyran-4-yl)-piperazine-1-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(1-acetyl-piperidine-4-sulfonyl)-benzylamide;
	cis-1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(2-oxa-5-aza-bicyclo[2.2.1]heptane-5-sulfonyl)-benzylamide (racemic);
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-[4-(2-methoxy-ethyl)-piperazine-1-sulfonyl]-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(4-hydroxymethyl-piperidine-1-sulfonyl)-benzylamide;








	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(3,3-difluoro-pyrrolidine-1-sulfonyl)-benzylamide;
	cis-1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(4,4-difluoro-hexahydro-cyclopenta[c]pyrrole-2-sulfonyl)-benzylamide (racemic);
	cis-1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(5,5-difluoro-hexahydro-cyclopenta[c]pyrrole-2-sulfonyl)-benzylamide (racemic);
	cis-1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(hexahydro-furo[2,3-c]pyrrole-5-sulfonyl)-benzylamide (racemic);
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(1-isobutyl-piperidine-4-sulfinyl)-benzylamide (racemic);
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(1-isobutyl-piperidine-4-sulfinyl)-benzylamide (racemic);
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(1-isobutyl-piperidine-4-sulfinyl)-benzylamide (racemic);
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(1-isobutyl-piperidine-4-sulfinyl)-benzylamide (racemic);









	8-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-1,8-diaza-spiro[4.6]undecane-1-carboxylic acid tert-butyl ester (racemic);
	3-[(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonylamino)-methyl]-1-oxa-8-aza-spiro[4.5]decane-8-carboxylic acid tert-butyl ester (racemic);
	1-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-1,8-diaza-spiro[4.5]decane-8-carboxylic acid tert-butyl ester;
	3-[1-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-2,3-dihydro-1H-indol-3-yl]-piperidine-1-carboxylic acid tert-butyl ester (mixture of diastereomers);
	N-(4-(1-isobutylpiperidin-4-ylsulfinyl)benzyl)H-imidazo[1,2-a]pyridine-6-carboxamide (racemic);








	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide (single isomer);
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide (single isomer);
	N-[[4-(8-oxa-2-azaspiro[3.5]nonan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(2,8-diazaspiro[3.5]nonan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;







	N-[[4-(4-tetrahydropyran-4-ylpiperazin-1-yl)sulfonylphenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(6-methyl-2,6-diazaspiro[3.4]octan-2-yl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[(4-tetrahydropyran-4-ylsulfonylphenyl)methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[(4-tetrahydropyran-4-ylsulfonylphenyl)methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[(4-tetrahydropyran-4-ylsulfonylphenyl)methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[(4-tetrahydropyran-4-ylsulfonylphenyl)methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[(4-tetrahydropyran-4-ylsulfonylphenyl)methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-(4-piperidylsulfonyl)phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;






	N-[[4-(4-piperidylsulfonyl)phenyl]methyl]thieno[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-acetyl-4-piperidyl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]phenyl]methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;








	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]phenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(2,6-diazaspiro[3.4]octan-6-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(7-methyl-2,7-diazaspiro[3.4]octan-2-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;







	N-[[4-[(1-oxo-2,7-diazaspiro[4.4]nonan-7-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(7-oxa-2-azaspiro[3.5]nonan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1-oxa-7-azaspiro[4.4]nonan-7-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide
	N-[[4-(6-oxa-2-azaspiro[3.4]octan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(3S)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[[4-[(3S)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[[4-[(3S)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;







	N-[[4-[(3R)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[[4-[(3R)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[[4-[(3R)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-acetyl-4-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-acetyl-4-piperidyl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[[4-[(3S)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(3S)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;









	N-[[4-[(3R)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(3R)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-(4-piperidylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	tert-butyl 2-[4-[(imidazo[1,2-a]pyridine-6-carbonylamino)methyl]phenyl]sulfonyl-2,8-diazaspiro[4.5]decane-8-carboxylate;
	tert-butyl 7-[4-[(imidazo[1,2-a]pyridine-6-carbonylamino)methyl]phenyl]sulfonyl-1,7-diazaspiro[4.4]nonane-1-carboxylate;
	tert-butyl 1-[4-[(imidazo[1,2-a]pyridine-6-carbonylamino)methyl]phenyl]sulfonyl-1,7-diazaspiro[4.4]nonane-7-carboxylate;









	tert-butyl 2-[4-[(imidazo[1,2-a]pyridine-6-carbonylamino)methyl]phenyl]sulfonyl-2,8-diazaspiro[3.5]nonane-8-carboxylate;
	N-[[4-(3,3-difluoroazetidin-1-yl)sulfonylphenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(azetidin-1-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	tert-butyl 2-[4-[(imidazo[1,2-a]pyridine-6-carbonylamino)methyl]phenyl]sulfonyl-2,7-diazaspiro[4.4]nonane-7-carboxylate;
	tert-butyl 2-[4-[(imidazo[1,2-a]pyridine-6-carbonylamino)methyl]phenyl]sulfonyl-2,9-diazaspiro[4.5]decane-9-carboxylate;









	tert-butyl 2-[4-[(imidazo[1,2-a]pyridine-6-carbonylamino)methyl]phenyl]sulfonyl-2,6-diazaspiro[4.5]decane-6-carboxylate;
	N-[[4-[3-(dimethylcarbamoyl)azetidin-1-yl]sulfonylphenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(3-hydroxyazetidin-1-yl)sulfonylphenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[3-(4-methylpiperazine-1-carbonyl)azetidin-1-yl]sulfonylphenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-acetyl-4-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[[4-[[1-(oxetan-3-yl)-4-piperidyl]sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[[1-(oxetan-3-yl)-4-piperidyl]sulfonyl]phenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;






	N-[[4-[[1-(oxetan-3-yl)-4-piperidyl]sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[[1-(oxetan-3-yl)-4-piperidyl]sulfonyl]phenyl]methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[[4-[[1-(oxetan-3-yl)-4-piperidyl]sulfonyl]phenyl]methyl]thieno[2,3-c]pyridine-2-carboxamide;
	N-[[4-(2,8-diazaspiro[3.5]nonan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1,7-diazaspiro[4.4]nonan-1-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1,7-diazaspiro[4.4]nonan-7-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;






	N-[[4-(2,8-diazaspiro[4.5]decan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1,7-diazaspiro[4.4]nonan-7-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1,7-diazaspiro[4.4]nonan-1-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(6-acetyl-2,6-diazaspiro[3.3]heptan-2-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	2-amino-N-[(4-morpholinosulfonylphenyl)methyl]-5,7-dihydropyrrolo[3,4-d]pyrimidine-6-carboxamide;
	N-[[4-(2,7-diazaspiro[3.5]nonan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;










	N-[[4-(2,7-diazaspiro[4.4]nonan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(7-oxa-2-azaspiro[3.5]nonan-2-ylsulfonyl)phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[(4-tetrahydropyran-4-ylsulfonylphenyl)methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-acetyl-4-piperidyl)sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[(4-tetrahydropyran-3-ylsulfonylphenyl)methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[(4-tetrahydropyran-3-ylsulfonylphenyl)methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[(4-tetrahydropyran-3-ylsulfonylphenyl)methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-(7-oxa-2-azaspiro[3.5]nonan-2-ylsulfonyl)phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;









	N-[[4-[(6,6-difluoro-2-azaspiro[3.3]heptan-2-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(7-methyl-2,7-diazaspiro[3.5]nonan-2-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(8-methyl-5-oxa-2,8-diazaspiro[3.5]nonan-2-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(5-methyl-2,5-diazaspiro[3.4]octan-2-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(5-oxa-2-azaspiro[3.4]octan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[(4-tetrahydropyran-3-ylsulfonylphenyl)methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[(4-tetrahydropyran-3-ylsulfonylphenyl)methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	2-amino-N-[(4-tetrahydropyran-4-ylsulfonylphenyl)methyl]-5,7-dihydropyrrolo[3,4-d]pyrimidine-6-carboxamide;








	N-[[4-(4-tetrahydropyran-4-ylpiperazin-1-yl)sulfonylphenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-acetyl-4-piperidyl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[4-(oxetan-3-yl)piperazin-1-yl]sulfonylphenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-(3,3-difluoroazetidin-1-yl)sulfonylphenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-oxo-2,7-diazaspiro[4.4]nonan-7-yl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(7-methyl-2,7-diazaspiro[3.4]octan-2-yl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-(1-oxa-7-azaspiro[4.4]nonan-7-ylsulfonyl)phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-(6-oxa-1-azaspiro[3.3]heptan-1-ylsulfonyl)phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;








	N-[[4-[(3S,5R)-3,5-dimethyl-4-(oxetan-3-yl)piperazin-1-yl]sulfonylphenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[[1-(oxetan-3-yl)-4-piperidyl]sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-(4-methylpiperazin-1-yl)sulfonylphenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(7-methyl-2,7-diazaspiro[3.4]octan-2-yl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;








	N-[[4-(7-oxa-2-azaspiro[3.5]nonan-2-ylsulfonyl)phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(4-pyrrolidin-1-yl-1-piperidyl)sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[(4-morpholinosulfonylphenyl)methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(4,4-difluoro-1,3,3a,5,6,6a-hexahydrocyclopenta[c]pyrrol-2-yl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(5,5-difluoro-1,3,3a,4,6,6a-hexahydrocyclopenta[c]pyrrol-2-yl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;









	N-[[4-[4-(2-methoxyethyl)piperazin-1-yl]sulfonylphenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[[4-(hydroxymethyl)-1-piperidyl]sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-(3,3-difluoropyrrolidin-1-yl)sulfonylphenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-(3,3-difluoroazetidin-1-yl)sulfonylphenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-(2,3,3a,4,6,6a-hexahydrofuro[2,3-c]pyrrol-5-ylsulfonyl)phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-(1-oxa-7-azaspiro[4.4]nonan-7-ylsulfonyl)phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-(2-oxa-5-azabicyclo[2.2.1]heptan-5-ylsulfonyl)phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-(8-oxa-3-azabicyclo[3.2.1]octan-3-ylsulfonyl)phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[[(3R)-3-hydroxy-1-piperidyl]sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;










	N-[[4-[[(3S)-3-hydroxy-1-piperidyl]sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-(1-piperidylsulfonyl)phenyl]methyl]imidazo[1,5-a]pyridine-7-carboxamide;
	N-[[4-[(1-methyl-4-piperidyl)sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-propanoyl-4-piperidyl)sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-propanoyl-4-piperidyl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[[1-(2-methylpropanoyl)-4-piperidyl]sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-butanoyl-4-piperidyl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;










	N-[[4-[(1-isopropyl-4-piperidyl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(4-amino-1-piperidyl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(4-hydroxy-1-piperidyl)sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-(1-oxa-4,9-diazaspiro[5.5]undecan-4-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(5-amino-3-azabicyclo[3.1.0]hexan-3-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1,8-diazaspiro[4.5]decan-8-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;










	N-[[4-(1-oxa-4,8-diazaspiro[5.5]undecan-4-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(2-amino-7-azaspiro[3.5]nonan-7-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(3,9-diazaspiro[5.5]undecan-3-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(2,9-diazaspiro[5.5]undecan-9-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1,8-diazaspiro[5.5]undecan-8-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(3,4a,5,6,7,7a-hexahydro-2H-pyrrolo[3,4-b][1,4]oxazin-4-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[[4-(aminomethyl)-3-azabicyclo[2.1.1]hexan-3-yl]sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;










	N-[[4-(2,3,3a,4,6,6a-hexahydro-1H-pyrrolo[3,4-c]pyrrol-5-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[3-(3-piperidyl)indolin-1-yl]sulfonylphenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1,8-diazaspiro[4.5]decan-1-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(2,3,3a,4,6,6a-hexahydro-1H-pyrrolo[3,4-b]pyrrol-5-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(9-oxa-3,7-diazabicyclo[3.3.1]nonan-3-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1,9-diazaspiro[4.6]undecan-9-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(3,4a,5,6,7,7a-hexahydro-2H-pyrrolo[3,4-b][1,4]oxazin-4-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;






	N-[[4-(1,8-diazaspiro[5.5]undecan-8-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(3,6-diazabicyclo[3.2.0]heptan-3-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(2,9-diazaspiro[5.5]undecan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(3,3a,4,5,6,6a-hexahydro-2H-pyrrolo[2,3-c]pyrrol-1-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[[4-[(1-isobutyl-4-piperidyl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-propyl-4-piperidyl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-benzoyl-4-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;

	N-[[4-[[1-(benzenesulfonyl)-3-piperidyl]sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[1-(benzenesulfonyl)pyrrolidin-3-yl]sulfonylphenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-acetyl-3-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-(1-acetylpyrrolidin-3-yl)sulfonylphenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-methylsulfonyl-4-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-benzoyl-3-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-(1-benzoylpyrrolidin-3-yl)sulfonylphenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[[1-(benzenesulfonyl)-4-piperidyl]sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide; N-[[4-[(1-methylsulfonyl-3-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-(1-methylsulfonylpyrrolidin-3-yl)sulfonylphenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;

	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-propyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfinyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfinyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;

	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfinyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfinyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfinyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfinyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(R)-(1-isopropyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-ethyl-4-piperidyl)sulfinyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-methyl-4-piperidyl)sulfinyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-methyl-4-piperidyl)sulfinyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;


	N-[[4-[(1-ethyl-4-piperidyl)sulfinyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-propyl-4-piperidyl)sulfinyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfinyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-propyl-4-piperidyl)sulfinyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-propyl-4-piperidyl)sulfinyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-methyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-ethyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfinyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;

	N-[[4-[(1-propyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(S)-(1-propyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfinyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-ethyl-4-piperidyl)sulfinyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide; and
	N-[[4-[(1-isopropyl-4-piperidyl)sulfinyl]phenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;

and pharmaceutically acceptable salts thereof, stereoisomers thereof, and pharmaceutically acceptable salts of stereoisomers thereof.

23. A pharmaceutical composition comprising:

(a) an effective amount of at least one compound of Formula I:



(I)

wherein:

E is O or is absent;

R is (a) an 8-, 9-, or 10-membered bicyclic heteroaryl comprising one heteroatom selected from N, S, and O, and one, two, or three additional N atoms, wherein said bicyclic heteroaryl is unsubstituted or is substituted with one or more substituents selected from the group consisting of deuterium,

amino, alkylamino, dialkylamino, alkyl, halo, cyano, haloalkyl, hydroxy, hydroxyalkyl, and alkoxy, and wherein one or more N atoms of said bicyclic heteroaryl is optionally an N-oxide; or

(b) a five- or six-membered nitrogen-linked heterocycloalkyl ring fused to a phenyl or monocyclic six-membered heteroaryl, wherein said phenyl or heteroaryl is unsubstituted or is substituted with one or more substituents selected from the group consisting of deuterium, amino, alkylamino, dialkylamino, alkyl, halo, cyano, haloalkyl, hydroxy, hydroxyalkyl, and alkoxy;

R^1 is (1) a saturated, monocyclic heterocycloalkyl, which is unsubstituted or substituted with one or more substituents R^x;

wherein each R^x substituent is independently selected from the group consisting of: deuterium, halo, hydroxy, cyano, $-NR^aR^b$, -alkylenyl-NR^aR^b, oxo, alkyl, hydroxyalkyl, cyanoalkyl, haloalkyl, alkoxy, haloalkoxy, alkoxyalkyl-, -S-alkyl, alkenyl, alkynyl, aryl, arylalkyl-, aryloxy-, arylalkoxy-, cycloalkyl, cycloalkoxy, (cycloalkyl)alkyl-, heterocycloalkyl, (heterocycloalkyl)alkyl-, (heterocycloalkyl)alkoxy-, -C(O)alkyl, $-CO_2$alkyl, $-CO_2H$, -C(O)cycloalkyl, -C(O)heterocycloalkyl, -S(O)-alkyl, $-SO_2$-alkyl, $-SO_2$-aryl, $-SO_2$-(haloalkyl), $-CONH_2$, C(O)NH(alkyl), -C(O)NH(haloalkyl), $-C(O)N(alkyl)_2$, -C(O)NH(cycloalkyl), heteroaryl, (heteroaryl)alkyl-, $-N(R^c)$-C(O)-alkyl, $-N(R^c)$-C(O)-aryl, $-N(R^c)$-CO_2-alkyl, $-SO_2NH_2$, $-SO_2NH$(alkyl), $-SO_2N(alkyl)_2$, $-SO_2NH$(cycloalkyl), and $-N(H)(SO_2alkyl)$, or two adjacent R^x substituents taken together form a phenyl ring,

wherein each of said cycloalkyl, heterocycloalkyl, aryl, heteroaryl, and phenyl substituents within R^x is independently unsubstituted or substituted with one or more substituents selected from the group consisting of alkyl, halo, hydroxy, cyano, alkoxy, amino, -C(O)alkyl, and $-CO_2$alkyl;

wherein R^a and R^b are each independently H, alkyl, alkoxy,

alkoxyalkyl, cyanoalkyl, or haloalkyl; and


R^e is H or alkyl; or


(2) a saturated, bicyclic or tricyclic, nitrogen-linked heterocycloalkyl, wherein said heterocycloalkyl comprises a fused, bridged, or spiro bicyclic system, and said heterocycloalkyl is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: alkyl, halo, haloalkyl, hydroxy, hydroxyalkyl, alkoxy, cyano, cyanoalkyl, oxo, $-NR^dR^e$, -alkylenyl-NR^dR^e, -C(O)alkyl, $-CO_2$alkyl, and $-SO_2$alkyl; wherein R^d is H or alkyl and R^e is H, alkyl, haloalkyl, -C(O)alkyl, $-CO_2$alkyl, or $-SO_2$alkyl; and


R^2 and R^3 are each independently H or deuterium;


or a pharmaceutically acceptable salt thereof,


with the proviso that the compound of Formula I is not one of the following compounds:














and (b) a pharmaceutically acceptable carrier.

24. The pharmaceutical composition of claim 23, further comprising therapeutically effective amounts of one or more additional adjunctive active agents.


25. The pharmaceutical composition of claim 24, wherein said one or more additional adjuctive active agents are selected from the group consisting of cytotoxic agent, cisplatin, doxorubicin, taxotere, taxol, etoposide, irinotecan, camptostar,

topotecan, paclitaxel, docetaxel, the epothilones, tamoxifen, 5-fluorouracil, methoxtrexate, temozolomide, cyclophosphamide, SCH 66336, tipifarnib (Zarnestra®), R115777, L778,123, BMS 214662, Iressa®, Tarceva®, C225, GLEEVEC®, intron®, Peg-Intron®, aromatase combinations, ara-C, adriamycin, cytoxan, gemcitabine, Uracil mustard, Chlormethine, Ifosfamide, Melphalan, Chlorambucil, Pipobroman, Triethylenemelamine, Triethylenethiophosphoramine, Busulfan, Carmustine, Lomustine, Streptozocin, Dacarbazine, Floxuridine, Cytarabine, 6-Mercaptopurine, 6-Thioguanine, Fludarabine phosphate, oxaliplatin, leucovirin, oxaliplatin (ELOXATIN®), Pentostatine, Vinblastine, Vincristine, Vindesine, Bleomycin, Dactinomycin, Daunorubicin, Doxorubicin, Epirubicin, Idarubicin, Mithramycin™, Deoxycoformycin, Mitomycin-C, L-Asparaginase, Teniposide 17α-Ethinylestradiol, Diethylstilbestrol, Testosterone, Prednisone, Fluoxymesterone, Dromostanolone propionate, Testolactone, Megestrol acetate, Methylprednisolone, Methyltestosterone, Prednisolone, Triamcinolone, Chlorotrianisene, Hydroxyprogesterone, Aminoglutethimide, Estramustine, Medroxyprogesteroneacetate, Leuprolide, Flutamide, Toremifene, goserelin, Carboplatin, Hydroxyurea, Amsacrine, Procarbazine, Mitotane, Mitoxantrone, Levamisole, Navelbene, Anastrazole, Letrazole, Capecitabine, Reloxafine, Droloxafine, Hexamethylmelamine, Avastin, herceptin, Bexxar, Velcade, Zevalin, Trisenox, Xeloda, Vinorelbine, Porfimer, Erbitux, Liposomal, Thiotepa, Altretamine, Melphalan, Trastuzumab, Lerozole, Fulvestrant, Exemestane, Ifosfomide, Rituximab, C225, Campath, leucovorin, and dexamethasone, bicalutamide, carboplatin, chlorambucil, cisplatin, letrozole, megestrol, valrubicin, vinblastine, and NIASPAN®.

26. The pharmaceutical composition of claim 23 further comprising a rescuing agent.

27. The pharmaceutical composition of claim 26, wherein the rescuing agent is selected from the group consisting of nicotinamide, nicotinic acid, and nicotinamide mononucleotide (NMN).

28. A method of treating a subject suffering from or diagnosed with a disease or medical condition mediated by NAMPT activity, comprising administering to the subject in need of such treatment an effective amount of at least one compound of Formula I:



(I)

wherein:

E is O or is absent;

R is (a) an 8-, 9-, or 10-membered bicyclic heteroaryl comprising one heteroatom selected from N, S, and O, and one, two, or three additional N atoms, wherein said bicyclic heteroaryl is unsubstituted or is substituted with one or more substituents selected from the group consisting of deuterium, amino, alkylamino, dialkylamino, alkyl, halo, cyano, haloalkyl, hydroxy, hydroxyalkyl, and alkoxy, and wherein one or more N atoms of said bicyclic heteroaryl is optionally an N-oxide; or

(b) a five- or six-membered nitrogen-linked heterocycloalkyl ring fused to a phenyl or monocyclic six-membered heteroaryl, wherein said phenyl or heteroaryl is unsubstituted or is substituted with one or more substituents selected from the group consisting of deuterium, amino, alkylamino, dialkylamino, alkyl, halo, cyano, haloalkyl, hydroxy, hydroxyalkyl, and alkoxy;

R^1 is (1) a saturated, monocyclic heterocycloalkyl, which is unsubstituted or substituted with one or more substituents R^x;

wherein each R^x substituent is independently selected from the group consisting of: deuterium, halo, hydroxy, cyano, $-NR^aR^b$, -alkylenyl-NR^aR^b, oxo, alkyl, hydroxyalkyl, cyanoalkyl, haloalkyl, alkoxy, haloalkoxy, alkoxyalkyl-, -S-alkyl, alkenyl, alkynyl, aryl, arylalkyl-, aryloxy-, arylalkoxy-, cycloalkyl, cycloalkoxy, (cycloalkyl)alkyl-, heterocycloalkyl, (heterocycloalkyl)alkyl-, (heterocycloalkyl)alkoxy-,

-C(O)alkyl, -CO_2alkyl, -CO_2H, -C(O)cycloalkyl, -C(O)heterocycloalkyl, -S(O)-alkyl, -SO_2-alkyl, -SO_2-aryl, -SO_2-(haloalkyl), -$CONH_2$, C(O)NH(alkyl), -C(O)NH(haloalkyl), -C(O)N(alkyl)$_2$, -C(O)NH(cycloalkyl), heteroaryl, (heteroaryl)alkyl-, -N(R^e)-C(O)-alkyl, -N(R^e)-C(O)-aryl, -N(R^e)-CO_2-alkyl, -SO_2NH_2, -SO_2NH(alkyl), -SO_2N(alkyl)$_2$, -SO_2NH(cycloalkyl), and -N(H)(SO_2alkyl), or two adjacent R^x substituents taken together form a phenyl ring,

wherein each of said cycloalkyl, heterocycloalkyl, aryl, heteroaryl, and phenyl substituents within R^x is independently unsubstituted or substituted with one or more substituents selected from the group consisting of alkyl, halo, hydroxy, cyano, alkoxy, amino, -C(O)alkyl, and -CO_2alkyl;

wherein R^a and R^b are each independently H, alkyl, alkoxy, alkoxyalkyl, cyanoalkyl, or haloalkyl; and

R^e is H or alkyl; or


(2) a saturated, bicyclic or tricyclic, nitrogen-linked heterocycloalkyl, wherein said heterocycloalkyl comprises a fused, bridged, or spiro bicyclic system, and said heterocycloalkyl is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: alkyl, halo, haloalkyl, hydroxy, hydroxyalkyl, alkoxy, cyano, cyanoalkyl, oxo, -NR^dR^e, -alkylenyl-NR^dR^e, -C(O)alkyl, -CO_2alkyl, and –SO_2alkyl;


wherein R^d is H or alkyl and R^e is H, alkyl, haloalkyl, -C(O)alkyl, -CO_2alkyl, or -SO_2alkyl; and


R^2 and R^3 are each independently H or deuterium;


or a pharmaceutically acceptable salt thereof,


with the proviso that the compound of Formula I is not one of the following compounds:











or



29. The method of claim 28, wherein the disease or medical condition is a solid or liquid tumor, non-small cell lung cancer, leukemia, lymphoma, ovarian cancer, glioma, breast cancer, uterine cancer, colon cancer, cervical cancer, lung cancer, prostate cancer, skin cancer, rhino-gastric tumors, colorectal cancer, CNS cancer, bladder cancer, pancreatic cancer, Hodgkin's disease, rheumatoid arthritis, diabetes, atherosclerosis, sepsis, aging, inflammation.

30. The method of claim 28, further comprising administering to the subject an effective amount of at least one compound selected from the group consisting of: a cytotoxic agent, cisplatin, doxorubicin, taxotere, taxol, etoposide, irinotecan, camptostar, topotecan, paclitaxel, docetaxel, the epothilones, tamoxifen, 5-fluorouracil, methoxtrexate, temozolomide, cyclophosphamide, SCH 66336, tipifarnib (Zarnestra®), R115777, L778,123, BMS 214662, Iressa®, Tarceva®, C225, GLEEVEC®, intron®, Peg-Intron®, aromatase combinations, ara-C, adriamycin, cytoxan, gemcitabine, Uracil mustard, Chlormethine, Ifosfamide, Melphalan, Chlorambucil, Pipobroman, Triethylenemelamine, Triethylenethiophosphoramine, Busulfan, Carmustine, Lomustine, Streptozocin, Dacarbazine, Floxuridine, Cytarabine, 6-Mercaptopurine, 6-Thioguanine, Fludarabine phosphate, leucovirin, oxaliplatin (ELOXATIN®), Pentostatine, vincristine, Vindesine, Bleomycin, Dactinomycin, Daunorubicin, Doxorubicin, Epirubicin, Idarubicin, Mithramycin™, Deoxycoformycin, Mitomycin-C, L-Asparaginase, Teniposide 17α-Ethinylestradiol, Diethylstilbestrol, Testosterone, Prednisone, Fluoxymesterone, Dromostanolone propionate, Testolactone, Megestrol acetate, Methylprednisolone, Methyltestosterone, Prednisolone, Triamcinolone, Chlorotrianisene, Hydroxyprogesterone, Aminoglutethimide, Estramustine, Medroxyprogesteroneacetate, Leuprolide, Flutamide, Toremifene, goserelin, Carboplatin, Hydroxyurea, Amsacrine, Procarbazine, Mitotane, Mitoxantrone, Levamisole, Navelbene, Anastrazole,


Letrazole, Capecitabine, Reloxafine, Droloxafine, Hexamethylmelamine, Avastin, herceptin, Bexxar, Velcade, Zevalin, Trisenox, Xeloda, Vinorelbine, Porfimer, Erbitux, Liposomal, Thiotepa, Altretamine, Melphalan, Trastuzumab, Lerozole, Fulvestrant, Exemestane, Ifosfomide, Rituximab, C225, Campath, leucovorin, dexamethasone, bicalutamide, chlorambucil, letrozole, megestrol, valrubicin, vinblastine, and NIASPAN®.

31. The method of claim 28 further comprising administering an effective amount of a rescuing agent.

32. The pharmaceutical composition of claim 31, wherein the rescuing agent is selected from the group consisting of nicotinamide, nicotinic acid, and nicotinamide mononucleotide (NMN).

AMENDED CLAIMS
received by the International Bureau on 12 August 2013 (12.08.2013)

1. A compound of Formula (I):




(I)

wherein:

E is O or is absent;

R is (a) an 8-, 9-, or 10-membered bicyclic heteroaryl selected from the group consisting of:



wherein said bicyclic heteroaryl is unsubstituted or is substituted with one or more substituents selected from the group consisting of deuterium, amino, alkylamino, dialkylamino, halo, cyano, haloalkyl, hydroxy, hydroxyalkyl, and alkoxy, and wherein one or more N atoms of said bicyclic heteroaryl is optionally an N-oxide; or

(b) a five- or six-membered nitrogen-linked heterocycloalkyl ring fused to a phenyl or monocyclic six-membered heteroaryl, wherein said phenyl or heteroaryl is unsubstituted or is substituted with one or more substituents selected from the group consisting of deuterium, amino, alkylamino, dialkylamino, alkyl, halo, cyano, haloalkyl, hydroxy, hydroxyalkyl, and alkoxy;

R^1 is (1) a saturated, monocyclic heterocycloalkyl, which is unsubstituted or substituted with one or more substituents R^x;

wherein each R^x substituent is independently selected from the group consisting of:

AMENDED SHEET (ARTICLE 19)

deuterium, halo, hydroxy, cyano, -NR^aR^b, -alkylenyl-NR^aR^b, oxo, alkyl, hydroxyalkyl, cyanoalkyl, haloalkyl, alkoxy, haloalkoxy, alkoxyalkyl-, -S-alkyl, alkenyl, alkynyl, aryl, arylalkyl-, aryloxy-, arylalkoxy-, cycloalkyl, cycloalkoxy, (cycloalkyl)alkyl-, heterocycloalkyl, (heterocycloalkyl)alkyl-, (heterocycloalkyl)alkoxy-, -C(O)alkyl, -CO_2alkyl, -CO_2H, -C(O)cycloalkyl, -C(O)aryl, -C(O)heterocycloalkyl, -S(O)-alkyl, -SO_2-alkyl, -SO_2-aryl, -SO_2-(haloalkyl), -$CONH_2$, C(O)NH(alkyl), -C(O)NH(haloalkyl), -C(O)N(alkyl)$_2$, -C(O)NH(cycloalkyl), heteroaryl, (heteroaryl)alkyl-, -N(R^c)-C(O)-alkyl, -N(R^c)-C(O)-aryl, -N(R^c)-CO_2-alkyl, -SO_2NH_2, -SO_2NH(alkyl), -SO_2N(alkyl)$_2$, -SO_2NH(cycloalkyl), and -N(H)(SO_2alkyl), or two adjacent R^x substituents taken together form a phenyl ring,

wherein each of said cycloalkyl, heterocycloalkyl, aryl, heteroaryl, and phenyl substituents within R^x is independently unsubstituted or substituted with one or more substituents selected from the group consisting of alkyl, halo, hydroxy, cyano, alkoxy, amino, -$NHCO_2$alkyl, -C(O)alkyl, and -CO_2alkyl;

wherein R^a and R^b are each independently H, alkyl, alkoxy, alkoxyalkyl, cyanoalkyl, or haloalkyl; and

R^c is H or alkyl; or

(2) a saturated, bicyclic or tricyclic, nitrogen-linked heterocycloalkyl, wherein said heterocycloalkyl comprises a fused, bridged, or spiro bicyclic system, and said heterocycloalkyl is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: alkyl, halo, haloalkyl, hydroxy, hydroxyalkyl, alkoxy, cyano, cyanoalkyl, oxo, -NR^dR^e, -alkylenyl-NR^dR^e, -C(O)alkyl, -CO_2alkyl, and –SO_2alkyl;


wherein R^d is H or alkyl; and


R^e is H, alkyl, haloalkyl, -C(O)alkyl, -CO_2alkyl, or -SO_2alkyl; and

R^2 and R^3 are each independently H or deuterium;


or a pharmaceutically acceptable salt thereof,

with the proviso that the compound of Formula I is not one of the following compounds:







AMENDED SHEET (ARTICLE 19)



AMENDED SHEET (ARTICLE 19)



AMENDED SHEET (ARTICLE 19)





2. The compound of claim 1, wherein E is O.

3. The compound of claim 1, wherein E is absent.

4. The compound of claim 1, wherein R is an unsubstituted or substituted bicyclic heteroaryl.

5. The compound of claim 1, wherein R is an unsubstituted or substituted 8- or 9-membered heteroaryl.

6. The compound of claim 1, wherein R is a five- or six-membered nitrogen-linked heterocycloalkyl ring fused to an unsubstituted or substituted phenyl or monocyclic heteroaryl.

7. The compound of claim 1, wherein R is  or .

8. The compound of claim 1, wherein R^1 is a saturated, monocyclic, nitrogen-linked heterocycloalkyl, unsubstituted or substituted as in claim 1.

9. The compound of claim 8, wherein the saturated, monocyclic, nitrogen-linked heterocycloalkyl is azetidinyl, pyrrolidinyl, piperidinyl, morpholinyl, piperazinyl, azepanyl, or diazepanyl, unsubstituted or substituted as in claim 8.

10. The compound of claim 8, wherein the saturated, monocyclic, nitrogen-linked heterocycloalkyl is substituted with one or more R^x groups independently selected from the group consisting of: hydroxy, methoxy, cyano, cyanomethyl, amino, difluoroethylamino, methoxyethylamino, cyanoethylamino, hydroxymethyl, pyrrolidinyl, methyl, ethyl, isopropyl, isobutyl, trifluoroethyl, trifluoromethyl, cyclohexyl, tetrahydropyranyl, pyrrolidinyl, oxetanyl, fluoro, -C(O)(4-methyl-piperazin-1-yl), 4-methylpiperazinyl, -NH(Boc), acetyl, hydroxyethyl, dimethylaminoethyl, cyanoethyl, methoxyethyl, -N(Me)(acetyl), dimethylamino, -C(O)(dimethylamino), and oxo, and where two adjacent substituents taken together form a phenyl ring.

11. The compound of claim 8, wherein the saturated, monocyclic, nitrogen-linked heterocycloalkyl is substituted with 1, 2, or 3 R^x groups independently selected from the group consisting of: methyl, ethyl, isopropyl, hydroxy, methoxy, amino, cyano, fluoro, and trifluoromethyl.

12. The compound of claim 1, wherein R^1 is a saturated, monocyclic, carbon-linked heterocycloalkyl, unsubstituted or substituted as in claim 1.

13. The compound of claim 12, wherein the saturated, monocyclic, carbon-linked heterocycloalkyl is tetrahydropyranyl, pyrrolidinyl, piperidinyl, or tetrahydrofuranyl, unsubstituted or substituted as described in claim 12.

14. The compound of claim 12, wherein the saturated, monocyclic, carbon-linked heterocycloalkyl is pyrrolidin-3-yl, tetrahydropyran-4-yl, tetrahydropyran-3-yl, piperidin-3-yl, piperidin-4-yl, or tetrahydrofuran-3-yl, unsubstituted or substituted as described in claim 12.

15. The compound of claim 12, wherein the saturated, monocyclic, carbon-linked heterocycloalkyl is substituted with one or more substituents independently selected from the group consisting of methyl, ethyl, propyl, isopropyl, isobutyl, tert-butyl, trifluoromethyl, trifluoroethyl, acetyl, propionyl, butyryl, isobutyryl, benzoyl, methylsulfonyl, phenylsulfonyl, tert-butoxycarbonyl, tetrahydropyranyl, and oxetanyl.

16. The compound of claim 1, wherein R^1 is a saturated, bicyclic or tricyclic, nitrogen-linked heterocycloalkyl, wherein said heterocycloalkyl comprises a fused, bridged, or spiro bicyclic system, and is unsubstituted or substituted as described in claim 1.







17. The compound of claim 16, wherein R^1 is a bridged, bicyclic, nitrogen-linked heterocycloalkyl, unsubstituted or substituted as described for claim 16.











18. The compound of claim 16, wherein R^1 is an azetidine, pyrrolidine, piperidine, morpholine, azepane, 1,4-diazepane, or azocane ring, substituted with two substituents on the same or different carbons that together form a $C_{1\text{-}6}$alklenyl group, wherein one carbon atom of the alkylenyl group is optionally replaced with one or two O, S, or NH groups, and the resulting bicyclic heterocycloalkyl is optionally further substituted as described for claim 16.

19. The compound of claim 16, wherein R^1 is substituted with one or more substituents independently selected from the group consisting of: methyl, ethyl, isopropyl, acetyl, fluoro, oxo, hydroxy, tert-butoxycarbonyl, amino, aminomethyl, tert-butoxycarbonylamino, and tert-butoxycarbonyl-aminomethyl.










20. The compound of claim 1, wherein both R^2 and R^3 are H.

21. A compound selected from the group consisting of:











	5H-Imidazo[1,2-b]pyrazole-2-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(8-oxa-3-aza-bicyclo[3.2.1]octane-3-sulfonyl)-benzylamide;
	Thieno[2,3-c]pyridine-2-carboxylic acid 4-(8-oxa-3-aza-bicyclo[3.2.1]octane-3-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(8-oxa-3-aza-bicyclo[3.2.1]octane-3-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;

	Furo[2,3-c]pyridine-2-carboxylic acid 4-(4-methoxy-piperidine-1-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(morpholine-4-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(morpholine-4-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(morpholine-4-sulfonyl)-benzylamide;
	Thieno[2,3-c]pyridine-2-carboxylic acid 4-(morpholine-4-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(4-cyano-piperidine-1-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(4-cyanomethyl-piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(morpholine-4-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(morpholine-4-sulfonyl)-benzylamide;
	Imidazo[1,2-b]pyridazine-6-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;










AMENDED SHEET (ARTICLE 19)

	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-methyl-piperazine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-isopropyl-piperazine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(3-hydroxy-piperidine-1-sulfonyl)-benzylamide (racemic);
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(tetrahydro-pyran-4-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(tetrahydro-pyran-4-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(tetrahydro-pyran-4-sulfonyl)-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(tetrahydro-pyran-4-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(tetrahydro-pyran-4-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[4-(2,2,2-trifluoro-ethyl)-piperazine-1-sulfonyl]-benzylamide;










AMENDED SHEET (ARTICLE 19)

	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(8-oxa-3-aza-bicyclo[3.2.1]octane-3-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(8-oxa-3-aza-bicyclo[3.2.1]octane-3-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(4-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(4-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(4-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(3-hydroxy-piperidine-1-sulfonyl)-benzylamide (racemic);
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(3-hydroxy-piperidine-1-sulfonyl)-benzylamide (racemic);
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(3-hydroxy-piperidine-1-sulfonyl)-benzylamide (racemic);
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(3-hydroxy-piperidine-1-sulfonyl)-benzylamide (racemic);









AMENDED SHEET (ARTICLE 19)

	Thieno[2,3-c]pyridine-2-carboxylic acid 4-(4-amino-piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-[4-(2,2-difluoro-ethylamino)-piperidine-1-sulfonyl]-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(4-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-[4-(2-methoxy-ethylamino)-piperidine-1-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-cyclohexyl-piperazine-1-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(piperidine-4-sulfonyl)-benzylamide;
	Thieno[2,3-c]pyridine-2-carboxylic acid 4-(piperidine-4-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-isobutyl-piperazine-1-sulfonyl)-benzylamide;
	Thieno[2,3-c]pyridine-2-carboxylic acid 4-((1R,3R,5S)-3-amino-8-aza-bicyclo[3.2.1]octane-8-sulfonyl)-benzylamide;








AMENDED SHEET (ARTICLE 19)

	[1,2,4]Triazolo[1,5-a]pyridine-6-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;
	Thieno[2,3-c]pyridine-2-carboxylic acid 4-((3R,5S)-3,5-dimethyl-piperazine-1-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-[1-(tetrahydro-pyran-4-yl)-piperidine-4-sulfonyl]-benzylamide;
	Pyrazolo[1,5-a]pyridine-5-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrazolo[4,3-b]pyridine-6-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-((R)-3-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-((S)-3-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-((S)-3-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-((R)-3-hydroxy-piperidine-1-sulfonyl)-benzylamide;










AMENDED SHEET (ARTICLE 19)

	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-((S)-3-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	[1-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-piperidin-4-yl]-carbamic acid tert-butyl ester;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-[1-(tetrahydro-pyran-4-yl)-piperidine-4-sulfonyl]-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-[4-(2-cyano-ethylamino)-piperidine-1-sulfonyl]-benzylamide;
	Pyrazolo[1,5-a]pyrimidine-5-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[4-(tetrahydro-pyran-4-yl)-piperazine-1-sulfonyl]-benzylamide;
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-((3R,5S)-3,5-dimethyl-piperazine-1-sulfonyl)-benzylamide;
	cis-Furo[2,3-c]pyridine-2-carboxylic acid 4-((3R,5S)-3,5-dimethyl-piperazine-1-sulfonyl)-benzylamide;









AMENDED SHEET (ARTICLE 19)

	Furo[2,3-c]pyridine-2-carboxylic acid 4-(1-acetyl-piperidine-4-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-[1-(2,2,2-trifluoro-ethyl)-piperidine-4-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-[1-(2,2,2-trifluoro-ethyl)-piperidine-4-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[1-(2,2,2-trifluoro-ethyl)-piperidine-4-sulfonyl]-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-[1-(2,2,2-trifluoro-ethyl)-piperidine-4-sulfonyl]-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-[1-(2,2,2-trifluoro-ethyl)-piperidine-4-sulfonyl]-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-[1-(tetrahydro-pyran-4-yl)-piperidine-4-sulfonyl]-benzylamide;










AMENDED SHEET (ARTICLE 19)

	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[1-(tetrahydro-pyran-4-yl)-piperidine-4-sulfonyl]-benzylamide;
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-((3aR,6aS)-5,5-difluoro-hexahydro-cyclopenta[c]pyrrole-2-sulfonyl)-benzylamide;
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[(3aR,6aS)-(tetrahydro-furo[3,4-c]pyrrol-5-yl)sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(hexahydro-furo[2,3-c]pyrrole-5-sulfonyl)-benzylamide (mixture of diastereomers);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4,4-difluoro-hexahydro-cyclopenta[c]pyrrole-2-sulfonyl)-benzylamide (isomer A);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4,4-difluoro-hexahydro-cyclopenta[c]pyrrole-2-sulfonyl)-benzylamide (isomer B);
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-[(S)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-[(S)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[(S)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;









AMENDED SHEET (ARTICLE 19)

	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-[1-(tetrahydro-pyran-4-yl)-piperidine-4-sulfonyl]-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-[(R)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-[(R)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[(R)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-((R)-3-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[(3R,5S)-3,5-dimethyl-4-(2,2,2-trifluoro-ethyl)-piperazine-1-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[(1S,4S)-(2-oxa-5-aza-bicyclo[2.2.1]hept-5-yl)sulfonyl]-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(1-acetyl-piperidine-4-sulfonyl)-benzylamide;









AMENDED SHEET (ARTICLE 19)

	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(1-acetyl-piperidine-4-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-[(S)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-[(S)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-[(R)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-[(R)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(piperidine-4-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-oxetan-3-yl-piperazine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-acetyl-piperazine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[4-(2-hydroxy-ethyl)-piperazine-1-sulfonyl]-benzylamide;









AMENDED SHEET (ARTICLE 19)







	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-cyano-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-hydroxymethyl-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-pyrrolidin-1-yl-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[4-(2-methoxy-ethyl)-piperazine-1-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(3,3-difluoro-pyrrolidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-acetyl-[1,4]diazepane-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[3-(acetyl-methyl-amino)-pyrrolidine-1-sulfonyl]-benzylamide (racemic);
	7-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-2,7-diaza-spiro[4.5]decane-2-carboxylic acid tert-butyl ester (racemic);







AMENDED SHEET (ARTICLE 19)







	8-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-2,8-diaza-spiro[4.5]decane-2-carboxylic acid tert-butyl ester;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[4-(2-cyano-ethyl)-piperazine-1-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[4-(2-dimethylamino-ethyl)-piperazine-1-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-((R)-2-hydroxymethyl-pyrrolidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-((S)-2-hydroxymethyl-pyrrolidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-((S)-3-dimethylamino-pyrrolidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[4-(4-methyl-piperazine-1-carbonyl)-piperidine-1-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[4-(4-methyl-piperazin-1-yl)-piperidine-1-sulfonyl]-benzylamide;









AMENDED SHEET (ARTICLE 19)

	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(3-trifluoromethyl-pyrrolidine-1-sulfonyl)-benzylamide (racemic);
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4,4-difluoro-piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(1-acetyl-piperidine-4-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(1-oxetan-3-yl-piperidine-4-sulfonyl)-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(1-oxetan-3-yl-piperidine-4-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(1-oxetan-3-yl-piperidine-4-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(4-oxetan-3-yl-piperazine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(1-oxetan-3-yl-piperidine-4-sulfonyl)-benzylamide;







	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(4-oxetan-3-yl-piperazine-1-sulfonyl)-benzylamide;
	Thieno[2,3-c]pyridine-2-carboxylic acid 4-(1-oxetan-3-yl-piperidine-4-sulfonyl)-benzylamide;
	9-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-3,9-diaza-spiro[5.5]undecane-3-carboxylic acid tert-butyl ester;
	9-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-2,9-diaza-spiro[5.5]undecane-2-carboxylic acid tert-butyl ester;
	8-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-1,8-diaza-spiro[5.5]undecane-1-carboxylic acid tert-butyl ester (racemic);
	4-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-1-oxa-4,9-diaza-spiro[5.5]undecane-9-carboxylic acid tert-butyl ester;

	8-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-1,8-diaza-spiro[4.5]decane-1-carboxylic acid tert-butyl ester;
	4-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-1-oxa-4,8-diaza-spiro[5.5]undecane-8-carboxylic acid tert-butyl ester (racemic);
	[7-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-7-aza-spiro[3.5]non-2-yl]-carbamic acid tert-butyl ester;
	cis-3-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-3,6-diaza-bicyclo[3.2.0]heptane-6-carboxylic acid tert-butyl ester (racemic);
	[2-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-2-aza-bicyclo[2.1.1]hex-1-ylmethyl]-carbamic acid tert-butyl ester;
	cis-4-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-hexahydro-pyrrolo[3,4-b][1,4]oxazine-6-carboxylic acid tert-butyl ester (racemic);









	2-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-2,9-diaza-spiro[5.5]undecane-9-carboxylic acid tert-butyl ester;
	cis-[3-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-3-aza-bicyclo[3.1.0]hex-1-yl]-carbamic acid tert-butyl ester (racemic);
	cis-7-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-9-oxa-3,7-diaza-bicyclo[3.3.1]nonane-3-carboxylic acid tert-butyl ester (racemic);
	cis-4-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-hexahydro-pyrrolo[3,4-b][1,4]oxazine-6-carboxylic acid tert-butyl ester (racemic);
	cis-1-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-hexahydro-pyrrolo[3,4-b]pyrrole-5-carboxylic acid tert-butyl ester (racemic);
	cis-5-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-hexahydro-pyrrolo[3,4-b]pyrrole-1-carboxylic acid tert-butyl ester (racemic);

	cis-5-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-hexahydro-pyrrolo[3,4-c]pyrrole-2-carboxylic acid tert-butyl ester (racemic);
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(9-hydroxy-3-oxa-7-aza-bicyclo[3.3.1]nonane-7-sulfonyl)-benzylamide (mixture of diastereomers);
	trans-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(3-hydroxy-4-methyl-pyrrolidine-1-sulfonyl)-benzylamide (racemic);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(7-hydroxy-3-oxa-9-aza-bicyclo[3.3.1]nonane-9-sulfonyl)-benzylamide (racemic);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(5,5-difluoro-2-aza-bicyclo[2.2.1]heptane-2-sulfonyl)-benzylamide (racemic);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(7-methyl-9-oxa-3,7-diaza-bicyclo[3.3.1]nonane-3-sulfonyl)-benzylamide (racemic);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(5-methyl-hexahydro-pyrrolo[3,4-b]pyrrole-1-sulfonyl)-benzylamide (racemic);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(1-methyl-hexahydro-pyrrolo[3,4-b]pyrrole-5-sulfonyl)-benzylamide (racemic);










AMENDED SHEET (ARTICLE 19)

	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-hydroxy-4-methyl-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(hexahydro-furo[3,2-c]pyridine-5-sulfonyl)-benzylamide (mixture of diastereomers);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(6,6-difluoro-3-aza-bicyclo[3.2.0]heptane-3-sulfonyl)-benzylamide (racemic);
	Pyrazolo[1,5-a]pyrazine-2-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(4-oxetan-3-yl-piperazine-1-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-((S)-3-hydroxy-piperidine-1-sulfonyl)-benzylamide;










AMENDED SHEET (ARTICLE 19)








	Furo[2,3-c]pyridine-2-carboxylic acid 4-((R)-3-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(2,8-diaza-spiro[4.5]decane-8-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(tetrahydro-furo[3,4-c]pyrrole-5-sulfonyl)-benzylamide (mixture of diastereomers);
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(tetrahydro-pyran-3-sulfonyl)-benzylamide (racemic);
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(tetrahydro-pyran-3-sulfonyl)-benzylamide (racemic);
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(4-pyrrolidin-1-yl-piperidine-1-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(4-pyrrolidin-1-yl-piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(tetrahydro-furo[3,4-c]pyrrole-5-sulfonyl)-benzylamide (mixture of diastereomers);

AMENDED SHEET (ARTICLE 19)







	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(2-aza-bicyclo[2.1.1]hexane-2-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(3-aza-bicyclo[3.1.0]hexane-3-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(3-hydroxy-3-methyl-pyrrolidine-1-sulfonyl)-benzylamide (racemic);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(9-methyl-3-oxa-7,9-diaza-bicyclo[3.3.1]nonane-7-sulfonyl)-benzylamide (racemic);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(5-acetyl-2,5-diaza-bicyclo[2.2.1]heptane-2-sulfonyl)-benzylamide (racemic)
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(5-fluoro-2-aza-bicyclo[2.2.1]heptane-2-sulfonyl)-benzylamide (racemic);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(3-methyl-3,6-diaza-bicyclo[3.2.1]octane-6-sulfonyl)-benzylamide (racemic);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(2-aza-bicyclo[3.1.0]hexane-2-sulfonyl)-benzylamide (racemic);
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(2,6-dioxa-9-aza-spiro[4.5]decane-9-sulfonyl)-benzylamide (racemic);

AMENDED SHEET (ARTICLE 19)










	Furo[2,3-c]pyridine-2-carboxylic acid 4-(tetrahydro-pyran-3-sulfonyl)-benzylamide (racemic);
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(tetrahydro-pyran-3-sulfonyl)-benzylamide (racemic);
	Furo[2,3-c]pyridine-2-carboxylic acid 4-[4-(tetrahydro-pyran-4-yl)-piperazine-1-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(1-acetyl-piperidine-4-sulfonyl)-benzylamide;
	cis-1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(2-oxa-5-aza-bicyclo[2.2.1]heptane-5-sulfonyl)-benzylamide (racemic);
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-[4-(2-methoxy-ethyl)-piperazine-1-sulfonyl]-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(4-hydroxymethyl-piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(3,3-difluoro-pyrrolidine-1-sulfonyl)-benzylamide;
	cis-1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(4,4-difluoro-hexahydro-cyclopenta[c]pyrrole-2-sulfonyl)-benzylamide (racemic);









	cis-1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(5,5-difluoro-hexahydro-cyclopenta[c]pyrrole-2-sulfonyl)-benzylamide (racemic);
	cis-1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(hexahydro-furo[2,3-c]pyrrole-5-sulfonyl)-benzylamide (racemic);
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(1-isobutyl-piperidine-4-sulfinyl)-benzylamide (racemic);
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(1-isobutyl-piperidine-4-sulfinyl)-benzylamide (racemic);
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(1-isobutyl-piperidine-4-sulfinyl)-benzylamide (racemic);
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(1-isobutyl-piperidine-4-sulfinyl)-benzylamide (racemic);
	8-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-1,8-diaza-spiro[4.6]undecane-1-carboxylic acid tert-butyl ester (racemic);

AMENDED SHEET (ARTICLE 19)








	3-[(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonylamino)-methyl]-1-oxa-8-aza-spiro[4.5]decane-8-carboxylic acid tert-butyl ester (racemic);
	1-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-1,8-diaza-spiro[4.5]decane-8-carboxylic acid tert-butyl ester;
	3-[1-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-2,3-dihydro-1H-indol-3-yl]-piperidine-1-carboxylic acid tert-butyl ester (mixture of diastereomers);
	N-(4-(1-isobutylpiperidin-4-ylsulfinyl)benzyl)H-imidazo[1,2-a]pyridine-6-carboxamide (racemic);
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;

AMENDED SHEET (ARTICLE 19)









	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide (single isomer);
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide (single isomer);
	N-[[4-(8-oxa-2-azaspiro[3.5]nonan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(2,8-diazaspiro[3.5]nonan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(4-tetrahydropyran-4-ylpiperazin-1-yl)sulfonylphenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(6-methyl-2,6-diazaspiro[3.4]octan-2-yl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[(4-tetrahydropyran-4-ylsulfonylphenyl)methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;

	N-[(4-tetrahydropyran-4-ylsulfonylphenyl)methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[(4-tetrahydropyran-4-ylsulfonylphenyl)methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[(4-tetrahydropyran-4-ylsulfonylphenyl)methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[(4-tetrahydropyran-4-ylsulfonylphenyl)methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-(4-piperidylsulfonyl)phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-(4-piperidylsulfonyl)phenyl]methyl]thieno[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;








AMENDED SHEET (ARTICLE 19)

	N-[[4-[(1-acetyl-4-piperidyl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]phenyl]methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]phenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;








AMENDED SHEET (ARTICLE 19)






	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(2,6-diazaspiro[3.4]octan-6-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(7-methyl-2,7-diazaspiro[3.4]octan-2-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-oxo-2,7-diazaspiro[4.4]nonan-7-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(7-oxa-2-azaspiro[3.5]nonan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1-oxa-7-azaspiro[4.4]nonan-7-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide
	N-[[4-(6-oxa-2-azaspiro[3.4]octan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(3S)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;







AMENDED SHEET (ARTICLE 19)

	N-[[4-[(3S)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[[4-[(3S)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[[4-[(3R)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[[4-[(3R)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[[4-[(3R)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-acetyl-4-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;







AMENDED SHEET (ARTICLE 19)

	N-[[4-[(1-acetyl-4-piperidyl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[[4-[(3S)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(3S)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(3R)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(3R)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-(4-piperidylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	tert-butyl 2-[4-[(imidazo[1,2-a]pyridine-6-carbonylamino)methyl]phenyl]sulfonyl-2,8-diazaspiro[4.5]decane-8-carboxylate;








	tert-butyl 7-[4-[(imidazo[1,2-a]pyridine-6-carbonylamino)methyl]phenyl]sulfonyl-1,7-diazaspiro[4.4]nonane-1-carboxylate;
	tert-butyl 1-[4-[(imidazo[1,2-a]pyridine-6-carbonylamino)methyl]phenyl]sulfonyl-1,7-diazaspiro[4.4]nonane-7-carboxylate;
	tert-butyl 2-[4-[(imidazo[1,2-a]pyridine-6-carbonylamino)methyl]phenyl]sulfonyl-2,8-diazaspiro[3.5]nonane-8-carboxylate;
	N-[[4-(3,3-difluoroazetidin-1-yl)sulfonylphenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(azetidin-1-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;

	tert-butyl 2-[4-[(imidazo[1,2-a]pyridine-6-carbonylamino)methyl]phenyl]sulfonyl-2,7-diazaspiro[4.4]nonane-7-carboxylate;
	tert-butyl 2-[4-[(imidazo[1,2-a]pyridine-6-carbonylamino)methyl]phenyl]sulfonyl-2,9-diazaspiro[4.5]decane-9-carboxylate;
	tert-butyl 2-[4-[(imidazo[1,2-a]pyridine-6-carbonylamino)methyl]phenyl]sulfonyl-2,6-diazaspiro[4.5]decane-6-carboxylate;
	N-[[4-[3-(dimethylcarbamoyl)azetidin-1-yl]sulfonylphenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(3-hydroxyazetidin-1-yl)sulfonylphenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[3-(4-methylpiperazine-1-carbonyl)azetidin-1-yl]sulfonylphenyl]methyl]imidazo[1,2-a]pyridine-6-








AMENDED SHEET (ARTICLE 19)

	carboxamide;
	N-[[4-[(1-acetyl-4-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[[4-[[1-(oxetan-3-yl)-4-piperidyl]sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[[1-(oxetan-3-yl)-4-piperidyl]sulfonyl]phenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[[4-[[1-(oxetan-3-yl)-4-piperidyl]sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[[1-(oxetan-3-yl)-4-piperidyl]sulfonyl]phenyl]methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[[4-[[1-(oxetan-3-yl)-4-piperidyl]sulfonyl]phenyl]methyl]thieno[2,3-c]pyridine-2-carboxamide;










AMENDED SHEET (ARTICLE 19)









	N-[[4-(2,8-diazaspiro[3.5]nonan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1,7-diazaspiro[4.4]nonan-1-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1,7-diazaspiro[4.4]nonan-7-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(2,8-diazaspiro[4.5]decan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1,7-diazaspiro[4.4]nonan-7-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1,7-diazaspiro[4.4]nonan-1-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(6-acetyl-2,6-diazaspiro[3.3]heptan-2-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;

AMENDED SHEET (ARTICLE 19)








	2-amino-N-[(4-morpholinosulfonylphenyl)methyl]-5,7-dihydropyrrolo[3,4-d]pyrimidine-6-carboxamide;
	N-[[4-(2,7-diazaspiro[3.5]nonan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(2,7-diazaspiro[4.4]nonan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(7-oxa-2-azaspiro[3.5]nonan-2-ylsulfonyl)phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[(4-tetrahydropyran-4-ylsulfonylphenyl)methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-acetyl-4-piperidyl)sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[(4-tetrahydropyran-3-ylsulfonylphenyl)methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;






AMENDED SHEET (ARTICLE 19)

	N-[(4-tetrahydropyran-3-ylsulfonylphenyl)methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[(4-tetrahydropyran-3-ylsulfonylphenyl)methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-(7-oxa-2-azaspiro[3.5]nonan-2-ylsulfonyl)phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(6,6-difluoro-2-azaspiro[3.3]heptan-2-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(7-methyl-2,7-diazaspiro[3.5]nonan-2-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(8-methyl-5-oxa-2,8-diazaspiro[3.5]nonan-2-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(5-methyl-2,5-diazaspiro[3.4]octan-2-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(5-oxa-2-azaspiro[3.4]octan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[(4-tetrahydropyran-3-ylsulfonylphenyl)methyl]furo[2,3-c]pyridine-2-carboxamide;











	N-[(4-tetrahydropyran-3-ylsulfonylphenyl)methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	2-amino-N-[(4-tetrahydropyran-4-ylsulfonylphenyl)methyl]-5,7-dihydropyrrolo[3,4-d]pyrimidine-6-carboxamide;
	N-[[4-(4-tetrahydropyran-4-ylpiperazin-1-yl)sulfonylphenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-acetyl-4-piperidyl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[4-(oxetan-3-yl)piperazin-1-yl]sulfonylphenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-(3,3-difluoroazetidin-1-yl)sulfonylphenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-oxo-2,7-diazaspiro[4.4]nonan-7-yl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(7-methyl-2,7-diazaspiro[3.4]octan-2-yl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;

AMENDED SHEET (ARTICLE 19)









	N-[[4-(1-oxa-7-azaspiro[4.4]nonan-7-ylsulfonyl)phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-(6-oxa-1-azaspiro[3.3]heptan-1-ylsulfonyl)phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(3S,5R)-3,5-dimethyl-4-(oxetan-3-yl)piperazin-1-yl]sulfonylphenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[[1-(oxetan-3-yl)-4-piperidyl]sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-(4-methylpiperazin-1-yl)sulfonylphenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(7-methyl-2,7-diazaspiro[3.4]octan-2-yl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;









	N-[[4-(7-oxa-2-azaspiro[3.5]nonan-2-ylsulfonyl)phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(4-pyrrolidin-1-yl-1-piperidyl)sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[(4-morpholinosulfonylphenyl)methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(4,4-difluoro-1,3,3a,5,6,6a-hexahydrocyclopenta[c]pyrrol-2-yl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(5,5-difluoro-1,3,3a,4,6,6a-hexahydrocyclopenta[c]pyrrol-2-yl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;

AMENDED SHEET (ARTICLE 19)








	N-[[4-[4-(2-methoxyethyl)piperazin-1-yl]sulfonylphenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[[4-(hydroxymethyl)-1-piperidyl]sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-(3,3-difluoropyrrolidin-1-yl)sulfonylphenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-(3,3-difluoroazetidin-1-yl)sulfonylphenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-(2,3,3a,4,6,6a-hexahydrofuro[2,3-c]pyrrol-5-ylsulfonyl)phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-(1-oxa-7-azaspiro[4.4]nonan-7-ylsulfonyl)phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-(2-oxa-5-azabicyclo[2.2.1]heptan-5-ylsulfonyl)phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-(8-oxa-3-azabicyclo[3.2.1]octan-3-ylsulfonyl)phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[[(3R)-3-hydroxy-1-piperidyl]sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[[(3S)-3-hydroxy-1-piperidyl]sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;








AMENDED SHEET (ARTICLE 19)

	N-[[4-(1-piperidylsulfonyl)phenyl]methyl]imidazo[1,5-a]pyridine-7-carboxamide;
	N-[[4-[(1-methyl-4-piperidyl)sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-propanoyl-4-piperidyl)sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-propanoyl-4-piperidyl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[[1-(2-methylpropanoyl)-4-piperidyl]sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-butanoyl-4-piperidyl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;










	N-[[4-[(1-isopropyl-4-piperidyl)sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(4-amino-1-piperidyl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(4-hydroxy-1-piperidyl)sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-(1-oxa-4,9-diazaspiro[5.5]undecan-4-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(5-amino-3-azabicyclo[3.1.0]hexan-3-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1,8-diazaspiro[4.5]decan-8-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1-oxa-4,8-diazaspiro[5.5]undecan-4-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(2-amino-7-azaspiro[3.5]nonan-7-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;

AMENDED SHEET (ARTICLE 19)











	N-[[4-(3,9-diazaspiro[5.5]undecan-3-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(2,9-diazaspiro[5.5]undecan-9-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1,8-diazaspiro[5.5]undecan-8-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(3,4a,5,6,7,7a-hexahydro-2H-pyrrolo[3,4-b][1,4]oxazin-4-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[[4-(aminomethyl)-3-azabicyclo[2.1.1]hexan-3-yl]sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(2,3,3a,4,6,6a-hexahydro-1H-pyrrolo[3,4-c]pyrrol-5-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[3-(3-piperidyl)indolin-1-yl]sulfonylphenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;

	N-[[4-(1,8-diazaspiro[4.5]decan-1-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(2,3,3a,4,6,6a-hexahydro-1H-pyrrolo[3,4-b]pyrrol-5-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(9-oxa-3,7-diazabicyclo[3.3.1]nonan-3-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1,9-diazaspiro[4.6]undecan-9-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(3,4a,5,6,7,7a-hexahydro-2H-pyrrolo[3,4-b][1,4]oxazin-4-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1,8-diazaspiro[5.5]undecan-8-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(3,6-diazabicyclo[3.2.0]heptan-3-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;










AMENDED SHEET (ARTICLE 19)

	N-[[4-(2,9-diazaspiro[5.5]undecan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(3,3a,4,5,6,6a-hexahydro-2H-pyrrolo[2,3-c]pyrrol-1-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[[4-[(1-isobutyl-4-piperidyl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-propyl-4-piperidyl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-benzoyl-4-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[[1-(benzenesulfonyl)-3-piperidyl]sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[1-(benzenesulfonyl)pyrrolidin-3-yl]sulfonylphenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-acetyl-3-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;










AMENDED SHEET (ARTICLE 19)











	N-[[4-(1-acetylpyrrolidin-3-yl)sulfonylphenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-methylsulfonyl-4-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-benzoyl-3-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-(1-benzoylpyrrolidin-3-yl)sulfonylphenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[[1-(benzenesulfonyl)-4-piperidyl]sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-methylsulfonyl-3-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-(1-methylsulfonylpyrrolidin-3-yl)sulfonylphenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;


AMENDED SHEET (ARTICLE 19)

	N-[[4-[(1-propyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfinyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfinyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfinyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfinyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfinyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;

AMENDED SHEET (ARTICLE 19)

	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfinyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(R)-(1-isopropyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-ethyl-4-piperidyl)sulfinyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-methyl-4-piperidyl)sulfinyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-methyl-4-piperidyl)sulfinyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-ethyl-4-piperidyl)sulfinyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-propyl-4-piperidyl)sulfinyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;


	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfinyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-propyl-4-piperidyl)sulfinyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-propyl-4-piperidyl)sulfinyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-methyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-ethyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfinyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-propyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(S)-(1-propyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfinyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-ethyl-4-piperidyl)sulfinyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide; and

	N-[[4-[(1-isopropyl-4-piperidyl)sulfinyl]phenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;

and pharmaceutically acceptable salts thereof, stereoisomers thereof, and pharmaceutically acceptable salts of stereoisomers thereof.

22. A pharmaceutical composition comprising:


(a) an effective amount of at least one compound of Formula I:

 (I)

wherein:

E is O or is absent;

R is (a) an 8-, 9-, or 10-membered bicyclic heteroaryl selected from the group consisting of:



wherein said bicyclic heteroaryl is unsubstituted or is substituted with one or more substituents selected from the group consisting of deuterium, amino, alkylamino, dialkylamino, halo, cyano, haloalkyl, hydroxy, hydroxyalkyl, and alkoxy, and wherein one or more N atoms of said bicyclic heteroaryl is optionally an N-oxide; or

(b) a five- or six-membered nitrogen-linked heterocycloalkyl ring fused to a phenyl or monocyclic six-membered heteroaryl, wherein said phenyl or heteroaryl is

unsubstituted or is substituted with one or more substituents selected from the group consisting of deuterium, amino, alkylamino, dialkylamino, alkyl, halo, cyano, haloalkyl, hydroxy, hydroxyalkyl, and alkoxy;

R^1 is (1) a saturated, monocyclic heterocycloalkyl, which is unsubstituted or substituted with one or more substituents R^x;

wherein each R^x substituent is independently selected from the group consisting of: deuterium, halo, hydroxy, cyano, $-NR^aR^b$, -alkylenyl-NR^aR^b, oxo, alkyl, hydroxyalkyl, cyanoalkyl, haloalkyl, alkoxy, haloalkoxy, alkoxyalkyl-, -S-alkyl, alkenyl, alkynyl, aryl, arylalkyl-, aryloxy-, arylalkoxy-, cycloalkyl, cycloalkoxy, (cycloalkyl)alkyl-, heterocycloalkyl, (heterocycloalkyl)alkyl-, (heterocycloalkyl)alkoxy-, -C(O)alkyl, $-CO_2$alkyl, $-CO_2H$, -C(O)cycloalkyl, -C(O)heterocycloalkyl, -S(O)-alkyl, $-SO_2$-alkyl, $-SO_2$-aryl, $-SO_2$-(haloalkyl), $-CONH_2$, C(O)NH(alkyl), -C(O)NH(haloalkyl), $-C(O)N(alkyl)_2$, -C(O)NH(cycloalkyl), heteroaryl, (heteroaryl)alkyl-, $-N(R^c)$-C(O)-alkyl, $-N(R^c)$-C(O)-aryl, $-N(R^c)$-CO_2-alkyl, $-SO_2NH_2$, $-SO_2NH$(alkyl), $-SO_2N(alkyl)_2$, $-SO_2NH$(cycloalkyl), and $-N(H)(SO_2alkyl)$, or two adjacent R^x substituents taken together form a phenyl ring,

wherein each of said cycloalkyl, heterocycloalkyl, aryl, heteroaryl, and phenyl substituents within R^x is independently unsubstituted or substituted with one or more substituents selected from the group consisting of alkyl, halo, hydroxy, cyano, alkoxy, amino, -C(O)alkyl, and $-CO_2$alkyl;

wherein R^a and R^b are each independently H, alkyl, alkoxy, alkoxyalkyl, cyanoalkyl, or haloalkyl; and

R^c is H or alkyl; or


(2) a saturated, bicyclic or tricyclic, nitrogen-linked heterocycloalkyl, wherein said heterocycloalkyl comprises a fused, bridged, or spiro bicyclic system, and said heterocycloalkyl is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: alkyl, halo, haloalkyl, hydroxy, hydroxyalkyl, alkoxy, cyano, cyanoalkyl, oxo, $-NR^dR^e$, -alkylenyl-NR^dR^e, -C(O)alkyl, $-CO_2$alkyl, and $-SO_2$alkyl;


wherein R^d is H or alkyl and R^e is H, alkyl, haloalkyl, -C(O)alkyl, $-CO_2$alkyl, or $-SO_2$alkyl; and

R^2 and R^3 are each independently H or deuterium;


or a pharmaceutically acceptable salt thereof,

with the proviso that the compound of Formula I is not one of the following compounds:






AMENDED SHEET (ARTICLE 19)



AMENDED SHEET (ARTICLE 19)



or

;

and (b) a pharmaceutically acceptable carrier.

23. The pharmaceutical composition of claim 22, further comprising therapeutically effective amounts of one or more additional adjunctive active agents.


24. The pharmaceutical composition of claim 23, wherein said one or more additional adjuctive active agents are selected from the group consisting of cytotoxic agent, cisplatin, doxorubicin, taxotere, taxol, etoposide, irinotecan, camptostar, topotecan, paclitaxel, docetaxel, the epothilones, tamoxifen, 5-fluorouracil, methoxtrexate, temozolomide, cyclophosphamide, SCH 66336, tipifarnib (Zarnestra®), R115777, L778,123, BMS 214662, Iressa®, Tarceva®, C225, GLEEVEC®, Intron®, Peg-Intron®, aromatase combinations, ara-C, adriamycin, cytoxan, gemcitabine, Uracil mustard, Chlormethine, Ifosfamide, Melphalan, Chlorambucil, Pipobroman, Triethylenemelamine, Triethylenethiophosphoramine, Busulfan, Carmustine, Lomustine, Streptozocin, Dacarbazine, Floxuridine, Cytarabine, 6-Mercaptopurine, 6-Thioguanine, Fludarabine phosphate, oxaliplatin, leucovirin, oxaliplatin (ELOXATIN®), Pentostatine,

Vinblastine, Vincristine, Vindesine, Bleomycin, Dactinomycin, Daunorubicin, Doxorubicin, Epirubicin, Idarubicin, Mithramycin™, Deoxycoformycin, Mitomycin-C, L-Asparaginase, Teniposide 17α-Ethinylestradiol, Diethylstilbestrol, Testosterone, Prednisone, Fluoxymesterone, Dromostanolone propionate, Testolactone, Megestrol acetate, Methylprednisolone, Methyltestosterone, Prednisolone, Triamcinolone, Chlorotrianisene, Hydroxyprogesterone, Aminoglutethimide, Estramustine, Medroxyprogesteroneacetate, Leuprolide, Flutamide, Toremifene, goserelin, Carboplatin, Hydroxyurea, Amsacrine, Procarbazine, Mitotane, Mitoxantrone, Levamisole, Navelbene, Anastrazole, Letrazole, Capecitabine, Reloxafine, Droloxafine, Hexamethylmelamine, Avastin, herceptin, Bexxar, Velcade, Zevalin, Trisenox, Xeloda, Vinorelbine, Porfimer, Erbitux, Liposomal, Thiotepa, Altretamine, Melphalan, Trastuzumab, Lerozole, Fulvestrant, Exemestane, Ifosfomide, Rituximab, C225, Campath, leucovorin, and dexamethasone, bicalutamide, carboplatin, chlorambucil, cisplatin, letrozole, megestrol, valrubicin, vinblastine, and NIASPAN®.

25. The pharmaceutical composition of claim 22 further comprising a rescuing agent.

26. The pharmaceutical composition of claim 25, wherein the rescuing agent is selected from the group consisting of nicotinamide, nicotinic acid, and nicotinamide mononucleotide (NMN).

27. A method of treating a subject suffering from or diagnosed with a disease or medical condition mediated by NAMPT activity, comprising administering to the subject in need of such treatment an effective amount of at least one compound of Formula I:




(I)

wherein:

E is O or is absent;

R is (a) an 8-, 9-, or 10-membered bicyclic heteroaryl selected from the group consisting of:



wherein said bicyclic heteroaryl is unsubstituted or is substituted with one or more substituents selected from the group consisting of deuterium, amino, alkylamino, dialkylamino, halo, cyano, haloalkyl, hydroxy, hydroxyalkyl, and alkoxy, and wherein one or more N atoms of said bicyclic heteroaryl is optionally an N-oxide; or

(b) a five- or six-membered nitrogen-linked heterocycloalkyl ring fused to a phenyl or monocyclic six-membered heteroaryl, wherein said phenyl or heteroaryl is unsubstituted or is substituted with one or more substituents selected from the group consisting of deuterium, amino, alkylamino, dialkylamino, alkyl, halo, cyano, haloalkyl, hydroxy, hydroxyalkyl, and alkoxy;

R^1 is (1) a saturated, monocyclic heterocycloalkyl, which is unsubstituted or substituted with one or more substituents R^x;

wherein each R^x substituent is independently selected from the group consisting of: deuterium, halo, hydroxy, cyano, $-NR^aR^b$, -alkylenyl-NR^aR^b, oxo, alkyl, hydroxyalkyl, cyanoalkyl, haloalkyl, alkoxy, haloalkoxy, alkoxyalkyl-, -S-alkyl, alkenyl, alkynyl, aryl, arylalkyl-, aryloxy-, arylalkoxy-, cycloalkyl, cycloalkoxy, (cycloalkyl)alkyl-, heterocycloalkyl, (heterocycloalkyl)alkyl-, (heterocycloalkyl)alkoxy-, -C(O)alkyl, $-CO_2$alkyl, $-CO_2H$, -C(O)cycloalkyl, -C(O)heterocycloalkyl, -S(O)-alkyl, $-SO_2$-alkyl, $-SO_2$-aryl, $-SO_2$-(haloalkyl), $-CONH_2$, C(O)NH(alkyl), -C(O)NH(haloalkyl), $-C(O)N(alkyl)_2$, -C(O)NH(cycloalkyl), heteroaryl, (heteroaryl)alkyl-, $-N(R^c)$-C(O)-alkyl, $-N(R^c)$-C(O)-aryl, $-N(R^c)$-CO_2-alkyl, $-SO_2NH_2$, $-SO_2NH$(alkyl),

$-SO_2N(alkyl)_2$, $-SO_2NH(cycloalkyl)$, and $-N(H)(SO_2alkyl)$, or two adjacent R^x substituents taken together form a phenyl ring,

wherein each of said cycloalkyl, heterocycloalkyl, aryl, heteroaryl, and phenyl substituents within R^x is independently unsubstituted or substituted with one or more substituents selected from the group consisting of alkyl, halo, hydroxy, cyano, alkoxy, amino, -C(O)alkyl, and $-CO_2alkyl$;

wherein R^a and R^b are each independently H, alkyl, alkoxy, alkoxyalkyl, cyanoalkyl, or haloalkyl; and

R^c is H or alkyl; or


(2) a saturated, bicyclic or tricyclic, nitrogen-linked heterocycloalkyl, wherein said heterocycloalkyl comprises a fused, bridged, or spiro bicyclic system, and said heterocycloalkyl is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: alkyl, halo, haloalkyl, hydroxy, hydroxyalkyl, alkoxy, cyano, cyanoalkyl, oxo, $-NR^dR^e$, -alkylenyl-NR^dR^e, -C(O)alkyl, $-CO_2alkyl$, and $–SO_2alkyl$;


wherein R^d is H or alkyl and R^e is H, alkyl, haloalkyl, -C(O)alkyl, $-CO_2alkyl$, or $-SO_2alkyl$; and

R^2 and R^3 are each independently H or deuterium;


or a pharmaceutically acceptable salt thereof,

with the proviso that the compound of Formula I is not one of the following compounds:






AMENDED SHEET (ARTICLE 19)



AMENDED SHEET (ARTICLE 19)



28. The method of claim 27, wherein the disease or medical condition is a solid or liquid

tumor, non-small cell lung cancer, leukemia, lymphoma, ovarian cancer, glioma, breast cancer, uterine cancer, colon cancer, cervical cancer, lung cancer, prostate cancer, skin cancer, rhino-gastric tumors, colorectal cancer, CNS cancer, bladder cancer, pancreatic cancer, Hodgkin's disease, rheumatoid arthritis, diabetes, atherosclerosis, sepsis, aging, inflammation.


29. The method of claim 27, further comprising administering to the subject an effective amount of at least one compound selected from the group consisting of: a cytotoxic agent, cisplatin, doxorubicin, taxotere, taxol, etoposide, irinotecan, camptostar, topotecan, paclitaxel, docetaxel, the epothilones, tamoxifen, 5-fluorouracil, methoxtrexate, temozolomide, cyclophosphamide, SCH 66336, tipifarnib (Zarnestra®), R115777, L778,123, BMS 214662, Iressa®, Tarceva®, C225, GLEEVEC®, intron®, Peg-Intron®, aromatase combinations, ara-C, adriamycin, cytoxan, gemcitabine, Uracil mustard, Chlormethine, Ifosfamide, Melphalan, Chlorambucil, Pipobroman, Triethylenemelamine, Triethylenethiophosphoramine, Busulfan, Carmustine, Lomustine, Streptozocin, Dacarbazine, Floxuridine, Cytarabine, 6-Mercaptopurine, 6-Thioguanine, Fludarabine phosphate, leucovirin, oxaliplatin (ELOXATIN®), Pentostatine, vincristine, Vindesine, Bleomycin, Dactinomycin, Daunorubicin, Doxorubicin, Epirubicin, Idarubicin, Mithramycin™, Deoxycoformycin, Mitomycin-C, L-Asparaginase, Teniposide 17α-Ethinylestradiol, Diethylstilbestrol, Testosterone, Prednisone, Fluoxymesterone, Dromostanolone propionate, Testolactone, Megestrol acetate, Methylprednisolone, Methyltestosterone, Prednisolone, Triamcinolone, Chlorotrianisene, Hydroxyprogesterone, Aminoglutethimide, Estramustine, Medroxyprogesteroneacetate, Leuprolide, Flutamide, Toremifene, goserelin, Carboplatin, Hydroxyurea, Amsacrine, Procarbazine, Mitotane, Mitoxantrone, Levamisole, Navelbene, Anastrazole, Letrazole, Capecitabine, Reloxafine, Droloxafine, Hexamethylmelamine, Avastin, herceptin, Bexxar, Velcade, Zevalin, Trisenox, Xeloda, Vinorelbine, Porfimer, Erbitux, Liposomal, Thiotepa, Altretamine, Melphalan, Trastuzumab, Lerozole, Fulvestrant, Exemestane, Ifosfomide, Rituximab, C225, Campath, leucovorin, dexamethasone, bicalutamide, chlorambucil, letrozole, megestrol, valrubicin, vinblastine, and NIASPAN®.

30. The method of claim 27 further comprising administering an effective amount of a rescuing agent.

31. The pharmaceutical composition of claim 30, wherein the rescuing agent is selected from the group consisting of nicotinamide, nicotinic acid, and nicotinamide mononucleotide (NMN).

CLAIMS

1. A compound of Formula (I):




(I)

in which:

E is O or is absent;

R is (a) an 8-, 9-, or 10-membered bicyclic heteroaryl selected from the group consisting of:



in which the bicyclic heteroaryl is unsubstituted or is substituted with one or more substituents selected from the group consisting of deuterium, amino, alkylamino, dialkylamino, halo, cyano, haloalkyl, hydroxy, hydroxyalkyl, and alkoxy, and in which one or more N atoms of the bicyclic heteroaryl is optionally an N-oxide; or

(b) a five- or six-membered nitrogen-linked heterocycloalkyl ring fused to a phenyl or monocyclic six-membered heteroaryl, in which the phenyl or heteroaryl is unsubstituted or is substituted with one or more substituents selected from the group consisting of deuterium, amino, alkylamino, dialkylamino, alkyl, halo, cyano, haloalkyl, hydroxy, hydroxyalkyl, and alkoxy;

R^1 is (1) a saturated, monocyclic heterocycloalkyl, which is unsubstituted or substituted with one or more substituents R^x;

in which each R^x substituent is independently selected from the group consisting of: deuterium, halo, hydroxy, cyano, $-NR^aR^b$, -alkylenyl-NR^aR^b, oxo, alkyl,

hydroxyalkyl, cyanoalkyl, haloalkyl, alkoxy, haloalkoxy, alkoxyalkyl-, -S-alkyl, alkenyl, alkynyl, aryl, arylalkyl-, aryloxy-, arylalkoxy-, cycloalkyl, cycloalkoxy, (cycloalkyl)alkyl-, heterocycloalkyl, (heterocycloalkyl)alkyl-, (heterocycloalkyl)alkoxy-, -C(O)alkyl, -CO_2alkyl, -CO_2H, -C(O)cycloalkyl, -C(O)heterocycloalkyl, -S(O)-alkyl, -SO_2-alkyl, -SO_2-aryl, -SO_2-(haloalkyl), -$CONH_2$, C(O)NH(alkyl), -C(O)NH(haloalkyl), -C(O)$N(alkyl)_2$, -C(O)NH(cycloalkyl), heteroaryl, (heteroaryl)alkyl-, -$N(R^c)$-C(O)-alkyl, -$N(R^c)$-C(O)-aryl, -$N(R^c)$-CO_2-alkyl, -SO_2NH_2, -SO_2NH(alkyl), -$SO_2N(alkyl)_2$, -SO_2NH(cycloalkyl), and -N(H)(SO_2alkyl), or two adjacent R^x substituents taken together form a phenyl ring,

in which each of the cycloalkyl, heterocycloalkyl, aryl, heteroaryl, and phenyl substituents within R^x is independently unsubstituted or substituted with one or more substituents selected from the group consisting of alkyl, halo, hydroxy, cyano, alkoxy, amino, -C(O)alkyl, and -CO_2alkyl;

in which R^a and R^b are each independently H, alkyl, alkoxy, alkoxyalkyl, cyanoalkyl, or haloalkyl; and

R^c is H or alkyl; or

(2) a saturated, bicyclic or tricyclic, nitrogen-linked heterocycloalkyl, in which the heterocycloalkyl comprises a fused, bridged, or spiro bicyclic system, and the heterocycloalkyl is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: alkyl, halo, haloalkyl, hydroxy, hydroxyalkyl, alkoxy, cyano, cyanoalkyl, oxo, -NR^dR^e, -alkylenyl-NR^dR^e, -C(O)alkyl, -CO_2alkyl, and –SO_2alkyl;


in which R^d is H or alkyl; and


R^e is H, alkyl, haloalkyl, -C(O)alkyl, -CO_2alkyl, or -SO_2alkyl; and


R^2 and R^3 are each independently H or deuterium;


or a pharmaceutically acceptable salt thereof,


with the proviso that the compound of Formula I is not one of the following compounds:






































or









2. A compound according to Claim 1, in which E is O.

3. A compound according to Claim 1, in which E is absent.

4. A compound according to Claim 1, in which R is an unsubstituted or substituted bicyclic heteroaryl.

5. A compound according to Claim 1, in which R is an unsubstituted or substituted 8- or 9-membered heteroaryl.

6. A compound according to Claim 1, in which R is a five- or six-membered nitrogen-linked heterocycloalkyl ring fused to an unsubstituted or substituted phenyl or monocyclic heteroaryl.

7. A compound according to Claim 1, in which R is  or .

8. A compound according to Claim 1, in which R^1 is a saturated, monocyclic, nitrogen-linked heterocycloalkyl, unsubstituted or substituted as in Claim 1.

9. A compound according to Claim 7, in which the saturated, monocyclic, nitrogen-linked heterocycloalkyl is azetidinyl, pyrrolidinyl, piperidinyl, morpholinyl, piperazinyl, azepanyl, or diazepanyl, unsubstituted or substituted as in Claim 8.

10. A compound according to Claim 8, in which the saturated, monocyclic, nitrogen-linked heterocycloalkyl is substituted with one or more R^x groups independently selected from the group consisting of: hydroxy, methoxy, cyano, cyanomethyl, amino, difluoroethylamino, methoxyethylamino, cyanoethylamino, hydroxymethyl, pyrrolidinyl, methyl, ethyl, isopropyl, isobutyl, trifluoroethyl, trifluoromethyl, cyclohexyl, tetrahydropyranyl, pyrrolidinyl, oxetanyl, fluoro, -C(O)(4-methyl-piperazin-1-yl), 4-methylpiperazinyl, -NH(Boc), acetyl, hydroxyethyl, dimethylaminoethyl, cyanoethyl, methoxyethyl, -N(Me)(acetyl), dimethylamino, -C(O)(dimethylamino), and oxo, and where two adjacent substituents taken together form a phenyl ring.

11. A compound according to Claim 8, in which the saturated, monocyclic, nitrogen-linked heterocycloalkyl is substituted with 1, 2, or 3 R^x groups independently selected from the group consisting of: methyl, ethyl, isopropyl, hydroxy, methoxy, amino, cyano, fluoro, and trifluoromethyl.

12. A compound according to Claim 1, in which R^1 is a saturated, monocyclic, carbon-linked heterocycloalkyl, unsubstituted or substituted as in Claim 1.

13. A compound according to Claim 12, in which the saturated, monocyclic, carbon-linked heterocycloalkyl is tetrahydropyranyl, pyrrolidinyl, piperidinyl, or tetrahydrofuranyl, unsubstituted or substituted as described in Claim 12.

14. A compound according to Claim 12, in which the saturated, monocyclic, carbon-linked heterocycloalkyl is tetrahydropyran-4-yl, tetrahydropyran-3-yl, piperidin-3-yl, piperidin-4-yl, or tetrahydrofuran-3-yl, unsubstituted or substituted as described in Claim 12.

15. A compound according to Claim 12, in which the saturated, monocyclic, carbon-linked heterocycloalkyl is substituted with one or more substituents independently selected from the group consisting of methyl, ethyl, propyl, isopropyl, isobutyl, tert-butyl, trifluoromethyl, trifluoroethyl, acetyl, tert-butoxycarbonyl, tetrahydropyranyl, and oxetanyl.

16. A compound according to Claim 1, in which R^1 is a saturated, bicyclic or tricyclic, nitrogen-linked heterocycloalkyl, in which the heterocycloalkyl comprises a fused, bridged, or spiro bicyclic system, and is unsubstituted or substituted as described in Claim 1.


17. A compound according to Claim 16, in which R^1 is a bridged, bicyclic, nitrogen-linked heterocycloalkyl, unsubstituted or substituted as described for Claim 16.







18. A compound according to Claim 16, in which R^1 is an azetidine, pyrrolidine, piperidine, morpholine, azepane, 1,4-diazepane, or azocane ring, substituted with two substituents on the same or different carbons that together form a $C_{1\text{-}6}$alklenyl group, in which one carbon atom of the alkylenyl group is optionally replaced with one or two O, S, or NH groups, and the resulting bicyclic heterocycloalkyl is optionally further substituted as described for Claim 16.









19. A compound according to Claim 16, in which R^1 is substituted with one or more substituents independently selected from the group consisting of: methyl, ethyl, isopropyl, acetyl, fluoro, oxo, hydroxy, tert-butoxycarbonyl, amino, aminomethyl, tert-butoxycarbonylamino, and tert-butoxycarbonyl-aminomethyl.









20. A compound according to Claim 1, in which both R^2 and R^3 are H.








21. A compound selected from the group consisting of:








	5H-Imidazo[1,2-b]pyrazole-2-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;








	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(8-oxa-3-aza-bicyclo[3.2.1]octane-3-sulfonyl)-benzylamide;
	Thieno[2,3-c]pyridine-2-carboxylic acid 4-(8-oxa-3-aza-bicyclo[3.2.1]octane-3-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(8-oxa-3-aza-bicyclo[3.2.1]octane-3-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(4-methoxy-piperidine-1-sulfonyl)-benzylamide;








	Furo[2,3-c]pyridine-2-carboxylic acid 4-(morpholine-4-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(morpholine-4-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(morpholine-4-sulfonyl)-benzylamide;
	Thieno[2,3-c]pyridine-2-carboxylic acid 4-(morpholine-4-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(4-cyano-piperidine-1-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(4-cyanomethyl-piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(morpholine-4-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(morpholine-4-sulfonyl)-benzylamide;








	Imidazo[1,2-b]pyridazine-6-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-methyl-piperazine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-isopropyl-piperazine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(3-hydroxy-piperidine-1-sulfonyl)-benzylamide (racemic);
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(tetrahydro-pyran-4-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(tetrahydro-pyran-4-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(tetrahydro-pyran-4-sulfonyl)-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(tetrahydro-pyran-4-sulfonyl)-benzylamide;







	Furo[2,3-c]pyridine-2-carboxylic acid 4-(tetrahydro-pyran-4-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[4-(2,2,2-trifluoro-ethyl)-piperazine-1-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(8-oxa-3-aza-bicyclo[3.2.1]octane-3-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(8-oxa-3-aza-bicyclo[3.2.1]octane-3-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(4-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(4-hydroxy-piperidine-1-sulfonyl)-benzylamide;







	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(4-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(3-hydroxy-piperidine-1-sulfonyl)-benzylamide (racemic);
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(3-hydroxy-piperidine-1-sulfonyl)-benzylamide (racemic);
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(3-hydroxy-piperidine-1-sulfonyl)-benzylamide (racemic);
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(3-hydroxy-piperidine-1-sulfonyl)-benzylamide (racemic);
	Thieno[2,3-c]pyridine-2-carboxylic acid 4-(4-amino-piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-[4-(2,2-difluoro-ethylamino)-piperidine-1-sulfonyl]-benzylamide;








	Furo[2,3-c]pyridine-2-carboxylic acid 4-(4-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-[4-(2-methoxy-ethylamino)-piperidine-1-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-cyclohexyl-piperazine-1-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(piperidine-4-sulfonyl)-benzylamide;
	Thieno[2,3-c]pyridine-2-carboxylic acid 4-(piperidine-4-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-isobutyl-piperazine-1-sulfonyl)-benzylamide;
	Thieno[2,3-c]pyridine-2-carboxylic acid 4-((1R,3R,5S)-3-amino-8-aza-bicyclo[3.2.1]octane-8-sulfonyl)-benzylamide;








	[1,2,4]Triazolo[1,5-a]pyridine-6-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;
	Thieno[2,3-c]pyridine-2-carboxylic acid 4-((3R,5S)-3,5-dimethyl-piperazine-1-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-[1-(tetrahydro-pyran-4-yl)-piperidine-4-sulfonyl]-benzylamide;
	Pyrazolo[1,5-a]pyridine-5-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrazolo[4,3-b]pyridine-6-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-((R)-3-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-((S)-3-hydroxy-piperidine-1-sulfonyl)-benzylamide;








	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-((S)-3-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-((R)-3-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-((S)-3-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-[1-(tetrahydro-pyran-4-yl)-piperidine-4-sulfonyl]-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-[4-(2-cyano-ethylamino)-piperidine-1-sulfonyl]-benzylamide;
	Pyrazolo[1,5-a]pyrimidine-5-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[4-(tetrahydro-pyran-4-yl)-piperazine-1-sulfonyl]-benzylamide;








	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-((3R,5S)-3,5-dimethyl-piperazine-1-sulfonyl)-benzylamide;
	cis-Furo[2,3-c]pyridine-2-carboxylic acid 4-((3R,5S)-3,5-dimethyl-piperazine-1-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(1-acetyl-piperidine-4-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-[1-(2,2,2-trifluoro-ethyl)-piperidine-4-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-[1-(2,2,2-trifluoro-ethyl)-piperidine-4-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[1-(2,2,2-trifluoro-ethyl)-piperidine-4-sulfonyl]-benzylamide;







	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-[1-(2,2,2-trifluoro-ethyl)-piperidine-4-sulfonyl]-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-[1-(2,2,2-trifluoro-ethyl)-piperidine-4-sulfonyl]-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-[1-(tetrahydro-pyran-4-yl)-piperidine-4-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[1-(tetrahydro-pyran-4-yl)-piperidine-4-sulfonyl]-benzylamide;
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-((3aR,6aS)-5,5-difluoro-hexahydro-cyclopenta[c]pyrrole-2-sulfonyl)-benzylamide;
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[(3aR,6aS)-(tetrahydro-furo[3,4-c]pyrrol-5-yl)sulfonyl]-benzylamide;








	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(hexahydro-furo[2,3-c]pyrrole-5-sulfonyl)-benzylamide (mixture of diastereomers);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4,4-difluoro-hexahydro-cyclopenta[c]pyrrole-2-sulfonyl)-benzylamide (isomer A);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4,4-difluoro-hexahydro-cyclopenta[c]pyrrole-2-sulfonyl)-benzylamide (isomer B);
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-[(S)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-[(S)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[(S)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-[1-(tetrahydro-pyran-4-yl)-piperidine-4-sulfonyl]-benzylamide;







	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-[(R)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-[(R)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[(R)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-((R)-3-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[(3R,5S)-3,5-dimethyl-4-(2,2,2-trifluoro-ethyl)-piperazine-1-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[(1S,4S)-(2-oxa-5-aza-bicyclo[2.2.1]hept-5-yl)sulfonyl]-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(1-acetyl-piperidine-4-sulfonyl)-benzylamide;






	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(1-acetyl-piperidine-4-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-[(S)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-[(S)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-[(R)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-[(R)-(tetrahydro-furan-3-yl)sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(piperidine-4-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-oxetan-3-yl-piperazine-1-sulfonyl)-benzylamide;






	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-acetyl-piperazine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[4-(2-hydroxy-ethyl)-piperazine-1-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-cyano-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-hydroxymethyl-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-pyrrolidin-1-yl-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[4-(2-methoxy-ethyl)-piperazine-1-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(3,3-difluoro-pyrrolidine-1-sulfonyl)-benzylamide;





	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-acetyl-[1,4]diazepane-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[3-(acetyl-methyl-amino)-pyrrolidine-1-sulfonyl]-benzylamide (racemic);
	7-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-2,7-diaza-spiro[4.5]decane-2-carboxylic acid tert-butyl ester (racemic);
	8-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-2,8-diaza-spiro[4.5]decane-2-carboxylic acid tert-butyl ester;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[4-(2-cyano-ethyl)-piperazine-1-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[4-(2-dimethylamino-ethyl)-piperazine-1-sulfonyl]-benzylamide;






	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-((R)-2-hydroxymethyl-pyrrolidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-((S)-2-hydroxymethyl-pyrrolidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-((S)-3-dimethylamino-pyrrolidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[4-(4-methyl-piperazine-1-carbonyl)-piperidine-1-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-[4-(4-methyl-piperazin-1-yl)-piperidine-1-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(3-trifluoromethyl-pyrrolidine-1-sulfonyl)-benzylamide (racemic);
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4,4-difluoro-piperidine-1-sulfonyl)-benzylamide;







	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(1-acetyl-piperidine-4-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(1-oxetan-3-yl-piperidine-4-sulfonyl)-benzylamide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(1-oxetan-3-yl-piperidine-4-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(1-oxetan-3-yl-piperidine-4-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(4-oxetan-3-yl-piperazine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(1-oxetan-3-yl-piperidine-4-sulfonyl)-benzylamide;







	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(4-oxetan-3-yl-piperazine-1-sulfonyl)-benzylamide;
	Thieno[2,3-c]pyridine-2-carboxylic acid 4-(1-oxetan-3-yl-piperidine-4-sulfonyl)-benzylamide;
	9-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-3,9-diaza-spiro[5.5]undecane-3-carboxylic acid tert-butyl ester;
	9-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-2,9-diaza-spiro[5.5]undecane-2-carboxylic acid tert-butyl ester;
	8-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-1,8-diaza-spiro[5.5]undecane-1-carboxylic acid tert-butyl ester (racemic);







	4-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-1-oxa-4,9-diaza-spiro[5.5]undecane-9-carboxylic acid tert-butyl ester;
	8-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-1,8-diaza-spiro[4.5]decane-1-carboxylic acid tert-butyl ester;
	4-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-1-oxa-4,8-diaza-spiro[5.5]undecane-8-carboxylic acid tert-butyl ester (racemic);
	[7-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-7-aza-spiro[3.5]non-2-yl]-carbamic acid tert-butyl ester;
	cis-3-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-3,6-diaza-bicyclo[3.2.0]heptane-6-carboxylic acid tert-butyl ester (racemic);








	[2-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-2-aza-bicyclo[2.1.1]hex-1-ylmethyl]-carbamic acid tert-butyl ester;
	cis-4-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-hexahydro-pyrrolo[3,4-b][1,4]oxazine-6-carboxylic acid tert-butyl ester (racemic);
	2-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-2,9-diaza-spiro[5.5]undecane-9-carboxylic acid tert-butyl ester;
	cis-[3-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-3-aza-bicyclo[3.1.0]hex-1-yl]-carbamic acid tert-butyl ester (racemic);








	cis-7-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-9-oxa-3,7-diaza-bicyclo[3.3.1]nonane-3-carboxylic acid tert-butyl ester (racemic);
	cis-4-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-hexahydro-pyrrolo[3,4-b][1,4]oxazine-6-carboxylic acid tert-butyl ester (racemic);
	cis-1-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-hexahydro-pyrrolo[3,4-b]pyrrole-5-carboxylic acid tert-butyl ester (racemic);
	cis-5-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-hexahydro-pyrrolo[3,4-b]pyrrole-1-carboxylic acid tert-butyl ester (racemic);
	cis-5-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-hexahydro-pyrrolo[3,4-c]pyrrole-2-carboxylic acid tert-butyl ester








	(racemic);
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(9-hydroxy-3-oxa-7-aza-bicyclo[3.3.1]nonane-7-sulfonyl)-benzylamide (mixture of diastereomers);
	trans-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(3-hydroxy-4-methyl-pyrrolidine-1-sulfonyl)-benzylamide (racemic);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(7-hydroxy-3-oxa-9-aza-bicyclo[3.3.1]nonane-9-sulfonyl)-benzylamide (racemic);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(5,5-difluoro-2-aza-bicyclo[2.2.1]heptane-2-sulfonyl)-benzylamide (racemic);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(7-methyl-9-oxa-3,7-diaza-bicyclo[3.3.1]nonane-3-sulfonyl)-benzylamide (racemic);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(5-methyl-hexahydro-pyrrolo[3,4-b]pyrrole-1-sulfonyl)-benzylamide (racemic);







	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(1-methyl-hexahydro-pyrrolo[3,4-b]pyrrole-5-sulfonyl)-benzylamide (racemic);
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(4-hydroxy-4-methyl-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(hexahydro-furo[3,2-c]pyridine-5-sulfonyl)-benzylamide (mixture of diastereomers);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(6,6-difluoro-3-aza-bicyclo[3.2.0]heptane-3-sulfonyl)-benzylamide (racemic);
	Pyrazolo[1,5-a]pyrazine-2-carboxylic acid 4-(piperidine-1-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(4-oxetan-3-yl-piperazine-1-sulfonyl)-benzylamide;






	Furo[2,3-c]pyridine-2-carboxylic acid 4-((S)-3-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-((R)-3-hydroxy-piperidine-1-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(2,8-diaza-spiro[4.5]decane-8-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(tetrahydro-furo[3,4-c]pyrrole-5-sulfonyl)-benzylamide (mixture of diastereomers);
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(tetrahydro-pyran-3-sulfonyl)-benzylamide (racemic);
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(tetrahydro-pyran-3-sulfonyl)-benzylamide (racemic);








	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(4-pyrrolidin-1-yl-piperidine-1-sulfonyl)-benzylamide;
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(4-pyrrolidin-1-yl-piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(tetrahydro-furo[3,4-c]pyrrole-5-sulfonyl)-benzylamide (mixture of diastereomers);
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(2-aza-bicyclo[2.1.1]hexane-2-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(3-aza-bicyclo[3.1.0]hexane-3-sulfonyl)-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(3-hydroxy-3-methyl-pyrrolidine-1-sulfonyl)-benzylamide (racemic);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(9-methyl-3-oxa-7,9-diaza-bicyclo[3.3.1]nonane-7-sulfonyl)-







	benzylamide (racemic);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(5-acetyl-2,5-diaza-bicyclo[2.2.1]heptane-2-sulfonyl)-benzylamide (racemic)
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(5-fluoro-2-aza-bicyclo[2.2.1]heptane-2-sulfonyl)-benzylamide (racemic);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(3-methyl-3,6-diaza-bicyclo[3.2.1]octane-6-sulfonyl)-benzylamide (racemic);
	cis-Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(2-aza-bicyclo[3.1.0]hexane-2-sulfonyl)-benzylamide (racemic);
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(2,6-dioxa-9-aza-spiro[4.5]decane-9-sulfonyl)-benzylamide (racemic);
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(tetrahydro-pyran-3-sulfonyl)-benzylamide (racemic);
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(tetrahydro-pyran-3-sulfonyl)-benzylamide (racemic);







	Furo[2,3-c]pyridine-2-carboxylic acid 4-[4-(tetrahydro-pyran-4-yl)-piperazine-1-sulfonyl]-benzylamide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid 4-(1-acetyl-piperidine-4-sulfonyl)-benzylamide;
	cis-1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(2-oxa-5-aza-bicyclo[2.2.1]heptane-5-sulfonyl)-benzylamide (racemic);
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-[4-(2-methoxy-ethyl)-piperazine-1-sulfonyl]-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(4-hydroxymethyl-piperidine-1-sulfonyl)-benzylamide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(3,3-difluoro-pyrrolidine-1-sulfonyl)-benzylamide;
	cis-1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(4,4-difluoro-hexahydro-cyclopenta[c]pyrrole-2-sulfonyl)-







	benzylamide (racemic);
	cis-1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(5,5-difluoro-hexahydro-cyclopenta[c]pyrrole-2-sulfonyl)-benzylamide (racemic);
	cis-1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(hexahydro-furo[2,3-c]pyrrole-5-sulfonyl)-benzylamide (racemic);
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid 4-(1-isobutyl-piperidine-4-sulfinyl)-benzylamide (racemic);
	Furo[2,3-c]pyridine-2-carboxylic acid 4-(1-isobutyl-piperidine-4-sulfinyl)-benzylamide (racemic);
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid 4-(1-isobutyl-piperidine-4-sulfinyl)-benzylamide (racemic);
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid 4-(1-isobutyl-piperidine-4-sulfinyl)-benzylamide (racemic);







	8-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-1,8-diaza-spiro[4.6]undecane-1-carboxylic acid tert-butyl ester (racemic);
	3-[(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonylamino)-methyl]-1-oxa-8-aza-spiro[4.5]decane-8-carboxylic acid tert-butyl ester (racemic);
	1-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-1,8-diaza-spiro[4.5]decane-8-carboxylic acid tert-butyl ester;
	3-[1-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-2,3-dihydro-1H-indol-3-yl]-piperidine-1-carboxylic acid tert-butyl ester (mixture of diastereomers);
	N-(4-(1-isobutylpiperidin-4-ylsulfinyl)benzyl)H-imidazo[1,2-a]pyridine-6-carboxamide (racemic);






	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide (single isomer);
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide (single isomer);
	N-[[4-(8-oxa-2-azaspiro[3.5]nonan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;







	N-[[4-(2,8-diazaspiro[3.5]nonan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(4-tetrahydropyran-4-ylpiperazin-1-yl)sulfonylphenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(6-methyl-2,6-diazaspiro[3.4]octan-2-yl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[(4-tetrahydropyran-4-ylsulfonylphenyl)methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[(4-tetrahydropyran-4-ylsulfonylphenyl)methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[(4-tetrahydropyran-4-ylsulfonylphenyl)methyl]imidazo[1,2-a]pyridine-6-carboxamide;







	N-[(4-tetrahydropyran-4-ylsulfonylphenyl)methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[(4-tetrahydropyran-4-ylsulfonylphenyl)methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-(4-piperidylsulfonyl)phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-(4-piperidylsulfonyl)phenyl]methyl]thieno[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;






	N-[[4-[(1-acetyl-4-piperidyl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]phenyl]methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]phenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;





	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(2,6-diazaspiro[3.4]octan-6-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(7-methyl-2,7-diazaspiro[3.4]octan-2-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-oxo-2,7-diazaspiro[4.4]nonan-7-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(7-oxa-2-azaspiro[3.5]nonan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-






	carboxamide;
	N-[[4-(1-oxa-7-azaspiro[4.4]nonan-7-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide
	N-[[4-(6-oxa-2-azaspiro[3.4]octan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(3S)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[[4-[(3S)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[[4-[(3S)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;






	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[[4-[(3R)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[[4-[(3R)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[[4-[(3R)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-acetyl-4-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-acetyl-4-piperidyl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;






	N-[[4-[(3S)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(3S)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(3R)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(3R)-tetrahydrofuran-3-yl]sulfonylphenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-(4-piperidylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	tert-butyl 2-[4-[(imidazo[1,2-a]pyridine-6-carbonylamino)methyl]phenyl]sulfonyl-2,8-diazaspiro[4.5]decane-8-carboxylate;







	tert-butyl 7-[4-[(imidazo[1,2-a]pyridine-6-carbonylamino)methyl]phenyl]sulfonyl-1,7-diazaspiro[4.4]nonane-1-carboxylate;
	tert-butyl 1-[4-[(imidazo[1,2-a]pyridine-6-carbonylamino)methyl]phenyl]sulfonyl-1,7-diazaspiro[4.4]nonane-7-carboxylate;
	tert-butyl 2-[4-[(imidazo[1,2-a]pyridine-6-carbonylamino)methyl]phenyl]sulfonyl-2,8-diazaspiro[3.5]nonane-8-carboxylate;
	N-[[4-(3,3-difluoroazetidin-1-yl)sulfonylphenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(azetidin-1-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;







	tert-butyl 2-[4-[(imidazo[1,2-a]pyridine-6-carbonylamino)methyl]phenyl]sulfonyl-2,7-diazaspiro[4.4]nonane-7-carboxylate;
	tert-butyl 2-[4-[(imidazo[1,2-a]pyridine-6-carbonylamino)methyl]phenyl]sulfonyl-2,9-diazaspiro[4.5]decane-9-carboxylate;
	tert-butyl 2-[4-[(imidazo[1,2-a]pyridine-6-carbonylamino)methyl]phenyl]sulfonyl-2,6-diazaspiro[4.5]decane-6-carboxylate;
	N-[[4-[3-(dimethylcarbamoyl)azetidin-1-yl]sulfonylphenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;







	N-[[4-(3-hydroxyazetidin-1-yl)sulfonylphenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[3-(4-methylpiperazine-1-carbonyl)azetidin-1-yl]sulfonylphenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-acetyl-4-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[[4-[[1-(oxetan-3-yl)-4-piperidyl]sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[[1-(oxetan-3-yl)-4-piperidyl]sulfonyl]phenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;






	N-[[4-[[1-(oxetan-3-yl)-4-piperidyl]sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[[1-(oxetan-3-yl)-4-piperidyl]sulfonyl]phenyl]methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[[4-[[1-(oxetan-3-yl)-4-piperidyl]sulfonyl]phenyl]methyl]thieno[2,3-c]pyridine-2-carboxamide;
	N-[[4-(2,8-diazaspiro[3.5]nonan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1,7-diazaspiro[4.4]nonan-1-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;







	N-[[4-(1,7-diazaspiro[4.4]nonan-7-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(2,8-diazaspiro[4.5]decan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1,7-diazaspiro[4.4]nonan-7-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1,7-diazaspiro[4.4]nonan-1-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(6-acetyl-2,6-diazaspiro[3.3]heptan-2-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;








	N-[[4-(2,7-diazaspiro[3.5]nonan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(2,7-diazaspiro[4.4]nonan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(7-oxa-2-azaspiro[3.5]nonan-2-ylsulfonyl)phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[(4-tetrahydropyran-3-ylsulfonylphenyl)methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[(4-tetrahydropyran-3-ylsulfonylphenyl)methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-(7-oxa-2-azaspiro[3.5]nonan-2-ylsulfonyl)phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;







	N-[[4-[(6,6-difluoro-2-azaspiro[3.3]heptan-2-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(7-methyl-2,7-diazaspiro[3.5]nonan-2-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(8-methyl-5-oxa-2,8-diazaspiro[3.5]nonan-2-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(5-methyl-2,5-diazaspiro[3.4]octan-2-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(5-oxa-2-azaspiro[3.4]octan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[(4-tetrahydropyran-3-ylsulfonylphenyl)methyl]furo[2,3-c]pyridine-2-carboxamide;







	N-[(4-tetrahydropyran-3-ylsulfonylphenyl)methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-acetyl-4-piperidyl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[4-(oxetan-3-yl)piperazin-1-yl]sulfonylphenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-(3,3-difluoroazetidin-1-yl)sulfonylphenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-oxo-2,7-diazaspiro[4.4]nonan-7-yl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(7-methyl-2,7-diazaspiro[3.4]octan-2-yl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;






	N-[[4-(1-oxa-7-azaspiro[4.4]nonan-7-ylsulfonyl)phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-(6-oxa-1-azaspiro[3.3]heptan-1-ylsulfonyl)phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(3S,5R)-3,5-dimethyl-4-(oxetan-3-yl)piperazin-1-yl]sulfonylphenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(7-methyl-2,7-diazaspiro[3.4]octan-2-yl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(4,4-difluoro-1,3,3a,5,6,6a-hexahydrocyclopenta[c]pyrrol-2-yl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;






	N-[[4-[(5,5-difluoro-1,3,3a,4,6,6a-hexahydrocyclopenta[c]pyrrol-2-yl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[4-(2-methoxyethyl)piperazin-1-yl]sulfonylphenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[[4-(hydroxymethyl)-1-piperidyl]sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-(3,3-difluoropyrrolidin-1-yl)sulfonylphenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-(3,3-difluoroazetidin-1-yl)sulfonylphenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-(2,3,3a,4,6,6a-hexahydrofuro[2,3-c]pyrrol-5-ylsulfonyl)phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;







	N-[[4-(1-oxa-7-azaspiro[4.4]nonan-7-ylsulfonyl)phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-(2-oxa-5-azabicyclo[2.2.1]heptan-5-ylsulfonyl)phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-(8-oxa-3-azabicyclo[3.2.1]octan-3-ylsulfonyl)phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-(1-piperidylsulfonyl)phenyl]methyl]imidazo[1,5-a]pyridine-7-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-propanoyl-4-piperidyl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[[1-(2-methylpropanoyl)-4-piperidyl]sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;







	N-[[4-[(1-butanoyl-4-piperidyl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(4-amino-1-piperidyl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1-oxa-4,9-diazaspiro[5.5]undecan-4-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(5-amino-3-azabicyclo[3.1.0]hexan-3-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1,8-diazaspiro[4.5]decan-8-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;








	N-[[4-(1-oxa-4,8-diazaspiro[5.5]undecan-4-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(2-amino-7-azaspiro[3.5]nonan-7-yl)sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(3,9-diazaspiro[5.5]undecan-3-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(2,9-diazaspiro[5.5]undecan-9-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1,8-diazaspiro[5.5]undecan-8-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(3,4a,5,6,7,7a-hexahydro-2H-pyrrolo[3,4-b][1,4]oxazin-4-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-







	carboxamide;
	N-[[4-[[4-(aminomethyl)-3-azabicyclo[2.1.1]hexan-3-yl]sulfonyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(2,3,3a,4,6,6a-hexahydro-1H-pyrrolo[3,4-c]pyrrol-5-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[3-(3-piperidyl)indolin-1-yl]sulfonylphenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1,8-diazaspiro[4.5]decan-1-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(2,3,3a,4,6,6a-hexahydro-1H-pyrrolo[3,4-b]pyrrol-5-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;








	N-[[4-(9-oxa-3,7-diazabicyclo[3.3.1]nonan-3-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1,9-diazaspiro[4.6]undecan-9-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(3,4a,5,6,7,7a-hexahydro-2H-pyrrolo[3,4-b][1,4]oxazin-4-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(1,8-diazaspiro[5.5]undecan-8-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(3,6-diazabicyclo[3.2.0]heptan-3-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;





	N-[[4-(2,9-diazaspiro[5.5]undecan-2-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-(3,3a,4,5,6,6a-hexahydro-2H-pyrrolo[2,3-c]pyrrol-1-ylsulfonyl)phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[[4-[(1-isobutyl-4-piperidyl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-propyl-4-piperidyl)sulfonyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-benzoyl-4-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;

	N-[[4-[[1-(benzenesulfonyl)-3-piperidyl]sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-acetyl-3-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[[1-(benzenesulfonyl)-4-piperidyl]sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;

	N-[[4-[(1-propyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfinyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfinyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfinyl]phenyl]methyl]-1H-pyrazolo[3,4-

	b]pyridine-5-carboxamide;
	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfinyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(R)-(1-isopropyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-ethyl-4-piperidyl)sulfinyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-methyl-4-piperidyl)sulfinyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-ethyl-4-piperidyl)sulfinyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;

	N-[[4-[(1-propyl-4-piperidyl)sulfinyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfinyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-propyl-4-piperidyl)sulfinyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-propyl-4-piperidyl)sulfinyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-methyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-ethyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfinyl]phenyl]methyl]-1H-pyrazolo[3,4-

	b]pyridine-5-carboxamide;
	N-[[4-[(1-propyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(S)-(1-propyl-4-piperidyl)sulfinyl]phenyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfinyl]phenyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfinyl]phenyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;

and pharmaceutically acceptable salts thereof, stereoisomers thereof, and pharmaceutically acceptable salts of stereoisomers thereof.

22. A pharmaceutical composition comprising: (a) an effective amount of at least one compound of Formula I of Claim 1
and (b) a pharmaceutically acceptable carrier.

23. A pharmaceutical composition according to Claim 22, further comprising therapeutically effective amounts of one or more additional adjunctive active agents.

24. A pharmaceutical composition according to Claim 23, in which the one or more additional adjuctive active agents are selected from the group consisting of cytotoxic agent, cisplatin, doxorubicin, taxotere, taxol, etoposide, irinotecan, camptostar, topotecan, paclitaxel, docetaxel, the epothilones, tamoxifen, 5-fluorouracil, methoxtrexate, temozolomide,

cyclophosphamide, SCH 66336, tipifarnib (Zarnestra®), R115777, L778,123, BMS 214662, Iressa®, Tarceva®, C225, GLEEVEC®, intron®, Peg-Intron®, aromatase combinations, ara-C, adriamycin, cytoxan, gemcitabine, Uracil mustard, Chlormethine, Ifosfamide, Melphalan, Chlorambucil, Pipobroman, Triethylenemelamine, Triethylenethiophosphoramine, Busulfan, Carmustine, Lomustine, Streptozocin, Dacarbazine, Floxuridine, Cytarabine, 6-Mercaptopurine, 6-Thioguanine, Fludarabine phosphate, oxaliplatin, leucovirin, oxaliplatin (ELOXATIN®), Pentostatine, Vinblastine, Vincristine, Vindesine, Bleomycin, Dactinomycin, Daunorubicin Epirubicin, Idarubicin, Mithramycin™, Deoxycoformycin, Mitomycin-C, L-Asparaginase, Teniposide 17α-Ethinylestradiol, Diethylstilbestrol, Testosterone, Prednisone, Fluoxymesterone, Dromostanolone propionate, Testolactone, Megestrol acetate, Methylprednisolone, Methyltestosterone, Prednisolone, Triamcinolone, Chlorotrianisene, Hydroxyprogesterone, Aminoglutethimide, Estramustine, Medroxyprogesteroneacetate, Leuprolide, Flutamide, Toremifene, goserelin, Carboplatin, Hydroxyurea, Amsacrine, Procarbazine, Mitotane, Mitoxantrone, Levamisole, Navelbene, Anastrazole, Letrazole, Capecitabine, Reloxafine, Droloxafine, Hexamethylmelamine, Avastin, herceptin, Bexxar, Velcade, Zevalin, Trisenox, Xeloda, Vinorelbine, Porfimer, Erbitux, Liposomal, Thiotepa, Altretamine, Melphalan, Trastuzumab Fulvestrant, Exemestane, Ifosfomide, Rituximab, Campath, leucovorin, and dexamethasone, bicalutamide, carboplatin, chlorambucil, letrozole, megestrol, valrubicin, and NIASPAN®.

25. A pharmaceutical composition according to Claim 22 further comprising a rescuing agent.

26. A pharmaceutical composition according to Claim 25, in which the rescuing agent is selected from the group consisting of nicotinamide, nicotinic acid, and nicotinamide mononucleotide (NMN).

27. A compound according to Claim 1 for use in a method of treating a subject suffering from or diagnosed with a disease or medical condition mediated by NAMPT activity.

28. A compound according to Claim 27 for a use as specified therein, in which the method comprises administering to the subject in need of such treatment an effective amount of at least one compound of Formula I according to Claim 1.






29. A compound according to Claim 27 or 28 for a use as specified therein, in which the disease or medical condition is a solid or liquid tumor, non-small cell lung cancer, leukemia, lymphoma, ovarian cancer, glioma, breast cancer, uterine cancer, colon cancer, cervical cancer, lung cancer, prostate cancer, skin cancer, rhino-gastric tumors, colorectal cancer, CNS cancer, bladder cancer, pancreatic cancer, Hodgkin's disease, rheumatoid arthritis, diabetes, atherosclerosis, sepsis, aging, inflammation.






30. A compound according to Claim 27, 28 or 29 for a use as specified therein, in which the method further comprises administering to the subject an effective amount of at least one compound selected from the group consisting of: a cytotoxic agent, cisplatin, doxorubicin, taxotere, taxol, etoposide, irinotecan, camptostar, topotecan, paclitaxel, docetaxel, the epothilones, tamoxifen, 5-fluorouracil, methoxtrexate, temozolomide, cyclophosphamide, SCH 66336, tipifarnib (Zarnestra®), R115777, L778,123, BMS 214662, Iressa®, Tarceva®, C225, GLEEVEC®, intron®, Peg-Intron®, aromatase combinations, ara-C, adriamycin, cytoxan, gemcitabine, Uracil mustard, Chlormethine, Ifosfamide, Melphalan, Chlorambucil, Pipobroman, Triethylenemelamine, Triethylenethiophosphoramine, Busulfan, Carmustine, Lomustine, Streptozocin, Dacarbazine, Floxuridine, Cytarabine, 6-Mercaptopurine, 6-Thioguanine, Fludarabine phosphate, leucovirin, oxaliplatin (ELOXATIN®), Pentostatine, vincristine, Vindesine, Bleomycin, Dactinomycin, Daunorubicin, Doxorubicin, Epirubicin, Idarubicin, Mithramycin™, Deoxycoformycin, Mitomycin-C, L-Asparaginase, Teniposide 17α-Ethinylestradiol, Diethylstilbestrol, Testosterone, Prednisone, Fluoxymesterone, Dromostanolone propionate, Testolactone, Megestrol acetate, Methylprednisolone, Methyltestosterone, Prednisolone, Triamcinolone, Chlorotrianisene, Hydroxyprogesterone, Aminoglutethimide, Estramustine, Medroxyprogesteroneacetate, Leuprolide, Flutamide, Toremifene, goserelin, Carboplatin, Hydroxyurea, Amsacrine, Procarbazine, Mitotane, Mitoxantrone, Levamisole, Navelbene, Anastrazole, Letrazole, Capecitabine, Reloxafine, Droloxafine, Hexamethylmelamine, Avastin, herceptin, Bexxar, Velcade, Zevalin, Trisenox, Xeloda, Vinorelbine, Porfimer, Erbitux, Liposomal, Thiotepa, Altretamine, Melphalan, Trastuzumab, Lerozole, Fulvestrant, Exemestane, Ifosfomide, Rituximab, C225, Campath, leucovorin, dexamethasone, bicalutamide, chlorambucil, letrozole, megestrol, valrubicin, vinblastine, and NIASPAN®.






31. A compound according to any of Claims 27 to 30 for a use as specified therein, in which the method further comprises administering an effective amount of a rescuing agent.








32. A compound according to Claim 31 for a use as specified therein, in which the rescuing agent is selected from the group consisting of nicotinamide, nicotinic acid, and nicotinamide mononucleotide (NMN).








33. A compound selected from the group consisting of:



	[1-(4-{[(Imidazo[1,2-a]pyridine-6-carbonyl)-amino]-methyl}-benzenesulfonyl)-piperidin-4-yl]-carbamic acid tert-butyl ester;
	2-amino-N-[(4-morpholinosulfonylphenyl)methyl]-5,7-dihydropyrrolo[3,4-d]pyrimidine-6-carboxamide;
	N-[(4-tetrahydropyran-4-ylsulfonylphenyl)methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-acetyl-4-piperidyl)sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[(4-tetrahydropyran-3-ylsulfonylphenyl)methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;

	2-amino-N-[(4-tetrahydropyran-4-ylsulfonylphenyl)methyl]-5,7-dihydropyrrolo[3,4-d]pyrimidine-6-carboxamide;
	N-[[4-(4-tetrahydropyran-4-ylpiperazin-1-yl)sulfonylphenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[[1-(oxetan-3-yl)-4-piperidyl]sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-(4-methylpiperazin-1-yl)sulfonylphenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;

	N-[[4-(7-oxa-2-azaspiro[3.5]nonan-2-ylsulfonyl)phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(4-pyrrolidin-1-yl-1-piperidyl)sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[(4-morpholinosulfonylphenyl)methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[[(3R)-3-hydroxy-1-piperidyl]sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[[(3S)-3-hydroxy-1-piperidyl]sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;

	N-[[4-[(1-methyl-4-piperidyl)sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-propanoyl-4-piperidyl)sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(4-hydroxy-1-piperidyl)sulfonyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[1-(benzenesulfonyl)pyrrolidin-3-yl]sulfonylphenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-(1-acetylpyrrolidin-3-yl)sulfonylphenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-methylsulfonyl-4-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;

	N-[[4-[(1-benzoyl-3-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-(1-benzoylpyrrolidin-3-yl)sulfonylphenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-methylsulfonyl-3-piperidyl)sulfonyl]phenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-(1-methylsulfonylpyrrolidin-3-yl)sulfonylphenyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[4-[(1-isopropyl-4-piperidyl)sulfinyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-tetrahydropyran-4-yl-4-piperidyl)sulfinyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-methyl-4-piperidyl)sulfinyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-

	c]pyridine-2-carboxamide;
	N-[[4-[(1-isobutyl-4-piperidyl)sulfinyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[4-[(1-ethyl-4-piperidyl)sulfinyl]phenyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;

and pharmaceutically acceptable salts thereof, stereoisomers thereof, and pharmaceutically acceptable salts of stereoisomers thereof.