

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
9 September 2005 (09.09.2005)

PCT

(10) International Publication Number
WO 2005/082824 A1

(51) International Patent Classification⁷: **C07C 41/03**,
43/23

Kevin, Edward [US/US]; Pfizer Global Research and Development, Ann Arbor Laboratories, 2800 Plymouth Road, Ann Arbor, MI 48105 (US).

(21) International Application Number:
PCT/IB2005/000315

(74) Agents: **WOOD, David, J.** et al.; Pfizer Research and Development, Ramsgate Road, Sandwich, Kent CT13 9NJ (GB).

(22) International Filing Date: 8 February 2005 (08.02.2005)

(25) Filing Language: English

(81) Designated States (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(26) Publication Language: English

(30) Priority Data:
60/546,495 20 February 2004 (20.02.2004) US

(71) Applicant (*for all designated States except US*): **PHARMACIA & UPJOHN COMPANY LLC** [US/US]; 301 Henrietta Street, Kalamazoo, MI 49001 (US).



(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **CEBULA, Mateusz** [PL/US]; Pfizer Global Research and Development, 301 Henrietta Street, Kalamazoo, MI 49007 (US). **HENEGAR,**

(84) Designated States (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,

[Continued on next page]

(54) Title: METHOD FOR THE PREPARATION OF ARYL ETHERS



(57) Abstract: The invention comprises an enantioselective method of preparing a compound of formula (IV): (a) asymmetric epoxidation of a compound of formula (I) wherein R¹ and m are as defined above, with an oxidising agent in the presence of an optically active compound, to give an optically active epoxide wherein R¹ and m are as defined above, followed by (b) reaction of the optically active epoxide with a phenol derivative in the presence of a base; wherein the method is carried out without isolation of the optically active epoxide.

WO 2005/082824 A1



FR, GB, GR, HU, IE, IS, IT, LU, MC, NL, PL, PT, RO,
SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN,
GQ, GW, ML, MR, NE, SN, TD, TG).

— *before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments*

Published:

— *with international search report*

*For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.*