



Drawings

Fig.1



SCORE CRITERIA FOR AGING MALE SYMPTOM SCALE
 [85 POINTS IN TOTAL]NORMAL:26 OR LESS, MILD:27 TO 36,
 MODERATE:37 TO 49, SEVERE:50 OR MORE
 [25 POINTS FOR SEXUAL FUNCTION]NORMAL:5 OR LESS,
 MILD:6 TO 7, MODERATE:8 TO 10, SEVERE:11 OR MORE
 [35 POINTS FOR PHYSICAL FACTORS]NORMAL:8 OR LESS,
 MILD:9 TO 12, MODERATE:13 TO 18, SEVERE:19 OR MORE

Fig.2



CRITERION VALUES FOR IIEF5 (SCORE FOR INTERNATIONAL INDEX OF ERECTILE FUNCTION)

NORMAL: 22 OR MORE, MILD:17 TO 21, MILD TO MODERATE:12 TO 16, MODERATE:8 TO 11, SEVERE:7 OR LESS

Fig.3




Fig.4




Fig.5





Fig.6



CRITERION VALUES FOR FREE TESTOSTERONE (FOR MEN)

30~39 YEARS OF AGE:7.6~23.1 pg/mL

40~49 YEARS OF AGE:7.7~21.6 pg/mL

50~59 YEARS OF AGE:6.9~18.4 pg/mL

60~69 YEARS OF AGE:5.4~16.7 pg/mL

※FREE TESTOSTERONE LEVEL IN BLOOD OF 8.5 pg/mL IS NORMAL LOWER LIMIT VALUE

BOUNDARY ZONE OF 8.5 pg/mL OR MORE AND LESS THAN 11.8 pg/mL ARE CRITERION VALUES FOR PERFORMING THERAPEUTIC INTERVENTION