

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶: B01J 31/00, 37/00, C08F 4/02, 4/60, 4/06, 210/00, 10/14, 110/14, 210/14	A1	(11) International Publication Number: WO 99/32226 (43) International Publication Date: 1 July 1999 (01.07.99)
(21) International Application Number: PCT/US98/25889 (22) International Filing Date: 8 December 1998 (08.12.98) (30) Priority Data: 08/994,490 19 December 1997 (19.12.97) US (63) Related by Continuation (CON) or Continuation-in-Part (CIP) to Earlier Application US 08/994,490 (CON) Filed on 19 December 1997 (19.12.97) (71) Applicant (for all designated States except US): PHILLIPS PETROLEUM COMPANY [US/US]; 4th and Keeler, Bartlesville, OK 74004 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): EILERTS, Nancy, W. [CA/US]; 1361 Evergreen Drive, Bartlesville, OK 74006 (US). HAWLEY, Gil, R. [US/US]; 1022 N. Wyandotte, Dewey, OK 74029 (US). (74) Agents: CORD, Janet, I.; Ladas & Parry, 26 West 61st Street, New York, NY 10023 (US) et al.		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>
(54) Title: NICKEL DIIMINE CATALYSTS WITH METHYLALUMOXANE AS COCATALYST, METHOD OF POLYMERIZATION OF OLEFINS THEREWITH AND POLYMERS PRODUCED		
(57) Abstract Tetrasubstituted diphenyl diimine nickel complexes further comprising e.g. ACAC ligands and their fluorinated analogs as additional ligands are used in conjunction with methylalumoxane and a support to polymerize alpha olefins or copolymerize plural alpha olefins in the slurry phase.		