

Computer 20
System Memory 22
(ROM 24)
BIOS 26
(RAM 25)
OS 35
APPLICATION PROGRAMS 36
OTHER PROGRAMS 37
PROGRAM DATA 38
Processing Unit 21
Video Adapter 48
Host Adapter 55
Hard Disk Drive I/F 32
Magnetic Disk Drive I/F 33
Optical Drive I/F 34
Serial Port I/F 46
Network I/F 53
Modem 54
WAN 52
LAN 51
SCSI Bus 56
System Bus 23
Monitor 47
Storage Device 62
Hard Drive 27
Floppy Drive 28
Optical Drive 30
Removable Storage 29
OS 35
Apps. 36
Other Progs. 37
Program Data 38
Keyboard 40
Mouse 42
31
Remote Computer(s) 49
Floppy Drive 50
Applications 36'

FIG. 1




206
Applications Programs Component
204
Hardware/Software Interface System Component
202
Hardware Component
200

FIG. 2

FIG. 2A





Application Program 350a
Application Program 350b
Application Program 350c
APPLICATION PROGRAMMING INTERFACES 320
Storage Platform API 322
OLE DB 324
WIN 32 API 326
SERVICES 328
Synchronization 330
Info Agent 334
Notifications 332
Utilities 336
Store API 312
DATA STORE 302
Data Model 304
Change Tracking 306
Security 308
Promotion/ Demotion 310
DATABASE ENGINE 314
SQL Store 316
NTFS 318
NTFS Stream s
REMOTE DATA STORES 338
Common Format Data Store 340
Other Format Data Store 342
Win32 Namespace 344
300
Schema Deployment Tools 346
Platform Schemas 340
Extended Platform Schemas 342
New ISV Schemas 344

Fig. 3



Categories
Items
Item Folders
432
434
436
402
404
406
408
410
412
414
416
418
420
422
424
426
428
430

FIG. 4

FIG. 5A

FIG. 5B

FIG. 5C




Core:Location
Acl:varbinary[1:1]
Categories:CategoryRef[0.*]
Created:datetime[1:1]
ItemID:IdentityKey[1:1]
ItemKey:bigint[1:1]
Modified:datetime[1:1]
Version:nvarchar[0:1]
Eaddresses:Eaddress[0:*]
MetropolitanRegion:nvarchar[0:1]
Neighborhood:nvarchar[0:1]
PostalAddresses:PostalAddress[0:*]

FIG. 6B

FIG. 6A


Base.Item
Acl:varbinary[1:1]
Categories:CategoryRef[0.*]
Created:datetime[1:1]
ItemID:IdentityKey[1:1]
ItemKey:bigint[1:1]
Modified:datetime[1:1]
Version:nvarchar[0:1]
Core:Location
Eaddresses:Eaddress[0:*]
MetropolitanRegion:nvarchar[0:1]
Neighborhood:nvarchar[0:1]
PostalAddresses:PostalAddress[0:*]

Base Schema Items
Base.Item
Acl:varbinary[1:1]
Categories:CategoryRef[0.*]
Created:datetime[1:1]
ItemID:IdentityKey[1:1]
ItemKey:bigint[1:1]
Modified:datetime[1:1]
Version:nvarchar[0:1]
Base.ItemFolder
Members:Link[1:*]
Base Schema Extensions
Base.Extension
ExtensionID:String[1:1]
ItemID:String[1:1]
Base Schema Properties
Base.PropertyBase
Base.IdentityKey
Authority:uniqueidentifier[0:1]
Key:varbinary[1:1]
Type:uniqueidentifier[1:1]
Base.CategoryRef
Base.Property
Categories:CategoryRef[0:*]

FIG. 7

FIG. 8A




Core Schema Items
Base.Item
Acl:varbinary[1:1]
Categories:CategoryRef[0:*]
Created:datetime[1:1]
ItemID:IdentityKey[1:1]
ItemKey:bigint[1:1]
Modified:datetime[1:1]
Version:nvarchar[0:1]
Core.Device
Core.Event
Core.Principal
DisplayName:nvarchar[0:1]
IdentifiersPrincipalIdentityKey[0:*]
IdentityKeyToDataVisibility:Link[1:1]
Presences:basicPresence[0:*]
Publisher:Link[0:1]
Roles:Role Occupancy[0:1]
Subscriptions:Link[0:*]
Tile:nvarchar[0:1]
Core.Location
EAddresses:EAddress[0:*]
MetropolitanRegion:nvarchar[0:1]
Neighborhood:nvarchar[0:1]
Postal Addresses:PostalAddress[0:*]
Core. Commodity
Core. Message
Core.Document
Application:Link[0:1]
Author:uniqueidentifier[0:1]
Components:Link[0:*]
ConsumerRatings:nvarchar[0:1]
ContentRating:nvarchar[0:1]
File:Link[0:1]
Language:CategoryRef[0:*]
Presence:Link[0:*]
Preview:Link[0:1]
Protection:CategoryRef[0:*]
Publisher:uniqueidentifier[0:1]
RetentionPolicy:uniqueidentifier[0:1]
SecurityLevel:int[0:1]
Title:nvarchar[0:1]
Core.Category
Description:nvarchar[0:1]
Identifiers:IdentityKey[0:*]
Label:nvarchar[0:1]
Core. SecurityPackage
Core. Statement
Core.Credential
Body:varbinary[1:1]
EndDate:datetime[0:1]
LastBadSetCount:int[1:1]
LastBadSetTime:datetime[0:1]
PreviousCredential:Link[0:1]
StartDate:datetime[0:1]

FIG. 8B Core Schema Properties





1008
1002
1004
1006
Items
1024
Relationships
1012
1016
1026
1000
1008'
Category

FIG. 9

902
904
906
Items
524
Relationships
512
516
526
900
Item
Folder

FIG. 10



ItemReference
Abstract virtual Item Resolve()
ItemPathReference
String Locator
String Path
Item Resolve()
ItemIDReference
String Locator
ITEMID ItemID
Item Resolve()

FIG. 11



Relationship
Reference
Containment
Embedding
Holding

FIG. 12

FIG. 13




CLIENT
(SUBSCRIBER)
GET NOTIFIED BY
EXECUTING A
"SELECT" STATEMENT
CLIENT
(PUBLISHER)
PUBLISH BY
EXECUTING AN
UPDATEGRAM
DATA STORE 302

FIG. 14


Time
T2
T3
getTime(5)
getTime(10)
insert(10)
insert(5)



Data Store
Subscriber
select *, getLowWaterMark() as lwm
from [global!items]
results
waitfor(select *, getLowWaterMark() as lwm
from [global!items])
results
Get Data
Get Delta

FIG. 15



\\HomeMachine
Data Store Namespace
C:\
\\HomeMachine\WinFSOnC\
WinFS
WinFS FILESTREAMS
MyDocuments
GUID1
GUID2
Word.doc
Excel.xls

FIG. 17



\\HomeMachine
Local Namespace
C:\
Windows\System32
My Documents
Word.doc
Excel.xls

FIG. 16



WinFS Service
Volume
Containment Folder
Item
Volume
Containment Folder
Item

FIG. 18



MACHINE BOUNDARY
APPLICATION (e.g. 350a, 350b, or 350c)
Storage Platform API 322
Notification Server 332
SQLClient 1900
SCHEMAS
Data Store 302
WinFS DQP
SCHEMAS
Remote Data Store 340
SYNC
AD "Provider"
AD
Exchange "Provider"
Exchange

FIG. 19



RUN TIME FRAMEWORK 2004
Application (e.g., 350a, 350b, or 350c)
Runtime Framework Classes 2006
Data Classes 2002
DESIGN TIME
Schema Description in XML 2010
Code for Domain Specific Methods 2012
Design Time Tools 2008
Storage Platform
Schema 2014
UDT Class Definitions 2016

FIG. 20



Item
Principal
Person
User
Group
Service
Presence Service
Group Service
Person Service
Contact Service
ADService
Organization
HouseHold
Folder
WellKnown Folder
UserData Folder
LocalMachine DataFolder

FIG. 21A



Nested ElementBase
Nested Element
IdentityKey
SecurityID
Relationship
FullName
FamilyEvent
HouseHold Location Relationship
FamilyEvent Location Relationship
Location Relationship
Role Occupancy
Employee Data
Group Membership
Organization LocationRelationship
HouseHold MemberData
FamilyData
ChildData
SpouseData
Profile
Template Relationship
Basic Presence
Windows Presence
Template
EAddress
Contact EAddress
Telephone Number
SMTPEmail Address
InstantMessaging Address

FIG. 21B



Storage Platform
Fx Creates ItemContext Object
FRAMEWORK 2004
ItemContext 2202
Fx Strongly couples store items to client object graph
UPDATE METHOD
APPLICATION (e.g., 350a, 350b, or 350c)
BIND TO AN ITEM
FIND METHOD
RETURNS
OBJECT GRAPH OF ITEMS
2204
Delete
Insert
Change

FIG. 22



Person Objects
Person UDT Object
FindResult results = Person.FindAll(ctx, "Birthdate > '12/31/1999'");
SELECT _Item FROM Person WHERE _Item.Birthdate > '12/31/1999'
ADO.Net
Person UDT Objects
Person UDT Bits
Person Table
ID
_Item
Person UDT Bits
Storage Platform
1. Application calls FindAll API
2. API constructs and submits a SQL query
3. Storage Platform returns the matching person UDTs as a string of bits
4. ADO.Net turns the bits into CLR objects and returns them to the API
5. The API constructs Person objects that wrap the UDT objects

FIG. 23




Hand coded
Auto-generated
1
Schema File:
An XML document containing:
Types in the schema
Specification of Constraints
SQL Indexes
Etc
2
Class Generator
(xfs2cs.exe)
3
Common Client Code :
Partial classes for types in the schema
4
Domain Behaviors, Client and Store :
Partial classes for methods on both store and client
5
Common Store Code :
Partial classes for types in the schema.
These are store UDTs
6
Domain Behaviors, Client Side Only
Contains partial classes for domain behaviors that run on the client only. For example, implementation of IDataEntity
7
Domain Behaviors, Store Side
Contains partial classes for domain behaviors that run on the server.
These become methods on the low level UDTs in the store
8
Compiler/ Linker
9
Compiler/ Linker
The Find* methods are not part of the server assembly
10
Value-add Behavior
Use API Classes
Compiler/ Linker
Value Added Classes
11
Storage Platform API Classes
12
SQL Server UDT Assembly
13
DDL Command Generator
14
Store Install

FIG. 24



Note: Grey boxes are types defined in the Base schema, but are shown here for the sake of completeness.

Items Defined in the Files Schema

FIG. 25



31 30 29 28 27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1 0
G R
G W
G E
G A
Reserved
A S
Standard Access Rights
Object-Specific Access Rights
GR --> Generic_Read
GW --> Generic_Write
GE --> Generic_Execute
GA --> Generic_ALL
AS --> Right to access SACL

FIG. 26




FIG. 27



Item
Contact
Document
ReviewDocument
LegalDocument

FIG. 28



Base.Item
Doc.Document
Doc.WordDocument
Contact.Person
Contact.Employee

FIG. 29




FIG. 31B




FIG. 31A




FIG. 30B




FIG. 30A




FIG. 33A




FIG. 33B




FIG. 32A




FIG. 32B




FIG. 34B




FIG. 34A



1ST CODE SEGMENT
INTER-FACE
2ND CODE SEGMENT
1ST CODE SEGMENT
INTER-FACE 1
DIVORCE INTERFACE
INTER-FACE 2A
INTER-FACE 2B
INTER-FACE 2C
2ND CODE SEGMENT
JIT COMPILER / INTERPRETER

FIG. 35A



1ST COMPONENT
I1a
I1b
I1c
M
I2a
I2b
I2c
2ND Component
JIT COMPILER
1ST COMPONENT
Interface I1
M
Interface I2
2ND COMPONENT

FIG. 35B



KEY
Item Inheritance
Designated Relationship
Inherited Relationship
3604 Contact
3642 Person
3644 Organization
3606
3662
3664
3666
3602 Document
3622 Picture
3624 Music
3626 Special

FIG. 36




FIG. 37A




FIG. 37B



AppY
AppX
App2
App1
Contact
AppX Additional Fields
AppX Additional Fields

FIG. 37C