

















Time	Blank control group	Model group	Minoxidil group (5%)	Finasteride (0.1 mg/kg)	Experimental group I (5%-0.008%)	Experimental group II (5%-0.025%)	Experimental group III (5%-0.075%)
Day 0							
Day 7							
Day 14							
Day 18							
Day 21							
Day 25							
Day 28							
Day 30							

FIG. 1















Time	Blank control group	Model group	Minoxidil group (5%)	Experimental group I (5%-0.05%)	Experimental group II (5%-0.06%)	Experimental group III (5%-0.07%)
Day 0						
Day 7						
Day 14						
Day 18						
Day 21						
Day 25						
Day 28						
Day 30						

FIG. 2






Time	Blank control group	Model group	Experimental group I (5%-0.075%)	Experimental group II (5%-0.1%)	Experimental group III (5%-0.15%)
Day 0					
Day 7					
Day 14					
Day 18					
Day 21					
Day 25					
Day 28					
Day 30					

FIG. 3



Time	Blank control group	Model group	Experimental group I (5%-0.05%)	Experimental group II (5%-0.075%)	Experimental group III (5%-0.1%)
Day 0					
Day 7					
Day 14					
Day 18					
Day 21					
Day 25					
Day 28					
Day 30					

FIG. 4