

1.

THIS SHEET HAS BEEN
REPLACEDCREDIT CARD WITH MAGNIFYING LENSBACKGROUND OF THE INVENTION:Field of the Invention

5 This invention is related to pocket magnifiers and is specifically directed to a credit having an integral magnifying lens.

Description of the Prior Art

10 There have long been reading lenses and magnifying glasses available to assist people in reading books, documents and the like without the use of reading glasses. These are particularly useful when the person encounters small print during an activity which makes it inconvenient or difficult to stop and put on reading glasses.

15 As an example, a book mark such as that shown in U.S. Patent 3,140,883 issued to R.L. Anthony on July 14, 1964 may be integrally attached to a book such as a telephone directory or a dictionary, wherein the end of the book mark is provided with a
20 sealed pocket for receiving a plastic magnifying lens. The magnifying lens may be moved up and down the page as desired to provide magnification of the text in the book. This permits the user to read the text without first putting on his eyeglasses.

25 A pocket magnifier such as that shown in U.S. Patent 3,409,347 issued to R. Vogel on November 5, 1968 includes a pocket pouch adapted to be carried in the breast or hip pocket of the user or in a purse or wallet. The lens is formed of a transparent plastic
30 sheet material having a substantial degree of stiffness and having fresnel lens contours molded into its upper surface. The lens unit may be slidably retracted into and extended out of the pocket. The pocket magnifier may be easily utilized to magnify
35 small print and the like when the user is in a

This Sheet Has Been Replaced





2.

REPLACED

location where it is not feasible or desirable to stop an activity in order to put on reading glasses.

Other examples of special purposes magnifying lens structures shown, by way of example, in U.S.

5 Patent No. 4,044,889 entitled "COSMETIC CONTAINER INCLUDING INTEGRATED LENS STRUCTURE" issued to S. Orentreich et al on August 30, 1977 and U.S. Patent No. 4,393,610 entitled "CARD CARRYING MICROFILM AND ASSOCIATED READING LENS AND PROCESS OF FORMING SAME"

10 issued to D. Adrian on July 19, 1983.

With the ever expanding use of credit cards and other financial transaction cards, there is an increasing requirement that the card user be able to verify a transaction at the point-of-use. This means

15 the user must be able to read the card invoice to determine the accuracy of the information before he signs the invoice to indicate his acceptance. Since most of the information on the invoice is impact printed either on a carbon set or carbonless form,

20 the print is not only controlled in size but is often of a low contrast with respect to the base form paper. This makes the form difficult to read, particularly for those who normally require reading glasses. Also, when the transaction card is used, it

25 is often not convenient to take the time to put on reading glasses before reviewing the card invoice. While the pocket magnifiers of the prior art could be used for this purpose, use of such devices requires a separate activity which does not provide a great

30 improvement over the use of reading glasses. As a result, many credit card users simply do not take the time and effort to accurately verify a transaction at the point-of-sale, relying on the sales clerk for the accuracy of the information.


35 It is, therefore, desirable to provide ready means for immediate verification of credit card and



3.

THIS SHEET HAS BEEN
REPLACED

5 other financial card transactions at the point-of-sale in a convenient manner not requiring extraneous activity such as locating and using a pocket magnifier or taking the time to put on reading glasses in order to be able to accurately read the invoice. None of the devices of the prior art address this need.

This Sheet Has Been Replaced




SUMMARY OF THE INVENTION

The subject invention is directed to a financial transaction card such as a credit card or the like which incorporates an integral magnifying lens. Use
5 of the card of the subject invention automatically places a magnifying lens at the disposal of the user, whereby he may immediately verify a financial transaction at the point-of-sale without first
10 locating a magnifying glass or taking the time and effort to put on reading glasses. The invention is particularly useful when making credit card transactions during an activity where the user would not normally be wearing his reading glasses. For
15 example, during sports activities or other types of activities where a person does not normally encounter reading material. it may be desirable to make a credit card transaction in order to pay for rental of equipment or user fees or the like. By using the
20 credit card of the subject invention, the user can immediately read and verify the financial transaction at the point-of-sale by placing the magnifying lens incorporated in the credit card over the printed material on the transaction form. Thus, the print is magnified with the card used for the transaction,
25 eliminating the need to locate a pocket magnifier or the time and effort required to put on reading glasses in order to verify the transaction.

In the preferred form of the invention, a typical credit card blank is subdivided into a
30 plurality of zones, specifically a data zone and a non-data zone. The data zone is adapted for receiving and carrying machine readable information such as a magnetic strip including magnetically encoded information and embossed alpha numeric lettering for
35 creating an imprint on the credit card transaction form. The non-data zone is generally free of any



5.




information required to be machine read, although this zone often includes identifying indicia, logo types and other information relating to the issuing institution. In the preferred form of the invention, a portion of the non-data zone includes an integral magnifying lens carried in and forming a part of the credit card. It has been found that a substantially rigid, transparent plastic material of a thickness corresponding to the thickness of the credit card base may be incorporated in a window provided in the base. In the preferred embodiment of the invention, the transparent plastic includes fresnel lens contours on the top surface for defining a magnifying lens. By placing the lens in the non-data zone, the lens does not interfere with the machine transactions required in order to use the credit card at a point-of-sale.

In one embodiment of the invention, the lens is an elongated rectangle generally placed in parallel with the magnetic strip which is commonly attached to the back of the credit card. In this embodiment, there is no alteration of the data zone as commonly incorporated on credit cards.

A second embodiment of the invention incorporates a lens with a larger usable area. However, this particular embodiment requires alteration of the data zone. Depending on the issuing institution, one embodiment may be more desirable over the other, depending on the flexibility of the location and format of the data zones on the card.

In a typical credit card, the base is made of a substantially rigid plastic material which is laminated with a thin printed material on both the top surface and the bottom surface thereof, including identifying indicia, logo types and the like on the top, the magnetic strip, a signature strip and



various terms and conditions on the bottom. In one embodiment of the invention, the lens may be placed in the credit card prior to the laminating process, whereby the laminate cover materials may be used to overlap the edge of the lens and help retain it in the credit card. The lens may be sonic welded, adhesively secured or otherwise mounted in a window in the credit case base, with or without utilizing the laminate material to assist in framing and mounting the lens in the credit card.

It is, therefore, an object and feature of the subject invention to provide for a credit card having an integral magnifying lens permitting the user to immediately verify financial transactions at the point-of-sale without first requiring that the user put on reading glasses or the like.

It is another object and feature of the invention to enhance the use of credit cards by permitting immediate verification of credit card transactions by users normally having difficulty in reading small print, without requiring an additional activity of locating a magnifying lens or putting on reading glasses.

It is another object and feature of the subject invention to provide for a credit card having an integral magnifying lens and adapted for enlarging the small print generally used in the confined space of the credit card transaction form.

It is yet another object and feature of the invention to provide for an integral lens in a financial transaction card wherein the lens does not interfere with the machine readable information required on the card in order to complete a point-of-sale transaction.

This Sheet Has Been Replaced




7.

THIS SHEET HAS BEEN
REPLACED

Other objects and features of the invention will be readily apparent from the accompanying drawing and description.

This Sheet Has Been Replaced



8.

THIS SHEET HAS BEEN
REPLACED

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 shows the top side of a credit card incorporating a magnifying lens, in accordance with the subject invention.


5 Fig. 2 shows the bottom side of the credit card of Fig. 1.

Fig. 3 shows the top side of an alternative embodiment of a credit card incorporated magnifying lens in accordance with the subject invention.

10 Fig. 4 shows the bottom side of the credit card of Fig. 3.

Fig. 5 is a cross sectional view of the credit card and lens combination, taking generally along the line 5-5 of Fig. 1.

This Sheet Has Been Replaced



This Sheet Has Been Replaced



9.


THIS SHEET HAS BEEN
REPLACEDDETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

A typical financial transaction card such as the credit card 10 is shown in Fig. 1 and includes, as is common, embossed lettering at 12, which is machine
5 readable for permitting the credit card to be imprinted at a point-of-sale transaction. As is shown in Fig. 2, most credit cards now contain a magnetic strip material 14 which includes magnetically encoded information readable by computer terminals utilized
10 in many point-of-sale terminals. Also included is a signature strip 16 which is on the back of the card and adapted for receiving a manually applied signature to be applied by the user of the card.


The magnetic strip 14 and embossed lettering 12, along with the signature strip 16, identify a data
15 zone on the card. This data zone is generally controlled by financial institutions in an effort to standardize the cards so that various cards issued by a multiplicity of institutions may be used on
20 standardized terminals at the point-of-sale. For example, the placement of the magnetic strip 14 relative to the top edge 18 of the card is standardized, as is the width of the strip 14 in order to permit ready readability of the magnetically
25 coded information by any typical point-of-sale magnetic reader. Likewise, the font, size and position of the embossed lettering 12 is controlled to assure machine readability of the information imprinted from the card when a point-of-sale
30 transaction is made on a typical credit card imprinter. Only the position of the signature strip 16 can be altered without interfering with the machine readability of the card.

Today, many cards also include identifying
35 indicia such as logo types and the like as indicated at 20 for identifying the issuing institution. An

This Sheet Has Been Replaced




10.




increasing number of cards also include a hologram patch 22 which includes issuing institution indicia. The hologram panel 22 is generally located in or near the portion of the data zone including the embossed lettering 12. In the embodiment of the invention shown in Figs. 1 and 2, a magnifying lens 24 is positioned in a window 25 provided in the base 11 of the card 10 such that it is in noninterfering relationship with the magnetic strip 14 and the embossed lettering 12. The magnetic lens 24 is an elongate, rectangular lens mounted parallel to the magnetic strip 14 in the space between the magnetic strip and the embossed lettering. This space is generally sufficient in size to accommodate the lens 24 since it is required that the embossed lettering 12 be spaced sufficiently from the magnetic strip 14 to assure that the embossing of the card does not in any way alter the functionality of the magnetic strip.

In the preferred embodiment of the invention, the lens member 24 comprises a substantially rigid, transparent plastic element having approximately the same rigidity as the credit card base. As shown in Figs. 1 and 2, the credit card base 11 includes a window 25 having a top edge 30, a bottom edge 31 and side edges 32 and 33. The lens element 24 is adapted to be placed in the window 25 and has outer edges common with the window edges 30-33. The lens may then be sonic welded or adhesively secured to the credit card base 11 in the manner well known to those who are skilled in the art. In the preferred embodiment of the invention, the lens 24 is of a thickness corresponding to the thickness of the credit card base 11, assuring that the presence of the lens in the credit card does not interfere in any manner with the machine readability of the information contained

This Sheet Has Been Replaced



11.



in the embossed lettering 12 or in the magnetic strip 14. It will be understood that the lens could be incorporated in the card a variety of ways, including being an integral, unitary member of the card base.

5 A fresnel-type contour lens has been found to be particularly useful for this type of application. The fresnel contour lines 36 or ribs are typically contained on the top side of the lens, or the front of the credit card as shown in Fig. 1. This permits
10 the credit card to be held with the front side up in typical manner, when utilizing the magnifying lens.

 An alternative embodiment of the invention is shown in Figs. 3 and 4. There, the lens element 124 is of a substantially square cross section utilizing
15 a fresnel lens comprising the concentric circle configuration shown at 60, and mounted in a complementary window 125 in the base 11. This particular configuration of the invention is useful when it is possible to alter the shape of the data
20 zone and the placement of the embossed lettering 112. As terminal encoders come more widely accepted, and the magnetic encoding strip 14 (Fig. 4) more commonly used as the source for machine readable information, the importance of the embossed lettering is becoming
25 diminished. This will permit alteration of the placement of the embossed lettering on the card without interfering with the machine readability of the card at the point-of-sale. This permits the embossed lens element 124 to be customized to varying
30 desires and taste without interfering with the overall machine readability of the credit card.

 As is shown in Fig. 5, the typical credit card base 11 is a laminated composite member including a solid core material as shown at 11 with a thin
35 plastic laminate 50 on the top surface and a similar thin plastic material 52 laminated on the bottom


THIS SHEET HAS BEEN
REPLACED


12.

surface. The laminates 50 and 52 are generally printed in a four-color format, permitting attractive logotypes identifying the financial institution and permitting customized color schemes for the card. The laminate materials 50 and 52 also carry the magnetic encoding strip 14, the signature strip 16 and the hologram panel 22. As shown in Fig. 5, the fresnel lens element 124 is located in the window 125 of the credit card and may be secured therein by sonic welding, adhesives or the like along the side edges of the window, as at 60. Where the laminated card is used, the laminate materials 50 and 52 may overlap the edges 62, 64 of the window and the lens 124 may include a peripheral lip or rim 58 for holding the lens in place. Of course, the lens may also be of a rectangular cross section and sonically welded or adhesively secured to the base 11 with or without use of the laminates 50 and 52.

While certain objects and features of the invention have been described in detail herein, it will be readily understood that the invention includes all modifications and enhancements within the scope and spirit of the following claims.

This Sheet Has Been Replaced





93/01276

CLAIMS


IPEA/US 11 FEB 1994

We claim. --

1. A financial transaction card adapted for individual use in reading information stored externally to the card, the card of the type having machine readable information contained thereon identifying the user and the
5 issuing institution for transacting business at locations remote from the issuing institution, the card comprising:
 - a. a rigid substantially rectangular base;
 - b. machine readable information carried on the base
10 for identifying the user and the issuing institution; and
 - c. a magnifying lens permanently secured in the base in non-interfering relationship with the machine readable information.
2. The financial transaction card of claim 1, wherein
15 the base includes a front surface and a back surface and wherein the card further comprises a magnetic tape strip adapted for carrying magnetically encoded machine readable information, the strip being secured to one of the surfaces of the base.
- 20 3. The financial transaction card of claim 1, wherein the base includes a front surface and a back surface and wherein the card further comprises a predetermined area on the base adapted to be embossed with raised alpha-numeric indicia on the front surface of the base to
25 provide alpha-numeric information identifying the user and the issuing institution.
4. The financial transaction card of claim 1, wherein the base is subdivided into a plurality of zones, including a data zone for the machine readable information
30 and a non-data zone which is free of any machine readable information.



This Sheet Has Been Replaced



5. The financial transaction card of claim 4, wherein the magnifying lens is confined to the non-data zone.

6. The financial transaction card of claim 4, wherein the data zone includes a section adapted for receiving a magnetic information strip adapted for carrying magnetically encoded machine readable information.

7. The financial transaction card of claim 4, wherein the data zone includes a section adapted to receive embossed lettering comprising alpha-numeric indicia identifying the user and the issuing institution.

8. The financial transaction card of claim 4, further comprising a signature strip located on the base in the data zone and adapted for receiving a manually applied signature of the user.

9. The financial transaction card of claim 2, wherein the magnetic tapes strip spans the base of the card and is disposed parallel to the longitudinal axis thereof, and wherein the magnifying lens is an elongated rectangle mounted in the base parallel to the magnetic tape strip.

10. The financial transaction card of claim 1, wherein the magnifying lens has a substantially square peripheral contour.

11. The financial transaction card of claim 1, wherein the base has a predetermined thickness and the magnifying lens has a maximum thickness substantially the same as the predetermined thickness of the base.

12. The financial transaction card of claim 1, wherein the magnifying lens is a transparent plastic element having a top surface and a bottom surface and includes fresnel contour lines on the top surface thereof.



This Sheet Has Been Replaced

A barcode consisting of vertical bars of varying widths.

13. The financial transaction card of claim 1, wherein the base comprises a core having a top surface, a bottom surface and a window, the card further comprising a top layer of sheet material secured to the top surface of the core and a bottom layer of sheet material secured to the bottom surface of the core, and wherein the magnifying lens is secured in the window thereof.


14. The financial transaction card of claim 13, wherein the top layer of sheet material, the bottom layer of sheet material and the core have a combined predetermined thickness and wherein the magnifying lens has a maximum thickness substantially the same as the combined predetermined thickness.

15. The financial transaction card of claim 13, wherein the magnifying lens comprises a peripheral rim conforming to the shape of the window and having a thickness corresponding to the thickness of the core, and an interior portion having a thickness corresponding to the combined thickness of the bottom layer of sheet material, the top layer of sheet material and the core, and wherein the top and bottom layers of sheet material extend into the window and over the peripheral rim of the magnifying lens.

16. A credit card for point-of-sale credit transactions, adapted for use in reading information stored externally to the card, the card including machine readable information thereon for identifying the card user and the issuing institution, the card of the type having a rigid substantially rectangular base having a top surface and a bottom surface and including a data zone wherein the machine readable information is located and a non-data zone free of machine readable information, the card further comprising:



This Sheet Has Been Replaced



- a. a window in the base located in the non-data zone; and
- b. a magnifying lens permanently secured in the window.

5 17. The credit card of claim 16, further comprising
a magnetic encoding strip secured to the bottom surface
of the base and adapted for receiving and storing
magnetically encoded machine readable information
identifying the card user and the issuing institution, and
10 a signature strip on the bottom surface of the base
adapted for receiving a manually applied signature.

18. The credit card of claim 17, wherein a portion of
the data zone is adapted for receiving embossed
alpha-numeric indicia in a machine readable format in
15 non-interfering relationship with the magnetic encoding
strip and the signature strip.

19. The credit card of claim 17, wherein the magnetic
strip spans the base of the card and is disposed parallel
to the longitudinal axis thereof, and wherein the
20 magnifying lens is an elongated rectangle mounted in the
base parallel to the magnetic tape strip.


20. The credit card of claim 16, wherein the
magnifying lens has a substantially square peripheral
contour.

25 21. The credit card of claim 16, wherein the base has
a predetermined thickness and the magnifying lens has a
maximum thickness substantially the same as the
predetermined thickness of the base.

23. The credit card of claim 22, wherein the base
30 comprises a core having a top surface, a bottom surface
and a window, the card further comprising a top layer of



This Sheet Has Been Replaced



THIS SHEET HAS BEEN
REPLACED

PC/US 93/01176

17.

IPEA/US 11 FEB 1994

sheet material secured to the top surface of the core and a bottom layer of sheet material secured to the bottom surface of the core, and wherein the magnifying lens is secured in the window thereof.

5 24. The credit card of claim 23, wherein the top layer
of sheet material, the bottom layer of sheet material and
the base have a combined predetermined thickness and
wherein the magnifying lens has a maximum thickness
substantially the same as the combined predetermined
10 thickness.

25 25. The credit card of claim 23, wherein the
magnifying lens comprises a peripheral rim conforming to
the shape of the window and having a thickness
corresponding to the thickness of the core, and an
interior portion having a thickness corresponding to the
combined thickness of the bottom layer of sheet material,
the top layer of sheet material and the core, and wherein
the top and bottom layers of sheet material extend into
the window and over the peripheral rim of the magnifying
20 lens.


26. A card containing information and adapted for use
in reading information stored externally to the card, the
card comprising a substantially non-foldable rigid base,
and a magnifying lens permanently secured within the card.

25 27. The card according to claim 26 further including
a magnetic strip, wherein the base has a front surface and
a back surface, and wherein the magnetic strip is secured
to at least one of the surfaces of the base.

30 28. The card according to claim 26 wherein the base
is plastic.



This Sheet Has Been Replaced



29. The card according to claim 26 wherein the base has a length and the lens extends substantially across the entire length of the base.

30. A card containing information and adapted for use
5 in reading information stored externally to the card, the card comprising a rigid planar base having a width and a length, wherein the length is greater than the width, and a magnifying lens extending substantially across the entire length of the base, the lens being permanently
10 secured within the base.


31. The card according to claim 30 further comprising a magnetic strip, wherein the base has a front surface and a back surface, and wherein the magnetic strip is secured to at least one of the surfaces of the base.

15 32. The card according to claim 31 wherein the base is plastic.


(33) 33. A card containing information and adapted for use in reading information stored externally to the card, the card comprising a rigid substantially planar base the base
20 having a thickness, and a magnifying lens permanently secured within the base, the magnifying lens having a maximum thickness not exceeding the thickness of the base.


34. The card according to claim 33 wherein the base is plastic.

25 35. The card according to claim 33 further including a magnetic strip, wherein the base has a front surface and a back surface, and wherein the magnetic strip is secured to at least one of the surfaces of the base.



This Sheet Has Been Replaced





FJ/93/01176

19.

REPLACED 11 1994

36. A financial transaction card adapted for individual use in reading information stored externally to the card, the card of the type having machine readable information contained thereon identifying the user and the issuing institution for transacting business at locations remote from the issuing institution, the card comprising:
- a. a rigid substantially rectangular base comprising
 - (i) a core having a top surface, a bottom surface and a window,
 - 10 (ii) a top layer of sheet material secured to the top surface of the core, and
 - (iii) a bottom layer of sheet material secured to the bottom surface of the core;
 - b. machine readable information carried on the base for identifying the user and the issuing institution; and
 - 15 c. a magnifying lens comprising
 - (i) a peripheral rim conforming to the shape of the window and having a thickness corresponding to the thickness of the core, and
 - 20 (ii) an interior portion having a thickness corresponding to the combined thickness of the bottom layer of sheet material, the top layer of sheet material and the core,
- wherein the magnifying lens is permanently secured in the window of the base in non-interfering relationship with the machine readable information such that the top and bottom layers of sheet material extend into the window and over the peripheral rim of the magnifying lens.
- 25
- 30

37. A financial transaction card adapted for individual use in reading information stored externally to the card, the card of the type having machine readable information contained thereon identifying the user and the
- 35



This Sheet Has Been Replaced



THIS SHEET HAS BEEN
REPLACED

20.

PCT/US 93/01176

IPEA/US 11 FEB 1994

issuing institution for transacting business at locations remote from the issuing institution, the card comprising:

- a. a rigid substantially rectangular base;
- b. machine readable information carried on the base for identifying the user and the issuing institution; and
- c. a magnifying lens integral with the base in non-interfering relationship with the machine readable information.


38. A credit card for point-of-sale credit transactions, adapted for use in reading information stored externally to the card, the card including machine readable information thereon for identifying the card user and the issuing institution, the card of the type having a rigid substantially rectangular base having a top surface and a bottom surface and including a data zone wherein the machine readable information is located and a non-data zone free of machine readable information, the card further comprising a magnifying lens integral with the base.

39. A card containing information and adapted for use in reading information stored externally to the card, the card comprising:

- a substantially non-foldable rigid base; and
- a magnifying lens integral with the base.

40. A card containing information and adapted for use in reading information stored externally to the card, the card comprising:

- a rigid planar base having a width and a length, wherein the length is greater than the width; and
- a magnifying lens extending substantially across the entire length of the base and being integral with the base.





This Sheet Has Been Replaced





1/1





CREDIT CARD WITH MAGNIFYING LENS

BACKGROUND OF THE INVENTION

Field of the Invention

5 This invention is related to pocket magnifiers and is specifically directed to a credit having an integral magnifying lens.

Description of the Prior Art

10 There have long been reading lenses and magnifying glasses available to assist people in reading books, documents and the like without the use of reading glasses. These are particularly useful when the person encounters small print during an activity which makes it inconvenient or difficult to stop and put on reading glasses.

15 As an example, a book mark such as that shown in U.S. Patent 3,140,883 issued to R.L. Anthony on July 14, 1964 may be integrally attached to a book such as a telephone directory or a dictionary, wherein the end of the book mark is provided with a
20 sealed pocket for receiving a plastic magnifying lens. The magnifying lens may be moved up and down the page as desired to provide magnification of the text in the book. This permits the user to read the text without first putting on his eyeglasses.

25 A pocket magnifier such as that shown in U.S. Patent 3,409,347 issued to R. Vogel on November 5, 1968 includes a pocket pouch adapted to be carried in the breast or hip pocket of the user or in a purse or wallet. The lens is formed of a transparent plastic
30 sheet material having a substantial degree of stiffness and having fresnel lens contours molded into its upper surface. The lens unit may be slidably retracted into and extended out of the pocket. The pocket magnifier may be easily utilized to magnify
35 small print and the like when the user is in a


17 FEB 1977

location where it is not feasible or desirable to stop an activity in order to put on reading glasses.


Other examples of special purposes magnifying lens structures shown, by way of example, in U.S. Patent No. 4,044,889 entitled "COSMETIC CONTAINER INCLUDING INTEGRATED LENS STRUCTURE" issued to S. Orentreich et al on August 30, 1977 and U.S. Patent No. 4,393,610 entitled "CARD CARRYING MICROFILM AND ASSOCIATED READING LENS AND PROCESS OF FORMING SAME" issued to D. Adrian on July 19, 1983.

With the ever expanding use of credit cards and other financial transaction cards, there is an increasing requirement that the card user be able to verify a transaction at the point-of-use. This means the user must be able to read the card invoice to determine the accuracy of the information before he signs the invoice to indicate his acceptance. Since most of the information on the invoice is impact printed either on a carbon set or carbonless-form, the print is not only controlled in size but is often of a low contrast with respect to the base form paper. This makes the form difficult to read, particularly for those who normally require reading glasses. Also, when the transaction card is used, it is often not convenient to take the time to put on reading glasses before reviewing the card invoice. While the pocket magnifiers of the prior art could be used for this purpose, use of such devices requires a separate activity which does not provide a great improvement over the use of reading glasses. As a result, many credit card users simply do not take the time and effort to accurately verify a transaction at the point-of-sale, relying on the sales clerk for the accuracy of the information.

It is, therefore, desirable to provide ready means for immediate verification of credit card and




other financial card transactions at the
point-of-sale in a convenient manner not requiring
extraneous activity such as locating and using a
pocket magnifier or taking the time to put on reading
5 glasses in order to be able to accurately read the
invoice. None of the devices of the prior art address
this need.



SUMMARY OF THE INVENTION

The subject invention is directed to a financial transaction card such as a credit card or the like which incorporates an integral magnifying lens. Use of the card of the subject invention automatically places a magnifying lens at the disposal of the user, whereby he may immediately verify a financial transaction at the point-of-sale without first locating a magnifying glass or taking the time and effort to put on reading glasses. The invention is particularly useful when making credit card transactions during an activity where the user would not normally be wearing his reading glasses. For example, during sports activities or other types of activities where a person does not normally encounter reading material. it may be desirable to make a credit card transaction in order to pay for rental of equipment or user fees or the like. By using the credit card of the subject invention, the user can immediately read and verify the financial transaction at the point-of-sale by placing the magnifying lens incorporated in the credit card over the printed material on the transaction form. Thus, the print is magnified with the card used for the transaction, eliminating the need to locate a pocket magnifier or the time and effort required to put on reading glasses in order to verify the transaction.

In the preferred form of the invention, a typical credit card blank is subdivided into a plurality of zones, specifically a data zone and a non-data zone. The data zone is adapted for receiving and carrying machine readable information such as a magnetic strip including magnetically encoded information and embossed alpha numeric lettering for creating an imprint on the credit card transaction form. The non-data zone is generally free of any




information required to be machine read, although this zone often includes identifying indicia, logo types and other information relating to the issuing institution. In the preferred form of the invention, a portion of the non-data zone includes an integral magnifying lens carried in and forming a part of the credit card. It has been found that a substantially rigid, transparent plastic material of a thickness corresponding to the thickness of the credit card base may be incorporated in a window provided in the base. In the preferred embodiment of the invention, the transparent plastic includes fresnel lens contours on the top surface for defining a magnifying lens. By placing the lens in the non-data zone, the lens does not interfere with the machine transactions required in order to use the credit card at a point-of-sale.

In one embodiment of the invention, the lens is an elongated rectangle generally placed in parallel with the magnetic strip which is commonly attached to the back of the credit card. In this embodiment, there is no alteration of the data zone as commonly incorporated on credit cards.

A second embodiment of the invention incorporates a lens with a larger usable area. However, this particular embodiment requires alteration of the data zone. Depending on the issuing institution, one embodiment may be more desirable over the other, depending on the flexibility of the location and format of the data zones on the card.

In a typical credit card, the base is made of a substantially rigid plastic material which is laminated with a thin printed material on both the top surface and the bottom surface thereof, including identifying indicia, logo types and the like on the top, the magnetic strip, a signature strip and



various terms and conditions on the bottom. In one embodiment of the invention, the lens may be placed in the credit card prior to the laminating process, whereby the laminate cover materials may be used to overlap the edge of the lens and help retain it in the credit card. The lens may be sonic welded, adhesively secured or otherwise mounted in a window in the credit case base, with or without utilizing the laminate material to assist in framing and mounting the lens in the credit card.


It is, therefore, an object and feature of the subject invention to provide for a credit card having an integral magnifying lens permitting the user to immediately verify financial transactions at the point-of-sale without first requiring that the user put on reading glasses or the like.

It is another object and feature of the invention to enhance the use of credit cards by permitting immediate verification of credit card transactions by users normally having difficulty in reading small print, without requiring an additional activity of locating a magnifying lens or putting on reading glasses.


It is another object and feature of the subject invention to provide for a credit card having an integral magnifying lens and adapted for enlarging the small print generally used in the confined space of the credit card transaction form.

It is yet another object and feature of the invention to provide for an integral lens in a financial transaction card wherein the lens does not interfere with the machine readable information required on the card in order to complete a point-of-sale transaction.

7.



Other objects and features of the invention will be readily apparent from the accompanying drawing and description.



BRIEF DESCRIPTION OF THE DRAWINGS


Fig. 1 shows the top side of a credit card incorporating a magnifying lens, in accordance with the subject invention.

5 Fig. 2 shows the bottom side of the credit card of Fig. 1.

Fig. 3 shows the top side of an alternative embodiment of a credit card incorporated magnifying lens in accordance with the subject invention.

10 Fig. 4 shows the bottom side of the credit card of Fig. 3.

Fig. 5 is a cross sectional view of the credit card and lens combination, taking generally along the line 5-5 of Fig. 1.




DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

A typical financial transaction card such as the credit card 10 is shown in Fig. 1 and includes, as is common, embossed lettering at 12, which is machine
5 readable for permitting the credit card to be imprinted at a point-of-sale transaction. As is shown in Fig. 2, most credit cards now contain a magnetic strip material 14 which includes magnetically encoded information readable by computer terminals utilized
10 in many point-of-sale terminals. Also included is a signature strip 16 which is on the back of the card and adapted for receiving a manually applied signature to be applied by the user of the card.


The magnetic strip 14 and embossed lettering 12, along with the signature strip 16, identify a data
15 zone on the card. This data zone is generally controlled by financial institutions in an effort to standardize the cards so that various cards issued by a multiplicity of institutions may be used on
20 standardized terminals at the point-of-sale. For example, the placement of the magnetic strip 14 relative to the top edge 18 of the card is standardized, as is the width of the strip 14 in order to permit ready readability of the magnetically
25 coded information by any typical point-of-sale magnetic reader. Likewise, the font, size and position of the embossed lettering 12 is controlled to assure machine readability of the information imprinted from the card when a point-of-sale
30 transaction is made on a typical credit card imprinter. Only the position of the signature strip 16 can be altered without interfering with the machine readability of the card.

Today, many cards also include identifying
35 indicia such as logo types and the like as indicated at 20 for identifying the issuing institution. An



increasing number of cards also include a hologram patch 22 which includes issuing institution indicia. The hologram panel 22 is generally located in or near the portion of the data zone including the embossed lettering 12. In the embodiment of the invention shown in Figs. 1 and 2, a magnifying lens 24 is positioned in a window 25 provided in the base 11 of the card 10 such that it is in noninterfering relationship with the magnetic strip 14 and the embossed lettering 12. The magnetic lens 24 is an elongate, rectangular lens mounted parallel to the magnetic strip 14 in the space between the magnetic strip and the embossed lettering. This space is generally sufficient in size to accommodate the lens 24 since it is required that the embossed lettering 12 be spaced sufficiently from the magnetic strip 14 to assure that the embossing of the card does not in any way alter the functionality of the magnetic strip.

In the preferred embodiment of the invention, the lens member 24 comprises a substantially rigid, transparent plastic element having approximately the same rigidity as the credit card base. As shown in Figs. 1 and 2, the credit card base 11 includes a window 25 having a top edge 30, a bottom edge 31 and side edges 32 and 33. The lens element 24 is adapted to be placed in the window 25 and has outer edges common with the window edges 30-33. The lens may then be sonic welded or adhesively secured to the credit card base 11 in the manner well known to those who are skilled in the art. In the preferred embodiment of the invention, the lens 24 is of a thickness corresponding to the thickness of the credit card base 11, assuring that the presence of the lens in the credit card does not interfere in any manner with the machine readability of the information contained




in the embossed lettering 12 or in the magnetic strip 14. It will be understood that the lens could be incorporated in the card a variety of ways, including being an integral, unitary member of the card base.

5 A fresnel-type contour lens has been found to be particularly useful for this type of application. The fresnel contour lines 36 or ribs are typically contained on the top side of the lens, or the front of the credit card as shown in Fig. 1. This permits
10 the credit card to be held with the front side up in typical manner, when utilizing the magnifying lens.


 An alternative embodiment of the invention is shown in Figs. 3 and 4. There, the lens element 124 is of a substantially square cross section utilizing
15 a fresnel lens comprising the concentric circle configuration shown at 60, and mounted in a complementary window 125 in the base 11. This particular configuration of the invention is useful when it is possible to alter the shape of the data
20 zone and the placement of the embossed lettering 112. As terminal encoders come more widely accepted, and the magnetic encoding strip 14 (Fig. 4) more commonly used as the source for machine readable information, the importance of the embossed lettering is becoming
25 diminished. This will permit alteration of the placement of the embossed lettering on the card without interfering with the machine readability of the card at the point-of-sale. This permits the embossed lens element 124 to be customized to varying
30 desires and taste without interfering with the overall machine readability of the credit card.

 As is shown in Fig. 5, the typical credit card base 11 is a laminated composite member including a solid core material as shown at 11 with a thin
35 plastic laminate 50 on the top surface and a similar thin plastic material 52 laminated on the bottom



surface. The laminates 50 and 52 are generally printed in a four-color format, permitting attractive logotypes identifying the financial institution and permitting customized color schemes for the card. The laminate materials 50 and 52 also carry the magnetic encoding strip 14, the signature strip 16 and the hologram panel 22. As shown in Fig. 5, the fresnel lens element 124 is located in the window 125 of the credit card and may be secured therein by sonic welding, adhesives or the like along the side edges of the window, as at 60. Where the laminated card is used, the laminate materials 50 and 52 may overlap the edges 62, 64 of the window and the lens 124 may include a peripheral lip or rim 58 for holding the lens in place. Of course, the lens may also be of a rectangular cross section and sonically welded or adhesively secured to the base 11 with or without use of the laminates 50 and 52.

While certain objects and features of the invention have been described in detail herein, it will be readily understood that the invention includes all modifications and enhancements within the scope and spirit of the following claims.

CLAIMS

We claim. --

1. A financial transaction card adapted for individual use in reading information stored externally to the card, the card of the type having machine readable information contained thereon identifying the user and the
5 issuing institution for transacting business at locations remote from the issuing institution, the card comprising:
 - a. a rigid substantially rectangular base;
 - b. machine readable information carried on the base for identifying the user and the issuing
10 institution; and
 - c. a magnifying lens permanently secured in the base in non-interfering relationship with the machine readable information.
2. The financial transaction card of claim 1, wherein
15 the base includes a front surface and a back surface and wherein the card further comprises a magnetic tape strip adapted for carrying magnetically encoded machine readable information, the strip being secured to one of the surfaces of the base.
- 20 3. The financial transaction card of claim 1, wherein the base includes a front surface and a back surface and wherein the card further comprises a predetermined area on the base adapted to be embossed with raised
alpha-numeric indicia on the front surface of the base to
25 provide alpha-numeric information identifying the user and the issuing institution.
4. The financial transaction card of claim 1, wherein
the base is subdivided into a plurality of zones,
including a data zone for the machine readable information
30 and a non-data zone which is free of any machine readable information.



17 FEB 1987

14.

5. The financial transaction card of claim 4, wherein the magnifying lens is confined to the non-data zone.

6. The financial transaction card of claim 4, wherein the data zone includes a section adapted for receiving a magnetic information strip adapted for carrying magnetically encoded machine readable information.

7. The financial transaction card of claim 4, wherein the data zone includes a section adapted to receive embossed lettering comprising alpha-numeric indicia identifying the user and the issuing institution.

8. The financial transaction card of claim 4, further comprising a signature strip located on the base in the data zone and adapted for receiving a manually applied signature of the user.

9. The financial transaction card of claim 2, wherein the magnetic tapes strip spans the base of the card and is disposed parallel to the longitudinal axis thereof, and wherein the magnifying lens is an elongated rectangle mounted in the base parallel to the magnetic tape strip.

10. The financial transaction card of claim 1, wherein the magnifying lens has a substantially square peripheral contour.

11. The financial transaction card of claim 1, wherein the base has a predetermined thickness and the magnifying lens has a maximum thickness substantially the same as the predetermined thickness of the base.

12. The financial transaction card of claim 1, wherein the magnifying lens is a transparent plastic element having a top surface and a bottom surface and includes fresnel contour lines on the top surface thereof.




13. The financial transaction card of claim 1, wherein the base comprises a core having a top surface, a bottom surface and a window, the card further comprising a top layer of sheet material secured to the top surface of the core and a bottom layer of sheet material secured to the bottom surface of the core, and wherein the magnifying lens is secured in the window thereof.

14. The financial transaction card of claim 13, wherein the top layer of sheet material, the bottom layer of sheet material and the core have a combined predetermined thickness and wherein the magnifying lens has a maximum thickness substantially the same as the combined predetermined thickness.

15. The financial transaction card of claim 13, wherein the magnifying lens comprises a peripheral rim conforming to the shape of the window and having a thickness corresponding to the thickness of the core, and an interior portion having a thickness corresponding to the combined thickness of the bottom layer of sheet material, the top layer of sheet material and the core, and wherein the top and bottom layers of sheet material extend into the window and over the peripheral rim of the magnifying lens.

16. A credit card for point-of-sale credit transactions, adapted for use in reading information stored externally to the card, the card including machine readable information thereon for identifying the card user and the issuing institution, the card of the type having a rigid substantially rectangular base having a top surface and a bottom surface and including a data zone wherein the machine readable information is located and a non-data zone free of machine readable information, the card further comprising:





- a. a window in the base located in the non-data zone; and
- b. a magnifying lens permanently secured in the window.

5 17. The credit card of claim 16, further comprising
a magnetic encoding strip secured to the bottom surface
of the base and adapted for receiving and storing
magnetically encoded machine readable information
identifying the card user and the issuing institution, and
10 a signature strip on the bottom surface of the base
adapted for receiving a manually applied signature.

18. The credit card of claim 17, wherein a portion of
the data zone is adapted for receiving embossed
alpha-numeric indicia in a machine readable format in
15 non-interfering relationship with the magnetic encoding
strip and the signature strip.

19. The credit card of claim 17, wherein the magnetic
strip spans the base of the card and is disposed parallel
to the longitudinal axis thereof, and wherein the
20 magnifying lens is an elongated rectangle mounted in the
base parallel to the magnetic tape strip.

20. The credit card of claim 16, wherein the
magnifying lens has a substantially square peripheral
contour.

25 21. The credit card of claim 16, wherein the base has
a predetermined thickness and the magnifying lens has a
maximum thickness substantially the same as the
predetermined thickness of the base.

23. The credit card of claim 22, wherein the base
30 comprises a core having a top surface, a bottom surface
and a window, the card further comprising a top layer of



sheet material secured to the top surface of the core and a bottom layer of sheet material secured to the bottom surface of the core, and wherein the magnifying lens is secured in the window thereof.


5 24. The credit card of claim 23, wherein the top layer of sheet material, the bottom layer of sheet material and the base have a combined predetermined thickness and wherein the magnifying lens has a maximum thickness substantially the same as the combined predetermined
10 thickness.

25 25. The credit card of claim 23, wherein the magnifying lens comprises a peripheral rim conforming to the shape of the window and having a thickness corresponding to the thickness of the core, and an
15 interior portion having a thickness corresponding to the combined thickness of the bottom layer of sheet material, the top layer of sheet material and the core, and wherein the top and bottom layers of sheet material extend into the window and over the peripheral rim of the magnifying
20 lens.

26. A card containing information and adapted for use in reading information stored externally to the card, the card comprising a substantially non-foldable rigid base, and a magnifying lens permanently secured within the card.

25 27. The card according to claim 26 further including a magnetic strip, wherein the base has a front surface and a back surface, and wherein the magnetic strip is secured to at least one of the surfaces of the base.

28. The card according to claim 26 wherein the base
30 is plastic.



29. The card according to claim 26 wherein the base has a length and the lens extends substantially across the entire length of the base.

5 30. A card containing information and adapted for use in reading information stored externally to the card, the card comprising a rigid planar base having a width and a length, wherein the length is greater than the width, and a magnifying lens extending substantially across the entire length of the base, the lens being permanently
10 secured within the base.


31. The card according to claim 30 further comprising a magnetic strip, wherein the base has a front surface and a back surface, and wherein the magnetic strip is secured to at least one of the surfaces of the base.

15 32. The card according to claim 31 wherein the base is plastic.

33. A card containing information and adapted for use in reading information stored externally to the card, the card comprising a rigid substantially planar base the base
20 having a thickness, and a magnifying lens permanently secured within the base, the magnifying lens having a maximum thickness not exceeding the thickness of the base.

34. The card according to claim 33 wherein the base is plastic.

25 35. The card according to claim 33 further including a magnetic strip, wherein the base has a front surface and a back surface, and wherein the magnetic strip is secured to at least one of the surfaces of the base.



17 FEB 1967

36. A financial transaction card adapted for individual use in reading information stored externally to the card, the card of the type having machine readable information contained thereon identifying the user and the issuing institution for transacting business at locations remote from the issuing institution, the card comprising:

a. a rigid substantially rectangular base comprising
(i) a core having a top surface, a bottom surface and a window,

10 (ii) a top layer of sheet material secured to the top surface of the core, and

(iii) a bottom layer of sheet material secured to the bottom surface of the core;

b. machine readable information carried on the base for identifying the user and the issuing institution; and


c. a magnifying lens comprising

(i) a peripheral rim conforming to the shape of the window and having a thickness corresponding to the thickness of the core, and

20 (ii) an interior portion having a thickness corresponding to the combined thickness of the bottom layer of sheet material, the top layer of sheet material and the core,

wherein the magnifying lens is permanently secured in the window of the base in non-interfering relationship with the machine readable information such that the top and bottom layers of sheet material extend into the window and over the peripheral rim of the magnifying lens.

37. A financial transaction card adapted for individual use in reading information stored externally to the card, the card of the type having machine readable information contained thereon identifying the user and the



17 FEB 1967

issuing institution for transacting business at locations remote from the issuing institution, the card comprising:

- a. a rigid substantially rectangular base;
- b. machine readable information carried on the base for identifying the user and the issuing institution; and
- c. a magnifying lens integral with the base in non-interfering relationship with the machine readable information.

38. A credit card for point-of-sale credit transactions, adapted for use in reading information stored externally to the card, the card including machine readable information thereon for identifying the card user and the issuing institution, the card of the type having a rigid substantially rectangular base having a top surface and a bottom surface and including a data zone wherein the machine readable information is located and a non-data zone free of machine readable information, the card further comprising a magnifying lens integral with the base.

39. A card containing information and adapted for use in reading information stored externally to the card, the card comprising:


- a substantially non-foldable rigid base; and
- a magnifying lens integral with the base.

40. A card containing information and adapted for use in reading information stored externally to the card, the card comprising:

- a rigid planar base having a width and a length, wherein the length is greater than the width; and
- a magnifying lens extending substantially across the entire length of the base and being integral with the base.



ABSTRACT



CREDIT CARD WITH MAGNIFYING LENS

A credit card (10) includes an integral magnifying lens (24) positioned in the non-data area on the credit card for permitting magnification of the credit card transaction form at the point-of-sale. The placement of the lens assures that the machine readability of the magnetic encoding strip (14) and the embossed indicia (12) associated with the card is not impaired. The magnifying lens (24) incorporates a fresnel-type contour lens (36) mounted in a window (25) provided in the credit card base.

FIGURE 1







FIG. 5

