(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
13 May 2004 (13.05.2004)

PCT

(10) International Publication Number
WO 2004/040448 A2

(51) International Patent Classification[7]: G06F 9/46

(21) International Application Number:
PCT/GB2003/004219

(22) International Filing Date:
29 September 2003 (29.09.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
10/286,532 31 October 2002 (31.10.2002) US

(71) Applicant: **INTERNATIONAL BUSINESS MACHINES CORPORATION** [US/US]; New Orchard Road, Armonk, NY 10504 (US).

(71) Applicant *(for MG only)*: **IBM UNITED KINGDOM LIMITED** [GB/GB]; PO Box 41, North Harbour, Portsmouth, Hampshire PO6 3AU (GB).


(72) Inventors: **ACCAPADI, Jos, Manuel**; 3213 Bratton Heights Drive, Austin, TX 78728 (US). **ACCAPADI, Mathew**; 4810 Ranch Road, #2222, Austin, TX 78731 (US). **DUNSHEA, Andrew**; 11900 Hobby Horse Court, Apartment #411, Austin, TX 78758 (US). **MICHEL, Dirk**; 5700 Tapadera Trace Lane, #437, Austin, TX 78727 (US).

(74) Agent: **FOURNIER, Kevin, John**; IBM United Kingdom Limited, Intellectual Property Law, Hursley Park, Winchester, Hampshire SO21 2JN (GB).

(81) Designated States *(national)*: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW.

[Continued on next page]

(54) Title: SYSTEM AND METHOD FOR PREFERRED MEMORY AFFINITY



(57) Abstract: Memory is freed from individual pools of memory in response to a threshold being reached that corresponds with the individual memory pools. The collective memory pools form a system wide memory pool that is accessible from multiple processors. When a threshold is reached for an individual memory pool, a page stealer method is performed to free memory from the corresponding memory pool. Remote memory is used to store data if the page stealer is unable to free pages fast enough to accommodate the application's data needs. Memory subsequently freed from the local memory area is once again used to satisfy the memory needs for the application. In one embodiment, memory affinity can be set on an individual application basis so that affinity is maintained between the memory pools local to the processors running the application.

WO 2004/040448 A2

(84) **Designated States** *(regional)*: ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— *without international search report and to be republished upon receipt of that report*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.