



(51) International Patent Classification:

C07C 41/03 (2006.01) *C08L 71/02* (2006.01)
C07C 41/44 (2006.01) *C08G 65/331* (2006.01)
C07C 43/15 (2006.01)

(21) International Application Number:

PCT/EP2014/066268

(22) International Filing Date:

29 July 2014 (29.07.2014)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

13180556.6 15 August 2013 (15.08.2013) EP

(71) Applicant: **BASF SE** [DE/DE]; 67056 Ludwigshafen (DE).

(72) Inventors: **ERNST, Martin**; Beethovenstr. 3, 69121 Heidelberg (DE). **HASSELBACH, Sebastian**; Talweg 15, 67269 Grünstadt (DE). **MUESSIG, Stefan**; 8659 Penfield Drive, Sagamore Hills, 44067 (US).

(74) Common Representative: **BASF SE**; 67056 Ludwigshafen (DE).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:

— with international search report (Art. 21(3))

(54) Title: METHOD FOR PREPARING ISOPRENOL-ALKOXYLATE COMPOSITIONS HAVING A LOW ISOPRENE-CONTENT

(57) Abstract: The present invention relates to methods for preparing a composition comprising an isoprenol-alkoxylate having an isoprene-content of not more than 1000 ppm. The present invention also relates to compositions prepared or obtainable by such methods. The present invention further relates to the use of peroxides for decreasing the isoprene-content in a composition.

