




Figure 1





Figure 2



Data calculated as number of seizures over number of days between dose, per patient

Figure 3

A

Subject 2001

Daily seizure frequency by dosing period (28 days)




Figure 4

5/29

Subject 2002

Daily seizure frequency by dosing period (28 days)




Figure 4 (continued)

B

6/29

C

Subject 2003

Daily seizure frequency by dosing period (28 days)




Figure 4 (continued)

D

Subject 2004

Daily seizure frequency by dosing period (28 days)




Figure 4 (continued)

8/29

A




Figure 5

9/29

B

Subject 2002




Figure 5 (continued)

10/29

C

Subject 2003




Figure 5 (continued)

11/29

D

Subject 2004




Figure 5 (continued)

12/29




Figure 6






Figure 6 (continued)

Week 1 of life



Week 2 of life




## Figure 7

Figure 7 (continued)

C

Week 3 of life



16/29

A




Figure 8

B




Figure 8 (continued)

A




Figure 9

B




Figure 9 (continued)

C




Figure 9 (continued)

D




Figure 9 (continued)

E




Figure 9 (continued)

F




Figure 9 (continued)

24/29




Figure 10

B




Figure 10 (continued)

C

1 day before first administration of Compound 1




Figure 10 (continued)

D




Figure 10 (continued)

E

7 weeks after first administration of Compound 1




Figure 10 (continued)

F




Figure 10 (continued)