Claims:

1. A composition comprising:
(i) from about 1 to about 25 milligrams (mg) bisoxatin (or 2,2-bis(4-hydroxyphenyl)-2H-benzo[b][1,4]oxazin-3(4H)-one), or bisoxatin acetate,
(ii) from about 1 to about 25 grams of erythritol, or (2R,3S)-butane-1,2,3,4-tetraol, and
(iii) a pharmaceutically acceptable salt or salts, wherein the pharmaceutically acceptable salt or salts comprise from about 1 to about 40 grams of a pharmaceutically acceptable salt or pharmaceutically acceptable salts and comprise at least one sodium salt selected from the group of: a monobasic sodium phosphate, dibasic sodium phosphate, and/or tribasic sodium phosphate, a sodium sulfate, a sodium chloride, a sodium gluconate, a sodium citrate and a sodium aspartate, wherein the composition comprises one or more unit dosages.

2. The composition of claim 1, wherein the composition comprises bisoxatin (or 2,2-bis(4-hydroxyphenyl)-2*H*-benzo[*b*][1,4]oxazin-3(4*H*)-one), or bisoxatin acetate, in an amount of about 10 milligrams (mg).

3. The composition of claim 1 or 2, wherein the composition comprises erythritol in an amount of from about 8 to about 15 grams of erythritol, or about 2 grams, 3 grams, 6 grams, 7.24 grams, or 10.24 grams.

4. The composition of claim 1 or 2, wherein the composition comprises erythritol in an amount that is about 1 to 3 times the amount by weight of the pharmaceutically acceptable salt ions in the composition.

5. The composition of any one of the preceding claims, wherein the composition comprises a pharmaceutically acceptable salt or pharmaceutically acceptable salts in an amount of from about 8 to about 15 grams, or from about 15 to about 28 grams.

6. The composition of claim 5, wherein the pharmaceutically acceptable salt or salts comprises a water-soluble potassium salt, optionally wherein the water-soluble potassium salt is in an amount, by weight, of from about 0.05 to about 1 times the weight of a sodium salt in the composition.

7. The composition of claim 5, wherein the pharmaceutically acceptable salt or salts comprises a water-soluble magnesium salt, optionally wherein the weight of magnesium ions