FIGURE 1



SURGERY
0 h
1 h
2 h
3 h
4 h
Drug
100
80
60
40
20
0
% ACTIIVITY
*
*
ns
0
1
2
3
Log Dosis (mg/Kg, ip)
BD-1063 (30 mim before test)

FIGURE 2



SURGERY
0 h
1 h
2 h
3 h
4 h
Drug
100
80
60
40
20
0
% ACTIVITY
ns
ns
*
*
0
1
2
3
Log Dose (mg/Kg, ip)
Compound 63 (30 min before test)

FIGURE 3



DRUG
0 h
1 h
2 h
3 h
4 h
SURGERY
0 h
1 h
2 h
3 h
4 h
SURGERY
DRUG
100
80
60
40
20
0
% ACTIVITY
-1
0
1
2
3
Log Dose (mg/Kg, ip)
ns
ns
DICLOFENAC Na 3 hours AFTER SURGERY
DICLOFENAC Na 10 min BEFORE SURGERY

FIGURE 4



SURGERY
0 h
1 h
2 h
3 h
DRUG
4 h
SURGERY
0 h
1 h
2 h
3 h
4 h
DRUG
% ACTIVITY
Log Dose (mg/Kg, ip)
ns
BD-1063 3.5 hours AFTER SURGERY
BD-1063 10 min BEFORE SURGERY
% ACTIVITY
Log Dose (mg/Kg, ip)
ns
Compound 63, 3.5 hours AFTER SURGERY
Compound 63, 10 min BEFORE SURGERY

FIGURE 5




DRUG
SURGERY
0 h
1 h
2 h
3 h
4 h
SURGERY
DRUG
0 h
1 h
2 h
3 h
4 h
% ACTIVITY
100
80
60
40
20
0
-1
0
1
2
3
Log Dose (mg/Kg, ip)
ns
DICLOFENAC Na 3 hours AFTER SURGERY
DICLOFENAC Na 10 min BEFORE SURGERY

FIGURE 6


SURGERY
0 h
1 h
2 h
3 h
DRUG
4 h
SURGERY
0 h
1 h
2 h
3 h
4 h
DRUG
100
80
60
40
20
0
% ACTIVITY
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Log Dose (mg/Kg, ip)
ns
ns
ns
*
*
*
*
*
Compound 63, 3.5 hours AFTER SURGERY
Compound 63, 10 min BEFORE SURGERY