

Description

BACKGROUND OF THE INVENTION5 Field of the Invention:

This invention relates to a liquid detergent composition, and more particularly to a liquid detergent composition which is suitable for cleansing the skin and the hair, has good foamability, gives users a pleasant feel upon use, is stable and applicable to finger-push type pump containers.

10

Discussion of the Background:

Among liquid detergent compositions which are applied to the body, shampoos for the hair have conventionally been widely used. Recently, liquid body shampoos have become familiar to users instead of soaps because of their properties of agreeable touch and ease of use.

15

As a component of detergent compositions, phosphate surfactants, which are classified as anionic surfactants, are used because they are mild to the hair and the skin. Among these phosphate surfactants, alkali metal salts of the surfactants have a high Krafft point, and are difficult to liquefy. This drawback has been overcome by converting the surfactants into alkanolamine salts to lower the Krafft point and to liquefy them. However, when converted into alkanolamine salts, foam producing ability (hereinafter referred to as foamability) is significantly deteriorated, which has left much room for improvements to provide satisfactory surfactant components for detergents.

20

Furthermore, phosphate surfactants as a component of detergent compositions give disagreeable rough and frictional feel when used with hard water.

25

Moreover, when a liquid detergent composition containing an alkanolamine salt of a phosphate surfactant is charged into a finger-push type pump container and used repeatedly, the gelled or solidified composition plugs the nozzle of the container, causing objectionable appearance and ejection of the composition in a wrong direction upon use.

30 SUMMARY OF THE INVENTION

Accordingly, one object of the present invention is to provide liquid detergent compositions containing a phosphate surfactant which maintain good characteristics of the surfactant, have excellent foamability, are stable, provide agreeable feel upon use, and are suitably applicable for finger-push type pump containers.

35

This and other objects which will become apparent from the following specification have been achieved by the present detergent composition which contains phosphate surfactants (a) and (b) at a specified ratio in a stable liquid state, and provides an agreeable feel upon use, is mild to the skin and is suitable for use with a finger-push type pump container because it does not readily solidify.

40 DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

This invention provides a liquid detergent composition comprising the following components (a) and (b):
(a) one or more compounds of formula (1):

45




50

where R¹ is a C₈ - C₁₂ linear hydrocarbon group, R⁴ is a C₁ - C₄ linear hydrocarbon group and X¹ and X² are, independently, a potassium atom or a hydrogen atom;

55

(b) one or more compounds of formula (2):



where R^2 is a $\text{C}_{11}\text{-C}_{15}$ linear hydrocarbon group and X^3 and X^4 are, independently, a potassium atom or a hydrogen atom, the proportion by weight, $(a)/[(a) + (b)]$ being 0.4 to 1.

Referring to formula (1) of component (a), examples of group R^1 include a $\text{C}_8\text{-C}_{12}$ linear alkyl groups or alkenyl groups, in particular, linear alkyl groups such as octyl, nonyl, decyl, undecyl and dodecyl. Preferable examples of R^4 are methyl and ethyl, and methyl is particularly preferred.

Referring to formula (2) of component (b), examples of group R^2 include $\text{C}_{11}\text{-C}_{15}$ alkyl groups or alkenyl groups, in particular, linear alkyl groups such as undecyl, dodecyl, tridecyl, tetradecyl and pentadecyl.

The proportion of the components (a) and (b) to be incorporated into the composition of the present invention is in the following range:

$$(a)/[(a) + (b)] = 0.4 \text{ to } 1.$$

A value less than 0.4 indicates a high Krafft point for the composition indicating an unstable composition and should be avoided. Preferably, the proportion ranges from 0.50-0.90.

Components (a) and (b) are salts of phosphoric esters and are obtained, for example, by reacting an aliphatic alcohol with phosphoric anhydride or phosphorus oxychloride, followed by neutralization with a basic potassium salt, such as KOH. The aliphatic alcohol, examples of which include linear alcohols and branched alcohols, may be used singly or as a mixture. DIADOL 115L (product of Mitsubishi Kasei Co.) and DOBANOL 231 (product of Mitsubishi Yuka Co.), which are commercially available alcohols, are mixtures of linear alcohols and 2-alkyl branched alcohols, and are useful to provide a mixture of salts of phosphoric esters which meet the requirement of $(a)/[(a) + (b)]$ being 0.4 to 1.

The combined amount of components (a) and (b) to be incorporated into the present liquid detergent composition is 5 - 60% by weight, preferably 10 - 40% by weight, of the total composition.

The present liquid detergent composition may optionally contain other compatible ingredients which are generally used in this field. Such ingredients include moisturizers such as propylene glycol, glycerol and sorbitol; viscosity modifiers such as methylcellulose, polyoxyethylene glycol distearate and ethanol; germicides such as triclosan and triclocarban; anti-inflammatory agents such as potassium glycyrrhizate and tocopherol acetate; antidandruff agents such as zinc pyrithione and octopirox; antiseptics such as methylparaben and butylparaben; pearly lustre-imparting agents; perfumes; colorants; UV absorbers and antioxidants. They can be incorporated in any amounts which do not impede the effects of the inventive compositions.

Furthermore, the liquid detergent compositions of this invention may optionally contain suitable amounts of various surfactants other than described above, so long as they do not impede the effects of the inventive compositions. Examples of other surfactants include sulfates or sulfonates (anionic surfactants) such as alkyl sulfates and polyoxyethylene alkyl sulfates; sulfosuccinates; taurates; isethionates; alphaolefin-sulfonates; carboxylates such as aliphatic soaps, ether carboxylic surfactants and acylated amino acid surfactants. Among them, aliphatic surfactants and isethionate surfactants are especially preferred from the viewpoint of texture and foamability.

Referring to amphoteric surfactants, examples useful in this invention include carbobetaines, sulfobetaines and imidazolinium betaines. In particular, hydroxypropylsulfobetaine and demineralized secondary imidazolinium betaine are preferred.

Referring to nonionic surfactants, examples useful in this invention include polyoxyalkylene adducts, polyoxypropylene, polyoxyethylene adducts, amine oxides, mono- or di-ethanolamides, sorbitan fatty acid esters, glyceryl fatty acid esters, sucrose fatty acid esters, alkyl saccharides, and N-polyhydroxyalkyl fatty acid amides. Among them, most preferred are amine oxides, diethanolamides and alkyl saccharides.

Referring to cationic surfactants, examples useful in this invention include mono- or di- alkyl adduct type quaternary ammonium salts having a linear or branched alkyl group, where the alkyl group may or may not contain alkylene oxide units. In particular, $\text{C}_{12}\text{-C}_{16}$ linear monoalkyl quaternary ammonium salts

and quaternary ammonium salts having C₂₀-C₂₈ branched alkyl groups are preferred.

The above-mentioned optional surfactants are used singly or in combination. Preferred amounts are 2-40% by weight, more preferably 5-25% by weight of the total composition. The proportion to the combined amounts of components (a) and (b) and that of the optional surfactants is preferably 5:1 - 1:5, and more preferably, 3:1 - 1:2.

The liquid detergent compositions of this invention are prepared by known processes. The pH of the compositions is desirably adjusted to 5 - 10, more preferably, 6 - 8.5 with KOH.

The liquid detergent composition of this invention have the good feeling when used, excellent foamability, and prolonged stability. Accordingly, they are useful as shampoos, body shampoos, and further, detergents for the kitchen use and the like which directly contact the skin for a long time. Also, the compositions are suited for use with hard water, giving little or no frictional feel or rough touch upon use. Moreover, since the compositions are not gelled or solidified, they may be used in a container having a finger-push pump.

Other features of the invention will become apparent in the course of the following descriptions of exemplary embodiments which are given for illustration of the invention and not intended to be limiting thereof.

EXAMPLES

Reference Example 1:

Phosphoric esters (A) to (F) (before neutralization) shown in Table 1 were prepared using various starting alcohols. The carbon numbers in the table indicate the total carbon numbers of the alkyl group of the phosphoric esters.

Table I

Starting Alcohols	Phosphoric esters		
	Carbon Number of Alkyl Group	(a)/[(a)+(b)]	Identification of composition
DIADOL 115L (product of Mitsubishi-kasei Co.)	Mixture of C11, C13 and C15, See *1	0.53	(A)
DOBANOL 23I (product of Mitsubishi-yuka Co.)	Mixture of C12 and C13, See *2	0.90	(B)
DOVANOL 23L (product of Mitsubishi-yuka Co.)	Mixture of C12 and C13, See *2	0.38	(C)
$C_6H_{13}CHCH_2OH$	16	-	(D)
C_7H_{17}			
$C_4H_9CHCH_2OH$	12	-	(E)
C_6H_{17}			
Lauryl Alcohol	12	0	(F)

*1: Proportion by weight of C₁₁:C₁₃:C₁₅ is 47:31:22.

*2: Proportion by weight of C₁₂:C₁₃ is 43:57.

Example 1:

Liquid detergent compositions were prepared using phosphoric esters (A) to (F) prepared in Reference Example 1. They were evaluated in terms of the Krafft point, stability in the liquid state and the volume of foams (40°C and 20°C) according to the following methods. The results are shown in Table 2.

Feel upon use of the inventive composition Nos. 1-4 and comparative composition No. 4 when used with hard water was also evaluated. The results are shown in Table 2.

Krafft point:

A twenty-fold diluted solution of each of the liquid detergent compositions was provided for measurement by conventional means.

Stability in the liquid state:

The liquid detergent compositions were evaluated in terms of the liquidity at 0°C by the naked eye according to the criteria below.

Criteria:

- O: Transparent liquid
- X: Crystals deposited, floating or sedimentated

Foam Volumes:

A ten-fold diluted aqueous solution of each of the liquid detergent compositions was provided for the test. 100 ml (temperature of the solution: 20°C, 40°C) of the solution was placed in a messcylinder. Stirring blades were placed in the solution and stirred (1,000 rpm, reversed every 5 seconds). The volume of foams generated 30 seconds after the stirring was started was measured.

- A: 200 ml or more (good)
- B: 200 - 150 ml (fair)
- C: less than 150 ml (not good)

Feel upon use with hard water:

A panel consisting of 10 women washed their hands with invention composition Nos. 1 - 4 (See Table 2) and comparative composition No. 4, under the conditions of 40°C water temperature and 10°DH hardness of water, and sensually evaluated them according to the following criteria:

Criteria:Frictional feel during rinsing

- A: No frictional feeling
- B: Slight frictional feeling
- C: Very frictional feeling

Rough and Dry feel after dried

- A: No rough/dry feeling
- B: Slight rough/dry feeling
- C: Rough/Dry feeling

The results are shown in Table 2 as averages of evaluations.

Table 2

	Invention compositions ^a						Comparative compositions ^a					
	1	2	3	4	1	2	3	4	5	6		
Potassium salt of phosphoric ester (A)	20	30	40									
Potassium salt of phosphoric ester (B)				30								
Potassium salt of phosphoric ester (C)					30							
Potassium salt of phosphoric ester (D)						30						
Potassium salt of phosphoric ester (E)							30					
Potassium salt of phosphoric ester (F)								30				
Sodium salt of phosphoric ester (A)									30			
Triethanolamine salt of Phosphoric ester (A)										30		
Purified water												
pH	7.0	7.5	8.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5
Kraft point (°C)	<0	<0	<0	<0	11	<0	<0	<0	19	23	<0	<0
Liquid stability	O	O	O	O	X	O	O	O	X	X	O	O
Foam volume (40°C)	A	A	A	A	A	C	C	C	A	A	C	C
Foam volume (20°C)	A	A	A	A	A	C	C	C	B	C	C	C
Frictional feeling during rinsing	A	A	A	A	-	-	-	-	C	-	-	-
Rough/dry feeling after dried	A	A	A	A	-	-	-	-	B	-	-	-

^a (% by weight)

Example 2:

Readiness or hardness of solidification of the phosphoric esters to be used in the liquid detergent compositions of this invention was also studied. An aqueous solution of triethanolamine salt of lauryl

phosphate (acid concentration: 15%, pH 7.6) and an aqueous solution of the potassium salt of phosphoric ester (A) prepared in Reference Example 1 (acid concentration: 15%, pH 7.6) were separately placed in glass bottles, and allowed to stand at 20°C, relative humidity 60% for 120 hours. The hardness of the gel generated at the liquid surface was measured with a rheometer (NRM-2010J-CW, manufactured by Fudo Kogyo K.K.) The results are shown in Table 3. The aqueous solution of the potassium salt of phosphoric ester (A), which is used in the inventive compositions maintained the liquid state, whereas the aqueous solution of the triethanolamine salt of lauryl phosphate solidified for the most part after the test period of 120 hours.

Table 3

	Aqueous solution of triethanolamine salt of lauryl phosphate	Aqueous solution of potassium salt of phosphoric ester (A)
Hardness of gel (g/cm ²)	1160	30

Example 3:

The resistivity to hard water of the phosphoric ester used in the present invention was examined with the parameter of scum (calcium salt) generation in hard water. Namely, an aqueous solution of a potassium salt of lauryl phosphate (acid concentration: 1%, pH 7.6) and an aqueous solution of a potassium salt of phosphoric ester (A) (acid concentration: 1%, pH 7.6) were provided, and 0.5 ml of each was diluted with 4.5 ml of identical hard water and stirred for 10 seconds. The turbidity of the liquids was measured with a turbidity meter (TURBIDIMETER MODEL T-2600DX, manufactured by Tokyo Denshoku K.K.). The results are shown in Table 4.

The aqueous solution of the potassium salt of phosphoric ester (A) used in the present invention exhibited excellent resistivity against hard water when compared to the aqueous solution of the potassium salt of lauryl phosphate.

Table 4

	Aqueous solution of potassium salt of lauryl phosphate	Aqueous solution of potassium salt of phosphoric ester (A)
Scum generation in hard water (ppm)		
10DH	560	80
20DH	640	120

Example 4:

A transparent liquid detergent composition (pH 7.5) was prepared according to the following formulation.

(1) Potassium salt of phosphoric ester (A)	35 wt.%
(2) Perfume	0.5 wt.%
(3) Ethanol	3 wt.%
(4) Dibutyl hydroxytoluene	0.1 wt.%
(5) Water	balance

Water (5) was heated, into which ingredient (1) was dissolved. After cooling, ingredients (2) to (4) were added to obtain a transparent liquid detergent composition (pH 7.5). The obtained detergent composition

was used for washing the skin and the hair. It was revealed that the composition was mild to the skin, produced rich foams, and gave users refreshing and nice feeling upon use.

Obviously, numerous modifications and variations of the present invention are possible in light of the above teachings. It is therefore to be understood that within the scope of the appended claims, the invention may be practiced otherwise than as specifically described herein. All trademarks are acknowledged as such.

Claims

1. A liquid detergent composition which comprises the following components (a) and (b):
(a) a compound of formula (1):



where R^1 is a $\text{C}_8 - \text{C}_{12}$ linear hydrocarbon group, R^4 is a $\text{C}_1 - \text{C}_4$ linear hydrocarbon group and X^1 and X^2 are, independently, a potassium atom or a hydrogen atom; and
(b) a compound of formula (2):



wherein R^2 is a $\text{C}_{11}-\text{C}_{15}$ linear hydrocarbon group and X^3 and X^4 are, independently, a potassium atom or a hydrogen atom, wherein the proportion by weight (a)/((a) + (b)) is 0.4 to 1.

2. The liquid detergent composition of Claim 1, wherein R^1 and R^2 are linear alkyl or alkenyl groups.
3. The liquid detergent composition of Claim 1, wherein R^1 and R^2 are linear alkyl groups.
4. The liquid detergent composition of Claim 1, wherein the proportion of the combined amounts of components (a) and (b) is 5 - 60% by weight based on the total liquid detergent composition.
5. The liquid detergent composition of Claim 1, wherein the proportion by weight (a)/((a) + (b)) is 0.50-0.90.
6. The liquid detergent composition of Claim 1, comprising a mixture of compounds having formula (1) or a mixture of compounds having formula (2).
7. The liquid detergent composition of Claim 1, wherein the proportion of the combined amounts of components (a) and (b) is 10-40% by weight based on the total liquid detergent composition.
8. The liquid detergent composition of Claim 1, having a pH of 5-10.
9. The liquid detergent composition of Claim 1, having a pH of 6-8.5.



was used for washing the skin and the hair. It was revealed that the composition was mild to the skin, produced rich foams, and gave users refreshing and nice feeling upon use.

Obviously, numerous modifications and variations of the present invention are possible in light of the above teachings. It is therefore to be understood that within the scope of the appended claims, the invention may be practiced otherwise than as specifically described herein. All trademarks are acknowledged as such.

Claims

1. A liquid detergent composition which comprises the following components (a) and (b):
(a) a compound of formula (1):



where R^1 is a $\text{C}_8 - \text{C}_{12}$ linear hydrocarbon group, R^4 is a $\text{C}_1 - \text{C}_4$ linear hydrocarbon group and X^1 and X^2 are, independently, a potassium atom or a hydrogen atom; and
(b) a compound of formula (2):



wherein R^2 is a $\text{C}_{11} - \text{C}_{15}$ linear hydrocarbon group and X^3 and X^4 are, independently, a potassium atom or a hydrogen atom, wherein the proportion by weight (a)/((a) + (b)) is 0.4 to 1.

2. The liquid detergent composition of Claim 1, wherein R^1 and R^2 are linear alkyl or alkenyl groups.
3. The liquid detergent composition of Claim 1, wherein R^1 and R^2 are linear alkyl groups.
4. The liquid detergent composition of Claim 1, wherein the proportion of the combined amounts of components (a) and (b) is 5 - 60% by weight based on the total liquid detergent composition.
5. The liquid detergent composition of Claim 1, wherein the proportion by weight (a)/((a) + (b)) is 0.50-0.90.
6. The liquid detergent composition of Claim 1, comprising a mixture of compounds having formula (1) or a mixture of compounds having formula (2).
7. The liquid detergent composition of Claim 1, wherein the proportion of the combined amounts of components (a) and (b) is 10-40% by weight based on the total liquid detergent composition.
8. The liquid detergent composition of Claim 1, having a pH of 5-10.
9. The liquid detergent composition of Claim 1, having a pH of 6-8.5.



Patentansprüche

1. Flüssiges Waschmittel, das umfaßt die folgenden Bestandteile (a) und (b):
(a) eine Verbindung der Formel (1):



wobei R¹ eine lineare C₈-C₁₂-Kohlenwasserstoffgruppe ist, R⁴ eine lineare C₁-C₄-Kohlenwasserstoffgruppe ist, und X¹ und X² unabhängig ein Kaliumatom oder ein Wasserstoffatom ist;
(b) eine Verbindung der Formel (2):



wobei R² eine lineare C₁₁-C₁₅-Kohlenwasserstoffgruppe ist, und X³ und X⁴ unabhängig ein Kaliumatom oder ein Wasserstoffatom ist, und wobei das Gewichtsverhältnis (a)/[(a) + (b)] 0,4 bis 1 ist.

2. Flüssiges Waschmittel gemäß Anspruch 1, wobei R¹ und R² lineare Alkyl- oder Alkenylgruppen sind.
3. Flüssiges Waschmittel gemäß Anspruch 1, wobei R¹ und R² lineare Alkylgruppen sind.
4. Flüssiges Waschmittel gemäß Anspruch 1, wobei das Verhältnis der kombinierten Mengen von Bestandteilen (a) und (b) 5 bis 60 Gew.-%, bezogen auf das gesamte flüssige Waschmittel, ist.
5. Flüssiges Waschmittel gemäß Anspruch 1, wobei das Gewichtsverhältnis (a)/[(a) + (b)] 0,50 bis 0,90 ist.
6. Flüssiges Waschmittel gemäß Anspruch 1, umfassend ein Gemisch von Verbindungen der Formel (1) oder ein Gemisch von Verbindung der Formel (2).
7. Flüssiges Waschmittel gemäß Anspruch 1, wobei das Verhältnis der kombinierten Mengen von Bestandteilen (a) und (b) 10 bis 40 Gew.-%, bezogen auf das gesamte flüssige Waschmittel, ist.
8. Flüssiges Waschmittel gemäß Anspruch 1 mit einem pH von 5 bis 10.
9. Flüssiges Waschmittel gemäß Anspruch 1 mit einem pH von 6 bis 8,5.


Revendications

1. Composition détersive liquide qui comprend les composants (a) et (b) suivants:
(a) un composé de formule (1):





où R¹ est un groupe hydrocarboné linéaire en C₈-C₁₂, R⁴ est un groupe hydrocarboné linéaire en C₁-C₄ et X¹ ainsi que X² sont, indépendamment, un atome de potassium ou un atome d'hydrogène; et
(b) un composé de formule (2):



(2)

dans laquelle R² est un groupe hydrocarboné linéaire en C₁₁-C₁₅ et X³ ainsi que X⁴ sont, indépendamment, un atome de potassium ou un atome d'hydrogène,
composition dans laquelle le rapport pondéral (a)/((a) + (b)) est de 0,4 à 1.

2. Composition détersive liquide selon la revendication 1, dans laquelle R¹ et R² sont des groupes alkyle ou alcényle linéaires.
3. Composition détersive liquide selon la revendication 1, dans laquelle R¹ et R² sont des groupes alkyle linéaires.
4. Composition détersive liquide selon la revendication 1, dans laquelle la proportion de la somme des quantités des composants (a) et (b) est de 5 à 60% en poids par rapport à la composition détersive liquide totale.
5. Composition détersive liquide selon la revendication 1, dans laquelle le rapport pondéral (a)/((a) + (b)) est de 0,50 à 0,90.
6. Composition détersive liquide selon la revendication 1, comprenant un mélange de composés répondant à la formule (1) ou un mélange de composés répondant à la formule (2).
7. Composition détersive liquide selon la revendication 1, dans laquelle la proportion de la somme des quantités des composants (a) et (b) est de 10 à 40% en poids par rapport à la composition détersive liquide totale.
8. Composition détersive liquide selon la revendication 1, ayant un pH de 5 à 10.
9. Composition détersive liquide selon la revendication 1, ayant un pH de 6 à 8,5.