





FIG. 1



215 DCI
220 UCI (via PUSCH w/o UL-SCH)

200

FIG. 2




FIG. 3

4/16

405 MCS Index I_{MCS}	410 Modulation Order Q_m	415 Target code Rate x 1024 R	420 Spectral efficiency
0	1	240	0.2344
1	1	314	0.3066
2	2	193	0.3770
3	2	251	0.4902
4	2	308	0.6016
5	2	379	0.7402
6	2	449	0.8770
7	2	526	1.0273
8	2	602	1.1758
9	2	679	1.3262
10	4	340	1.3281
11	4	378	1.4766
12	4	434	1.6953
13	4	490	1.9141
14	4	553	2.1602
15	4	616	2.4063
16	4	658	2.5703
17	6	466	2.7305
18	6	517	3.0293
19	6	567	3.3223
20	6	616	3.6094
21	6	666	3.9023
22	6	719	4.2129
23	6	772	4.5234
24	6	822	4.8164
25	6	873	5.1152
26	6	910	5.3320
27	6	948	5.5547
28	1	reserved	
29	2	reserved	
30	4	reserved	
31	6	reserved	

 400

FIG. 4

5/16




FIG. 5

6/16




FIG. 6

7/16





FIG. 7



800

FIG. 8




FIG. 9

10/16





FIG. 10


11/16



1100

FIG. 11

12/16



1200

FIG. 12

13/16





FIG. 13


14/16



1400

FIG. 14

15/16



1500

FIG. 15

16/16




FIG. 16