TREATMENT METHODS USING ADENOVIRUS

BACKGROUND OF THE DISCLOSURE

Field of the Disclosure

[0001] This disclosure relates to cancer biology, immunology and pharmacology. More particularly, it relates to methods of treating diseases or disorders relating to gynecological cancer by administration of a nucleic acid construct expressing a Fas-chimera transgene product or a homogeneous population of the nucleic acid construct.

Background Art

[0002] Gynecological cancers are clinically aggressive, usually develop in tissues of the female genital tract, and are associated with a poor outcome. These cancers include cancers of the ovaries, uterus, fallopian tubes, and the cervix, and also malignant mixed müllerian tumors (MMMT). In rare instances, MMMTs can also develop in the female peritoneum (lining of the abdominal wall).

[0003] Gynecological cancers can be difficult to detect and are often diagnosed when they are at an advanced stage. Ovarian cancer accounts for approximately three percent of cancers in women. While the ninth most common cancer among women, ovarian cancer is the fifth leading cause of cancer-related death among women, and is the deadliest of gynecologic cancers. 2012. Ovarian cancer is sensitive to chemotherapy with a high response rate to platinum and taxane-based therapies. However, in spite of advances in therapeutic design and delivery, cancer recurrence and chemotherapeutic resistance remain obstacles to treatment of these types of cancers. Despite aggressive primary therapy and high initial response rates, most women with advanced ovarian carcinoma will relapse and develop drug-resistant disease. In these advanced disease states, response rates to subsequent chemotherapy are substantially diminished, highlighting the crucial need to develop improved therapeutic agents and strategies.

BRIEF SUMMARY OF THE DISCLOSURE

[0004] The present invention is directed to a method of reducing or decreasing a size of a tumor or eliminating or slowing the growth of a tumor in a patient comprising administering to the patient an effective amount of a nucleic acid construct, which

comprises a Fas-chimera gene operably linked to an endothelial cell specific promoter, wherein a Fas-chimera gene product encoded by the nucleic acid construct reduces or decreases the size of the tumor or eliminates the tumor in the patient and wherein the tumor is associated with a female gynecological cancer or a metastasis thereof. The invention also provides a method of inhibiting, decreasing, or reducing neo-vascularization or angiogenesis in a tumor comprising administering to a patient having the tumor an effective amount of a nucleic acid construct, which comprises a Fas-chimera gene operably linked to an endothelial cell specific promoter, wherein a Fas-chimera gene product encoded by the nucleic acid construct inhibits, reduces, or decreases the neo-vascularization or angiogenesis in the tumor and wherein the tumor is associated with a female gynecological cancer or a metastasis thereof. In addition, the invention includes a method of treating or preventing a tumor associated with or derived from Müllerian cancer, ovarian cancer, peritoneal cancer, fallopian tube cancer, or uterine papillary serous carcinoma in a patient comprising administering an effective amount of a nucleic acid construct, which comprises a Fas-chimera gene operably linked to an endothelial cell specific promoter, wherein a Fas-chimera gene product encoded by the nucleic acid construct treats or prevents a female gynecological cancer or a metastasis thereof. In one embodiment, the tumor or a metastasis thereof is decreased in size or eliminated after the administration or the growth of the tumor or . In another embodiment, tumor or a metastatis thereof is decreased such that the longest diameter (LD) of the tumor is decreased at least about 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, or 100% compared to the LD prior to the administration. In other embodiments, the female gynecological cancer is associated with or derived from Müllerian cancer, ovarian cancer, peritoneal cancer, fallopian tube cancer, uterine papillary serous carcinoma, any combinations thereof, or a metastasis thereof.

[0005] In some embodiments, the patient has had a prior platinum based therapy. In one example, the patient has recurrent platinum-resistant cancer. In another example, the patient having the recurrent platinum-resistant cancer or the recurrent taxane-resistant cancer has a progressive tumor within six months of completing or receiving a platinum based therapy or a taxane based therapy.

[0006] In certain embodiments, the patient does not have a pre-existing antibody against adenovirus or does not develop an antibody against adenovirus.

[0007] In other embodiments, the methods of the invention further comprise administering an effective amount of one or more chemotherapeutic agents. The one or more chemotherapeutic agents can be administered prior to, concurrently with, or after the administration of the nucleic acid construct. In a specific embodiment, the chemotherapeutic agent is paclitaxel.

[0008] In certain embodiments, the nucleic acid construct for the method of the invention is an adenovirus. In one example, the adenovirus expresses a Fas-chimera gene product comprising an extracellular domain of a TNF Receptor 1 (TNFR1) polypeptide fused to a transmembrane domain and an intracellular domain of a Fas polypeptide. The polynucleotide encoding the Fas-chimera gene product is operably linked to an endothelial cell specific promoter, *e.g.,* a PPE-1-3X promoter. In a particular embodiment, the adenovirus comprises a nucleotide sequence at least 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 19.

[0009] One aspect of the invention includes a nucleic acid construct comprising SEQ ID NO: 18. In another aspect, the nucleic acid construct further comprises a nucleotide sequence encoding a Fas-chimera protein. In other embodiments, the invention is a vector comprising SEQ ID NO: 19. The vector can be an adenovirus.

[0010] In still other embodiments, the invention is an adenovirus having the European Collection of Cell Cultures (ECACC) deposit designation No. 13021201. The adenovirus can be at least 60%, at least 70%, at least 80%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% pure. In one example, the invention comprises a pharmaceutical composition comprising the adenovirus and a pharmaceutically acceptable carrier, wherein the composition does not contain another type of adenovirus, *e.g.,* adenovirus comprising SEQ ID NO: 20 or SEQ ID NO: 21.

[0011] The invention also includes a method of inhibiting, decreasing, or reducing angiogenesis or neo-vascularization in a tissue of a subject in need thereof comprising administering the nucleic acid construct, the vector, the adenovirus, or the composition to the subject. In one embodiment, the tissue comprises a tumor. In another embodiment, the size of the tumor is reduced or decreased after the administration or the growth of the tumor is slowed after the administration. In other embodiments, the tumor is derived from or associated with thyroid cancer, neuroendocrine cancer, glioblastoma, a female gynecological cancer, any combinations thereof or a metastasis thereof.

BRIEF DESCRIPTION OF THE DRAWINGS/FIGURES

[0012] Figure 1 shows the average tumor burden (y axis) among the Lewis Lung Carcinoma mice administered with vehicle, VB111 1E9 (10^9 Virus Particles (VPs) of VB-111), VB111 1E11 (10^{11} VPs of VB-111), ComLow (20mg/kg Carboplatin+10mg/kg Alimta), ComHigh (50mg/kg Carboplatin+30mg/kg Alimta), VB111 1E9 + ComLow (VB-111 10^9 VP s+20mg/kg Carboplatin+10mg/kg Alimta), VB111 1E9 + ComHigh (VB-111 10^9 VP +50mg/kg Carboplatin+30mg/kg Alimta), VB111 1E11 + ComLow (VB-111 10^{11} VP +20mg/kg Carboplatin+10mg/kg Alimta), and VB111 1E11 + ComHigh (VB-111 10^{11} VP +50mg/kg Carboplatin+30mg/kg Alimta) (x axis).

[0013] Figure 2 shows a box plot of the average tumor burden (y axis) among the Lewis Lung Carcinoma mice administered with vehicle (1), VB111 1E9 (10^9 Virus Particles (VPs) of VB-111)(2), VB111 1E11 (10^{11} VPs of VB-111)(3), ComLow (20mg/kg Carboplatin+10mg/kg Alimta)(4), ComHigh (50mg/kg Carboplatin+30mg/kg Alimta)(5), VB111 1E9 + ComLow (VB-111 10^9 VP s+20mg/kg Carboplatin+10mg/kg Alimta)(6), VB111 1E9 + ComHigh (VB-111 10^9 VP +50mg/kg Carboplatin+30mg/kg Alimta)(7), VB111 1E11 + ComLow (VB-111 10^{11} VP +20mg/kg Carboplatin+10mg/kg Alimta)(8), and VB111 1E11 + ComHigh (VB-111 10^{11} VP +50mg/kg Carboplatin+30mg/kg Alimta)(9) (x axis).

[0014] Figure 3 shows a combination therapy regimen of an adenovirus comprising a FAS-chimera gene operably linked to an endothelial cell-specific promoter (*e.g.*, VB-111) and paclitaxel. About 3 x 10^{12} VPs or 1 x 10^{13} VPs of VB-111 is administered every eight weeks, and paclitaxel is administered once weekly.

DETAILED DESCRIPTION OF THE INVENTION

I. DEFINITIONS

[0015] Unless defined otherwise, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this invention belongs. In case of conflict, the present application including the definitions will control. Unless otherwise required by context, singular terms shall include pluralities and plural terms shall include the singular. All publications, patents and other references mentioned herein are incorporated by reference in their entireties for all purposes as if

each individual publication or patent application were specifically and individually indicated to be incorporated by reference.

[0016] Although methods and materials similar or equivalent to those described herein can be used in practice or testing of the present invention, suitable methods and materials are described below. The materials, methods and examples are illustrative only and are not intended to be limiting. Other features and advantages of the invention will be apparent from the detailed description and from the claims.

[0017] In order to further define this invention, the following terms and definitions are provided.

[0018] As used herein, "antibody" means an intact immunoglobulin, or an antigen-binding fragment thereof. Antibodies of this invention can be of any isotype or class (*e.g.*, M, D, G, E and A) or any subclass (*e.g.*, G1-4, A1-2) and can have either a kappa (κ) or lambda (λ) light chain.

[0019] The term "effective amount" as used herein refers to an amount effective, at dosages and for periods of time necessary, to achieve a desired result. A desired result can be, for example, reduction or inhibition of neo-vascularization or angiogenesis *in vitro* or *in vivo*. An effective amount need not be a complete removal of neo-vascularization or angiogenesis.

[0020] As used herein, a "therapeutically effective amount" refers to an amount effective, at dosages and for periods of time necessary, to achieve a desired therapeutic result. A therapeutic result may be, *e.g.*, lessening of symptoms, regression or stabilization of tumor size in radiological imaging, prolonged survival, improved mobility, and the like. A therapeutic result need not be a "cure."

[0021] As used herein, a "prophylactically effective amount" refers to an amount effective, at dosages and for periods of time necessary, to achieve the desired prophylactic result. Typically, since a prophylactic dose is used in subjects prior to or at an earlier stage of disease, the prophylactically effective amount will be less than the therapeutically effective amount.

[0022] The term "polynucleotide" or "nucleotide" is intended to encompass a singular nucleic acid as well as plural nucleic acids, and refers to an isolated nucleic acid molecule or construct, *e.g.*, messenger RNA (mRNA) or plasmid DNA (pDNA). In certain

embodiments, a polynucleotide comprises a conventional phosphodiester bond or a non-conventional bond (*e.g.*, an amide bond, such as found in peptide nucleic acids (PNA)).

[0023] As used herein, a "polynucleotide," "nucleotide," "nucleic acid" can be used interchangeably and contain the nucleotide sequence of the full-length cDNA sequence, including the untranslated 5' and 3' sequences, the coding sequences, as well as fragments, epitopes, domains, and variants of the nucleic acid sequence. The polynucleotide can be composed of any polyribonucleotide or polydeoxyribonucleotide, which may be unmodified RNA or DNA or modified RNA or DNA. For example, polynucleotides can be composed of single- and double-stranded DNA, DNA that is a mixture of single- and double-stranded regions, single- and double-stranded RNA, and RNA that is mixture of single- and double-stranded regions, hybrid molecules comprising DNA and RNA that may be single-stranded or, more typically, double-stranded or a mixture of single- and double-stranded regions. In addition, the polynucleotides can be composed of triple-stranded regions comprising RNA or DNA or both RNA and DNA. Polynucleotides may also contain one or more modified bases or DNA or RNA backbones modified for stability or for other reasons. "Modified" bases include, for example, tritylated bases and unusual bases such as inosine. A variety of modifications can be made to DNA and RNA; thus, "polynucleotide" embraces chemically, enzymatically, or metabolically modified forms.

[0024] In the present invention, a polypeptide can be composed of amino acids joined to each other by peptide bonds or modified peptide bonds, *i.e.*, peptide isosteres, and may contain amino acids other than the 20 gene-encoded amino acids (*e.g.* non-naturally occurring amino acids). The polypeptides of the present invention may be modified by either natural process, such as posttranslational processing, or by chemical modification techniques which are well known in the art. Such modifications are well described in basic texts and in more detailed monographs, as well as in a voluminous research literature. Modifications can occur anywhere in the polypeptide, including the peptide backbone, the amino acid side-chains and the amino or carboxyl termini. It will be appreciated that the same type of modification may be present in the same or varying degrees at several sites in a given polypeptide. Also, a given polypeptide may contain many types of modifications. Polypeptides may be branched, for example, as a result of ubiquitination, and they may be cyclic, with or without branching. Cyclic, branched, and

branched cyclic polypeptides may result from posttranslation natural processes or may be made by synthetic methods. Modifications include acetylation, acylation, ADP-ribosylation, amidation, covalent attachment of flavin, covalent attachment of a heme moiety, covalent attachment of a nucleotide or nucleotide derivative, covalent attachment of a lipid or lipid derivative, covalent attachment of phosphotidylinositol, cross-linking, cyclization, disulfide bond formation, demethylation, formation of covalent cross-links, formation of cysteine, formation of pyroglutamate, formylation, gamma-carboxylation, glycosylation, GPI anchor formation, hydroxylation, iodination, methylation, myristoylation, oxidation, pegylation, proteolytic processing, phosphorylation, prenylation, racemization, selenoylation, sulfation, transfer-RNA mediated addition of amino acids to proteins such as arginylation, and ubiquitination. (*See*, for instance, Proteins - Structure And Molecular Properties, 2nd Ed., T.E. Creighton, W.H. Freeman and Company, New York (1993); Posttranslational Covalent Modification of Proteins, B.C. Johnson, Ed., Academic Press, New York, pgs. 1-12 (1983); Seifter *et al.*, *Meth Enzymol* 182:626-646 (1990); Rattan *et al.*, *Ann NY Acad Sci* 663:48-62 (1992).)

[0025] The terms "fragment," "variant," "derivative" and "analog" when referring to any polypeptide or polynucleotide of the present invention include any polypeptides or polynucleotides which retain at least some activities, *i.e.*, the ability to function as any naturally-occurring function of the polypeptide or polynucleotide. For example, a "fragment," "variant," "derivative" and "analog" of Tumor necrosis factor Receptor 1 (TNFR1) has some activities of the naturally occurring full-length TNFR1, *e.g.*, the ability to bind to TNFR1 ligand, *i.e.*, TNF-alpha or lymphotoxin. In another example, a "fragment," "variant," "derivative" and "analog" of a FAS polypeptide have some activities of a naturally-occurring full-length FAS polypeptide, *e.g.*, the ability to induce apoptosis. In other examples, a "fragment," "variant," "derivative" and "analog" of an endothelial cell-specific promoter can induce endothelial cell-specific expression of a gene operably linked to the promoter. Additional non-limiting examples of the various fragments, variants, analogues, or derivatives of the TNFR1, FAS polypeptide, and endothelial cell-specific promoters are described below.

[0026] In the present invention, a "polypeptide fragment" or “protein fragment” refers to a short amino acid sequence of a polypeptide. Protein or polypeptide fragments may be "free-standing," or comprised within a larger polypeptide of which the fragment forms a

part of region. Representative examples of polypeptide fragments of the invention, include, for example, fragments comprising about 5 amino acids, about 10 amino acids, about 15 amino acids, about 20 amino acids, about 30 amino acids, about 40 amino acids, about 50 amino acids, about 60 amino acids, about 70 amino acids, about 80 amino acids, about 90 amino acids, and about 100 amino acids.

[0027] A "conservative amino acid substitution" is one in which the amino acid residue is replaced with an amino acid residue having a similar side chain. Families of amino acid residues having similar side chains have been defined in the art, including basic side chains (*e.g.,* lysine, arginine, histidine), acidic side chains (*e.g.,* aspartic acid, glutamic acid), uncharged polar side chains (*e.g.,* glycine, asparagine, glutamine, serine, threonine, tyrosine, cysteine), nonpolar side chains (*e.g.,* alanine, valine, leucine, isoleucine, proline, phenylalanine, methionine, tryptophan), beta-branched side chains (*e.g.,* threonine, valine, isoleucine) and aromatic side chains (*e.g.,* tyrosine, phenylalanine, tryptophan, histidine). Thus, if an amino acid in a polypeptide is replaced with another amino acid from the same side chain family, the substitution is considered to be conservative. In another embodiment, a string of amino acids can be conservatively replaced with a structurally similar string that differs in order and/or composition of side chain family members.

[0028] The term "percent sequence identity" between two polynucleotide or polypeptide sequences refers to the number of identical matched positions shared by the sequences over a comparison window, taking into account additions or deletions (*i.e.,* gaps) that must be introduced for optimal alignment of the two sequences. A matched position is any position where an identical nucleotide or amino acid is presented in both the target and reference sequence. Gaps presented in the target sequence are not counted since gaps are not nucleotides or amino acids. Likewise, gaps presented in the reference sequence are not counted since target sequence nucleotides or amino acids are counted, not nucleotides or amino acids from the reference sequence.

[0029] The percentage of sequence identity is calculated by determining the number of positions at which the identical amino-acid residue or nucleic acid base occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the window of comparison and multiplying the result by 100 to yield the percentage of sequence identity. The comparison of sequences and determination of percent sequence identity between two sequences may be

accomplished using readily available software both for online use and for download. Suitable software programs are available from various sources, and for alignment of both protein and nucleotide sequences. One suitable program to determine percent sequence identity is bl2seq, part of the BLAST suite of program available from the U.S. government's National Center for Biotechnology Information BLAST web site (blast.ncbi.nlm.nih.gov). Bl2seq performs a comparison between two sequences using either the BLASTN or BLASTP algorithm. BLASTN is used to compare nucleic acid sequences, while BLASTP is used to compare amino acid sequences. Other suitable programs are, *e.g.,* Needle, Stretcher, Water, or Matcher, part of the EMBOSS suite of bioinformatics programs and also available from the European Bioinformatics Institute (EBI) at www.ebi.ac.uk/Tools/psa.

[0030] Different regions within a single polynucleotide or polypeptide target sequence that aligns with a polynucleotide or polypeptide reference sequence can each have their own percent sequence identity. It is noted that the percent sequence identity value is rounded to the nearest tenth. For example, 80.11, 80.12, 80.13, and 80.14 are rounded down to 80.1, while 80.15, 80.16, 80.17, 80.18, and 80.19 are rounded up to 80.2. It also is noted that the length value will always be an integer.

[0031] One skilled in the art will appreciate that the generation of a sequence alignment for the calculation of a percent sequence identity is not limited to binary sequence-sequence comparisons exclusively driven by primary sequence data. Sequence alignments can be derived from multiple sequence alignments. One suitable program to generate multiple sequence alignments is ClustalW2, available from www.clustal.org. Another suitable program is MUSCLE, available from www.drive5.com/muscle/. ClustalW2 and MUSCLE are alternatively available, *e.g.,* from the EBI.

[0032] It will also be appreciated that sequence alignments can be generated by integrating sequence data with data from heterogeneous sources such as structural data (*e.g.,* crystallographic protein structures), functional data (*e.g.,* location of mutations), or phylogenetic data. A suitable program that integrates heterogeneous data to generate a multiple sequence alignment is T-Coffee, available at www.tcoffee.org, and alternatively available, *e.g.,* from the EBI. It will also be appreciated that the final alignment used to calculated percent sequence identity may be curated either automatically or manually.

[0033] As used herein, the terms "linked," "fused," "fusion," "chimeric," and "chimera" are used interchangeably. These terms refer to the joining together of two more elements or components, by whatever means including chemical conjugation or recombinant means. An "in-frame fusion" refers to the joining of two or more open reading frames (ORFs) to form a continuous longer ORF, in a manner that maintains the correct reading frame of the original ORFs. Thus, the resulting recombinant fusion or chimeric protein is a single protein containing two ore more segments that correspond to polypeptides encoded by the original ORFs (which segments are not normally so joined in nature.) Although the reading frame is thus made continuous throughout the fused segments, the segments may be physically or spatially separated by, for example, in-frame linker sequence.

[0034] The terms "heterologous" and "heterologous moiety" mean that a polynucleotide, polypeptide, or other moiety is derived from a distinct entity from that of the entity to which it is being compared. For instance, a heterologous polypeptide can be synthetic, or derived from a different species, different cell type of an individual, or the same or different type of cell of distinct individuals. In one aspect, a heterologous moiety can be a polypeptide fused to another polypeptide to produce a fusion polypeptide or protein. In another aspect, a heterologous moiety can be a non-polypeptide such as PEG conjugated to a polypeptide or protein.

[0035] In the context of polypeptides, a "linear sequence" or a "sequence" is an order of amino acids in a polypeptide in an amino to carboxyl terminal direction in which residues that neighbor each other in the sequence are contiguous in the primary structure of the polypeptide.

[0036] The term "expression" as used herein refers to a process by which a gene produces a biochemical, for example, an RNA or polypeptide. The process includes any manifestation of the functional presence of the gene within the cell including, without limitation, gene knockdown as well as both transient expression and stable expression. It includes without limitation transcription of the gene into messenger RNA (mRNA), transfer RNA (tRNA), small hairpin RNA (shRNA), small interfering RNA (siRNA) or any other RNA product and the translation of such mRNA into polypeptide(s). If the final desired product is biochemical, expression includes the creation of that biochemical and any precursors.

II. NUCLEIC ACID CONSTRUCTS COMPRISING A FAS-CHIMERA GENE AND AN ENDOTHELIAL CELL SPECIFIC PROMOTER

[0037] The present invention is related to methods of reducing or decreasing a size of a tumor in a female gynecological cancer by inhibiting, decreasing, or reducing angiogenesis or neo-vascularization in the tumor comprising administering a nucleic acid construct expressing a FAS-chimera protein. The gene encoding the FAS-chimera protein (or gene product), in the present invention can be linked to an endothelial cell-specific promoter, which directs expression of the FAS-chimera gene product in an endothelial cell. Expression of such a cytotoxic gene product is useful in a situation where excessive neo-vascularization or blood vessel growth is not desirable, *e.g.,* in a tumor.

[0038] The present invention also provides a homogeneous population of a nucleic acid construct comprising a FAS-chimera gene operably linked to an endothelial cell-specific promoter.

A. FAS-Chimera

[0039] A FAS-chimera protein expressed by the nucleic acid construct of the invention comprises at least two "death receptor" polypeptides, each of the polypeptides is derived from a different protein. The first polypeptide of the FAS -chimera protein comprises a ligand binding domain of Tumor Necrosis Factor Receptor 1 (TNFR1). The second polypeptide of the FAS-chimera protein comprises an effector domain of a FAS polypeptide.

[0040] The ligand binding domain of TNFR1 can be any domain that binds to a TNFR1 ligand. In one embodiment, the TNFR1 ligand is TNF-α. In another embodiment, the TNFR1 ligand is lymphotoxin-α. The ligand binding domain of TNFR1 can be an extracellular domain of TNFR1 or any fragments, variants, derivatives, or analogues thereof. Non-limiting examples of the TNFR1 ligand binding domain are described below.

[0041] The effector domain of a FAS polypeptide useful for the invention comprises any FAS domains that form death-inducing signaling complex (DISC), thereby inducing apoptosis. In one embodiment, an effector domain of a FAS polypeptide comprises an intracellular domain, a trans-membrane domain, or both. Non-limiting examples of FAS polypeptide effector domains are described below.

[0042] The TNFR1 and the FAS polypeptide can be linked by a peptide bond or by a linker. The linker connecting the TNFR1 ligand binding domain with the FAS effector domain can be a polypeptide linker or a non-peptide linker. For example, a linker for the FAS-chimera protein can comprise one or more glycine, serine, leucine, or any combinations thereof. In one embodiment, a linker useful for the invention comprises Ser-Leu. In another embodiment, a linker useful for the invention comprises (GGGS)n, (Denise *et al. J. Biol. Chem.* 277:35035-35043 (2002)), wherein n can be 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, or 10 or more (SEQ ID NO: 27).

1. Tumor Necrosis Factor Receptor 1

[0043] The full-length human TNFR1 polypeptide is 455 amino acids in length and is also known as TNF-R1, Tumor necrosis factor receptor type I (TNFRI), TNFR-I, TNFRSF1A, TNFAR, p55, P60, or CD120a. Naturally-occurring human TNFR1 polypeptide is known to bind to TNF-α or homotrimeric lymphotoxin-α. Binding of TNF-α to the extracellular domain leads to homotrimerization of TNFR1, which then interacts specifically with the death domain of Tumor Necrosis Factor Receptor Type 1-Associated Death Domain Protein (TRADD). Various TRADD-interacting proteins such as TNF Receptor Associated Factors (TRAFS), Receptor-Interacting Serine/Threonine-Protein Kinase 1 (RIPK1), and Fas-Associated Protein with Death Domain (FADD) are recruited to the complex by their association with TRADD. The complex activates at least two distinct signaling cascades, apoptosis and NF-kappa-B signaling.

[0044] A 455 aa polypeptide sequence reported as a human TNFR1 polypeptide sequence has the identifier number P19438-1 in the UniProtKB database. This human TNFR1 polypeptide sequence is designated herein as isoform A and SEQ ID NO: 2. SEQ ID NO: 1 is a nucleotide sequence encoding SEQ ID NO: 2. A polypeptide sequence of 108 aa was reported as an isoform of the human TNFR1 polypeptide sequence and has the identifier number P19438-2 in the UniProtKB database. The 108 aa polypeptide corresponds to amino acids 1 to 108 of isoform A (SEQ ID NO: 2) and is designated herein as isoform B. Another variant of the human TNFR1 polypeptide having 232 aa was reported as the identifier number P19438-3 in the UniProtKB database. The 232 aa polypeptide corresponds to amino acids 1 to 232 of isoform A (SEQ ID NO: 2) and is designated herein as isoform C. Additional natural variants of human TNFR1 include, but are not limited to, the TNFR1 polypeptide of isoforms A, B, and C comprising one or

more mutations selected from the group consisting of H51Q, C59R, C59S, C62G, C62Y, P75L, T79M, C81F, C99S, S115G, C117R, C117Y, R121P, R121Q, P305T, and any combinations thereof. Other known TNFR1 variants include the TNFR1 polypeptide of isoforms A, B, and C comprising L13LILPQ, K255E, S286G, R394L, 412:Missing, GPAA443-446APP, or any combinations thereof.

[0045] Table 1 shows the human wild-type TNFR1 amino acid sequence and a nucleotide sequence encoding the wild-type TNFR1.

TABLE 1. TNFR1 Sequences

SEQ ID No.	Sequences
Amino acid sequence of TNFR1 (SEQ ID NO: 2)	MGLSTVPDLLLPLVLLELLVGIYPSGVIGLVPHLGDREKRDSVCPQGKYIHPQNNSICCT KCHKGTYLYNDCPGPGQDTDCRECESGSFTASENHLRHCLSCSKCRKEMGQVEISSCTVD RDTVCGCRKNQYRHYWSENLFQCFNCSLCLNGTVHLSCQEKQNTVCTCHAGFFLRENECV SCSNCKKSLECTKLCLPQIENVKGTEDSGTTVLLPLVIFFGLCLLSLLFIGLMYRYQRWK SKLYSIVCGKSTPEKEGELEGTTTKPLAPNPSFSPTPGFTPTLGFSPVPSSTFTSSSTYT PGDCPNFAAPRREVAPPYQGADPILATALASDPIPNPLQKWEDSAHKPQSLDTDDPATLY AVVENVPPLRWKEFVRRLGLSDHEIDRLELQNGRCLREAQYSMLATWRRRTPRREATLEL LGRVLRDMDLLGCLEDIEEALCGPAALPPAPSLLR
Nucleotide Sequence encoding TNFR1 (SEQ ID NO: 1)	Atgggcctctccaccgtgcctgacctgctgctgccgctggtgctcctggagctgttggtg Ggaatataccctcaggggttattggactggtccctcacctaggggacagggagaagaga Gatagtgtgtgtccccaaggaaaatatatccaccctcaaaataattcgatttgctgtacc Aagtgccacaaaggaacctacttgtacaatgactgtccaggcccggggcaggatacggac Tgcagggagtgtgagagcggctccttcaccgcttcagaaaaccacctcagacactgcctc Agctgctccaaatgccgaaaggaaatgggtcaggtggagatctcttcttgcacagtggac Cgggacaccgtgtgtggctgcaggaagaaccagtaccggcattattggagtgaaaacctt Ttccagtgcttcaattgcagcctctgcctcaatgggaccgtgcacctctcctgccaggag Aaacagaacaccgtgtgcacctgccatgcaggtttctttctaagagaaaacgagtgtgtc Tcctgtagtaactgtaagaaaagcctggagtgcacgaagttgtgcctaccccagattgag Aatgttaagggcactgaggactcaggcaccacagtgctgttgcccctggtcattttcttt Ggtctttgccttttatccctcctcttcattggtttaatgtatcgctaccaacggtggaag Tccaagctctactccattgtttgtgggaaatcgacacctgaaaaagaggggagcttgaa Ggaactactactaagcccctggccccaaacccaagcttcagtcccactccaggcttcacc Cccaccctgggcttcagtcccgtgcccagttccaccttcacctccagctccacctatacc Cccggtgactgtcccaactttgcggctccccgcagagaggtggcaccaccctatcagggg Gctgaccccatccttgcgacagccctcgcctccgaccccatccccaacccccttcagaag Tgggaggacagcgcccacaagccacagagcctagacactgatgaccccgcgacgctgtac Gccgtggtggagaacgtgcccccgttgcgctggaaggaattcgtgcggcgcctagggctg

	Agcgaccacgagatcgatcggctggagctgcagaacgggcgctgcctgcgcgaggcgcaa Tacagcatgctggcgacctggaggcggcgcacgccgcggcgcgaggccacgctggagctg Ctgggacgcgtgctccgcgacatggacctgctgggctgcctggaggacatcgaggaggcg ctttgcggccccgccgccctcccgcccgcgcccagtcttctcaga
Amino acid sequence of a Ligand Binding Domain of TNFR1 (SEQ ID NO: 4)	MGLSTVPDLLLPLVLLELLVGIYPSGVIGLVPHLGDREKRDSVCPQGKYIHPQNNSICCT KCHKGTYLYNDCPGPGQDTDCRECESGSFTASENHLRHCLSCSKCRKEMGQVEISSCTVD RDTVCGCRKNQYRHYWSENLFQCFNCSLCLNGTVHLSCQEKQNTVCTCHAGFFLRENECV SCSNCKKSLECTKLCLP
Nucleotide sequence encoding a Ligand Binding Domain of TNFR1 (SEQ ID NO: 3)	atgggcctct ccaccgtgcc tgacctgctg ctgccgctgg tgctcctgga gctgttggtg ggaatatacc cctcaggggt tattggactg gtccctcacc taggggacag ggagaagaga gatagtgtgt gtccccaagg aaaatatatc caccctcaaa ataattcgat ttgctgtacc aagtgccaca aaggaaccta cttgtacaat gactgtccag gcccggggca ggatacggac tgcagggagt gtgagagcgg ctccttcacc gcttcagaaa accacctcag acactgcctc agctgctcca aatgccgaaa ggaaatgggt caggtggaga tctcttcttg cacagtggac cgggacaccg tgtgtggctg caggaagaac cagtaccggc attattggag tgaaaacctt ttccagtgct tcaattgcag cctctgcctc aatgggaccg tgcacctctc ctgccaggag aaacagaaca ccgtgtgcac ctgccatgca ggtttctttc taagagaaaa cgagtgtgtc tcctgtagta actgtaagaa aagcctggag tgcacgaagt tgtgcctacc a

[0046] The mouse TNFR1 polypeptide sequence and its variants are also reported. The 454 aa mouse TNFR1 polypeptide has the identifier number P25118 in UniProtKB database. TNFR1 polypeptides known in other animals include, but are not limited to, rat (*e.g.,* P22934 in the UniProtKB database), cow (*e.g.,* O19131 in the UniProtKB database), pig (*e.g.,* P50555 in the UniProtKB database), or horse (*e.g.,* D1MH71 in the UniProtKB database).

[0047] The full-length TNFR1 can be cleaved into two chains, (1) TNF Receptor Superfamily Member 1A, membrane form (*i.e.,* amino acids 22 to 455 corresponding to full-length TNFR1) and (2) TNF-binding protein 1 (TBPI) (*i.e.,* amino acids 41 to 291 corresponding to full-length TNFR1). The full-length human TNFR1 polypeptide consists of a signal sequence (amino acids 1 to 21 of SEQ ID NO: 2), an extracellular domain (amino acids 22 to 211 of SEQ ID NO: 2), a trans-membrane domain (amino acids 212 to 234 of SEQ ID NO: 2), and a cytoplasmic domain (amino acids 235 to 455 of SEQ ID NO: 2). The TNFR1 extracellular domain comprises four cysteine repeat regions, TNFR-Cys1 (amino acids 43 to 82 corresponding to SEQ ID NO: 2), TNFR-Cys2 (amino acids 83 to 125 corresponding to SEQ ID NO: 2), TNFR-Cys3 (amino acids 126 to 166 corresponding to SEQ ID NO: 2), and TNFR-Cys4 (amino acids 167 to 196 corresponding to SEQ ID NO: 2).

[0048] As one of skill in the art will appreciate, the beginning and ending residues of the domains listed above can vary depending upon the computer modeling program used or the method used for determining the domain. As such, various functional domains of TNFR1 may vary from those defined above.

[0049] In one embodiment, a ligand binding domain of TNFR1 useful for the FAS-chimera protein comprises, consists essentially of, or consists of an extracellular domain of TNFR1, or any fragment, variant, derivative, or analogue thereof, wherein the extracellular domain of TNFR1, or any fragment, variant, derivative, or analogue thereof binds to TNF-α. In another embodiment, a ligand binding domain of TNFR1 comprises TNFR-Cys1; TNFR-Cys2; TNFR-Cys3; TNFR-Cys4; TNFR-Cys1 and TNFR-Cys2; TNFR-Cys1 and TNFR-Cys3; TNFR-Cys1 and TNFR-Cys4; TNFR-Cys2 and TNFR-Cys3; TNFR-Cys2 and TNFR-Cys4; TNFR-Cys3 and TNFR-Cys4; TNFR-Cys1, TNFR-Cys2, and TNFR-Cys3; TNFR-Cys1, TNFR-Cys2, and TNFR-Cys4; TNFR-Cys2, TNFR-Cys3, and TNFR-Cys4; or TNFR-Cys1, TNFR-Cys2, TNFR-Cys3, and TNFR-Cys4. In other embodiments, a ligand binding domain of TNFR1 in the FAS-chimera protein comprises TNF binding protein I. In yet other embodiments, a TNFR1 ligand binding domain of the FAS-chimera protein comprises, consists essentially of, or consists of an amino acid sequence at least 60%, 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to amino acids 22 to 190, amino acids 22 to 191, amino acids 22 to 192, amino acids 22 to 193, amino acids 22 to 194, amino acids 22 to 195, amino acids 22 to 196,

amino acids 22 to 197, amino acids 22 to 198, amino acids 22 to 199, amino acids 22 to 200, amino acids 22 to 201, amino acids 22 to 202, amino acids 22 to 203, amino acids 22 to 204, amino acids 22 to 205, amino acids 22 to 206, amino acids 22 to 207, amino acids 22 to 208, amino acids 22 to 209, amino acids 22 to 210, or amino acids 22 to 211 of SEQ ID NO: 2, wherein the ligand binding domain binds to a TNFR1 ligand, *e.g.,* TNF-α.

[0050] In other embodiments, the ligand binding domain of TNFR1 further comprises a signal peptide. One example of the suitable signal peptides is the signal peptide of TNFR1, *e.g.,* amino acids 1 to 21 of SEQ ID NO: 2. In yet other embodiments, a ligand binding domain of the FAS-chimera gene product comprises, consists essentially of, or consists of an amino acid sequence at least 60%, 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to amino acids 1 to 190, amino acids 1 to 191, amino acids 1 to 192, amino acids 1 to 193, amino acids 1 to 194, amino acids 1 to 195, amino acids 1 to 196, amino acids 1 to 197, amino acids 1 to 198, amino acids 1 to 199, amino acids 1 to 200, amino acids 1 to 201, amino acids 1 to 202, amino acids 1 to 203, amino acids 1 to 204, amino acids 1 to 205, amino acids 1 to 206, amino acids 1 to 207, amino acids 1 to 208, amino acids 1 to 209, amino acids 1 to 210, or amino acids 1 to 211 of SEQ ID NO: 2, wherein the ligand binding domain binds to a TNFR1 ligand, *e.g.*, TNF-α. In a specific embodiment, a TNFR1 ligand binding domain of the FAS-chimera protein comprises, consists essentially of, or consists of an amino acid sequence at least 60%, 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 4, wherein the ligand binding domain binds to a TNFR1 ligand, *e.g.,* TNF- α.

[0051] In yet other embodiments, the ligand binding domain of TNFR1 is encoded by a nucleotide sequence at least 60%, 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 3.

[0052] In still other embodiments, a TNFR1 ligand binding domain of the FAS-chimera protein comprises, consists essentially of, or consists of an amino acid sequence at least 60%, 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to amino acids 22 to 108 of SEQ ID NO: 2 (TNFR1 isoform B), amino acids 22 to 232 of SEQ ID NO: 2 (TNFR1 isoform C), or amino acids 44 to 291 of SEQ ID NO: 2 (TBP1), wherein the ligand binding domain binds to a TNFR1 ligand, *e.g.,* TNF-α.

2. *FAS Polypeptide*

[0053] The full-length human FAS polypeptide is 335 amino acids in length and is also known as Tumor Necrosis Factor Receptor Superfamily Member 6, Apo-1 antigen, Apoptosis-mediating surface antigen FAS, FASLG receptor, or CD95. Naturally occurring FAS polypeptide is a receptor for TNFSF6/FASLG. When the FAS polypeptide binds to the FAS ligand (FasL), the interaction between FAS and FasL results in the formation of the death-inducing signaling complex (DISC), which contains the FADD, caspase-8 and caspase-10. In some types of cells (type I), processed caspase-8 directly activates other members of the caspase family, and triggers the execution of apoptosis of the cell. In other types of cells (type II), the FAS-DISC starts a feedback loop that spirals into increasing release of proapoptotic factors from mitochondria and the amplified activation of caspase-8. FAS-mediated apoptosis may have a role in the induction of peripheral tolerance, in the antigen-stimulated suicide of mature cells or both.

[0054] A 335 aa polypeptide sequence reported as a human FAS polypeptide sequence has the identifier number P25445-1 in the UniProtKB database. This human FAS polypeptide sequence is designated herein as SEQ ID NO: 6. SEQ ID NO: 5 is a nucleotide sequence encoding SEQ ID NO: 6. The nucleotide sequence encoding the FAS polypeptide is also known as APT1, FAS1, or TNFRSF6. The full-length FAS polypeptide contains a signal peptide (amino acids 1 to 25 corresponding to SEQ ID NO: 6), an extracellular domain (amino acids 26 to 173 corresponding to SEQ ID NO: 6), a trans-membrane domain (amino acids 174 to 190 corresponding to SEQ ID NO: 6), and an intracellular (or cytoplasmic) domain (amino acids 191 to 335 corresponding to SEQ ID NO: 6). The intracellular domain contains a death domain (*e.g.*, amino acids 230 to 314 corresponding to SEQ ID NO: 6).

[0055] As one of skill in the art will appreciate, the beginning and ending residues of the domains listed above may vary depending upon the computer modeling program used or the method used for determining the domain. As such, various functional domains of FAS may vary from those defined above. Table 2 shows the wild-type human FAS amino acid sequence and a nucleotide sequence encoding the FAS protein.

TABLE 2. FAS Sequences

	Sequences
Amino acid sequence of human FAS protein (SEQ ID NO: 6)	MLGIWTLLPLVLTSVARLSSKSVNAQVTDINSKGLELRKTVTTVETQNLEGLHHDGQFCH KPCPPGERKARDCTVNGDEPDCVPCQEGKEYTDKAHFSSKCRRCRLCDEGHGLEVEINCT RTQNTKCRCKPNFFCNSTVCEHCDPCTKCEHGIIKECTLTSNTKCKEEGSRSNLGWLCLL LLPIPLIVWVKRKEVQKTCRKHRKENQGSHESPTLNPETVAINLSDVDLSKYITTIAGVM TLSQVKGFVRKNGVNEAKIDEIKNDNVQDTAEQKVQLLRNWHQLHGKKEAYDTLIKDLKK ANLCTLAEKIQTIILKDITSDSENSNFRNEIQSLV
Nucleotide sequence encoding human FAS sequence (SEQ ID NO: 5)	Atgctgggcatctggaccctcctacctctggttcttacgtctgttgctagattatcgtcc Aaaagtgttaatgcccaagtgactgacatcaactccaagggattggaattgaggaagact Gttactacagttgagactcagaacttggaaggcctgcatcatgatggccaattctgccat Aagccctgtcctccaggtgaaaggaaagctagggactgcacagtcaatggggatgaacca Gactgcgtgccctgccaagaagggaaggagtacacagacaaagcccatttttcttccaaa Tgcagaagatgtagattgtgtgatgaaggacatggcttagaagtggaaataaactgcacc Cggacccagaataccaagtgcagatgtaaaccaaacttttttgtaactctactgtatgt Gaacactgtgacccttgcaccaaatgtgaacatggaatcatcaaggaatgcacactcacc Agcaacaccaagtgcaaagaggaaggatccagatctaacttggggtggctttgtcttctt Cttttgccaattccactaattgtttgggtgaagagaaaggaagtacagaaaacatgcaga Aagcacagaaaggaaaaccaaggttctcatgaatctccaactttaaatcctgaaacagtg Gcaataaatttatctgatgttgacttgagtaaatatatcaccactattgctggagtcatg Acactaagtcaagttaaaggctttgttcgaaagaatggtgtcaatgaagccaaaatagat Gagatcaagaatgacaatgtccaagacacagcagaacagaaagttcaactgcttcgtaat Tggcatcaacttcatggaaagaaagaagcgtatgacacattgattaaagatctcaaaaaa Gccaatctttgtactcttgcagagaaaattcagactatcatcctcaaggacattactagt Gactcagaaaattcaaacttcagaaatgaaatccaaagcttggtctag
Amino acid sequence of an Effector Domain of FAS (SEQ ID NO: 8)	GSRSNLGWLCLLLLPIPLIVWVKRKEVQKTCRKHRKENQGS HESPTLNPETVAINLSDVDLSKYITTIAGVMTLSQVKGFVR KNGVNEAKIDEIKNDNVQDTAEQKVQLLRNWHQLHGKKEAY DTLIKDLKKANLCTLAEKIQTIILKDITSDSENSNFRNEIQ SLV
Nucleotide sequence encoding an	Aggatccagatctaacttggggtggctttgtcttcttctttgccaattccactaatt Gtttgggtgaagagaaaggaagtacagaaaacatgcagaaagcacagaaaggaaaacc Aaggttctcatgaatctccaaccttaaatcctgaaacagtggcaataaatttatctga Tgttgacttgagtaaatatatcaccactattgctggagtcatgacactaagtcaagtt

Effector Domain of FAS (SEQ ID NO: 7)	Aaaggctttgttcgaaagaatggtgtcaatgaagccaaaatagatgagatcaagaatg Acaatgtccaagacacagcagaacagaaagttcaactgcttcgtaattggcatcaact Tcatggaaagaaagaagcgtatgacacattgattaaagatctcaaaaaagccaatctt Tgtactcttgcagagaaaattcagactatcatcctcaaggacattactagtgactcag aaaattcaaacttcagaaatgaaatccaaagcttggtctag

[0056] The mouse FAS polypeptide sequence and its variants are also reported. The 327 aa mouse FAS polypeptide has the identifier number P25446 in UniProtKB database. FAS polypeptides known in other animals include, but are not limited to, Old World monkey (*e.g.,* Q9BDN4in the UniProtKB database), Rhesus monkey (*e.g.,* Q9BDP2in the UniProtKB database), rat (*e.g.,* Q63199in the UniProtKB database), or cow (*e.g.,* P51867in the UniProtKB database).

[0057] Based on the sequence variation in the FAS polypeptide, a person of ordinary skill in the art can identify sequence variations in the effector domain of the FAS polypeptide. For example, natural variants of the FAS effector domains can include one or more substitutions or mutations of C178R, L180F, P183L, I184V, T198I, Y232C, T241K, T241P, V249L, R250P, R250Q, G253D, G253S, N255D, A257D, I259R, D260G, D260V, D260Y, I262S, N264K, T270I, T270K, E272G, E272K, L278F, K299N, T305I, I310S, or any combinations thereof.

[0058] In one embodiment, an effector domain of the FAS polypeptide useful for the invention comprises a death domain of the FAS polypeptide. In another embodiment, an effector domain of the FAS polypeptide comprises, consists essentially of, or consists of an amino acid sequence at least 60%, 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to amino acids 230 to 314 of SEQ ID NO: 6. In other embodiments, an effector domain of the FAS polypeptide comprises an intracellular domain of the FAS polypeptide. In yet other embodiments, an effector domain of the FAS polypeptide comprises an amino acid sequence at least 60%, 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to amino acids 185 to 335, amino acids 186 to 335, amino acids 187 to 335, amino acids 188 to 335, amino acids 189 to 335, amino acids 190 to 335, amino acids 191 to 335, amino acids 192 to 335, amino acids 193 to 335, amino acids 194 to 335, amino acids 195 to 335, amino acids 196 to 335, amino acids 197 to 335, amino acids 198 to 335, amino acids 199 to 335 of SEQ ID NO: 6.

[0059] In still other embodiments, the effector domain of the FAS polypeptide further comprises a trans-membrane domain of the FAS polypeptide. In yet other embodiments, an effector domain of the FAS polypeptide comprises an amino acid sequence at least 60%, 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to amino acids 174 to 335 of SEQ ID NO: 6. In some embodiments, an effector domain of the FAS polypeptide further comprises about ten, about nine, about eight, about seven, about six, about five, about four, about three, about two, or about one amino acid from the C-terminal portion of the FAS extracellular domain. In certain embodiments, an effector domain of the FAS polypeptide comprises an amino acid sequence at least 60%, 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to amino acids 179 to 335, amino acids 178 to 335, amino acids 177 to 335, amino acids 176 to 335, amino acids 175 to 335, amino acids 174 to 335, amino acids 173 to 335, amino acids 172 to 335, amino acids 171 to 335, amino acids 170 to 335, amino acids 169 to 335, amino acids 168 to 335, amino acids 167 to 335, amino acids 166 to 335, amino acids 165 to 335, amino acids 164 to 335, or amino acids 163 to 335 of SEQ ID NO: 6, wherein the effector domain forms a death-inducing signaling complex (DISC), activates caspase 8, or induces apoptosis.

[0060] In some embodiments, an effector domain of the FAS polypeptide comprises, consists essentially of, or consists of an amino acid sequence at least 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 8, wherein the effector domain forms a death-inducing signaling complex (DISC), activates caspase 8, or induces apoptosis.

[0061] In other embodiments, an effector domain of the FAS polypeptide is encoded by a nucleotide sequence at least 60%, 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 7.

[0062] In one embodiment, the FAS-chimera gene product for the invention comprises, consists essentially of, or consists of an amino acid sequence at least 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 10, wherein the FAS-chimera gene product induces apoptosis. In another embodiment, the FAS-chimera gene product is encoded by a nucleotide sequence at least 60%, 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 9, wherein the FAS-chimera gene product induces apoptosis.

B. Endothelial Cell-Specific Promoter

[0063] The nucleic acid construct comprising a FAS-chimera gene further comprises one or more expression control elements useful for regulating the expression of an operably linked FAS-chimera gene. The expression control elements include, but are not limited to, promoters, secretion signals, and other regulatory elements.

[0064] The nucleic acid construct useful for the present invention utilizes an endothelial cell-specific promoter to direct expression of the FAS-chimera protein in an endothelial cell, thereby inducing apoptosis of the endothelial cell.

[0065] For the purpose of the present invention, an endothelial cell-specific promoter can contain one or more cis-regulatory elements, which improve the endothelial cell-specificity of the promoters compared to the promoter without the cis-regulatory elements. In one example, the cis-regulatory element comprises an enhancer. In another aspect, the cis-regulatory element comprises a hypoxia response element. In other examples, the cis-regulatory element comprises both an enhancer and a hypoxia response element.

[0066] In one embodiment, an enhancer useful for the invention comprises a nucleotide sequence at least 60%, 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 11 or SEQ ID NO: 12 (the complementary sequence of SEQ ID NO: 11), wherein the enhancer improves endothelial cell specificity of a promoter compared to a promoter without the enhancer. The enhancer can further comprise an additional nucleotide sequence at least 60%, 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 13 or SEQ ID NO: 14 (the complementary sequence of SEQ ID NO: 13).

[0067] In another embodiment, an enhancer for the invention comprises a nucleotide sequence at least 60%, 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 13 or SEQ ID NO: 14 (the complementary sequence of SEQ ID NO: 13), wherein the enhancer improves endothelial cell specificity of a promoter compared to a promoter without the enhancer. The enhancer can further comprise an additional nucleotide sequence at least 60%, 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 11 or SEQ ID NO: 12 (the complementary sequence of SEQ ID NO: 11).

[0068] In other embodiments, an enhancer for the invention comprises a nucleotide sequence at least 60%, 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 15 or SEQ ID NO: 16 (the complementary sequence of SEQ ID NO: 15), wherein the enhancer improves endothelial cell specificity of a promoter compared to a promoter without the enhancer. In yet other embodiments, an enhancer for the nucleic acid construct comprises SEQ ID NO: 15 or SEQ ID NO: 16 or any fragments, variants, derivatives, or analogs thereof, wherein the fragments, variants, derivatives, or analogs improve endothelial cell specificity of a promoter compared to a promoter without the enhancer.

[0069] In some embodiments, an enhancer for the invention comprises a nucleotide sequence at least 60%, 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 22 or SEQ ID NO: 23, wherein the enhancer improves endothelial cell specificity of a promoter compared to a promoter without the enhancer. In yet other embodiments, an enhancer for the nucleic acid construct comprises SEQ ID NO: 22 or SEQ ID NO: 23 or any fragments, variants, derivatives, or analogs thereof, wherein the fragments, variants, derivatives, or analogs improve endothelial cell specificity of a promoter compared to a promoter without the enhancer.

[0070] In other embodiments, an enhancer for the invention comprises a nucleotide sequence at least 60%, 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 24 or SEQ ID NO: 25, wherein the enhancer improves endothelial cell specificity of a promoter compared to a promoter without the enhancer. In yet other embodiments, an enhancer for the nucleic acid construct comprises SEQ ID NO: 24 or SEQ ID NO: 25 or any fragments, variants, derivatives, or analogs thereof, wherein the fragments, variants, derivatives, or analogs improve endothelial cell specificity of a promoter compared to a promoter without the enhancer.

[0071] Table 3 shows various enhancer sequences useful for the invention.

TABLE 3. Endothelial Cell-Specific Enhancer Elements and Promoters

SEQ ID NOs	Sequences
SEQ ID NO: 11	ctggagggtg actttgcttc tggagccagt acttcatact tttcatt
SEQ ID	aatgaaaagt atgaagtact ggctccagaa gcaaagtcac cctccag

NO: 12	
SEQ ID NO: 13	gtacttcata cttttcattc caatggggtg actttgcttc tgga
SEQ ID NO: 14	tccagaagca aagtcacccc attggaatga aaagtatgaa gtac
SEQ ID NO: 15	**3X enhancer element** ctccagaagcaaagtcaccccattggaatgaaaagtatgaagtacaatgaaaagtatgaagt actggctccagaagcaaagtcaccctccagaagcaaagtcaccccattggaatgaaaagtat gaagtac
SEQ ID NO: 16	**3x enhancer element (Complementary Sequence of SEQ ID NO: 15)** gtacttcatacttttcattccaatggggtgactttgcttctggagggtgactttgcttctgg agccagtacttcatacttttcattgtacttcatacttttcattccaatggggtgactttgct tctggag
SEQ ID NO: 17	**PPE-1 Promoter** gtacgtgtacttctgatcggcgatactagggagataaggatgtgcctgacaaaaccacattg ttgttgttatcattattatttagttttccttccttgctaactcctgacggaatctttctcac ctcaaatgcgaagtactttagtttagaaaagacttggtggaaggggtggtggtggaaaagta gggtgatcttccaaactaatctggttccccgcccgccccagtagctgggattcaagagcgaa gagtggggatcgtcccttgtttgatcagaaagacataaaaggaaaatcaagtgaacaatga tcagccccacctccaccccacccccctgcgcgcgcacaatacaatctatttaattgtacttc atacttttcattccaatggggtgactttgcttctggagaaactcttgattcttgaactctgg ggctggcagctagcaaaaggggaagcgggctgctgctctctgcaggttctgcagcggtctct gtctagtgggtgttttcttttttcttagccctgcccctggattgtcagacggcgggcgtctgc ctctgaagttagccgtgatttcctctagagccgggtcttatctctggctgcacgttgcctgt gggtgactaatcacacaataacattgtttagggctggaatgaagtcagagctgtttacccccc actctatagggttcaatataaaaaggcggcggagaactgtccgagtcagaagcgttcctgc accggcgctgagagcctgacccggtctgctccgctgtccttgcgcgctgcctcccggctgcc cgcgacgctttcgccccagtggaagggccacttgctgcggccgc
SEQ ID NO: 18	**PPE-1-3X promoter** gtacgtgtacttctgatcggcgatactagggagataaggatgtgcctgacaaaaccacattg ttgttgttatcattattatttagttttccttccttgctaactcctgacggaatctttctcac ctcaaatgcgaagtactttagtttagaaaagacttggtggaaggggtggtggtggaaaagta gggtgatcttccaaactaatctggttccccgcccgccccagtagctgggattcaagagcgaa gagtggggatcgtcccttgtttgatcagaaagacataaaaggaaaatcaagtgaacaatga tcagccccacctccaccccacccccctgcgcgcgcacaatacaatctatttaattgtacttc atacttttcattccaatggggtgactttgcttctggagaaactcttgattcttgaactctgg ggctggcagctagcctccagaagcaaagtcaccccattggaatgaaaagtatgaagtacaat gaaaagtatgaagtactggctccagaagcaaagtcaccctccagaagcaaagtcaccccatt ggaatgaaaagtatgaagtacgctagcaaaaggggaagcgggctgctgctctctgcaggttc

	tgcagcggtctctgtctagtgggtgttttcttttttcttagccctgcccctggattgtcagac ggcgggcgtctgcctctgaagttagccgtgatttcctctagagccgggtcttatctctggct gcacgttgcctgtgggtgactaatcacacaataacattgtttagggctggaatgaagtcaga gctgtttacccccactctatagggttcaatataaaaaggcggcggagaactgtccgagtca gaagcgttcctgcaccggcgctgagagcctgacccggtctgctccgctgtccttgcgcgctg cctcccggctgcccgcgacgctttcgccccagtggaagggccacttgctgcggccgc
SEQ ID NO: 22	ggtgactttg cttctggag
SEQ ID NO: 23	ctccagaagcaaagtcacc
SEQ ID NO: 24	gtacttcata cttttcatt
SEQ ID NO: 25	aatgaaaagtatgaagtac
SEQ ID NO: 26	**Hypoxia Response element** gcacgt

[0072] An enhancer for the present invention can be linked to a promoter upstream or downstream of the promoter or inserted between the two nucleotides in the promoter. The endothelial cell-specific promoter for the present invention can utilize any promoters known in the art. For example, suitable promoters which can be utilized for the present invention include the endothelial-specific promoters: preproendothelin-1 (PPE-1 promoter), US 2010/0282634, published November 11, 2010; and WO 2011/083464, published July 14, 2011); the PPE-1-3X promoter (US Pat No. 7,579,327, US Pat No. 8,071,740, US 8,039,261, US2010/0282634, US 2007/0286845, WO 2011/083464, and WO2011/083466); the TIE-1 (S79347, S79346) and the TIE-2 (U53603) promoters [Sato TN, Proc Natl Acad Sci U S A 1993 Oct 15;90(20):9355-8], the Endoglin promoter [Y11653; Rius C, Blood 1998 Dec 15;92(12):4677-90], the von Willerbrand factor [AF152417; Collins CJ Proc Natl Acad Sci U S A 1987 Jul;84(13):4393-7], the KDR/flk-1 promoter [X89777, X89776; Ronicke V, Circ Res 1996 Aug;79(2):277-85],The FLT-1 promoter [D64016 AJ224863; Morishita K, : J Biol Chem 1995 Nov 17;270(46):27948-53], the Egr-1 promoter [AJ245926; Sukhatme VP, Oncogene Res 1987 Sep-Oct;l(4):343-55], the E-selectin promoter [Y12462;Collins T J Biol Chem 1991 Feb 5;266(4):2466-73], The endothelial adhesion molecules promoters: ICAM-1 [X84737; Horley KJ EMBO J 1989 Oct;8(10):2889-96], VCAM-1 [M92431; Iademarco MF , J Biol

Chem 1992 Aug 15;267(23): 16323-9], PECAM-1 [AJ313330 X96849; CD31, Newman PJ, Science 1990 Mar 9;247(4947): 1219-22], the vascular smooth-muscle-specific elements: CArG box X53154 and aortic carboxypeptidase-like protein (ACLP) promoter [AF332596;Layne MD, Circ Res. 2002; 90: 728-736] and Aortic Preferentially Expressed Gene-1 [Yen-Hsu Chen J. Biol. Chem, Vol. 276, Issue 50, 47658-47663, December 14, 2001], all of which are incorporated herein by reference in their entireties.

[0073] In one embodiment, a promoter linked to the endothelial cell-specific enhancer comprises a nucleotide sequence at least 60%, 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% of SEQ ID NO: 17, wherein the promoter linked to the enhancer induces endothelial cell-specificity to the gene operably linked to the promoter. In another embodiment, a promoter linked to the endothelial cell-specific enhancer comprises a fragment, a variant, a derivative, or an analog of a wild-type PPE-1 promoter, wherein said fragment, variant, derivative, or analog thereof induces endothelial cell-specificity to the gene operably linked to the promoter. In one example, the endothelial cell-specific enhancer can be inserted between nucleotide residues 442 and 449 corresponding to SEQ ID NO: 17.

[0074] In further embodiments, an endothelial cell-specific promoter comprises a hypoxia responsive element. A hypoxia responsive element (HRE) is located on the antisense strand of the endothelin-1 promoter. This element is a hypoxia-inducible factor- 1 binding site that is required for positive regulation of the endothelin-1 promoter (of the human, rat and murine gene) by hypoxia. Hypoxia is a potent signal, inducing the expression of several genes including erythropoietin (Epo), VEGF, and various glycolytic enzymes. The core sequence (8 base pairs) is conserved in all genes that respond to hypoxic conditions and the flanking regions are different from other genes. The ET-I hypoxia responsive element is located between the GAT A-2 and the AP-1 binding sites. In one example, a hypoxia response element comprises SEQ ID NO: 26, a fragment, a variant, a derivative, or an analog thereof.

[0075] In other embodiments, an endothelial cell-specific promoter useful for the invention comprises, consists essentially of, or consists of a nucleotide sequence at least 60%, 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% of SEQ ID NO: 18, wherein the promoter linked to the enhancer induces endothelial cell-specificity to the gene operably linked to the promoter. In another embodiment, an endothelial cell-specific

promoter comprises a fragment, a variant, a derivative, or an analog of SEQ ID NO: 18, wherein said fragment, variant, derivative, or analog thereof induces endothelial cell-specificity to the gene operably linked to the promoter.

[0076] Additional variations of the endothelial cell-specific promoters can be found at WO2011/083464, WO2011/083466, and WO2012/052423, which are incorporated herein by reference in their entireties.

[0077] The present invention also provides a novel promoter sequence comprising a nucleotide sequence SEQ ID NO: 17. In one example, the promoter further comprises an endothelial cell-specific enhancer. In one example, the endothelian cell-specific enhancer comprises SEQ ID NO: 11, SEQ ID NO: 12, SEQ ID NO: 13, SEQ ID NO: 14, SEQ ID NO: 15, SEQ ID NO: 16, SEQ ID NO: 22, SEQ ID NO: 23, SEQ ID NO: 24, SEQ ID NO: 25, SEQ ID NO: 26 or any fragments, derivatives, variants, or analogs thereof, wherein the fragments, derivatives, variants, or analogs thereof improve endothelial cell-specificity of the promoter compared to a promoter without the enhancer. In another example, the promoter comprises a nucleotide sequence of SEQ ID NO: 18. The invention includes a nucleic acid construct comprising the novel promoter and a heterologous nucleotide sequence. In one embodiment, the heterologous nucleic acid sequence comprises a nucleotide sequence encoding a FAS-chimera protein described herein. In another embodiment, the heterologous nucleotide sequence comprises an adenovirus sequence.

C. Vector

[0078] The invention also provides a vector comprising the nucleic acid construct, which comprises a FAS-chimera gene operably linked to an endothelial cell-specific promoter. For the purposes of this invention, numerous vector systems may be employed. For example, various viral gene delivery systems that can be used in the practice of this aspect of the invention include, but are not limited to, an adenoviral vector, an alphavirus vector, an enterovirus vector, a pestivirus vector, a lentiviral vector, a baculoviral vector, a herpesvirus vector, an Epstein Barr viral vector, a papovaviral vector, a poxvirus vector, a vaccinia viral vector, an adeno-associated viral vector and a herpes simplex viral vector.

[0079] In another embodiment, a vector comprising a FAS-chimera gene operably linked to an endothelial cell-specific promoter is an adenovirus. For example, the adenovirus

can be any one or more of human adenovirus species A (serotypes 12, 18, and 31), B (serotpyes 3, 7, 11, 14, 16, 21, 34, 35, 50, and 55), C (serotypes 1, 2, 5, 6, and 57), D (8, 9, 10, 13, 15, 17, 19, 20, 22-30, 32, 33, 36-39, 42-49, 51, 53, 54, and 56), E (serotype 4), F (serotype 40 and 41), or G (serotype 52). In a particular embodiment, the adenovirus for the invention is human adenovirus serotype 5. In some embodiments, the adenovirus useful for gene therapy is a recombinant non-replicating adenovirus, which does not contain an E1 region and an E3 region. In certain embodiments, the adenovirus for the invention is a conditionally replicating adenovirus, which does not contain an E3 region, but contains an E1 region.

D. Biological Deposits

[0080] Biological deposits were made with the European Collection of Cell Cultures (ECACC) located at Health Protection Agency Culture Collections, Health Protection Agency, Microbiology Services, Porton Down, Salisbury, SP4 0JG, UK, pursuant to the Budapest Treaty and pursuant to 37 C.F.R. § 1.808. Samples of the deposited materials will become available to the public upon grant of a patent. The invention described and claimed herein is not to be limited by the scope of the strain deposited, since the deposited embodiment is intended only as an illustration of the invention.

Strain	ECACC Accession No.	Date Deposited
VB-111	13021201	February 12, 2013

III. TREATMENT METHODS USING ADENOVIRUS EXPRESSING FAS-CHIMERA PROTEIN

[0081] One embodiment of the present invention provides methods for using a nucleic acid construct expressing a FAS chimera protein or an adenovirus comprising the nucleic acid construct. In one aspect, a nucleic acid construct expressing a FAS-chimera protein or an adenovirus comprising the nucleic acid construct is useful for reducing or decreasing a size of a tumor or eliminating a tumor in a subject, wherein the FAS-chimera protein encoded by the nucleic acid construct reduces or decreases the size of the tumor or slows the rate of tumor growth or prevents appearance of new tumor metastatic lesions or eliminates the tumor in the subject and wherein the tumor is associated with or derived from a female gynecological cancer or a metastasis thereof. These effects may be assessed based on radiological diagnostic tests (such as CT scan) and/or tumor markers (such as blood level of CA-125). In another aspect, a nucleic acid construct expressing a

FAS-chimera protein or an adenovirus comprising the nucleic acid construct is useful for inhibiting, decreasing, or reducing neo-vascularization or angiogenesis in a tumor, wherein a FAS-chimera protein encoded by the nucleic acid construct inhibits, reduces, or decreases the neo-vascularization or angiogenesis in the tumor and wherein the tumor is associated with or derived from a female gynecological cancer or a metastasis thereof. In other aspects, a nucleic acid construct expressing a FAS–chimera protein or an adenovirus comprising the nucleic acid construct is capable of treating or preventing a tumor associated with or derived from a female gynecological cancer or a metastasis thereof in a subject, wherein the FAS-chimera protein encoded by the nucleic acid construct treats or prevents the female gynecological cancer or a metastasis thereof in the subject.

[0082] Therefore, in one aspect, the invention provides a method of reducing or decreasing a size of a tumor or a metastasis thereof, eliminating a tumor or a metastasis thereof, or slowing the growth of a tumor or a metastasis thereof in a subject comprising administering to the patient an effective amount of a nucleic acid construct, which comprises a Fas-chimera gene operably linked to an endothelial cell specific promoter, or an adenovirus comprising the nucleic acid construct, wherein a Fas-chimera gene product encoded by the nucleic acid construct reduces or decreases the size of the tumor or a metastasis thereof or eliminates the tumor or a metastasis thereof in the subject and wherein the tumor or a metastasis thereof is associated with or derived from a female gynecological cancer. In another aspect, the invention provides a method of inhibiting, decreasing, or reducing neo-vascularization or angiogenesis in a tumor or a metastasis thereof comprising administering to a subject having the tumor or a metastasis thereof an effective amount of a nucleic acid construct, or an adenovirus comprising the nucleic acid construct, which comprises a FAS-chimera gene operably linked to an endothelial cell specific promoter, wherein a FAS-chimera gene product encoded by the nucleic acid construct inhibits, reduces, or decreases the neo-vascularization or angiogenesis in the tumor or a metastasis thereof and wherein the tumor or a metastasis thereof is associated with or derived from a female gynecological cancer. In other aspects, the invention provides a method of treating or preventing a tumor or a metastasis thereof associated with or derived from a female gynecological cancer in a subject comprising administering an effective amount of a nucleic acid construct, which comprises a Fas-chimera gene

operably linked to an endothelial cell specific promoter, wherein a Fas-chimera gene product encoded by the nucleic acid construct treats or prevents the female gynecological cancer in the patient. In still other embodiments, the tumor of the female gynecological cancer or a metastasis thereof is decreased in size or eliminated after the administration. In certain embodiments, the size of the tumor or a metastasis thereof is decreased such that the longest diameter (LD) of the tumor is decreased at least about 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, or 100% compared to the LD prior to the administration. In some embodiments, the invention includes a method of stabilizing a disease or disorder associated with a female gynecological cancer. For example, the invention includes a method of preventing or slowing further growth of a tumor associated with a female gynecological cancer. In further embodiments, the present invention reduces the volume of malignant peritoneal fluid, *e.g.,* ascites, reduces pain to the subject, prolongs survival of the subject, or any combinations thereof. In other embodiments, the adenovirus of the invention when administered to the subject prolongs the overall survival of the subject. In further embodiments, the adenovirus of the invention when administered to the subject prolongs progression-free survival of the subject.

[0083] In one embodiment, the female gynecological cancer can be Müllerian cancer, ovarian cancer, peritoneal cancer, fallopian tube cancer, uterine papillary serous carcinoma, a metastasis thereof, or any combinations thereof. In another embodiment, the female gynecological cancer can be cervical cancer, endometrial cancer, gestational trophoblastic disease, uterine cancer, vulvar cancer, a metastasis thereof, or any combinations thereof. In other embodiments, the female gynecological cancer includes any cancerous growth arising from a gynecological tissue, *e.g.,* uterus, ovary, fallopian tube, cervix, egg cells, the supporting cells, or any combinations thereof. In certain embodiments, the tumor associated with or derived from a female gynecological cancer can be selected from the group consisting of surface epithelial-stromal tumor (adenocarcinoma), papillary serous cystadenocarcinoma, endometrioid tumor, serous cystadenocarcinoma, papillary tumor, mucinous cystadenocarcinoma, clear-cell ovarian tumor, mucinous adenocarcinoma, cystadenocarcinoma, carcinoma, sex cord-stromal tumour, germ cell tumor, teratoma, dysgerminoma, epidermoid (Squamous cell carcinoma), Brenner tumor, a metastasis thereof or any combinations thereof.

[0084] Müllerian cancer for the purpose of the present invention includes a malignant mixed Müllerian tumor, also known as malignant mixed mesodermal tumor, MMMT and carcinosarcoma. MMMT is a malignant neoplasm found in the uterus, the ovaries, the fallopian tubes and other parts of the body that contains both carcinomatous (epithelial tissue) and sarcomatous (connective tissue) components. It is divided into two types, homologous (in which the sarcomatous component is made of tissues found in the uterus such as endometrial, fibrous and/or smooth muscle tissues) and a heterologous type (made up of tissues not found in the uterus, such as cartilage, skeletal muscle and/or bone). MMMT account for between two and five percent of all tumors derived from the body of the uterus, and are found predominantly in postmenopausal women with an average age of 66 years.

[0085] Ovarian cancer comprises any cancerous growth arising from the ovary. Most (more than 90%) ovarian cancers are classified as "epithelial" and are believed to arise from the surface (epithelium) of the ovary. However, fallopian tubes could also be the source of some ovarian cancers. Since the ovaries and tubes are closely related to each other, it is thought that these fallopian cancer cells can mimic ovarian cancer. Other types may arise from the egg cells (germ cell tumor) or supporting cells. In some embodiments, ovarian cancer is a secondary cancer, the result of metastasis from a primary cancer elsewhere in the body. About 7% of ovarian cancers are due to metastases while the rest are primary cancers. Common primary cancers are breast cancer and gastrointestinal cancer.

[0086] Peritoneal cancer or carcinoma is also known as: serous surface papillary carcinoma, primary peritoneal carcinoma, extra-ovarian serous carcinoma, primary serous papillary carcinoma, or psammomacarcinoma. It was historically classified under "carcinoma of unknown primary" (CUP). Primary peritoneal cancer (PPC, or PPCa) is a cancer of the cells lining the peritoneum, or abdominal cavity. Histomorphological and molecular biological characteristics suggest that serous carcinomas, which include ovarian serous carcinoma, uterine serous carcinoma, fallopian tube serous carcinoma, cervical serous carcinoma, and primary peritoneal serous carcinoma really represent one entity.

[0087] Primary fallopian tube cancer (PFTC), often just tubal cancer, is a malignant neoplasm that originates from the fallopian tube. Tubal cancer is thought to be a

relatively rare primary cancer among women accounting for 1 to 2 percent of all gynecologic cancers.

[0088] Uterine serous carcinoma (USC), also known as uterine papillary serous carcinoma (UPSC) and uterine serous adenocarcinoma, is an uncommon form of endometrial cancer that typically arises in postmenopausal women. It is typically diagnosed on endometrial biopsy, prompted by post-menopausal bleeding. Unlike the more common low-grade endometrioid endometrial adenocarcinoma, USC does not develop from endometrial hyperplasia and is not hormone-sensitive. It arises in the setting of endometrial atrophy and is classified as a type II endometrial cancer.

[0089] The term "subject" or "individual" or "animal" or "patient" or "mammal," is meant any subject, particularly a mammalian subject, having or being expected to develop at least one tumor associated with or derived from peritoneal cancer or female gynecological cancer. In one embodiment, the subject is a human. In another embodiment, the subject is a cancer patient.

[0090] In one embodiment of the invention, the subject is a subject who has had a prior platinum based therapy. Such a prior platinum based therapy includes, but is not limited to, cisplatin, carboplatin, oxaliplatin, nedaplatin, satraplatin, picoplatin, triplatin tetranitrate, or aroplatin. Platinum-based antineoplastic agents cause cross-linking of DNA as monadduct, interstrand crosslinks, intrastrand crosslinks or DNA protein crosslinks. Mostly they act on the adjacent N-7 position of guanine, forming 1, 2 intrastrand crosslink. The resultant crosslinking inhibit DNA repair and/or DNA synthesis in cancer cells. Platium-based antineoplastic agents are sometimes described as "alkylating-like" due to similar effects as alkylating antineoplastic agents, although they do not have an alkyl group. In certain embodiments, the prior platinum-based therapy is a therapy using cisplatin, also known as cisplatinum or cis-diamminedichloroplatinum(II) (CDDP) (trade name Cisplatin, brand name Platin marketed by Cadila Healthcare according to FDA Orange Book). Cisplatin is administered intravenously as short-term infusion in normal saline for treatment of solid malignancies. It is used to treat various types of cancers, including sarcomas, some carcinomas (e.g. small cell lung cancer, and ovarian cancer), lymphomas, and germ cell tumors.

[0091] In other embodiments, the subject has had a prior taxane-based therapy. Taxanes are diterpenes produced by the plants of the genus Taxus (yews), and are widely used as

chemotherapy agents. Taxane can now be synthesized artificially. Taxane agents include, but are not limited to, paclitaxel (TAXOL®) and docetaxel (TAXOTERE®).

[0092] In one aspect, taxane can be fused to or bound to a heterologous moiety. Such a heterologous moiety can improve solubility of taxane formulation or reduce toxicity of taxane. For example, taxane can be fused to or bound to albumin: albumin-bound paclitaxel (ABRAXANE®, also called nab-paclitaxel) is an alternative formulation where paclitaxel is bound to albumin nano-particles.

[0093] Synthetic approaches to paclitaxel production led to the development of docetaxel. Docetaxel has a similar set of clinical uses to paclitaxel and is marketed under the name of TAXOTERE®.

[0094] In another aspect, taxane useful for the present invention includes, but is not limited to, paclitaxel, 10-deacetylbaccatin III, baccatin III, paclitaxel C, and 7-epipaclitaxel in the shells and leaves of hazel plants.

[0095] In other embodiments, the subject has had up to three, up to two, or up to one previous line of chemotherapy. The previous line of chemotherapy can be a platinum-based therapy or a taxane-based therapy. In yet other embodiments, the subject has not had more than 3 prior lines of chemotherapy for recurrent cancer.

[0096] In certain embodiments, the subject is a patient who has recurrent platinum-resistant cancer or platinum refractory disease. In some embodiments, the subject is a patient who has recurrent taxane resistant cancer. In one aspect, the recurrent platinum-resistant cancer or the recurrent taxane-resistant cancer has a progressive tumor during the platinum or taxane treatment, within about one months, within about two months, within about three months, about four months, about five months, about six months, about seven months, about eight months, about nine months, about ten months, about 11 months, or about 12 months of completing or receiving a platinum based therapy or a taxane based therapy. In a particular embodiment, the recurrent platinum-resistant cancer or the recurrent taxane-resistant cancer has a progressive tumor within about six months of completing or receiving a platinum based therapy or a taxane based therapy. The recurrent platinum-resistant cancer or the recurrent taxane-resistant cancer can be determined by Response Evaluation Criteria In Solid Tumors (RECIST), measurement of one or more tumor markers, *e.g.,* CA-125, physical examination, reassessment or second-look laparotomy, and/or one or more imaging studies (*e.g.,* X-ray, CT or MRI).

[0097] RECIST is a set of published rules that define when cancer patients improve ("respond"), stay the same ("stable") or worsen ("progression") during treatments. The original criteria were published in February 2000 by an international collaboration including the European Organization for Research and Treatment of Cancer (EORTC), National Cancer Institute (NCI) of the United States and the National Cancer Institute of Canada Clinical Trials Group. RECIST 1.1, published in January 2009, is an update to the original criteria. The majority of clinical trials evaluating cancer treatments for objective response in solid tumors are using RECIST.

[0098] In some embodiments, a subject can exhibit a tumor marker, *e.g.,* CA-125. In one aspect, the CA-125 expression level in the subject is reduced at least about 10%, at least about 20%, at least about 30%, at least about 40%, at least about 50%, at least about 55%, at least about 60%, at least about 65%, at least about 70%, at least about 75%, at least about 80%, at least about 85%, at least about 90%, or at least about 100% after the administration compared to the CA-125 level prior to the administration.

[0100] In some embodiments, a subject has received only one platinum-based treatment for recurrent platinum sensitive disease with a subsequence platinum free interval of less than six months.

[0101] In other embodiments, a subject has an Eastern Cooperative Oncology Group (ECOG) performance status of 0-1. ECOG is scales or criteria used to assess progression of a patient's disease, effects of the disease in daily living of the patient, and determination of appropriate treatment and prognosis. TABLE 4 shows ECOG performance status:

TABLE 4. ECOG PERFORMANCE STATUS*

Grade	ECOG
0	Fully active, able to carry on all pre-disease performance without restriction
1	Restricted in physically strenuous activity but ambulatory and able to carry out work of a light or sedentary nature, *e.g.,* light house work, office work
2	Ambulatory and capable of all selfcare but unable to carry out any work activities. Up and about more than 50% of waking hours
3	Capable of only limited selfcare, confined to bed or chair more than 50% of waking hours

4	Completely disabled. Cannot carry on any selfcare. Totally confined to bed or chair
5	Dead

* As published in Am. J. Clin. Oncol.:*Oken, M.M., Creech, R.H., Tormey, D.C., Horton, J., Davis, T.E., McFadden, E.T., Carbone, P.P.: Toxicity And Response Criteria Of The Eastern Cooperative Oncology Group. Am J Clin Oncol 5:649-655, 1982.*

[0102] In some embodiments, a subject has a bone marrow function comparable to a subject without the cancer. Bone marrow functions comparable to a subject without the cancer include, but are not limited to, its role as the major hematopoietic organ and a primary lymphoid tissue, and being responsible for the production of blood cells, *e.g.*, erythrocytes, granulocytes, monocytes, lymphocytes and platelets. Detailed description of the bone marrow structure and function is found in Jain, C., 1986b, *Schalm's Veterinary Hematology*, The hematopoietic system (Lea and Febiger, Philadelphia, PA), 4, pp 350–387; Weiss and Geduldig, 1991, *Blood* 78:975–90; Wickramasinghe, 1992, in *Histology for Pathologists, Bone marrow*, ed Sternberg SS (Raven Press, New York), pp 1–31; Picker and Siegelman, 1999, in *Fundamental Immunology*, Lymphoid tissues and organs, ed Paul WE (Lippincott-Raven, Philadelphia, PA), 4, pp 479–531; Hoffman et al., 2000, *Hematology Basic Principals and Practice* (Churchill Livingstone, New York), 3; Abboud and Lichtman, 2001, in *Williams' Hematology*, Structure of the marrow and the hematopoietic microenvironment, eds Beutler E, Lichtman MA, Coller BS, Kipps TJ, Seligsohn U (McGraw-Hill, New York), 6, pp 29–58, each of which is incorporated herein by reference in its entirety.

[0103] In further embodiments, a subject has a hematological function comparable to a subject without the cancer, wherein the indicator of hematological function is selected from the group consisting of:

a. Absolute Neutrophil Count (ANC) is equal to or higher than 1,000/mm3;

b. Platelet (PLT) count is equal to or higher than 100,000/mm3;

c. Prothrombin time (PT) is less than 1.2 x Upper Limit of Normal (ULN) seconds;

d. Thromboplastin time (PTT) is less than 1.2 x ULN seconds, wherein if PTT is higher than ULN, the patient has a negative lupus anti-coagulant (LAC); and

e. any combinations thereof.

[0104] In other embodiments, a subject has an organ function comparable to a subject without the cancer, wherein the organ function is analyzed using common toxicity criteria selected from the group consisting of:

a. less than or equal to grade 1 common toxicity criteria (CTC) neuropathy;

b. no more than 30% of major bone marrow containing areas (*e.g.*, pelvis or lumbar spine) having received prior radiation;

c. less than 2.5 x upper limit of normal (ULN) or less than 5 x ULN of serum glutamic oxaloacetic transaminase (SGOT), serum glutamic pyruvic transaminase (SGPT), or alkaline phosphatase;

d. less than or equal to 1.5 x ULN level of bilirubin;

e. less than or equal to 1.5 x ULN level of creatinine;

f. less than 2 + by dip stick of proteinuria at screening or less than 1.0 ratio of urinary protein creatinine; and

g. any combinations thereof.

[0105] In still other embodiments, a subject has recovered from acute toxicity from prior treatment, *e.g.*, any chemotherapy, radiotherapy, or biologic therapy. However, the subject may need to recover from grade 1 neuropathy, any grade anemia, or alopecia.

[0106] In certain embodiments, a subject has received a prior anti-angiogenic agent. In some embodiments, the subject does not have any prior gastrointestinal (GI) perforation, GI obstruction, or involvement of the bowel on imaging studies. In yet other embodiments, the subject does not have active, untreated psychiatric disease or neurologic symptoms requiring treatment (Grade I sensory neuropathy allowed), does not have presence of untreated central nervous system or brain metastases, does not have any dementia or significantly altered mental status that would prohibit the understanding and/or giving of informed consent, does not have any known hypersensitivity to Cremophor EL, does not have evidence of uncontrolled bacterial, viral or fungal infections , or any combinations thereof. In still other embodiments, the subject is suitable for the present invention if the subject has had a prior paclitaxel reaction, but subsequently tolerated the drug at rechallenge.

[0107] A subject suitable for the invention can be identified by measurement of the plasma biomarker or cell surface biomarker for an anti-angiogenic therapy. In one embodiment, a subject suitable for the invention exhibits a plasma biomarker, which

includes, but is not limited to vascular endothelial growth factor (VEGF), phosphatidylinositol-glycan biosynthesis class F protein (PIGF), soluble vascular endothelial growth factor receptor-1 (sVEGFR-1), sVEGFR-2, sVEGFR-3, basic fibroblast growth factor (bFGF), interleukin-1β (IL-1 β), interleukin-6 (IL-6), interleukin-8 (IL-8), tumor necrosis factor-α (TNF- α), Von Willebrand Factor (vWF), soluble c-kit (c-kit), stromal derived factor 1α (SDF1α), alpha fetoprotein (AFP), and any combinations thereof. In another embodiment, a subject suitable for the invention exhibits a cell surface biomarker, which includes, but is not limited to, CD31, CD34, CD45, CD133, vascular endothelial growth factor receptor-1 (VEGFR-1), VEGFR-2, or any combinations thereof.

[0108] It is known that presence or formation of neutralizing antibodies may hinder efficient gene transfer upon a second administration of virus. In one embodiment, a subject does not have a pre-existing antibody response against adenovirus. In another embodiment, a subject does not develop an antibody response against adenovirus upon administration of the adenovirus.

[0109] In some aspects of the invention, a subject does not exhibit lupus anticoagulant (LAC, also known as lupus antibody, LA, or lupus inhibitors). The presence of LAC can be determined by any known methods, *e.g.,* by measuring the LAC by an LAC test or an APLA test. LAC is an immunoglobulin that binds to phospholipids and proteins associated with the cell membrane. Joussen, J., *et al., in Documenta Ophthalmologica*, 2008, Volume 117, Number 3, Pages 263-265, Retinal Vascular Disease, S. J. Ryan (eds), Springer, 2007, 780 p, 1040, ISBN: 978-3-540-29541-9. LAC is a prothrombotic agent; that is, presence of LAC antibodies precipitates the formation of thrombi *in vivo*. Presence of these antibodies in laboratory tests causes an increase in aPTT. It is speculated that the presence of the antibodies interferes with phospholipids utilized to induce *in vitro* coagulation. It is thought to interact with platelet membrane phospholipids *in vivo*, increasing adhesion and aggregation of platelets; thus its *in vivo* prothrombotic characteristics. Therefore, LAC acts as a coagulation agent *in vivo*.

IV. Homogeneous Population of Adenovirus Expressing FAS-Chimera

[0110] The present invention also provides a homogeneous population of an adenovirus comprising SEQ ID NO: 19 or of an adenovirus having ECACC deposit designation No. 13021201. The term "homogeneous" as used herein refers to a single population of an

adenovirus without contamination of heterologous adenoviruses having different sequences. Examples of the heterologous adenovirus include, but are not limited to, the adenovirus comprising a nucleotide sequence which comprises SEQ ID NO: 20 or SEQ ID NO: 21.

[0111] The adenovirus comprising a nucleotide sequence which comprises SEQ ID NO: 20 and the adenovirus comprising a nucleotide sequence which comprises SEQ ID NO: 21 were previously disclosed in International Application Nos. PCT/IL2011/00007 and PCT/IL2011/00009, published on July 14, 2011 as WO2011/083464 and WO2011/083466, respectively, which are incorporated herein by reference in their entireties.

[0112] The present invention provides an adenovirus comprising SEQ ID NO: 19 (35,208 bps), which includes two nucleotide residues different from SEQ ID NO: 20 (35203 bps) and SEQ ID NO: 21. The two mismatches (*i.e.,* Gly → Ala) in SEQ ID NO: 20 and SEQ ID NO: 21 are at nucleotide residues 501 and 1255. In addition, SEQ ID NO: 19 contains an extra thymidine at nucleotide residue 33624 and four extra base pairs at the 3' end. Moreover, SEQ ID NO: 21 contains an amino acid encoding an extra E1 region.

[0113] SEQ ID NO: 19 comprises a nucleotide sequence of an endothelial cell-specific promoter (*i.e.,* PPE-1-3x promoter) at nucleotide residues 458 to 1444 corresponding to SEQ ID NO: 18, and a nucleotide sequence encoding a FAS-chimera protein at nucleotide residues 1469 to 2569 corresponding to SEQ ID NO: 9.

[0114] In one embodiment, the present invention is a composition comprising an adenovirus comprising a FAS-chimera gene operably linked to an endothelial cell-specific promoter, wherein the adenovirus does not contain SEQ ID NO: 20 and does not contain SEQ ID NO: 21. In another embodiment, the present invention is a composition comprising an adenovirus comprising SEQ ID NO: 19 or an adenovirus having ECACC deposit designation No. 13021201, wherein the composition does not contain an adenovirus comprising SEQ ID NO: 20 and does not contain an adenovirus comprising SEQ ID NO: 21.

[0115] In another embodiment, a composition comprises an adenovirus comprising nucleotide residues 458 to 2569 of SEQ ID NO: 19, wherein the composition does not comprise an adenovirus comprising nucleotide residues 458 to 2569 of SEQ ID NO: 20 or SEQ ID NO: 21.

[0116] In other embodiments, a composition of the present invention comprises an adenovirus comprising a nucleic acid sequence at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 19, wherein the nucleic acid sequence is not SEQ ID NO: 20 and is not SEQ ID NO: 21 and wherein the composition does not contain an adenovirus comprising SEQ ID NO: 20 and does not contain an adenovirus comprising SEQ ID NO: 21.

[0117] In still other embodiments, a composition of the present invention comprising an adenovirus comprising SEQ ID NO: 19 or an adenovirus having ECACC deposit designation No. 13021201, wherein the adenovirus is at least about 51% pure, at least 55% pure, at least about 60% pure, at least about 70% pure, at least about 80% pure, at least about 90% pure, at least about 95% pure, at least about 96% pure, at least about 97% pure, at least about 98% pure, at least about 99% pure, or about 100% pure. The term "pure" as used herein means a degree of homogeneity, *i.e.,* without heterologous adenoviruses. For example, about 51% pure composition comprising an adenovirus comprising SEQ ID NO: 19 contains about 51% of the adenovirus comprising SEQ ID NO: 19 and about 49% of an adenovirus comprising a heterologous sequence, *e.g.,* SEQ ID NO: 20 or SEQ ID NO: 21. The composition for the invention can contain other ingredients including, but not limited to, a pharmaceutically acceptable carrier, excipient, tonicity modifying agent, or any necessary ingredients for formulation.

[0118] In some embodiments, the invention includes a method of isolating or purifying a homogeneous population of the nucleic acid construct. In other embodiments, the invention provides a method of removing heterologous populations of adenovirus, *e.g.,* SEQ ID NO: 20, SEQ ID NO: 21, or both, from a composition comprising an adenovirus comprising SEQ ID NO: 19 or a nucleic acid construct having ECACC deposit designation No. 13021201

[0119] Also provided is a method of reducing or decreasing a size of a tumor or slowing the rate of tumor growth eliminating a tumor in a subject comprising administering to the subject an effective amount of a homogeneous population of the adenovirus or a composition comprising the homogeneous population of the adenovirus. The invention also includes a method of inhibiting, decreasing, or reducing neo-vascularization or angiogenesis in a tumor comprising administering to a subject having the tumor an effective amount of a homogeneous population of the adenovirus or a composition

comprising the homogeneous population of the adenovirus. Moreover, the invention includes a method of treating or preventing a tumor associated with or derived from cancer in a subject comprising administering an effective amount of the homogeneous population of the adenovirus or a composition comprising the homogeneous population of the adenovirus.

[0120] The invention also includes a method of reducing or decreasing a size of a tumor or slowing the rate of tumor growth eliminating a tumor in a subject comprising administering to the subject an effective amount of a homogeneous population of the adenovirus or a composition comprising the homogeneous population of the adenovirus repeatedly without administering a heterogeneous population of an adenovirus comprising SEQ ID NO: 20 or SEQ ID NO: 21 or a composition comprising the heterogeneous population of the adenovirus. Also included is a method of inhibiting, decreasing, or reducing neo-vascularization or angiogenesis in a tumor comprising administering to a subject having the tumor an effective amount of a homogeneous population of the adenovirus or a composition comprising the homogeneous population of the adenovirus repeatedly without administering a heterogeneous population of the adenovirus comprising SEQ ID NO: 20 or SEQ ID NO: 21or a composition comprising the heterogeneous population of the adenovirus. In addition, the invention includes a method of treating or preventing a tumor associated with or derived from cancer in a subject comprising administering an effective amount of the homogeneous population of the adenovirus or a composition comprising the homogeneous population of the adenovirus repeatedly without administering a heterogeneous population of the adenovirus comprising SEQ ID NO: 20 or SEQ ID NO: 21 or a composition comprising the heterogeneous population of the adenovirus.

[0121] The tumor that can be reduced, inhibited, or treated with the homogeneous population of the adenovirus or the composition can be a solid tumor, a primary tumor, or a metastatic tumor. The term "metastatic" or "metastasis" refers to tumor cells that are able to establish secondary tumor lesions in another parts or organ.

[0122] In other embodiments, the homogeneous population of the invention when administered to a subject in need thereof prolongs the overall survival of the subject. In further embodiments, the homogeneous population of the invention when administered to a subject in need thereof prolongs progression-free survival of the subject.

[0123] A "solid tumor" includes, but is not limited to, sarcoma, melanoma, carcinoma, or other solid tumor cancer. "Sarcoma" refers to a tumor which is made up of a substance like the embryonic connective tissue and is generally composed of closely packed cells embedded in a fibrillar or homogeneous substance. Sarcomas include, but are not limited to, chondrosarcoma, fibrosarcoma, lymphosarcoma, melanosarcoma, myxosarcoma, osteosarcoma, Abemethy's sarcoma, adipose sarcoma, liposarcoma, alveolar soft part sarcoma, ameloblastic sarcoma, botryoid sarcoma, chloroma sarcoma, chorio carcinoma, embryonal sarcoma, Wilms' tumor sarcoma, endometrial sarcoma, stromal sarcoma, Ewing's sarcoma, fascial sarcoma, fibroblastic sarcoma, giant cell sarcoma, granulocytic sarcoma, Hodgkin's sarcoma, idiopathic multiple pigmented hemorrhagic sarcoma, immunoblastic sarcoma of B cells, lymphoma, immunoblastic sarcoma of T-cells, Jensen's sarcoma, Kaposi's sarcoma, Kupffer cell sarcoma, angiosarcoma, leukosarcoma, malignant mesenchymoma sarcoma, parosteal sarcoma, reticulocytic sarcoma, Rous sarcoma, serocystic sarcoma, synovial sarcoma, and telangiectaltic sarcoma.

[0124] The term "melanoma" refers to a tumor arising from the melanocytic system of the skin and other organs. Melanomas include, for example, acra -lentiginous melanoma, amelanotic melanoma, benign juvenile melanoma, Cloudman's melanoma, S91 melanoma, Harding-Passey melanoma, juvenile melanoma, lentigo maligna melanoma, malignant melanoma, metastatic melanoma, nodular melanoma, subungal melanoma, and superficial spreading melanoma.

[0125] The term "carcinoma" refers to a malignant new growth made up of epithelial cells tending to infiltrate the surrounding tissues and give rise to metastases. Exemplary carcinomas include, for example, acinar carcinoma, acinous carcinoma, adenocystic carcinoma, adenoid cystic carcinoma, carcinoma adenomatosum, carcinoma of adrenal cortex, alveolar carcinoma, alveolar cell carcinoma, basal cell carcinoma, carcinoma basocellulare, basaloid carcinoma, basosquamous cell carcinoma, bronchioalveolar carcinoma, bronchiolar carcinoma, bronchogenic carcinoma, cerebriform carcinoma, cholangiocellular carcinoma, chorionic carcinoma, colloid carcinoma, comedo carcinoma, corpus carcinoma, cribriform carcinoma, carcinoma en cuirasse, carcinoma cutaneum, cylindrical carcinoma, cylindrical cell carcinoma, duct carcinoma, carcinoma durum, embryonal carcinoma, encephaloid carcinoma, epiermoid carcinoma, carcinoma epitheliale adenoides, exophytic carcinoma, carcinoma ex ulcere, carcinoma fibrosum,

gelatiniform carcinoma, gelatinous carcinoma, giant cell carcinoma, carcinoma gigantocellulare, glandular carcinoma, granulosa cell carcinoma, hair-matrix carcinoma, hematoid carcinoma, hepatocellular carcinoma, Hurthle cell carcinoma, hyaline carcinoma, hypemephroid carcinoma, infantile embryonal carcinoma, carcinoma in situ, intraepidermal carcinoma, intraepithelial carcinoma, Krompecher's carcinoma, Kulchitzky-cell carcinoma, large-cell carcinoma, lenticular carcinoma, carcinoma lenticulare, lipomatous carcinoma, lymphoepithelial carcinoma, carcinoma medullare, medullary carcinoma, melanotic carcinoma, carcinoma molle, mucinous carcinoma, carcinoma muciparum, carcinoma mucocellulare, mucoepidernoid carcinoma, carcinoma mucosum, mucous carcinoma, carcinoma myxomatodes, naspharyngeal carcinoma, oat cell carcinoma, carcinoma ossificans, osteoid carcinoma, papillary carcinoma, periportal carcinoma, preinvasive carcinoma, prickle cell carcinoma, pultaceous carcinoma, renal cell carcinoma of kidney, reserve cell carcinoma, carcinoma sarcomatodes, schneiderian carcinoma, scirrhous carcinoma, carcinoma scroti, signet-ring cell carcinoma, carcinoma simplex, small-cell carcinoma, solanoid carcinoma, spheroidal cell carcinoma, spindle cell carcinoma, carcinoma spongiosum, squamous carcinoma, squamous cell carcinoma, string carcinoma, carcinoma telangiectaticum, carcinoma telangiectodes, transitional cell carcinoma, carcinoma tuberosum, tuberous carcinoma, verrucous carcinoma, and carcinoma viflosum.

[0126] Additional cancers that may be inhibited or treated include, for example, Leukemia, Hodgkin's Disease, Non- Hodgkin's Lymphoma, multiple myeloma, neuroblastoma, breast cancer, ovarian cancer, lung cancer, rhabdomyosarcoma, primary thrombocytosis, primary macroglobulinemia, small-cell lung tumors, primary brain tumors, stomach cancer, colon cancer, malignant pancreatic insulanoma, malignant carcinoid, urinary bladder cancer, premalignant skin lesions, testicular cancer, lymphomas, thyroid cancer, papillary thyroid cancer, neuroblastoma, neuroendocrine cancer, esophageal cancer, genitourinary tract cancer, malignant hypercalcemia, cervical cancer, endometrial cancer, adrenal cortical cancer, prostate cancer, Müllerian cancer, ovarian cancer, peritoneal cancer, fallopian tube cancer, or uterine papillary serous carcinoma.

V. PHARMACEUTICAL COMPOSITIONS

[0127] Also provided in the invention is a pharmaceutical composition comprising a nucleic acid construct expressing a FAS-chimera protein used in the methods of the invention, an adenovirus comprising the nucleic acid construct, or a homogeneous population of the adenovirus. The pharmaceutical composition can be formulated for administration to mammals, including humans. The pharmaceutical compositions used in the methods of this invention comprise pharmaceutically acceptable carriers, including, *e.g.*, ion exchangers, alumina, aluminum stearate, lecithin, serum proteins, such as human serum albumin, buffer substances such as phosphates, glycine, sorbic acid, potassium sorbate, partial glyceride mixtures of saturated vegetable fatty acids, water, salts or electrolytes, such as protamine sulfate, disodium hydrogen phosphate, potassium hydrogen phosphate, sodium chloride, zinc salts, colloidal silica, magnesium trisilicate, polyvinyl pyrrolidone, cellulose-based substances, polyethylene glycol, sodium carboxymethylcellulose, polyacrylates, waxes, polyethylene-polyoxypropylene-block polymers, polyethylene glycol and wool fat. In one embodiment, the composition is formulated by adding saline.

[0128] The compositions of the present invention may be administered by any suitable method, *e.g.*, parenterally (*e.g.,* includes subcutaneous, intravenous, intramuscular, intra-articular, intra-synovial, intrasternal, intrathecal, intrahepatic, intralesional and intracranial injection or infusion techniques), intraventricularly, orally, by inhalation spray, topically, rectally, nasally, buccally, vaginally or via an implanted reservoir. As described previously, the composition comprising a nucleic acid construct which comprises a FAS-chimera gene or the homogeneous population of the adenovirus expresses the FAS-chimera gene product in an endothelial cell and thereby induces apoptosis of the endothelial cell. Accordingly, the composition can inhibit, reduce, or decrease the size of a tumor or a metastasis thereof by inhibiting neo-vascularization and/or angiogenesis of the tumor endothelial cells. Therefore, in one embodiment, the composition is delivered systemically or locally. For systemic or local delivery, the pharmaceutical formulation containing the nucleic acid construct, the adenovirus, or the homogeneous population of the adenovirus can utilize a mechanical device such as a needle, cannula or surgical instruments.

[0129] Sterile injectable forms of the compositions used in the methods of this invention may be aqueous or oleaginous suspension. These suspensions may be formulated according to techniques known in the art using suitable dispersing or wetting agents and suspending agents. The sterile, injectable preparation may also be a sterile, injectable solution or suspension in a non-toxic parenterally acceptable diluent or solvent, for example as a suspension in 1,3-butanediol. Among the acceptable vehicles and solvents that may be employed are water, Ringer's solution and isotonic sodium chloride solution. In addition, sterile, fixed oils are conventionally employed as a solvent or suspending medium. For this purpose, any bland fixed oil may be employed including synthetic mono- or di-glycerides. Fatty acids, such as oleic acid and its glyceride derivatives are useful in the preparation of injectables, as are natural pharmaceutically acceptable oils, such as olive oil or castor oil, especially in their polyoxyethylated versions. These oil solutions or suspensions may also contain a long-chain alcohol diluent or dispersant, such as carboxymethyl cellulose or similar dispersing agents which are commonly used in the formulation of pharmaceutically acceptable dosage forms including emulsions and suspensions. Other commonly used surfactants, such as Tweens, Spans and other emulsifying agents or bioavailability enhancers which are commonly used in the manufacture of pharmaceutically acceptable solid, liquid, or other dosage forms may also be used for the purposes of formulation.

[0130] Parenteral formulations may be a single bolus dose, an infusion or a loading bolus dose followed with a maintenance dose. These compositions may be administered at specific fixed or variable intervals, *e.g.*, once a day, or on an "as needed" basis.

[0131] Certain pharmaceutical compositions used in the methods of this invention may be orally administered in an acceptable dosage form including, *e.g.*, capsules, tablets, aqueous suspensions or solutions. Certain pharmaceutical compositions also may be administered by nasal aerosol or inhalation. Such compositions may be prepared as solutions in saline, employing benzyl alcohol or other suitable preservatives, absorption promoters to enhance bioavailability, and/or other conventional solubilizing or dispersing agents.

[0132] The amount of a nucleic acid construct expressing a FAS-chimera protein, an adenovirus comprising the nucleic acid construct, or a homogeneous population of the adenovirus that may be combined with the carrier materials to produce a single dosage

form will vary depending upon the host treated, the type of polypeptide used and the particular mode of administration. The composition may be administered as a single dose, multiple doses or over an established period of time in an infusion. Dosage regimens also may be adjusted to provide the optimum desired response (*e.g.*, a therapeutic or prophylactic response).

[0133] In one embodiment, a composition comprising a nucleic acid construct expressing a FAS-chimera protein, an adenovirus, or a homogeneous population of the adenovirus is infused on day 1 (*i.e.,* the first dose) and followed by one or more subsequence doses, *e.g.,* every one week cycle, every two week cycle, every three week cycle, every four week cycle, every five week cycle, every six week cycle, every seven week cycle, every eight week cycle, every nine week cycle, every ten week cycle, every 11 week cycle, or every 12 week cycle. In another embodiment, a composition comprising a nucleic acid construct expressing a FAS-chimera protein, an adenovirus, or a homogeneous population of the adenovirus is infused on day 1 (*i.e.*, the first dose) and followed by one or more subsequence doses, *e.g.,* every two weeks cycle, every monthly cycle, every two months cycle, every three months cycle, every four months cycle, every five months cycle or every six months cycle.

[0134] The methods of the invention use an "effective amount" or a "therapeutically effective amount" of a composition comprising a nucleic acid construct expressing a FAS-chimera protein, an adenovirus comprising the nucleic acid construct, or a homogeneous population of the adenovirus. Such an effective amount or a therapeutically effective amount may vary according to factors such as the disease state, age, sex, and weight of the individual. An effective amount or a therapeutically effective amount is also one in which any toxic or detrimental effects are outweighed by the therapeutically beneficial effects.

[0135] A specific dosage and treatment regimen for any particular patient will depend upon a variety of factors, including the particular composition used, the patient's age, body weight, general health, sex, and diet, and the time of administration, rate of excretion, drug combination, and the severity of the particular disease being treated. Judgment of such factors by medical caregivers is within the ordinary skill in the art. The amount will also depend on the individual patient to be treated, the route of administration, the type of formulation, the characteristics of the compound used, the

severity of the disease, and the desired effect. The amount used can be determined by pharmacological and pharmacokinetic principles well known in the art.

[0136] An effective amount of an adenovirus comprising the nucleic acid construct encoding a FAS-chimera or a homogeneous population of an adenovirus comprising the nucleic acid construct encoding a FAS-chimera protein can be any suitable doses. In one embodiment, an effective amount of the adenovirus or the homogeneous population of the adenovirus is at least about 10^9 VPs, at least about 10^{10} VPs, at least about 10^{11} VPs, at least about 10^{12} VPs, or at least about 10^{13} VPs per subject. In another embodiment, an effective amount of the adenovirus or the homogeneous population of the adenovirus is at least about 1 x 10^{12} VPs, at least about 2 x 10^{12} VPs, at least about 3 x 10^{12} VPs, at least about 4 x 10^{12} VPs, at least about 5 x 10^{12} VPs, at least about 6 x 10^{12} VPs, at least about 7 x 10^{12} VPs, at least about 8 x 10^{12} VPs, at least about 9 x 10^{12} VPs, or at least about 1 x 10^{13} VPs per subject. In other embodiments, an effective amount of the adenovirus or the homogeneous population of the adenovirus is about 10^9 to about 10^{15} VPs, about 10^{10} to about 10^{14} VPs, about 10^{11} to about 10^{13} VPs, or about 10^{12} to about 10^{13} VPs, or about 3 x 10^{12} to about 10^{13} VPs per subject.

[0137] In other aspects, an effective amount of an adenovirus expressing a FAS-chimera protein or a homogeneous population of the adenovirus is escalated if the first dose does not induce any toxicity. For example, the first dose of the adenovirus expressing a FAS-chimera protein or a homogeneous population of the adenovirus can be at least about 1 x 10^9, about 1 x 10^{10} VPs, at least about 1 x 10^{11} VPs, at least about 1 x 10^{12} VPs, at least about 2 x 10^{12} VPs, at least about 3 x 10^{12} VPs, at least about 4 x 10^{12} VPs, at least about 5 x 10^{12} VPs, at least about 6 x 10^{12} VPs, at least about 7 x 10^{12} VPs, at least about 8 x 10^{12} VPs, or at least about 9 x 10^{12} VPs per subject, and the second dose or the subsequence doses of the adenovirus expressing a FAS-chimera protein can be at least about 5 x 10^{12} VPs, at least about 6 x 10^{12} VPs, at least about 7 x 10^{12} VPs, at least about 8 x 10^{12} VPs, or at least about 9 x 10^{12} VPs, at least about 1 x 10^{13} VPs, at least about 2 x 10^{13} VPs, at least about 3 x 10^{13} VPs, at least about 4 x 10^{13} VPs, at least about 5 x 10^{13} VPs, at least about 6 x 10^{13} VPs, at least about 7 x 10^{13} VPs, at least about 8 x 10^{13} VPs, at least about 9 x 10^{13} VPs, at least about 1 x 10^{14} VPs per subject. In a specific example, the first dose of the adenovirus expressing a FAS-chimera protein or a homogeneous population of the adenovirus is about 3 x 10^{12} VPs per subject, and the second dose of the adenovirus

construct expressing FAS-chimera is about 1 x 10^{13} VPs per subject. However, an effective amount of the adenovirus expressing a FAS-chimera protein or a homogeneous population of the adenovirus can be reduced if a particular dose induces dose limiting toxicity.

[0138] A composition comprising the adenovirus or the homogeneous population of the adenovirus can be infused to the subject for about 10 minutes, about 20 minutes, about 30 minutes, about 40 minutes, about 50 minutes, about 60 minutes, about 70 minutes, about 80 minutes, about 90 minutes, about 100 minutes, about 110 minutes, or about 120 minutes. In one embodiment, the nucleic acid construct of the invention is infused intravenously for not more than 60 minutes. In another embodiment, a composition comprising the adenovirus or the homogeneous population of the adenovirus is infused at a rate of 1 mL/ minute for doses equal to or less than 3 x 10^{12} VPs per subject. If the dose is more than 3 x 10^{12} VPs per subject, the composition comprising the adenovirus or the homogeneous population of the adenovirus is infused at a rate of 1 mL/minute for the first 10 mL and then at a rate of 3 mL/minute for the remainder.

[0139] Supplementary active compounds also can be incorporated into the compositions used in the methods of the invention. For example, a nucleic acid construct encoding a FAS-chimera gene product or a homogeneous population of the nucleic acid construct may be coformulated with and/or coadministered with one or more additional therapeutic agents.

[0140] The invention encompasses any suitable delivery method for a nucleic acid construct encoding FAS-chimera gene product or a homogeneous population of the nucleic acid construct to a selected target tissue, including bolus injection of an aqueous solution or implantation of a controlled-release system. Use of a controlled-release implant reduces the need for repeat injections.

[0141] A nucleic acid construct encoding FAS-chimera gene product, an adenovirus comprising the nucleic acid construct, or a homogeneous population of the adenovirus may be directly infused into the tumor. Various implants for direct tumor infusion of compounds are known and are effective in the delivery of therapeutic compounds to human patients suffering from female gynecological cancer.

[0142] The compositions may also comprise a nucleic acid construct encoding FAS-chimera gene product, an adenovirus comprising the nucleic acid construct, or a

homogeneous population of the adenovirus dispersed in a biocompatible carrier material that functions as a suitable delivery or support system for the compounds. Suitable examples of sustained release carriers include semipermeable polymer matrices in the form of shaped articles such as suppositories or capsules. Implantable or microcapsular sustained release matrices include polylactides (U.S. Patent No. 3,773,319; EP 58,481), copolymers of L-glutamic acid and gamma-ethyl-L-glutamate (Sidman *et al.*, *Biopolymers* 22:547-56 (1985)); poly(2-hydroxyethyl-methacrylate), ethylene vinyl acetate (Langer *et al., J. Biomed. Mater. Res. 15*:167-277 (1981); Langer, *Chem. Tech. 12*:98-105 (1982)) or poly-D-(-)-3hydroxybutyric acid (EP 133,988).

[0143] According to the methods of the present invention, administration of the nucleic acid construct, the adenovirus, or the homogeneous population of the adenovirus can be combined with administration of one or more chemotherapeutic agents. The chemotherapeutic agent can be administered prior to, concurrently with, or after administration of the adenovirus expressing a FAS-chimera protein or a homogeneous population of the adenovirus.

[0144] One or more chemotherapeutic agent that can be co-administered with the adenovirus of the invention include, but are not limited to Acivicin; Aclarubicin; Acodazole Hydrochloride; Acronine; Adriamycin; Adozelesin; Aldesleukin; Alimta; Altretamine; Ambomycin; Ametantrone Acetate; Aminoglutethimide; Amsacrine; Anastrozole; Anthramycin; Asparaginase; Asperlin; Azacitidine; Azetepa; Azotomycin; Batimastat; Benzodepa; Bicalutamide; Bisantrene Hydrochloride; Bisnafide Dimesylate; Bevacizumab, Bizelesin; Bleomycin Sulfate; Brequinar Sodium; Bropirimine; Busulfan; Cactinomycin; Calusterone; Caracemide; Carbetimer; Carboplatin; Carmustine; Carubicin Hydrochloride; Carzelesin; Cedefingol; Chlorambucil; Cirolemycin; Cisplatin; Cladribine; Crisnatol Mesylate; Cyclophosphamide; Cytarabine; Dacarbazine; Dactinomycin; Daunorubicin Hydrochloride; Decitabine; Dexormaplatin; Dezaguanine; Dezaguanine Mesylate; Diaziquone; Docetaxel; Doxorubicin; Doxorubicin Hydrochloride; Droloxifene; Droloxifene Citrate; Dromostanolone Propionate; Duazomycin; Edatrexate; Eflornithine Hydrochloride; Elsamitrucin; Enloplatin; Enpromate; Epipropidine; Epirubicin Hydrochloride; Erbulozole; Esorubicin Hydrochloride; Estramustine; Estramustine Phosphate Sodium; Etanidazole; Etoposide; Etoposide Phosphate; Etoprine; Fadrozole Hydrochloride; Fazarabine; Fenretinide;

Floxuridine; Fludarabine Phosphate; Fluorouracil; Flurocitabine; Fosquidone; Fostriecin Sodium; Gemcitabine; Gemcitabine Hydrochloride; Hydroxyurea; Idarubicin Hydrochloride; Ifosfamide; Ilmofosine; Interferon Alfa-2a; Interferon Alfa-2b; Interferon Alfa-nl; Interferon Alfa-n3; Interferon Beta- I a; Interferon Gamma- I b; Iproplatin; Irinotecan Hydrochloride; Lanreotide Acetate; Letrozole; Leuprolide Acetate; Liarozole Hydrochloride; Lometrexol Sodium; Lomustine; Losoxantrone Hydrochloride; Masoprocol; Maytansine; Mechlorethamine Hydrochloride; Megestrol Acetate; Melengestrol Acetate; Melphalan; Menogaril; Mercaptopurine; Methotrexate; Methotrexate Sodium; Metoprine; Meturedepa; Mitindomide; Mitocarcin; Mitocromin; Mitogillin; Mitomalcin; Mitomycin; Mitosper; Mitotane; Mitoxantrone Hydrochloride; Mycophenolic Acid; Nocodazole; Nogalamycin; Ormaplatin; Oxisuran; pazotinib; Paclitaxel; Pegaspargase; Peliomycin; Pentamustine; Peplomycin Sulfate; Perfosfamide; Pipobroman; Piposulfan; Piroxantrone Hydrochloride; Plicamycin; Plomestane; Porfimer Sodium; Porfiromycin; Prednimustine; Procarbazine Hydrochloride; Puromycin; Puromycin Hydrochloride; Pyrazofurin; Riboprine; Rogletimide; Safingol; Safingol Hydrochloride; Semustine; Simtrazene; Sorafinib; Sparfosate Sodium; Sparsomycin; Spirogermanium Hydrochloride; Spiromustine; Spiroplatin; Streptonigrin; Streptozocin; Sulofenur; Sunitinib; Talisomycin; Taxol; Tecogalan Sodium; Tegafur; Teloxantrone Hydrochloride; Temoporfin; Teniposide; Teroxirone; Testolactone; Thiamiprine; Thioguanine; Thiotepa; Tiazofuirin; Tirapazamine; Topotecan Hydrochloride; Toremifene Citrate; Trestolone Acetate; Triciribine Phosphate; Trimetrexate; Trimetrexate Glucuronate; Triptorelin; Tubulozole Hydrochloride; Uracil Mustard; Uredepa; Vapreotide; Verteporfin; Vinblastine Sulfate; Vincristine Sulfate; Vindesine; Vindesine Sulfate; Vinepidine Sulfate; Vinglycinate Sulfate; Vinleurosine Sulfate; Vinorelbine Tartrate; Vinrosidine Sulfate; Vinzolidine Sulfate; Vorozole; Zeniplatin; Zinostatin; or Zorubicin Hydrochloride. Additional antineoplastic agents include those disclosed in Chapter 52, Antineoplastic Agents (Paul Calabresi and Bruce A. Chabner), and the introduction thereto, 1202-1263, of Goodman and Gilman's "The Pharmacological Basis of Therapeutics", Eighth Edition, 1990, McGraw-Hill, Inc.

[0145] In some embodiments, a subject administered with an adenovirus expressing a FAS-chimera protein or a homogeneous population of the adenovirus is concurrently treated with radiotherapy. In other embodiments, a subject administered with an

adenovirus expressing a FAS-chimera protein or a homogeneous population of the adenovirus is concurrently treated with two or more chemotherapeutic agents. In certain embodiments, a subject administered with an adenovirus expressing a FAS-chimera protein or a homogeneous population of the adenovirus is concurrently treated with a chemotherapeutic agent and radiotherapy.

[0146] In the combination therapy aspect of the invention, the chemotherapeutic agent can be paclitaxel. In one aspect, an adenovirus expressing a FAS-chimera protein or a homogeneous population of the adenovirus can be administered concurrently with paclitaxel. In another aspect, an adenovirus expressing a FAS-chimera protein or a homogeneous population of the adenovirus is administered before or after administration of paclitaxel. In other embodiments, paclitaxel is administered at least 30 minutes, at least about one hour, at least about two hours, at least about three hours, at least about four hours, at least about five hours, at least about six hours, at least about seven hours, at least about eight hours, at least about nine hours, at least about ten hours, at least about 11 hours, at least about 12 hours, at least about 13 hours, at least about 14 hours, at least about 19 hours, at least about 20 hours, at least about 21 hours, at least about 22 hours, at least about 23 hours, at least about 24 hours, at least about one day, at least about 36 hours, at least about 2 days, at least about 60 hours, or at least about 3 days prior to the administration of an adenovirus expressing a FAS-chimera protein or a homogeneous population of the adenovirus.

[0147] The chemotherapeutic agent can also be administered by any suitable methods, *e.g.*, parenterally, intraventricularly, orally, by inhalation spray, topically, rectally, nasally, buccally, vaginally or via an implanted reservoir. The term "parenteral" as used herein includes subcutaneous, intravenous, intramuscular, intra-articular, intra-synovial, intrasternal, intrathecal, intrahepatic, intralesional, intraperitoneal, intracranial injection or infusion techniques.

[0148] An effective amount of the chemotherapeutic agent is available in the art. In one aspect, for example, an effective amount of paclitaxel can be at least about 10 mg/m^2, at least about 20 mg/m^2, at least about 30 mg/m^2, at least about 40 mg/m^2, at least about 50 mg/m^2, at least about 60 mg/m^2, at least about 70 mg/m^2, at least about 80 mg/m^2, at least about 90 mg/m^2, at least about 100 mg/m^2, or at least about 110 mg/m^2. In another aspect, an effective amount of paclitaxel is from about 10 mg/m^2 to about 200 mg/m^2,

from about 20 mg/m^2 to about 150 mg/m^2, from about 30 mg/m^2 to about 100 mg/m^2, or from 40 mg/m^2 to about 80 mg/m^2. In other aspects, an effective amount of paclitaxel is about 10 mg/m^2, about 20 mg/m^2, about 30 mg/m^2, about 40 mg/m^2, about 50 mg/m^2, about 60 mg/m^2, about 70 mg/m^2, about 80 mg/m^2, about 90 mg/m^2, or about 100 mg/m^2.

[0149] In certain aspects for the paclitaxel administration, paclitaxel is infused for at least 10 minutes, at least 20 minutes, at least 30 minutes, at least 40 minutes, at least 50 minutes, at least 60 minutes, at least 70 minutes, at least 80 minutes, at least 90 minutes, at least 100 minutes, at least 110 minutes, at least 120 minutes, at least 150 minutes, at least 180 minutes, at least 210 minutes, at least 240 minutes, at least 270 minutes, or at least 300 minutes. In a specific example, paclitaxel is infused for at least one hour. The infusion methods for paclitaxel can be used any methods known in the art. For example, paclitaxel can be administered through an in-line filter with a microporous membrane not greater than 0.22 microns over three hours.

[0150] In some aspects, paclitaxel is infused on day 1 (the same day that the adenovirus expressing a FAS-chimera protein or a homogeneous population of the adenovirus is administered) (*i.e.,* the first dose) and followed by one or more subsequence doses, *e.g.,* every three days, every four days, every five days, every six days, every seven days, every eight days, every nine days, every ten days, every 11 days, every 12 days, every 13 days, or every 14 days infusion. In a specific example, paclitaxel is administered on day 1 (*i.e.,* the first dose) and followed by 8 day (*i.e.,* the second dose), 15 day (*i.e.,* the third dose) and 22 day (*i.e.,* the fourth dose) schedule every 28 days.

[0151] In yet other aspects, an effective amount of a chemotherapeutic agent to be coadministered together with the adenovirus expressing a FAS-chimera protein or a homogeneous population of the adenovirus is escalated if the first dose does not induce any toxicity. For example, the first dose of paclitaxel can be about 10 to about 70 mg/m^2, about 20 to about 60 mg/m^2, about 30 to about 50 mg/m^2, or about 40 mg/m^2, and the second dose or any subsequent doses can be escalated by about 10 mg/m^2, about 20 mg/m^2, about 30 mg/m^2, about 40 mg/m^2, about 50 mg/m^2, about 60 mg/m^2, about 70 mg/m^2, or about 80 mg/m^2. In one embodiment, the first dose of paclitaxel is about 40 mg/m^2, and the second dose of paclitaxel is about 80 mg/m^2. In another embodiment, the first dose of paclitaxel is about 40 mg/m^2, the second dose of paclitaxel is about 80 mg/m^2, and the third dose of paclitaxel is about 80 mg/m^2. In other embodiments, the

first dose of paclitaxel is about 40 mg/m^2, the second dose of paclitaxel is about 80 mg/m^2, the second dose of paclitaxel is about 80 mg/m^2, and the fourth dose of paclitaxel is about 80 mg/m^2.

[0152] However, an effective amount of paclitaxel can be reduced if the first dose induces a dose limiting toxicity to the subject. The dose limiting toxicity can be determined by any known methods: for example, (1) absolute neutrophil count (ANC) of $< 0.5 \times 10^9$/L lasting for ≥ 4 days or an absolute neutrophil count $< 0.5 \times 10^9$/L with sepsis, or grade 3-4 fever (>100.2°F) which is not readily controlled with anti-pyretic medication; (2) platelet count $< 10 \times 10^9$/L for any duration; (3) any other drug-related non hepatic and non-hematologic grade ≥ 3 toxicity, or any combinations thereof. This does not include grade ≥ 3 nausea or vomiting that can be controlled medically (if nausea and/or vomiting cannot be controlled medically and occurs during the first cycle, it will be considered a DLT) or grade ≥ 3 hypokalemia, hyponatremia, hypophosphatemia, hypomagnesemia, and hypocalcemia if they can be easily corrected, are clinically asymptomatic, and not accompanied by medically significant complications (*e.g.,* ECG changes).

[0153] In one embodiment, the first dose of paclitaxel in day 1 is 40 mg/m^2, and if the subject exhibits no dose limiting toxicity, the second dose at day 8 and the subsequent doses at day 15, day 22, and day 28 are escalated to 80 mg/m^2. In another embodiment, if ANC/drug in a subject is ≥1,000 / mm^3, the subject is administered with a full dose of paclitaxel, *e.g.,* 80 mg/m^2. If ANC/drug in the subject is < 1,000 /mm^3, the paclitaxel administration is stopped. If there is a further incidence of ANC < 1,000 /mm^3, the paclitaxel dose can be reduced to 60 mg/m^2. In other embodiments, if a subject has the platelets/drug of ≥100,000 /mm^3 or has the first incidence of <100,000/ mm^3 and >75,000 /mm3, the subject is administered with a full dose of paclitaxel, *e.g.,* 80 mg/m^2. If a subject shows the platelets/drug of <75,000 /mm^3, the paclitaxel administration is stopped. If the subject shows a repeat incidence of platelets/drug of <100,000 /mm^3 and >75,000 / mm^3, the paclitaxel dose is reduced to 69 mg/m^2. In some embodiments, if a subject shows the first incidence of neuropathy grade > 2, the paclitaxel dose is reduced from the full dose, *e.g.,* about 80 mg/m^2, to about 60 mg/m^2. If the subject exhibits the second incidence (or shows persistence despite the dose reduction) of neuropathy grade

>2, the paclitaxel dose is reduced to 40 mg/m^2. If the subject exhibits the third incidence (or persistence despite dose reduction), the paclitaxel administration is discontinued.

[0154] Paclitaxel is not known to cause hepatic toxicity; however, its elimination is delayed in patients with severe hepatic dysfunction. Therefore, the dose of paclitaxel in subject with hepatic dysfunction can be modified according to the following table.

TABLE 5. Paclitaxel Dose Modification for Subjects with Hepatic Dysfunction.

Serum AST, or ALT	Paclitaxel
< 3x ULN	80 mg/m2
≥ 3x ULN	60 mg/m2
≥ 5x ULN	Hold drug

[0155] Subjects with elevated bilirubin > 1.5 mg/dl may not receive paclitaxel until the abnormal laboratory values improve to ≤ grade 1. Treatment can be resumed after recovery with paclitaxel at one dose level lower, per the above table. The subjects exhibiting paclitaxel toxicity that lasts more than 2 weeks can discontinue the drug.

[0156] In certain embodiments, a subject is administered with an immunosuppressant agent prior to, concomitantly with, or after administration of one or more chemotherapeutic agent, *e.g.*, paclitaxel. In one embodiment, the immunosuppressant agent useful for administering to the subject is selected from the group consisting of H_2-receptor antagonists, cimetidine, ranitidine, famotidine, corticosteroids, dexamethasone, cyclosporine, diphenhydramine, and any combinations thereof.

[0157] In further embodiments, methods of the invention further comprise administering one or more anti-angiogenetic agents prior to, concurrently with, or after the administration of a nucleic acid construct expressing a FAS chimera protein.

[0158] In some embodiments, a subject for the invention is administered with an anti-emetic agent. Examples of suitable anti-emetic agents include, but are not limited to, 5-HT3 receptor antagonists (*e.g.*, dolasetron, granisetron, ondansetro, tropisetron, palonosetron, or mirtazapine), dopamine antagonists (*e.g.*, domperidone, olanzapine, droperidol, haloperidol, chlorpromazine, promethazine, prochlorperazine, metoclopramide, alizapride, or prochlorperazine, compazine, stemzine, buccastem, stemetil, or phenotil), NK1 receptor antagonist (*e.g.*, aprepitant or casopitant), antihistamines (H1 histamine receptor antagonists) (e.g, cyclizine, diphenhydramine,

dimenhydrinate, doxylamine, meclozine, promethazine, or hydroxyzine), cannabinoids (*e.g.,* cannabis, dronabinol, nabilone, the JWH series, or Sativex), benzodiazepines (*e.g.,* midazolam or lorazepam), anticholinergics (*e.g.,* hyoscine), steroids (*e.g.,* dexamethasone), trimethobenzamide, ginger, emetrol, propofol, peppermint, muscimol, or ajwain), or any combinations thereof. In other embodiments, the suitable anti-emetic agents are dexamethasone, PRN Ativan, kytril, compazine, perphenazine, zofran, perphenazine, or any combinations thereof.

[0159] In other embodiments, antipyretic agents is administered prior to, concurrently with, or after the administration of the nucleic acid construct encoding a FAS-chimera protein. Examples of the antipyretic agents include, but are not limited to NSAIDs (*e.g.,* ibuprofen, naproxen, ketoprofen, and nimesulide), aspirin, acetaminophen, metamizole, nabumetone, phenazone, quinine, or any combinations thereof.

[0160] The methods of the present invention further comprise determining disease progression in the subject before or after receiving the nucleic acid construct expressing a FAS-chimera protein or the chemotherapeutic agent. In one embodiment, disease progression is determined by measuring size of the tumor. In another embodiment, disease progression is determined by measuring expression of a tumor antigen, *e.g.*, CA-125. In order to determine the disease progression, the subject's blood and urine are collected prior to the infusion, at the end of the infusion, about three hours after the infusion, and/or about six hours after the infusion of the nucleic acid construct expressing a FAS-chimera gene product. In other embodiments, vital signs for the subject are recorded at 0 minutes – 15 minutes (just prior to dosing), 30 minutes ± 15 minutes after start of dosing, 60 minutes ± 15 minutes after start of dosing, four hours ± 15 minutes post start of dosing, six hours ± 15 minutes post start of dosing, and/or on the occasion of any adverse events. The vital signs to be measured include, but are not limited to systolic and diastolic blood pressure, peripheral heart rate, body temperature, respiration rate, or any combinations thereof. In still other embodiments, the subject is measured for hematology (*e.g.,* complete blood count with differential, INR and activated PTT); coagulation (*e.g.,* PTT level); biodistribution of the nucleic acid construct expressing FAS-chimera; expression of angiogenic and inflammatory biomarkers (*e.g.,* VEGF, PlGF, sVEGFR1, bFGF, IL-1β, IL-6, IL-8, TNF-α, sVEGFR2, SDF1α, CD31, CD34, VEGFR2,

vWF, any combinations thereof); expression of tumor marker, *e.g.,* CA-125, or any combinations thereof.

[0161] The subjects suitable for the methods of the invention are managed in the usual fashion for fever and neutropenia. The subjects need to recover from fever and active infectious issues prior to resuming therapy. In some embodiments, the subjects who are not on growth factors have Neupogen or Neulasta added to their next cycle. The subjects on Neupogen 5 ug/kg/day can have their dose escalated to 10ug/kg on the same schedule.

Examples

Example 1

Construction and Cloning of the Viral Vector

[0162] The vector was constructed using a backbone containing most of the genome of adenovirus type 5, as well as partial homology to an adaptor plasmid, which enables recombination.

[0163] The El early transcriptional unit was deleted from the backbone plasmid, and further modified by deleting the pWE25 and the Amp resistance selection marker site.

[0164] The adaptor plasmid, containing sequences of the Ad5, CMV promoter, MCS, and SV40 polyA was modified to delete deleting the CMV promoter, and the PPE-1 promoter and Fas-c fragment were inserted by restriction digestion. The modified PPE-1 promoter (PPE-1-3X, SEQ ID NO: 18) and the Fas- chimera transgene (Fas-c, SEQ ID NO: 9) were utilized for construction of the adenoviral vector. The PPE-1- (3X)-Fas-c element (2115bp) was constructed from the PPE-1- (3X)-luc element. This element contains the 1.4kb of the murine preproendothelin PPE-1-(3X) promoter, the Luciferase gene, the SV40 polyA site and the first intron of the murine ET-1 gene, originated from the pEL8 plasmid (8848bp) used by Harats et al (Harats D. et al., JCI, 1995). The PPE-3-Luc cassette was extracted from the pEL8 plasmid using the BamHI restriction enzyme. The Luciferase gene was substituted by the Fas-c gene [composed of the extra cellular and intra membranal domains of the human TNF-R1 (Tumor Necrosis Factor Receptor 1, SEQ ID NO: 4) and of the Fas (p55) intracellular domain (SEQ ID NO: 8) (Boldin et al, JBC, 1995)] to obtain the PPE-l-3x-Fas-c cassette.

[0165] PPE-1 (3x)-Fas-c Plasmid - The cassette was further introduced into the backbone plasmid by restriction digestion, resulting with the PPE-1 (3x)-Fas-c plasmid.

[0166] Adaptor-PPE-l(3x)-Fas-c Plasmid - The PPE-l-3x-Fas-c element was extracted from the first generation construct PPE-1 -3x-Fas-c plasmid, and was amplified with designated PCR primers introducing SnaBl and EcoRl restriction sites at the 5'-and-3'-end respectively. These sites were used to clone the PPE-Fas-c fragment into the adaptor plasmid digested with SnaBl and EcoRl, resulting in the adaptor-PPE-l-3x- Fas-c used for transfection of the host cells (for example, PER.C6 cells).

Example 2

Efficacy and Safety of VB-111 in Mice with Metastatic Lewis Lung Carcinoma (LLC)

Summary

[0167] In this study, LLC model mice were treated with VB-111 (10^9 or 10^{11} virus particles (VPs)), Carboplatin (20 or 50mg/kg) and Alimta (10 or 30mg/kg) or with a combinations of these small molecules and the adenovector.

[0168] VB-111 treatment with both doses resulted in 100% survival. Administration of low dosage of chemotherapy resulted in a mildly lowered survival rate (94.1%) which was similar to that seen with vehicle administration (93.8%). However, administration of high dosage of chemotherapy resulted in the lowest percentage of survival (50%). Combination treatments decreased survival compared to administration of VB-111 alone (64%-93%).

[0169] Organ weights (heart, kidneys and brain) were mostly similar among the different groups. Some differences between groups were seen in liver, spleen and testes weights, mainly higher weights for the single VB-111 higher dose, or any of the combinations with this dose.

[0170] No significant differences were observed in liver function compared to vehicle treatment. Generally, combination therapy did not result in higher toxicities than the single therapies from which they are assembled.

[0171] The combination of VB-111 10^9 +high chemo is significantly more effective than high chemo treatment alone. Furthermore, the combined treatment improves the average and median tumor burden of VB-111 10^9 treatment alone (1.5 and 5 fold for average and

median, respectively) although not statistically significant. This effect may exhibit statistical significance when applying the treatment on larger groups.

[0172] The combination of VB-111 10^9 +high chemo resembles the high tumor burden reduction obtained with VB-111 10^{11}, as there is no significant difference between these two groups. This significant resemblance to VB-111 10^{11} is not obtained with treatment with VB-111 10^9 alone.

[0173] The combination of VB111 10^9 +high chemo therapy may enable reducing VB-111 dose while preserving its high efficacy and improving the low efficacy of Carboplatin and Alimta chemotherapy alone.

Introduction

[0174] Lewis Lung Carcinoma (LLC) is a widely-used mouse model for metastasis (Varda-Bloom et al., 2001). This study is to identify the potential synergism of combined treatments of VB-111 with established chemotherapies (e.g. Carboplatin and Alimta): To assess the efficacy of single dose VB-111 (10^9 or 10^{11} VPs/mouse) as sole treatment or in combination with repeat intra peritoneal treatments of Carboplatin (20 or 50 mg/kg) and Alimta (10 or 30 mg/kg) and to assess and characterize the safety and tolerability of VB-111 as single treatment and in combination with the mentioned above chemotherapy.

[0175] The study design is shown in TABLE 6.

TABLE 6. Study Design

STUDY GROUPS and BASIC TIMELINE	9 groups of treatment are planned as below:

	Treatment	Dose (vp/mice)	Number of Animals
Group 1	VB-111	10^{11}	15
Group 2	VB-111	10^9	15
Group 3	VB-111 Carboplatin+ Alimta	10^{11} 20 mg/kg+ 10mg/kg	15
Group 4	VB-111 Carboplatin+ Alimta	10^9 20 mg/kg+ 10mg/kg	13
Group 5	Carboplatin+ Alimta	20 mg/kg+ 10mg/kg	16
Group 6	VB-111 Carboplatin+ Alimta	10^{11} 50 mg/kg+ 30mg/kg	15
Group 7	VB-111 Carboplatin+	10^9 50 mg/kg+	14

	<table><tr><td></td><td>Alimta</td><td>30mg/kg</td><td></td></tr><tr><td>**Group 8**</td><td>Carboplatin+ Alimta</td><td>50 mg/kg+ 30mg/kg</td><td>14</td></tr><tr><td>**Group 9**</td><td>Vehicle</td><td>-</td><td>16</td></tr></table> Each animal received a single injection of either VB-111 dose or vehicle in a randomized fashion on day 0±1, 5 days after primary tumor amputation. 2 doses of Carboplatin treatment were given on days 5-6, 10 doses of Alimta treatment were given from day 5. The animals were evaluated for safety and efficacy throughout the study and until sacrifice day, which took place on the same day on which the 5th control animal (Group 9) died.
STUDY DURATION	Approximately 1 month from time 0
ANIMALS	133 male C57B16 mice (11-13 weeks old), which were expected to have developed metastases in the lung, following injection of D122 Lewis Lung Carcinoma cells to the left footpad and resection of the primary tumor (amputation of the distal segment of the limb).
TEST DRUG AND FORMULATION	**VB-111**: Adenovirus 5, E1 deleted, partial E3 deleted, with the PPE-1(3x) promoter, containing the transgene fas-chimera, formulated in the vehicle (see below). **Vehicle:** PBS 10% glycerol. **ALIMTA:** Pemetrexed, 500mg powder. **Carboplatin:** "EBEWE" 10mg/ml.
DOSAGE	VB-111 treatment was administered by injection to the mouse tail vein, in a total volume of 100µl, 20 or 50mg/kg/ Carboplatin was administered in two doses on days 5-6, 0.1ml IP, and 10 doses of 10 or 30mg/kg/ Alimta were administered from day 5, 0.1ml IP.
SAFETY EVALUATIONS	The general health of all animals was followed on a daily basis throughout the study. Weight of the animals and clinical signs were recorded prior to the beginning of the study, after resection of the primary tumor, on day 0 (day of dosing), and then on a weekly basis until the end of the study. Laboratory assessment included blood chemistry (for liver function) of samples taken from 5 mice/group at the end of the study. Major organs (liver, spleen, heart, kidney, lung, gonads and brain) were evaluated upon animal sacrifice (5 mice/ group).
EFFICACY EVALUATIONS	The effect of treatment was evaluated upon the death of each animal, by lung weight and tumor burden.
STATISTICS	Treatment groups were compared using one way ANOVA for comparison of Organ weights, Tumor burden and Liver function parameters. To isolate the group or groups that differ from the others, Dunn's multiple comparison procedure followed (GPT day 16

	GOT day 16 & tumor burden). Body weights of each group on day 0 were compared with those on sacrifice day (Paired t-test). For Efficacy, groups were analyzed using one way ANOVA. In cases where normality test failed, Dunn's method was applied. Additionally, Mann-Whitney test was performed for individual comparisons between two groups.

Materials and Methods

Test and Reference Materials

Name:	**VB-111 (PPE-fas).**
Chemical Name:	Not specified
Active components:	Adenovirus 5, E1 deleted, E3 partially deleted, with the PPE-1(3x) promoter, containing the fas-chimera transgene
Vehicle:	PBS and glycerol
Supplied by:	VBL
Physical state:	Liquid
Storage conditions:	≤-65°C, in cryogenic vials
Item preparation:	Vial is to be thawed on day of treatment and mixed by inversions

Name:	**Carboplatin**
Chemical Name:	Ebewe
Vehicle:	Water for Injection
Supplied by:	Ebewe
Physical state:	Liquid (450mg/45ml)
Storage conditions:	RT

Name:	**Alimta**
Chemical Name:	Pemetrexed
Vehicle:	Water for Injection
Supplied by:	Lilly
Physical state:	powder
Storage conditions:	RT

Control Item:

Name:	PBS 10% glycerol
Supplied by:	VBL
Physical state:	Liquid
Storage conditions:	≤-65°C, in cryogenic vial.
Item preparation:	Vial is to be thawed on day of treatment and kept on ice for not more than 30 minutes.

[0176] D122 Lewis Lung Carcinoma cells were thawed. On day one of cell injection, cells were collected and suspended to a final concentration of $5x10^5$/50µl and injected to the left foot pad. Tumor diameter was measured using a caliper five days after injection. It was subsequently measured weekly until it reached 5mm, and then daily until amputation at 7mm (defined as day -5). Following sacrifice, brain, heart, liver, spleen, kidneys and testes were collected , weighed and evaluated according to the following parameters: colour and texture of the intact organ, existence of lesions or any evidence of metastasis in the organ internally (after slicing). Laboratory analyses of liver functions (GOT and GPT levels in blood) included samples taken from 5 mice/group on day 5±1 and at the end of the study (day 16).

[0177] All animal procedures were approved by the "Animal Care and Use Committee" of Sheba Medical Center, Tel-Hashomer. The study was a placebo-controlled, blinded study. C57Bl6 mice received Lewis Lung Carcinoma cells (D122) by a subcutaneous injection to the left foot pad. When the tumor tissue reached a diameter of 7 mm (approximately 3 weeks after injection of cells), the foot-pad with the primary tumor was resected under anesthesia. This day was defined as day -5. Day 0 is the day of first dosing, 5 days after primary tumor resection. The mice were randomized to the various treatment groups on day 0, as described in the table below. The tested adenoviral vector or the control substance, were injected to the tail vein in a total volume of 100µl per mouse. Carboplatin and Alimta were administrated IP in a total volume of 100µl per mouse per daily dose.

[0178] The animals were followed for safety and efficacy (as listed in the schedule of evaluations below) throughout the study and until sacrifice time. The death of each animal during the study was recorded and an attempt was made to identify the cause of

death. The day of sacrifice for each mouse was set as follows: when the 5th of the control mice (PBS 10% glycerol - Group 9) dies of metastasis, the number of days that passed from day 0 (the first IV administration of vehicle to that mouse) was determined. That day number was set as the day of sacrifice for all surviving mice (*i.e.,* if the 5th control mouse died on its day 16, every mouse was sacrificed when it reaches its own day 16).

[0179] The evaluation of the effects was scheduled as shown in TABLE 7.

TABLE 7. Schedule of Evaluation

Parameter	Method	Study day number					
		< -5	-5 Primary tumor resection	0	5±1	Weekly thereafter ±1	End
Primary tumor width	Caliper	Starting 5 days after D122 injection once every 5 days until reaches 5mm, then daily					
Body weight	--	√	After resection baseline weight w/o foot	√		√	√
Clinical signs	See below*	√	√	√	√	√	√
Blood chemistry (liver functions) **	SM 30-20-06				√		√
General health	SOP 10-25-01	√	√	√	√	√	√
Lung weight	Weight						√
Major organs Assesment **	Visual & Staining of abnormal tissues						√

* Skin, Fur, Eyes, Mucous membranes, Breathing, Neural control, Tremors, Salivation, Diarrhea, Somatomotor activity, Lethargy, Convulsions, Abnormal behavior patterns, Sleep, Coma.
** From 5 mice per group

Results

[0180] In mice groups treated with 10^9 and 10^{11} VPs VB-111 alone, all animals survived to day 16. Combination treatment revealed decrease in survival, while the lowest percentage of survival was seen in mice treated with high dose of chemotherapy as shown in TABLE 8.

TABLE 8. Mortality by Day 16.

Group	Total (n)	Survived (n)	Survival (%)
Vehicle	16	15	93.8%

VB-111 10^9 VP	15	15	100%
VB-111 10^{11} VP	15	15	100%
20mg/kg Carboplatin+10mg/kg Alimta	17	16	94.1%
50mg/kg Carboplatin+30mg/kg Alimta	14	7	50%
VB-111 10^9 VP +20mg/kg Carboplatin+10mg/kg Alimta	13	11	84.6%
VB-111 10^9 VP +50mg/kg Carboplatin+30mg/kg Alimta	14	9	64.3%
VB-111 10^{11} VP +20mg/kg Carboplatin+10mg/kg Alimta	15	12	80%
VB-111 10^{11} VP +50mg/kg Carboplatin+30mg/kg Alimta	15	14	93.3%

[0181] For evaluation of efficacy, lungs were weighed on the day of sacrifice. The mass of normal lungs is ~0.2g. Tumor burden is defined as lungs mass minus 0.2g, The average and median tumor burden is shown in TABLE 9.

TABLE 9. Average and Median Tumor Burden

Group number	treatment	Average Tumor burden (g) ± SD	Median (g)
1	VB111 10^{11}	0.10±0.04	0.10
2	VB111 10^9	0.34±0.21	0.40
8	high chemo	0.48±0.15	0.50
5	low chemo	0.49±0.34	0.50
6	VB111 10^{11}+ high chemo	0.22 ±0.16	0.20
7	VB111 10^9+ high chemo	0.20±0.24	0.08
3	VB111 10^{11}+low chemo	0.47±0.26	0.46
4	VB111 10^9+low chem	0.53±0.30	0.62
9	Vehicle	1.00±0.20	0.90

[0182] All treatments resulted with lower tumor burden compared to vehicle treatment as shown in Figure 1. Figure 1 shows that treatment with E11, E9+high chemo and E11+high chemo all showed lower average tumor burden than other treatment groups.

[0183] Several statistical comparisons for efficacy were performed. When one way ANOVA method was used, there is a statistically significant higher tumor burden for the Vehicle treatment ($p=<0.001$) than for all other treatments except for the combination of VB E9+low chemo. Tumor burden was significantly lower for VB-111 1E11 treatment compared to both chemo treatments and to both combination treatments with low chemo. When Mann-Whitney with individual comparisons between two groups was used, tumor burden in VB-111 E11 is significantly lower than in all groups except for E9+high chemo. E9+high chemo is significantly lower than all groups except for E11, E9 and E11+high chemo. Figure 2 shows the box plot of the data.

Conclusion

[0184] VB-111 treatment in both doses resulted in 100% survival. Administration of low dosage of chemotherapy resulted in a mildly lowered survival rate (94.1%) which was similar to that seen with vehicle administration (93.8%). However, administration of high dosage of chemotherapy resulted in the lowest percentage of survival (50%). Combination treatments decreased survival compared to administration of VB-111 alone (64%-93%).

[0185] Organ weights (heart, kidneys and brain) were mostly not different among the different groups. Some differences between groups were seen in liver, spleen and testes weights, mainly higher weights for the single VB-111 higher dose, or combination with this dose.

[0186] No significant differences in liver function compared to vehicle treatment were observed. Generally, combination therapy did not result in higher toxicities than for the single therapies from which they are assembled.

[0187] The combination of VB111 10^9+high chemo treatment significantly improves the effect compared to high chemo treatment alone. Furthermore, it improves the average and median tumor burden compared to VB111 10^9 treatment alone (1.5 and 5 fold for average and median, respectively) although not statistically significant. This effect may exhibit statistical significance when applying the treatment on larger groups.

[0188] The combination of VB111 10^9+high chemo resembles the tumor burden reduction effect obtained with E11, as there is no significant difference between these two groups (can be seen in the box plot and the Mann-Whitney statistical comparison). This significant resemblance to VB111 10^{11} is not obtained by treatment with VB111 10^9 alone.

[0189] The combination of VB111 10^9+high chemo therapy may enable reducing VB-111 dose while preserving its high efficacy and improving the low efficacy of Carboplatin and Alimta chemotherapy alone.

[0190] Both urvival rate and weight loss in the VB111 10^9+high chemo treatment group were better than for the high chemotherapy single treatment: survival rate – 64% and 50%, respectively, weight loss – 9.7% and 11.6%, respectively. No differences between these two groups were seen for any of the organ weights tested.

Example 3

Administration of Ad5PPE-l-3X-Fas Chimera in Combination with Paclitaxel

[0191] This will be a prospective, open label, dose escalating, multi-center (2 centers), Phase I/II study to determine the safety and efficacy of administration of AD5PPE-1- 3X-Fas-chimera (VB-111) in the clinical setting, outcomes such as toxicity, adverse effects, antibody titer, biodistribution, disease progression and disease recurrence and survival will be monitored in subjects with solid primary and metastatic tumors (such as recurrent epithelial ovarian cancer, fallopian, primary peritoneal, MMMT and papillary serous müllerian tumors) receiving intravenous infusion of a range of doses of the Ad5PPE-l-3X-Fas chimera adenovirus vector in combination with paclitaxel.

[0192] The effect of VB-111 on the development of antibodies to the adenoviral vector, tumor response, and angiogenic biomarkers will also be evaluated.

MATERIALS AND EXPERIMENTAL METHODS

STUDY OBJECTIVES

[0193] The research hypothesis is that VB-111 plus weekly paclitaxel will be associated with acceptable toxicity and response rate or clinical benefit sufficient to warrant future evaluation.

PRIMARY OBJECTIVES

[0194] 1. Define toxicities of a limited number of doses of combination VB-111 and weekly paclitaxel spanning anticipated effective doses.

[0195] 2. Explore efficacy (RECIST response, CA-125 response and progression-free survival (PFS)) in an expanded cohort of the optimally tolerated dose of combination VB-111 and weekly paclitaxel.

SECONDARY OBJECTIVE

[0196] Explore predictive markers of toxicity and response.

OVERVIEW OF STUDY DESIGN AND EVALUATION

[0197] This open-label, single center, Phase I/II trial combines VB-111 infused on day 1 every 2nd 28-day cycle with weekly paclitaxel 40-80 mg/m^2 infused over 1 hour on a 1, 8, 15 and 22 day schedule every 28 days in order to ascertain whether or not this combination can improve response rates compared to historical controls in this pretreated population. Patients may continue therapy with benefit and change to have scheduled breaks in paclitaxel dosing to avoid excess neuropathy but no interruption of VB-111 infusions. The trial is designed in a 2-stage Simon's design, based on ≥ 2 responses in 10 patients, further enrollment will proceed.

SUBJECT POPULATION:

[0198] Subjects with recurrent epithelial ovarian cancer, fallopian cancer, primary peritoneal, MMMT, and papillary serous müllerian tumors will be enrolled.

NUMBER OF PATIENTS PLANNED TO BE ENROLLED

[0199] Based on the study design it is estimated that 2 to 42 patients with advanced cancer are needed (max. 6 per cohort during dose escalation (=18 patients), and up to 29 patients on the MTD dose level to allow evaluation of the correlative/special studies as well as to confirm safety.

SELECTION OF PATIENTS

[0200] Phase I/II design to evaluate the response rates defined by RECIST criteria and CA-125 (Gynecological Cancer Intergroup (GCIG) criteria) and to describe the safety profile and characterize adverse events and toxicities. The Phase I study will enroll in a 3 + 3 design to 3 dose levels. The Phase II study will recruit up to 10 patients in the first stage, including participants in Dose Levels 2 and 3 who get full dose chemotherapy. If there are at least two responses, enrollment will continue with an additional 19 patients in an expansion cohort to a maximum of 29 participants. The efficacy analysis will be to

estimate the response rate. Ongoing safety review will be conducted and if there are 2 or more Grade ≥ 3 GI perforations in the first stage, or 3 at any time the study will be closed.

CRITERIA FOR SUBJECT'S INCLUSION IN THE TREATMENT GROUP ARE:

[0201] 1. Patients aged > 18.

[0202] 2. Histologically confirmed epithelial ovarian, peritoneal, or fallopian tube cancer, and uterine papillary serous carcinomas (UPSC), and gynecologic MMMTs.

[0203] 3. Up to 3 previous lines of chemotherapy for metastatic disease are allowed.

[0204] 4. Patients must have had prior platinum or platinum based therapy.

[0205] 5. Eastern Cooperative Oncology Group (ECOG) status 0-1.

[0206] 6. Platinum resistant or refractory disease defined as progressive disease by imaging or CA-125 within 6 months of completing or while receiving a platinum and taxane containing regimen (Primary OR secondary – *i.e.*, patients can have received only one platinum based treatment for recurrent platinum sensitive disease with a subsequent platinum free interval < 6 months).

[0207] 7. Measurable or evaluable disease is required using RECIST or CA-125 (to standardized eligibility if some patients are eligible by both RECIST and CA-125, evaluation by RECIST takes precedent).

[0208] 8. Adequate bone marrow function.

[0209] 9. Adequate hematological functions:

i. ANC ≥ 1000/mm^3

ii. PLT ≥ 100,000/mm^3

iii. PT and PTT (seconds) < 1.2 X ULN (subjects with PTT > ULN must have a negative LAC)

[0210] 10. Adequate organ function:

a. CTC neuropathy less than or equal to grade 1.

b. Prior radiation must not have included ≥ 30% of major bone marrow containing areas (pelvis, lumbar spine)

c. SGOT/SGPT/Alkaline Phosphatase ≤ 2.5x ULN or < 5x ULN for documented liver metastases

d. Bilirubin ≤ 1.5 x ULN

e. Creatinine ≤ 1.5 x ULN

f. Proteinuria < 2+ by dip stick at screening or UPC (Urinary protein creatinine ratio < 1.0).

[0211] 11. Must have recovered from acute toxicity from prior treatment including radiation therapy, chemotherapy, biologic therapy with the exception of grade 1 neuropathy or any grade anemia and alopecia.

[0212] 12. Prior treatment with an anti-angiogenic agent is NOT an exclusion criterion.

[0213] 13. No prior GI perforation, or GI obstruction or involvement of the bowel on imaging

[0214] 14. No active, untreated psychiatric disease or neurologic symptoms requiring treatment (Grade I sensory neuropathy allowed). No presence of untreated central nervous system or brain metastases. No dementia or significantly altered mental status that would prohibit the understanding and/or giving of informed consent.

[0215] 15. No patients with known hypersensitivity to Cremophor® EL. However, participants are eligible if they have had a prior paclitaxel reaction, but subsequently tolerated the drug at rechallenge.

[0216] 16. No evidence of uncontrolled bacterial, viral or fungal infections.

[0217] 17. No patients receiving other investigational therapy for the past 30 days before dosing.

[0218] 18. Must be competent to give informed consent.

CRITERIA FOR SUBJECT'S EXCLUSION FROM THE TREATMENT GROUP WILL BE:

[0219] 1. More than 3 prior lines of chemotherapy for recurrent cancer.

[0220] 2. No active malignancy, other than superficial basal cell and superficial squamous cell, or carcinoma in situ of the cervix within last 2 years. Patient diagnosed with a concurrent müllerian tumor (typically endometrial cancer) are NOT excluded. Patients with a low risk (localized, non-inflammatory) breast cancer diagnosed within 2 years and treated with curative intent are NOT excluded.

[0221] 3. Inability to comply with study and/or follow-up procedures.

[0222] 4. Life expectancy of less than 3 months.

[0223] 5. Common Toxicity Criteria (CTC) Grade 1 or greater neuropathy (motor or sensory) from comorbidity other than prior taxane exposure, such as diabetes.

[0224] 6. Although rarely applicable, sexually active women of childbearing potential must use an effective method of birth control during the course of the study, in a manner such that risk of failure is minimized. Prior to study enrollment, women of childbearing potential must be advised of the importance of avoiding pregnancy during trial participation and the potential risk factors for an unintentional pregnancy. All women of childbearing potential MUST have a negative pregnancy test within 14 days prior to first receiving investigational product. If the pregnancy test is positive, the patient must not receive investigational product and must not be enrolled in the study.

[0225] 7. Inadequately controlled hypertension.

[0226] 8. Prior history of hypertensive crisis or hypertensive encephalopathy.

[0227] 9. New York Heart Association (NYHA) Grade II or greater congestive heart failure.

[0228] 10. History of myocardial infarction or unstable angina within 6 months prior to study Day 1.

[0229] 11. History of stroke or transient ischemic attack within 6 months prior to Day 1.

[0230] 12. Known CNS disease, except for treated brain metastasis: Treated brain metastases are defined as having no evidence of progression or hemorrhage after treatment and no ongoing requirement for dexamethasone, as ascertained by clinical examination and brain imaging (MRI or CT) during the screening period. Anticonvulsants (stable dose) are allowed. Treatment for brain metastases may include whole brain radiotherapy (WBRT), radiosurgery (RS; Gamma Knife, LINAC, or equivalent) or a combination as deemed appropriate by the treating physician. Patients with CNS metastases treated by neurosurgical resection or brain biopsy performed within 3 months prior to Day 1 will be excluded.

[0231] 13. Significant vascular disease (*e.g.,* aortic aneurysm, requiring surgical repair or recent peripheral arterial thrombosis) within 6 months prior to Day 1.

[0232] 14. History of hemoptysis (> 1/2 teaspoon of bright red blood per episode) within 1 month prior to Day 1.

[0233] 15. Evidence of bleeding diathesis or significant coagulopathy (in the absence of therapeutic anticoagulation).

[0234] 16. Major surgical procedure, open biopsy, or significant traumatic injury within 28 days prior to Day 1 or anticipation of need for major surgical procedure during the course of the study.

[0235] 17. Core biopsy or other minor surgical procedure, excluding placement of a vascular access device, within 7 days prior to Day 1.

[0236] 18. History of abdominal fistula or gastrointestinal perforation within 6 months prior to Day 1.

[0237] 19. Current signs and symptoms of bowel obstruction.

[0238] 20. Current dependency on IV hydration or total parenteral nutrition (TPN).

[0239] 21. Serious, non-healing wound, active ulcer, or untreated bone fracture.

[0240] 22. Patients who received anti-angiogenic therapy within the previous 4 weeks for a TKI or 6 weeks for antibody or peptibody based therapy.

[0241] 23. Patients with an ongoing requirement for an immunosuppressive treatment, including the use of cyclosporine, or with a history of chronic use of any such medication within the last 4 weeks before enrollment. A stable dose (e.g. started at least 2 weeks prior to dosing) of corticosteroids is allowed.

COMPOSITION: AD5-PPE-L-3X-FAS-CHIMERA

[0242] Ad5-PPE-l-3X-fas-chimera (SEQ ID NO: 19) is a vascular disruptive gene therapeutic, consisting of a non-replicating adenovirus vector (Ad5, El deleted) which contains a modified murine pre-proendothelin promoter (PPE-l-3x, SEQ ID NO:18) and a fas-chimera transgene [Fas and human tumor necrosis factor (TNF) receptor](SEQ ID NO: 9). It is formulated as a sterile vector solution and supplied frozen (below -65°C), in single use vials. Each vial contains 1.1 mL of vector solution at a specific viral titer.

EFFICACY AND PHARMACODYNAMICS OBJECTIVES:

TREATMENT PLAN

[0243] Patients will be treated with Ad5-PPE-l-3X-fas-chimera in combination with once-weekly paclitaxel. The cycle length will be 28 days. Patients will receive paclitaxel as a 60-minute IV infusion weekly (Days 1, 8, 15, and 22). Ad5-PPE-l-3X-fas-chimera will be administered as an IV infusion on Day 1 of odd cycles starting with Cycle 1 and occurring every 2 cycles thereafter. The treatment plan is shown in Figure 3. Dose levels for Phase I are shown below in TABLE 10.

TABLE 10: Dose Levels For Phase I^1 component:

Dose Level	n	VB-111 x Q2 cycles[2]	Paclitaxel IV Q7d
1[3]	3-6	3×10^{12} VPs	40 mg/m^2
2	3-6[4]	3×10^{12} VPs	80 mg/m^2
3	3-6	1×10^{13} VPs	80 mg/m^2
Expansion cohort	29	MTD	MTD

Footnotes:
1. The crossover to Phase II will occur after the maximum tolerated dose (MTD) has been defined or Dose Level 3 has been completed.
2. Please note that total VB-111 viral particle dose for each Dose Level is different than shown for subjects who are < 50kg.
3. Within subject dose escalation is planned for Dose Level 1. For participants enrolled to Dose Level 1 at Cycle 2 Day 1 the dose of paclitaxel may be escalated to 80 mg/m^2 given that this is the standard dose used clinically. If 2 participants experience dose limiting toxicities (DLTs) at Dose Level 1, the study will close without identifying an MTD.
4. These numbers may reflect the inclusion of: (a) participants directly enrolled to Dose Level 2 and (b) Dose Level 1 participants who have been dose-escalated to Dose Level 2 at Cycle 2 Day 1 for evaluation of DLTs during Cycle 3.

[0244] Participants in the Phase I cohort will therefore be enrolled using a modified 3 + 3 design as shown in TABLE 11 and as described below.

[0245] Dose Escalation from Dose Level 1 to Dose Level 2: If 2 participants experience DLTs at Dose Level 1, the study will close without identifying an MTD. In Dose Level 1 there is a planned within-subject participant dose escalation to 80 mg/m2 paclitaxel at Cycle 2 Day 1, and these participants can then be counted towards the evaluation of participants enrolled to Dose Level 2, even though the concurrent VB-111 and paclitaxel dosing occurred at Cycle 3 in Dose Level 1 (i.e. both participants enrolling at Dose Level 2 and participants receiving Cycle 3 on Dose Level 1 with a paclitaxel dose escalation to 80 mg/m^2 will be evaluated such that at Dose Level 2 there may be 2 to 12 enrollees with up to 6 of them initially enrolled to Dose Level 1 and then dose escalated). If there is no DLT at Dose Level 2 after 3 participants have been evaluated (either as new enrollees to Dose Level 2 or as dose-escalating paclitaxel in Dose Level 1) the study will enroll to Dose Level 3. This plan only applies to the within subject dose escalation for paclitaxel (to minimize the number of participants getting a 40 mg/m^2 dose) and there is no within subject dose escalation of VB-111.

[0246] Dose Escalation from Dose Level 2 to Dose Level 3: Once 3 participants have been enrolled at Dose Level 2 and observed for 14 days following initial administration

with VB-111 without DLT, subjects may be enrolled into Dose Level 3 ($1x10^{13}$ VPs), as at least 6 participants will have been dosed at $3x10^{12}$ VPs in Dose Levels 1 and 2. The 2nd dose of VB-111 on Dose Level 3 may only be given after at least 2 patients have received a dose of $3x10^{12}$ VPs without DLT. Additionally, DLT monitoring will be performed simultaneously in parallel VB-111 Phase I/II studies. Safety findings from these studies will be shared with this team. If any DLT occurs at Dose Level 3, participants may continue on study and will receive further dosing with Dose Level 2 VB-111 ($3x10^{12}$ VPs).

TABLE 11: Dose Escalation Decision Rules

Number of Patients with DLT at a given Dose Level	Escalation Decision Rule
0 out of 3**	Proceed to next dose level: **Within subject dose escalation is not permitted unless it is anticipated that 3 participants will have been fully evaluated for DLTs over 28 days on Dose Level 1. If three participants enroll within 4 weeks of initial dosing on the study and do not experience DLTs, Dose Level 2 will open and enroll 3 participants concurrent to the three participants dose-escalating to Dose Level 2 at Week 5 (Cycle 2 Day 1) on study. So, it is therefore possible, if accrual is slow, that participants in Dose Level 1 will not be allowed to dose escalate at Week 5 (Cycle 2 Day 1) until the evaluation of DLTs on Dose Level 1 has been complete, and that this will be further delayed if DLTs are experienced in this cohort.
1 out of 3	Enter 3 additional patients: If 0 of these 3 additional participants experiences a DLT, proceed to the next dose level. If 1 or more of these participants experiences a DLT, then dose escalation is stopped and the dose below this dose is the MTD. If the extra participants were entered at Dose Level 1 the study will close without identifying an MTD.
≥ 2	Dose escalation will be stopped and the dose below this dose is the MTD. If 2 participants experience DLTs at Dose

	Level 1, the study will close without identifying an MTD.
≤ 1 out of 6 at highest administered dose	This is the MTD and recommended Phase II dose in this population.

[0247] Given the novel nature of the agent, new participants will be enrolled sequentially with at least 2 days between each new person starting on study. Multiple new study participants may not be dosed on the same day. A completion of one 28-day cycle of treatment will be the basis for determining the MTD and DLT's on each of the dosing cohorts. Toxicity grade will be assessed according to the Common Terminology Criteria for Adverse Events (CTCAE) version 4 (available as a downloadable file on the internet: http://ctep.info.nih.gov).

DEFINITION OF DOSE LIMITING TOXICITY (DLT)

[0248] Assessment of potential DLTs will occur during the first cycle (Cycle 1) and also during the third cycle for DL1 participants.

[0249] Toxicities will be assessed by the CTCAE, version 4.0. Dose-limiting toxicity is defined as follows:

[0250] 1. Absolute neutrophil count of $< 0.5 \times 10^9$/L lasting for ≥ 4 days or an absolute neutrophil count $< 0.5 \times 10^9$/L with sepsis, or grade 3-4 fever (>100.2°F) which is not readily controlled with anti-pyretic medication.

[0251] 2. Platelet count $< 10 \times 10^9$/L for any duration.

[0252] 3. Any other drug-related non hepatic and non-hematologic grade ≥ 3 toxicity. This does not include grade ≥ 3 nausea or vomiting that can be controlled medically (if nausea and/or vomiting cannot be controlled medically and occurs during the first cycle, it will be considered a DLT) or grade ≥ 3 hypokalemia, hyponatremia, hypophosphatemia, hypomagnesemia, and hypocalcemia if they can be easily corrected, are clinically asymptomatic, and not accompanied by medically significant complications (*e.g.,* ECG changes).

[0253] Events of Grade 3-4 fever that occur within 24 hours post-dosing with VB-111 shall not be considered DLT if they respond to symptomatic therapy. Patients with either unacceptable toxicities and/or progression at any time point will be removed from the study.

STUDY PROCEDURES

PRE-TREATMENT EVALUATION:

[0254] A Clinician (MD or NP) will evaluate patients meeting the eligibility criteria. A history, physical examination and recording of the weight and vital signs and ECG recording will be performed within 14 days before commencing the first cycle of treatment. Investigations to establish baseline measurements, where applicable, should be done within 28 days before commencing the first cycle of treatment.

[0255] Prior to any study-dosing, on each cycle's Day 1, the eligibility of the subjects must be reconfirmed.

[0256] The following evaluations should be done within 3 days of D1 (Except for cycle 1, when blood tests can be checked within 14 days of day 1):

[0257] 1. Clinical evaluation: Medical History, Physical exam, Vital Signs (VS) and check for risk of bleeding. At other times VS evaluation can be performed per institutional standard of care.

[0258] 2. Hematology: complete blood count with differential, INR and activated PTT.

[0259] 3. Coagulation: In case of partial thromboplastin time (PTT) prolongation above upper limit of normal (ULN), blood should be drawn for lupus anticoagulant (LAC). Patients with prolonged aPTT should not receive VB-111 until aPTT normalization. In patients who tested positive for lupus anticoagulant (LAC), a negative test is required prior to repeat dose of VB-111. For a persistent positive LAC or antiphospholipid antibodies (APLA) test, the test must be repeated within 12 weeks from the initial positive test.

[0260] 4. Comprehensive metabolic panel: including electrolytes, liver function tests (LFTS), blood urea nitrogen (BUN)/creatinine (Cr), calcium, and magnesium.

[0261] 5. Urine: collected for routine analysis.

[0262] 6. VB-111 specific labs: Blood will be drawn for:

(i) Biodistribution: VB-111 Adenovirus DNA levels and transgene expression determination.

(ii) Biomarkers: Biomarkers for anti-angiogenic therapy will be tested in peripheral blood samples obtained from all patients enrolled in this study. Plasma analysis will be carried out for circulating angiogenic and inflammatory biomarkers VEGF, PlGF, sVEGFR1,

bFGF, IL-1β, IL-6, IL-8, and TNF-α (using multiplex ELISA plates from Meso-Scale Discovery) and sVEGFR2 and SDF1α (using R&D Systems kits). Blood-circulating cells will be enumerated in fresh samples using a standard flow cytometry protocol. Archival tissue will be evaluated for CD31, CD34, VEGFR2, and vWF.

(iii) Tumor marker: CA-125

(iv) Antibodies: Levels of antibodies to AD-5 virus (including neutralizing antibodies).

STUDY TREATMENT INFUSION:

[0263] ANC must be ≥ 1,000/mm^3 and Platelet count ≥ 100,000/mm^3 prior to study treatment infusion (paclitaxel or VB-111).

PACLITAXEL INFUSION:

[0264] Anti-emetic therapy: Anti-emetic therapy may include Dexamethasone 10 mg i.v. prn, Ativan 0.5-2.0 mg i.v., and/or Compazine 10 mg p.o., or Perphenazine 4 mg p.o., as per institutional standards.

[0265] The administration sequence will be paclitaxel followed by VB-111.

[0266] Paclitaxel will be administered weekly at an initial dose of 40 – 80 mg/m^2 through an in-line filter with a microporous membrane not greater than 0.22 microns over 60 minutes.

[0267] All patients must receive premedication before the administration of paclitaxel in order to prevent severe hypersensitivity reactions. Patients will take oral dexamethasone 20 mg the night before treatment and 20 mg the morning of treatment for the first dose, and then if paclitaxel is well tolerated, for week 2 no oral, and only IV premedication, and the dose may be weaned off and no longer used after week 3. A typical premedication regimen consists of the following given 30-60 minutes prior to paclitaxel: 10-20 mg intravenous (IV) dexamethasone, 50 mg IV diphenhydramine (or its equivalent), and 300 mg cimetidine or 50 mg IV ranitidine. Famotidine 20mg IV can be substituted as an alternative per local formulary. The dexamethasone dose may be increased at the investigator's discretion if a patient experiences a hypersensitivity reaction when given paclitaxel.

DAY 1 OF ODD CYCLES:

[0268] In addition to the above mentioned procedures, on D1 of odd cycles, the following procedures will be performed.

TUMOR MEASUREMENTS:

[0269] Prior to D1 of cycle 1 (up to 1 month prior is allowed) and then in every odd cycle (e.g. e.g. cycles 1, 3, 5 etc = every 8 weeks) until disease progression, tumor measures with CT will be performed on the chest, abdomen, and pelvis. The assessment will be performed prior to drug administration, up to 3 days before dosing.

STUDY TREATMENT INFUSION: VB-111

[0270] VB-111 will be administered on Day 1 of each odd cycle until disease progression.

[0271] VB-111 should be administered after paclitaxel. This is based on the paradigm that the investigative agent should be given last as a safety precaution. There is no anticipation that there will be sequence dependent alteration in pharmacology of the two agents. Although this is anticipated to be immediately (within 1 hour) after paclitaxel it may be administered later (within 24 hours) if clinically indicated.

[0272] Patients with prolonged aPTT should not receive VB-111 until aPTT normalization. In patients who tested positive for LAC and /or APLA, a negative test is required prior to repeat dose of VB-111. While test remains positive, further VB-111 should not be administered. For a persistent positive LAC or APLA test, the test must be repeated within 12 weeks from the initial positive test.

[0273] Antipyretic Treatment: 1000 mg of acetaminophen shall be administered prior to VB-111 dosing and PRN acetaminophen post-dosing. In patients who develop a grade 3 fever, or at investigator's discretion, *i.v.* dexamethasone 10 mg may be administered 10 minutes prior to dosing in subsequent VB-111 doses.

[0274] VB-111 preparation and infusion: Upon completing the infusion of paclitaxel, VB-111 will be administered as a single dose of 3×10^{12} VPs (Dose Levels 1-2) or 1×10^{13} VPs (Dose Level 3) to patients who are fasting or have had only a lighter blander meal. Please note: fasting is suggested to avoid vomiting if the patient has significant chills rather than the usual low-grade and self-limiting fever. It is not an absolute requirement. The final solution for administration should be administrated not more than 60 minutes after preparation. A regular meal will be allowed 0.5 hour after dosing. A

single intravenous infusion of diluted VB-111 should be administered at the following rates:

1. For dose $3x10^{12}$ VPs: 1 mL/minute
2. For dose $1x10^{13}$ VPs: 1 mL/minute for the first 10 mL, and then 3 mL/ minute for the remainder of the infusion.

OBSERVATION POST-VB-111 ADMINISTRATION

[0275] Study participants should be observed in the clinic or infusion area for the first 8 hours after the first administration of study drug, and subsequently as clinically indicated.

VB-111 DISTRIBUTION LABS

[0276] Blood and urine samples will be collected for VB-111 adenovirus DNA levels expression determinations at the following time points:

Blood:

1. 0 (Prior to dosing)
2. At the end of infusion
3. 3 ± 0.5 hours
4. 6 ± 0.5 hours

Vital Signs:

[0277] Vital signs (systolic and diastolic blood pressure, peripheral heart rate, body temperature, respiration rate) will be recorded:

1. 0 minutes (just prior to dosing) (-15 minute range)
2. 30 minutes after start of dosing (+/- 15 minute range)
3. 60 minutes after start of dosing (+/- 15 minute range)
4. 4 hours post start of dosing (+/- 15 minute range)
5. 6 hours post start of dosing (+/- 15 minute range)
6. On the occasion of any adverse event

DAYS 8, 15, AND 22 OF EACH CYCLE

[0278] Each patient will be required to return to the clinic at a fasting state, for the following evaluations:

1. Vital signs: supine systolic and diastolic blood pressure, peripheral heart rate, body temperature, respiration rate.
2. Hematology: complete blood count with differential, INR and activated PTT.

3. Coagulation: if necessary to follow up on abnormal PTT levels.
4. Urine: collected for routine analysis

[0279] Blood labs will be drawn on day 8 of cycles 1 – 6. Blood will be drawn for:

1. Biodistribution: VB-111 Adenovirus DNA levels and transgene expression determination (every 2nd cycle following VB-111 infusion)
2. Biomarkers: Plasma analysis will be carried out for circulating angiogenic and inflammatory biomarkers VEGF, PlGF, sVEGFR1, bFGF, IL-1β, IL-6, IL-8, and TNF-α (using multiplex ELISA plates from Meso-Scale Discovery) and sVEGFR2 and SDF1α (using R&D Systems kits). Blood-circulating cells will be enumerated in fresh samples using a standard flow cytometry protocol. Archival tissue will be evaluated for CD31, CD34, VEGFR2, and vWF.
3. Tumor marker: CA-125
4. Antibodies: Levels of antibodies to the virus (including neutralizing antibodies)

[0280] NOTE: Comprehensive metabolic panel including electrolytes, LFTS, BUN/Cr, calcium, and magnesium is only required on D1, with only LFTs on Days 1, 8, 15, 22.

[0281] Paclitaxel will be administered as detailed above. ANC must be (> 1,000/mm^3 and platelet count > 100,000/mm^3

[0282] Anti-emetic therapy: Anti-emetic therapy may include Kytril 750 μg i.v. or 1 mg p.o, or Zofran 10 mg i.v. or 8 mg p.o., with Dexamethasone 10 mg i.v. as well as prn Ativan 0.5-2.0 mg i.v., and/or Compazine 10 mg p.o., or Perphenazine 4 mg p.o. as per institutional standards.

STUDY COMPLETION VISIT

[0283] Subjects will be dosed with the combination therapy (paclitaxel and VB-111) according to the cycle schedule described above until disease progression.

[0284] Following the final dose with VB-111, each patient will be required to return to the clinic for a final follow up visit, with the same clinical evaluation and laboratory samples drawn routinely and in response to a clinically significant event which will be documented as unscheduled laboratory evaluations. Adverse event and concomitant medications should be recorded in the same fashion as earlier in the study. The subject will undergo Physical Examination that will be carried out by the treating clinician (MD or NP). An ECG will be performed.

[0285] Patients who discontinued the study or experience disease progression will be followed up by clinic or telephone contact to evaluate for survival. However, following disease progression, data describing the CA125 and RECIST will be maintained in the clinical research files.

ADDITIONAL PROCEDURES

ADVERSE EVENTS

[0286] Full supportive measures should be employed for all patients with any adverse event. All adverse events occurring following drug administration will be documented in the case report forms (CRFs), together with the intensity, the therapeutic measures applied, the outcome and an evaluation of the relationship to the investigational drug. Related adverse events will be followed through resolution. Unrelated adverse events will be followed through resolution or end of study.

[0287] Common side effects include nausea, vomiting, and loss of appetite. The patient may also experience constipation, loose stools or diarrhea. It is important to increase fluid intake if diarrhea occurs. If this becomes severe, the patient may have to be hospitalized and receive intravenous fluids. The administration of any investigational product involves a general risk of side effects. Since VB-111 is an investigational product, not all of the potential side effects in humans are known. VB-111 may cause all, some, or none of the side effects listed below. Side effects are undesirable medical conditions or a worsening of a pre-existing medical condition that may occur while you are in a study. In addition to the possible adverse effects listed below unexpected or uncommon side effects, which could be serious or life threatening, may occur when VB-111 is given alone or when it is combined with other medications. One of the purposes of this study is to investigate the possible side effects of VB-111. The study doctor will monitor the patient closely during this study and discuss with the patient any questions regarding risks, discomforts, and adverse effects.

RISKS ASSOCIATED WITH VB-111

[0288] Likely (More than a 50% chance that this will happen)

- Flu-like symptoms such as fever, muscle aches, fatigue, chills,
- Nausea
- Vomiting

[0289] Occasional (Between a 1-10% chance that this will happen)

- Constipation
- Abnormally high levels of enzymes produced by the liver meaning that your liver is not functioning properly and can cause fatigue and jaundice (yellowing of the skin and eyes). Although this is usually mild and reversible, this can be serious or life threatening
- Increase in the size of the spleen usually doesn't cause any symptoms but may cause stomach pain if the spleen ruptures, and could be life threatening.
- Increase in the making of new blood cells in the bone marrow that may result in increased blood cell counts but without an increased risk of leukemia
- An allergic reaction at the site where an injection (shot) was given, which may cause some redness and swelling
- Bleeding
- Abnormally prolonged coagulation tests (PTT) and development of certain types of antibodies (antiphospholipid antibodies) that may interfere with the normal blood clotting. This may result in thrombosis (blood clots) or bleeding, which may require treatment and may be serious or life threatening.
- The ability for your wounds to heal might be affected. This can lead to infections and may require hospitalization.
- High blood pressure
- Excess protein in the urine. This is usually an asymptomatic lab finding but, if excessive, may cause fluid retention, such as swelling of the legs.
- Headache
- Loss of appetite and weight loss (anorexia)
- Decreased levels of sodium in the blood, which can cause confusion, seizures, fatigue and low levels of consciousness.
- Excess sugar in the blood, if severe may require hospitalization and urgent treatment.
- Increased sweating (hyperhidrosis)

[0290] Rare (Less than a 1% chance that this will happen)

- Low number of red blood cells that can causes tiredness and shortness of breath. This may require a blood transfusion.

- Low number of platelets, which may cause bleeding and bruising. Bleeding may be serious or life threatening and may required a blood transfusion.
- Mild increase in white blood cells (may increase the risk of infection)
- Severe bleeding
- The function of the kidneys may deteriorate (Acute Renal Failure) which may require treatment and may be serious or life threatening.
- Cerebral Edema may develop in patients with tumor involving the brain (for example, brain metastasis)
- Diarrhea
- Cardiac (heart) and blood vessel complications: heart attack, angina (chest pain), or blood clots (thrombosis) that could occlude blood supply to vital organs and result in stroke or damage to other organs.
- Congestive Cardiac Failure - The heart is not able to pump blood properly, which can cause weakness and tiredness, fluid retention, and fluid build-up in the lungs, which can cause shortness of breath. This may be serious or life threatening

RISKS ASSOCIATED WITH PACLITAXEL

[0291] Likely (Chance of more than 50% that this will happen)

- Mild to severe allergic reaction which may be life-threatening
- Numbness and pain of the hands and feet that sometimes worsens with additional treatment and may not disappear after the drug is stopped
- Hair loss
- Muscle and joint aches
- Fatigue

Frequent (Chance of 10-50% that this will happen)

- Nausea and/or vomiting
- Diarrhea
- Sores in the mouth or throat
- Lightheadedness
- Headaches
- Liver damage
- Skin irritation and swelling if the drug leaks from the vein into which it is being injected into the surrounding skin

- Taste changes
- Irritation of the skin at a site of previous radiation
- Rash

[0292] Occasional (Chance of 1-10% that this will happen)

- Inflammation of the colon which may cause a change in your bowel movements
- Inflammation of the pancreas which may cause abdominal pain that only lasts for a short time
- A sensation of flashing lights or spots
- Kidney damage
- Increased blood level of a form of fat called triglyceride(hypertriglyceridemia)
- A slowing of the heart rate
- Irregular heartbeats

[0293] Rare (Chance of less than 1% that this will happen)

- Liver failure
- Seizures
- Confusion; mood changes

RISKS ASSOCIATED WITH BIOPSIES:

[0294] Biopsies are normally performed under the guidance of an imaging technique. Each procedure requires a separate consent prior to the biopsy. The risks may include:

- Pain and discomfort. The amount of pain and discomfort will vary, depending on the location of the biopsy site. These risks can be discussed with the study doctor.
- Minor bleeding at the biopsy site.
- Tenderness at the biopsy site.
- Scarring at the biopsy site.
- Rarely, an infection at the biopsy site.

[0295] Uncommonly, complications from biopsies can be life threatening. As with any interventional procedure, other potentially serious complications from bleeding or organ damage may occur. These might require additional surgical intervention.

RISKS ASSOCIATED WITH RADIOLOGICAL SCANS AND X-RAYS:

[0296] While the patient is in the research study, CT scans may be used to evaluate the disease. The frequency of these exams is standard care. In the long term, over many years, there is a very low risk of developing a new cancer as a result of the radiological evaluation and treatment for the cancer. Certain types of drugs or combinations of these drugs with radiation may further slightly increase the risk of developing a new cancer.

[0297] There is a small risk with using the contrast agent that is injected into a vein during the scan. It may worsen kidney function in people who already have decreased kidney function. Therefore, kidney function will be closely monitored during participation in this study. If there is any change in the patient's kidney function, the patient may have to be removed from the study.

[0298] Uncommonly, some people have allergic reactions (such as hives and itching) to the contrast agent. Serious reactions (for example, drop in blood pressure, difficulty breathing or severe allergic reaction and death) are rare.

REPRODUCTIVE RISKS:

[0299] The drugs used in this research study may affect a fetus. While participating in this research study, the patient should not become pregnant, and should not nurse a baby. The patient should let the doctor know immediately if she becomes pregnant. Counseling about preventing pregnancy for either male or female study participants will be provided.

CONCOMITANT MEDICATIONS

[0300] There is no restriction on concomitant medication, besides the drugs listed in the exclusion criteria. However, VB-111 should not be mixed with other drugs. All concomitant medication administered during the study will be documented from baseline until a 1 month follow-up visit following the final dose. Routine drugs will be recorded with product name, indication, dosage, units, frequency, start and stop dates. Any continuing concomitant medication will be recorded as such, and does not need to reappear unless a stop date is noted prior to study end.

ANTIEMETIC REGIMENS

[0301] It is anticipated that nausea should be a mild side effect. The following representative antiemetic regimens are suggested: Dexamethasone 4-8 mg PO, or Lorazepam 0.5-1.0 mg, or Prochlorperazine 10 mg PO, or Metoclopramide 10-20 mg, 30 minutes prior to administration of chemotherapy.

ASPIRIN

[0302] Low-dose aspirin (≤ 325 mg/d) may be commenced or continued in subjects at higher risk for arterial thromboembolic disease. Subjects developing signs of arterial ischemia or bleeding on study should be evaluated for drug discontinuation.

ANTI-PYRETIC TREATMENT

[0303] VB-111 administration is associated with self-limited fever usually lasting 24 hours post dosing, in some cases a low grade fever may extend for up to 2-3 days post dosing. 1000 mg of acetaminophen shall be administered 1-2 hours prior to VB-111 dosing and PRN acetaminophen post-dosing. In patients who develop a grade 3 fever, or at investigator's discretion, IV Dexamethasone 10 mg may be administered 10 minutes prior to dosing in subsequent VB-111 doses.

OTHER LABORATORY ANALYSES

[0304] Laboratory samples drawn in response to a clinically significant event will be documented as unscheduled laboratory evaluations. In the event of clinically relevant abnormal laboratory values, the tests will be followed-up until the values have returned to within normal range and/or an adequate explanation of the abnormality is found. All such laboratory investigations will be performed at the study site, except for distribution assessments, which will be sent to an Independent Central Laboratory. Should any of these results require confirmation, re-testing will be performed in the same hospital laboratory where possible. Laboratory accreditation certificates and normal reference ranges must be provided for each hospital laboratory. If safety labs are drawn at local laboratories, all efforts should be made to obtain lab accreditation certificates and normal reference ranges for these labs.

[0305] ECG will be performed at screening visit and every 6 months or at early withdrawal visit.

STUDY DURATION

[0306] Each patient will be administered with paclitaxel weekly and VB-111 every second cycle. Patients will participate in this study until disease progression and then only their files will be made available for collection of CA125 and RECIST details.

[0307] Patients can decide to withdraw from study at any time. Patients who withdraw should still be contacted and questioned about adverse effects (AEs). All AEs, irrespective of relatedness to drug or disease will be documented in the patient's record and CRF. Based on the toxicity profile from pre-clinical studies completed so far, as well

as the specificity of expression of the transgene, one year is considered adequate time to identify any longer term toxicities that may emerge after treatment. Patients who have withdrawn or experience disease progression should be contacted approximately every 2 months for survival data.

DOSE LIMITING TOXICITY (CYCLE # 1, 2 AND 3 ONLY)

[0308] Dose limiting toxicities (DLTs) will be defined in the first cycle of the protocol and all patients triggering the DLT definitions during these cycles will be removed from protocol. No dose reductions will be allowed during cycle 1. DLT is defined as >4 days of grade IV neutropenia (ANC <500/mm^3), fever and neutropenia (defined as a temperature >100.2°F and ANC <500/mm^3), grade IV thrombocytopenia (platelets <25,000/mm^3) and grade ≥III non-hematological toxicity, excluding nausea and grade III vomiting.

[0309] Events of Grade 3-4 fever that occur within 24 hours post-dosing with VB-111 shall not be considered DLT if they respond to symptomatic therapy.

[0310] Given that paclitaxel 80 mg/m^2 is the clinically accepted dose for the weekly schedule, there is no plan to escalate above this dose.

DOSE MODIFICATIONS – PACLITAXEL

[0311] No dose modification may be made during the first cycle of the dose escalation phase of the study.

[0312] In patients with symptomatic neuropathy a 'break week' is allowed after discussion with the study PI. This is anticipated to allow a dosing schedule of 3 out of 4 weeks, or 7 out of 8 weeks if on alternate cycles. If dose density cannot be maintained at one of these schedules the patient should be removed from study. If a dose modification is made to the Paclitaxel Schedule, the VB-111 dosing will therefore not need to be modified to follow the Paclitaxel cycles.

[0313] Participants may stay on study with interruptions in dosing for up to 3 weeks to allow recovery of toxicity, or social commitments.

[0314] Note: After day 28, once a patient is dose reduced, dose escalation is not permitted and the patient should continue on this dose for all subsequent cycles.

[0315] Dose adjustments should be made according to the system showing the greatest toxicity graded by the Common Terminology Criteria for Adverse Events (CTCAE-4).

[0316] In general dose modifications for hematologic toxicity will be based on blood counts obtained within 72 hours of the time of retreatment unless specifically stated otherwise. Dosing of paclitaxel will be determined based on ANC (Table 12), platelet count (Table 13), and neuropathy (Table 14).

TABLE 12: Neutropenia Pre-Weekly Dose

ANC/Drug	***Paclitaxel***
≥1000 /mm^3	Full dose
<1000 /mm^3	Hold drug
Further incidence if ANC **<1000** /mm^3	Dose reduce to 60 mg/m^2

TABLE 13: Thrombocytopenia Pre-Weekly Dose

Platelets/Drug	***Paclitaxel***
≥100,000 /mm^3 or first incidence of <100,000 /mm^3 and >75,000 /mm^3	Full dose
<75,000 /mm^3	Hold drug
Repeat incidence of platelets **<100,000/mm^3 and >75,000/mm^3**	Dose reduce to 60 g/m^2

TABLE 14: Sensory Neuropathy Dose Reduction Schema

Neuropathy Grade > 2	
First incidence	1st dose reduction – Paclitaxel 60 mg/m^2
Second incidence (or persistence despite dose reduction)	2nd dose reduction – Paclitaxel 40 mg/m^2
Third incidence (or persistence despite dose reduction)	Off study

[0317] Once paclitaxel dose is reduced, it should not be re-escalated.

MANAGEMENT OF PROLONGED MYELOSUPPRESSION

[0318] If platelets or neutrophils have failed to recover by day 28, an additional 7 days will be allowed for hematologic recovery. Patients with incomplete recovery

(ANC<1,000 /mm^3 or Platelets < 100,000 /mm^3) at 35 days will be removed from protocol.

MANAGEMENT OF FEVER AND NEUTROPENIA

[0319] Patients will be managed in the usual fashion for fever and neutropenia. Patients will need to recover from fever and active infectious issues prior to resuming therapy. Patients who are not on growth factors will have Neupogen or Neulasta added to their next cycle. Patients on Neupogen 5 ug/kg/day will have their dose escalated to 10ug/kg on the same schedule.

ADDITIONAL TOXICITIES AND DOSE ADJUSTMENTS

[0320] Other toxicities are not anticipated but are possible on this trial. Patients developing drug associated grade III or IV non-hematological or non-mucosal toxicities that do not resolve or improve to grade I within 7 days of the next cycle will be removed from protocol. Patients developing serious grade III or IV non-hematological/ non mucosal toxicities that resolve or improve to grade I by within one week of the start of the next cycle may continue on trial if the patient is responding to therapy and the patient toxicities have been reviewed with the principal investigator.

DOSE REDUCTIONS FOR ABNORMAL LIVER FUNCTION TESTS ARE AS FOLLOWS:

[0321] Paclitaxel is not known to cause hepatic toxicity; however, its elimination is delayed in patients with severe hepatic dysfunction. Therefore, the dose of paclitaxel in patients with hepatic dysfunction should be modified according to Table 15.

TABLE 15: Paclitaxel Dosing Based on Serum Aspartate Aminotransferase (AST) and Alanine Aminotransferase (ALT) Levels

Serum AST, or ALT	*Paclitaxel*
< 3x ULN	80 mg/m^2
≥ 3x ULN	60 mg/m^2
≥ 5x ULN	Hold drug

[0322] Patients with elevated bilirubin > 1.5 mg/dl should not receive paclitaxel until the abnormal laboratory values improve to < grade 1. Treatment should be resumed after recovery with paclitaxel at one dose level lower, per the above table, and toxicity that lasts more than 2 weeks, will removed from study. Once a patient is dose reduced, dose

escalation is not permitted and the patient should continue on this dose for all subsequent cycles.

[0323] Patients with prolonged aPTT should not receive VB-111 until aPTT normalization. In patients who tested positive for lupus anticoagulant (LAC) and/or antiphospholipid antibodies (APLA), a negative test is required prior to repeat dose of VB-111. While test remains positive, further VB-111 should not be administered. For a persistent positive LAC or APLA test, the test must be repeated within 12 weeks from the initial positive test.

[0324] Patients developing serious toxicities thought secondary to their ovarian carcinoma (i.e. bowel obstruction) will also be removed from protocol. In the unusual circumstance where a reversible grade 3 – 4 toxicity is secondary to carcinoma and the patient is felt to be benefiting from chemotherapy the treating physician should review with the study P.I. for potential continuation on the protocol once the toxicity has resolved.

[0325] The next cycle of treatment can only commence if all non-hematological toxicity has resolved to grade I or better.

[0326] Up to two dose delays, each of a week are allowed. If there is persistent toxicity the patient will be taken off study.

PARTICIPANT SAFETY

[0327] A number of measures will be taken to ensure the safety of patients participating in this trial. These measures will be addressed through exclusion criteria and routine monitoring as follows.

[0328] Patients enrolled in this study will be evaluated clinically and with standard laboratory tests before and at regular intervals during their participation in this study. Safety evaluations will consist of medical interviews, recording of adverse events, physical examinations, blood pressure, and laboratory measurements (performed by local laboratories). Patients will be evaluated for adverse events (all grades), serious adverse events, and adverse events requiring study drug interruption or discontinuation at each study visit for the duration of their participation in the study. Patients discontinued from the treatment phase of the study for any reason will be evaluated ~30 days (28–42 days) after the decision to discontinue treatment.

[0329] If patients on treatment require elective major surgery, it is recommended that therapy be held for 2-4 weeks prior to the surgical procedure.

RE-TREATMENT CRITERIA

[0330] Dose adjustments at the start of a cycle should be based on nonhematologic toxicity or blood counts at that time. Patients should not begin a new cycle of treatment unless the absolute neutrophil count is >1,000 cells/mm^3, the platelet count is >100,000 cells/mm^3, and nonhematologic toxicities have improved to grade 1 (mild) or resolved.

[0331] Patients may be delayed for up to three weeks before re-treatment. If toxicity recovery takes more than three weeks they should be removed from study.

[0332] Treatment can continue in the setting of grade 2 fatigue, diarrhea, alopecia and nausea, if the toxicity: benefit trade-off is felt to be beneficial to participant and clinician.

PACLITAXEL FORMULATION, SUPPLY, STORAGE AND STABILITY

Paclitaxel (NSC #673089)

[0333] Paclitaxel 40 - 80 mg/m2 will be infused IV over 1 hour day 1, 8, 15 and 22 with a cycle being 28 days. Drug will be dosed to a maximum body surface area (BSA) of 2.0 m^2, and BSA will be calculated from that day's weight.

Formulation

[0334] Paclitaxel is supplied as a 6 mg/mL non-aqueous solution in multi dose vials containing 30 mg/5mL, 100 mg/16.7mL, or 300 mg/50mL of paclitaxel. In addition to 6 mg of paclitaxel, each mL of sterile non-pyrogenic solution contains 527 mg of purified Cremophor® EL (polyoxyethylated castor oil) and 49.7% (v/v) dehydrated alcohol, USP.

Storage

[0335] Unopened vials of paclitaxel are stable to the date indicated on the package when stored between 20 to 25°C (68 to 77°F). Protect from light.

Preparation

[0336] Paclitaxel will be diluted prior to infusion. Paclitaxel will be diluted in 0.9% Sodium Chloride for Injection, USP; 5% Dextrose Injection, USP; 5% Dextrose and 0.9% Sodium Chloride Injection, USP; or 5% Dextrose in Ringer's Injection to a final concentration of 0.3 to 1.2mg/mL. The solutions are physically and chemically stable for up to 27 hours at ambient temperature (approximately 25°C / 77°F) and room lighting conditions. In order to minimize patient exposure to the plasticizer DEHP, which may be leached from PVC infusion bags or sets, diluted paclitaxel solutions should be stored in

bottles (glass, polypropylene) or plastic (polypropylene, polyolefin) bags and administered through polyethylene-lined administration sets.

Administration

[0337] Paclitaxel will be administered through an inline filter with a microporous membrane not greater than 0.22 microns. Use of filter devices such as IVEX-2® or IVEX-HP®, which incorporate short inlet and outlet PVC-coated tubing, has not resulted in significant leaching of DEHP.

PREMEDICATION

[0338] All patients will be premedicated with corticosteroids, diphenhydramine, and H2 antagonists prior to the first paclitaxel administration in order to prevent severe hypersensitivity reactions. Patients who experience severe hypersensitivity reactions to drug may need to repeat the premedication and to be rechallenged with a dilute solution and slow infusion. For severe hypersensitivity reactions to paclitaxel do not have to proceed with a re challenge. When the drug is well tolerated, or tolerance to cemophor is established, the oral dexamethasone may be progressively withdrawn. Docetaxel may not be substituted.

[0339] Adverse Effects: Consult the package insert for the most current and complete information.

[0340] Supplier: Commercially available both from Bristol-Myers Squibb Oncology as well as generic manufacturers. Consult the American Hospital Formulary Service Drug Information guide, Facts and Comparisons, or the package insert for additional information.

VB-111

Description

[0341] Study drug vials will be supplied for each subject dose in labeled 1.8 ml cryovials (polypropylene). Each cryovial contains a volume of 1.1 ml (10^{12} vp/ml).

Formulation

[0342] VB-111 is a formulated as a sterile vector solution. The solution is supplied frozen (below 65°C), in single use, plastic screw vials. Each vial contains 1.1 mL of vector at a viral titer of 10^{12} vp/ml and vehicle (10% glycerol in Phosphate Buffered Saline). The vector solution should be thawed and maintained at 2-8°C during dilution and handling.

Stability and Storage

[0343] Stability studies of VB-111 are ongoing and to date support a shelf-life of 30 months below 65°C. Open and/or diluted vials SHOULD NOT BE RE-USED. VB-111 vials should be stored in closed vials frozen (below 65°C), protected from light.

Preparation

[0344] VB-111 will be prepared as shown in Table 16.

TABLE 16. VB-111 Preparation

Dose	Concentration in vial (VP/ml)	Volume of VB-111 in tube	# Vials of VB-111	Take this volume of VB-111 (ml)	Syringe type for VB-111	Volume of saline	Syringe type for saline	Total volume prepared	Volume to inject Subject Weight ≥50Kg	Volume to inject Subject Weight <50Kg
$3x10^{12}$ VPs **Dose Levels 1+2**	10^{13}	1.1ml	3	3ml 3 x 1ml	3ml	12ml (2 x 6ml)	2 x 10ml	15ml	Entire volume (15 ml)	10.5ml
$1x10^{13}$ VPs **Dose Level 3**	10^{12}	1.1ml	10	10 x 1ml	10ml	40ml	*	50ml	Entire volume (50ml)	35ml

*The pharmacy can either use a sterile empty bag and individually add 40ml NS + 10ml VB-111 to the bag, or the pharmacy can use a 50ml bag of NS and remove the excess volume then add the VB-111. Either way is an acceptable pharmacy practice.

[0345] The entire process of drug preparation shall be carried out at room temperature in the BSC type II room. After thawing, the drug may be maintained up to 3 hours in ice water during preparations.

[0346] The drug is diluted in room temperature saline.

[0347] The preparation of the drug and drug injection shall be completed in the shortest time possible, not to exceed 1 hour.

[0348] The pharmacist preparing the drug shall verify that the information on the container is appropriate for the study and for the subject: product name, concentration, batch number.

[0349] Place volume needed of saline (brought to room temperature) in a sterile plastic tube. Thaw the vials of VB-111 solution by rubbing between the gloved hands. Immediately, pull 1ml of VB-111 from each of the cryo vial intended for the specific subject. Use a new syringe for each 1ml of VB-111. Add VB-111 to the plastic tube containing the saline solution prepared in advance. Mix the diluted drug by swirling the contents by hand. Determine the volume to be applied according to the patient's weight and draw the required volume for injection into the syringe for administration (see Table 16). After completing the preparation, perform a reconciliation process: check that the correct number of source vials was used and that the volume left in the tubes is approximately as expected and complete the drug accountability log. After preparation of the drug solution, clean the drug formulation area in the pharmacy according to the pharmacy procedures.

Infusion

[0350] 1. A single intravenous infusion of the diluted VB-111 should be administered via a syringe pump according to the instructions below:

a. Dose Levels 1-2: 3 $x10^{12}$ VPs (15 or 10.5 ml depending on the subject's weight) should be administered at a rate of 1 ml/minute

b. Dose Level 3: 1 x 10^{13} VPs (50 or 35 ml depending on the subject's weight)

i. Infusion should be administered at the following rate:

1. 1ml/minute for the first 10 minutes

2. 3ml/minute for the remaining volume of infusion

[0351] A regular meal may be provided to the subject 30 minutes after completion of dosing.

SUBJECT DISCONTINUATION

[0352] Subjects who meet the following criteria should be discontinued from study treatment:

1. Grade 3 neuropathy lasing > 7 days

2. Grade 4 hypertension or Grade 3 hypertension not controlled with medication

3. Nephrotic syndrome

4. Grade ≥ 2 pulmonary or CNS hemorrhage; any Grade 4 hemorrhage

5. Any grade arterial thromboembolic event
6. Grade 4 congestive heart failure
7. Gastrointestinal perforation
8. Any grade fistula
9. Any grade bowel obstruction.
10. Wound dehiscence requiring medical or surgical intervention
11. Unwillingness or inability of subject to comply with study requirements
12. Determination by the investigator that it is no longer safe for the subject to continue therapy
13. All Grade 4 events thought to be related to study treatment by the investigator

CONTRAINDICATIONS

[0353] Study medication is contraindicated in patients who have a known, prior, severe (NCI CTC Grade 3/Grade 4) history of hypersensitivity reaction to a drug formulated in Cremophor®EL (polyoxyethylated castor oil).

CLINICAL TESTS AND PROCEDURES

[0354] A series of clinical tests and procedures will be performed at specified intervals throughout the study according to Table 17.

TABLE 17: Clinical Tests and Procedures

	Screening	Treatment		Follow-Up
Assessment	Baseline [a]	D1 of each cycle	Days 8,15, 22	Study Completion [i]
Inc./exclusion criteria	X			
Informed Consent	X			
Medical history; vital signs (incl. BP, HR, weight)[#]	X	X	X	X
Toxicity		X	X	X
Physical examination	X	X		X
Performance status	X	X		X
CBC dif. [g]	X	X	X	X
Comprehensive metabolic panel [b]	X	X	Just LFTs	X

Urinalysis [d]	X	X	X	X
Coagulation [e]	X	X		X
EKG	X			X
Biodistribution		X* (Odd cycles only)	X*	X
Tumor response [f]	X	q2 cycles [c]		
Ad-5 Antibodies		X* (Odd cycles only)	X^	X
Correlative Science/Biomarkers [g]	X	Cycle 1, 2, and then odd cycles only	Cycle 1 Day 8 for Cycles 2-6	
Optional tumor biopsy[h]				X[h]
CA-125	X	X		X
Paclitaxel dose		X	X	
VB-111 dose		Odd cycles only		

* Samples to be collected on VB-111 dosing days (every other cycle) prior to dosing, end of infusion, 6 hours post dosing and on Day 8 of that cycle (Odd cycles).

^ Samples to be collected prior to dosing

Vital signs will be monitored on VB-111 dosing days prior to dosing, and 30 minutes, 60 minutes, 4 hours and 6 hours post dosing

a: All physical examinations, blood tests, and urinalysis must be performed within 14 days prior to registration. Radiological assessment of tumors should be performed within 4 weeks prior to registration.

b: Bloods can be drawn within 3 days of D1, 8, 15, 22 of all subsequent cycles. CBC dif.: CBC with differential and platelets; Comprehensive metabolic panel including electrolytes, LFTs, BUN/Cr, calcium, and magnesium. Only LFTs and a CBC dif are required days 8, 15, 22.

c: It is anticipated that tumor response will be evaluated 2 cycles.

d: If there is new, or increased proteinuria, a 24 hr urine may be required. +2 dipstick requires a 24-hour collection but +3 dipstick requires holding study drug and a 24-hour collection. Urinalysis will be obtained on D1, D8, D15, D22, and as clinically indicated, as proteinuria has not been a feature of dosing with VB-111.

e: Bloods can be drawn within 3 days of D1 of each cycle for PT, PTT. In case of PTT prolongation above ULN, blood should be drawn for lupus anticoagulant (LAC) and for anti-phospholipid antibody (IgG and IgM for beta-2-GP-1 and anticardiolipin).

f: Tumor assessment can be by institutional standards such as tumor response assessments: CT, MRI, etc. NOTE: The tumor assessment is scheduled to occur at regular intervals (every 8 weeks), which will be typically coinciding with every 2 cycles, but at a fixed interval which will allow cleaner evaluation of PFS, the primary end point.

g: Specific biomarkers will be collected prior to dosing on Cycle 1 day 1 and on days 8, 15, 22 of Cycle 1, Cycle 2 day 1, Cycle 3 day 1 prior to dosing and every 2 cycles thereafter until disease progression.

h: Tissue acquisition is not a mandated part of the study, but optional with a budget to cover non-clinically indicated biopsy or paracentesis to procure samples. There is no specified time for this to be done. See TISSUE COLLECTION section below.

i. Study Completion data should be completed within one week of 30 days from last dose of study medication. Survival data may then be collected by phone.

EFFICACY AND SAFETY ASSESSMENTS

RECIST CRITERIA

[0355] Tumor response will be assessed using RECIST 1.1 criteria at baseline and every other cycle thereafter i.e. after cycles 2, 4, 6, etc. If patients continue with paclitaxel formal evaluation will continue. Independent evaluation of imaging will be performed by TumorMetrics.

TUMOR MEASUREMENT

[0356] Measurable disease: the presence of at least one measurable lesion. If the measurable disease is restricted to a solitary lesion, its neoplastic nature should be confirmed by cytology/histology.

MEASURABLE LESIONS

[0357] Lesions that can be accurately measured in at least one dimension with the longest diameter >2.0 cm. With a spiral CT scan, the lesion must be >1.0 cm in at least one dimension, and for lymphnodes, the shortest diameter must be >1.5 cm.

NON-MEASURABLE LESIONS

[0358] All other lesions, including small lesions (longest diameter <2.0 cm with conventional techniques or <1.0 cm with spiral CT scans) and other non-measurable lesions. These include: bone lesions; leptomeningeal disease; ascites; pleural/pericardial effusion; inflammatory breast disease; lymphangitis cutis/pulmonis; abdominal masses that are not confirmed and followed by imaging techniques; and cystic lesions.

[0359] All measurements should be recorded in metric notation, using a ruler or calipers. All baseline evaluations should be performed as close as possible to the treatment start and never more than 4 weeks before the beginning of the treatment.

[0360] The same method of assessment and the same technique should be used to characterize each identified and reported lesion at baseline and during follow-up.

[0361] Clinical lesions will only be considered measurable when they are superficial (*e.g.*, skin nodules, palpable lymph nodes). For the case of skin lesions, documentation by color photography including a ruler to estimate the size of the lesions is recommended.

BASELINE DOCUMENTATION OF TARGET AND NON-TARGET LESIONS

[0362] All measurable lesions up to a maximum of 5 lesions representative of each involved organ should be identified as target lesions and will be recorded and measured at baseline.

[0363] Target lesions should be selected on the basis of their size (lesions with the longer diameter) and their suitability for accurate repetitive measurements (either by imaging techniques or clinically).

[0364] A sum of the longest diameter (LD) for all target lesions will be calculated and reported as the baseline sum LD. The baseline sum LD will be used as reference to further characterize the objective tumor response of the measurable dimension of the disease.

[0365] All other lesions (or sites of disease) should be identified as non-target lesions and should also be recorded at baseline. Measurements are not required and these lesions should be followed as "present" or "absent."

RESPONSE CRITERIA

[0366] Evaluation of target lesions:

Complete response (CR)- disappearance of all target lesions.

Partial response (PR)- at least a 30% decrease in the sum of the LD of the target lesions taking as reference the baseline sum LD.

Progression (PD)- at least a 20% increase in the sum of the LD of the target lesions taking as reference the smallest sum LD recorded since the treatment started or the appearance of one or more new lesions.

Stable disease (SD)- neither sufficient shrinkage to qualify for PR nor sufficient increase to qualify for PD taking as references the smallest sum LD since the treatment started.

[0367] Evaluation of non-target lesions:

Complete response (CR)- disappearance of all non-target lesions and normalization of tumor marker level.

Non-complete response (non-CR)/non-progression (non-PD)-persistence of one or more non-target lesion(s) or/and maintenance of tumor marker level above the normal limits.

Progressive disease (PD)- appearance of one or more new lesions. Unequivocal progression of existing non-target lesions. Although a clear

progression of non-target lesions only is exceptional, in such circumstances, the opinion of the treating physician should prevail and the progression status should be confirmed later on by a review panel (or study chair/primary investigator).

EVALUATION OF BEST OVERALL RESPONSE

[0368] The best overall response is the best response recorded from the start of the treatment until disease progression/recurrence (taking as reference for progressive disease the smallest measurements recorded since the treatment started). In general, the patient's best response assignment will depend on the achievement of both measurement and confirmation criteria as shown in Table 18.

TABLE 18: Overall Patient Responses Based on Measurement of Target, Non-Target, and New Lesions

Target lesions	Non-target lesions	New lesions	Overall response
CR	CR	No	CR
CR	Non-CR/Non-PD	No	PR
PR	Non-PD	No	PR
SD	Non-PD	No	SD
PD	Any	Yes or No	PD
Any	PD	Yes or No	PD
Any	Any	Yes	PD

[0369] Patients with a global deterioration of health status requiring discontinuation of treatment without objective evidence of disease progression at that time will be reported as "clinical deterioration." Every effort will be made to document the objective progression even after discontinuation of treatment.

[0370] In some circumstances, it may be difficult to distinguish residual disease from normal tissue. When the evaluation of complete response depends upon this determination, it is recommended that the residual lesion be investigated (fine needle aspirate/biopsy) before confirming the complete response status.

[0371] Confirmation: To be assigned a status of partial response (PR) or complete response (CR), changes in tumor measurements must be confirmed by repeat studies that should be performed no less than 4 weeks after the criteria for response are first met. In the case of SD, follow-up measurements must have met the SD criteria at least once after study entry at a minimum interval of 6-8 weeks.

[0372] Rustin criteria: If only CA125 is evaluable (Elevated over 35 U/ml), response will be defined per the GCIG rather than the Rustin criteria.

[0373] GCIG CA125 response definition: A response according to CA125 has occurred if there is at least a 50% reduction in CA125 levels from a pretreatment sample. The response must be confirmed and maintained for at least 28 days. Patients can be evaluated according to CA 125 only if they have a pretreatment sample that is at least twice the upper limit of normal and within 2 weeks prior to starting treatment.

[0374] Progression according to CA125 has occurred if there is a confirmed (documented on two occasions) rise in CA125 or a previously normal CA125 rises to $\geq$ 2 x ULN documented on two occasions.

EXPECTED ADVERSE EVENTS

[0375] VB-111 caused minimal toxicity in preclinical toxicology studies in mice. Mild anemia, mild thrombocytopenia, mild leukocytosis, splenomegaly, and bone marrow hyperplasia were observed. Transient liver enzyme elevations with no correlation with clinical pathology were also observed. The administration of adenovirus vectors systemically has been well tolerated. Flu-like symptoms (fever, fatigue, rigors, nausea, and/or vomiting) are the most common adverse events. Asymptomatic prolongation of aPTT and positive LAC were observed in several patients participating in Phase I/II trials. Additionally, a single case of severe diarrhea was reported in a Phase II patient. The majority of intravenously injected adeno VPs are sequestered by the liver, which in turn causes an inflammatory response characterized by acute transaminitis and vascular damage. The major adverse effects of antiangiogenic agents have been wound healing disorders, bleeding, thromboembolic, and cardiovascular events, hypertension and proteinuria.

CORRELATIVE STUDIES

DISTRIBUTION

[0376] For distribution assessment, blood samples will be collected from all patients according to Appendix I. Testing of these samples for Adenovirus and VB-111 transgene level determination will be conducted at the maximal tolerated dose group or the highest dose cohort. Distribution will be assessed by determination of levels of viral DNA and transgene by Q-PCR and Q-RT-PCR respectively in the blood, at predetermined time points following dosing. Samples will be collected for all patients at all pre-defined time

points. Testing will be conducted in samples from patients starting at the highest does and will continue to the lower doses. Samples found with non-detectable levels of viral DNA following dosing will not be tested for levels of the transgene and will not be evaluated for later time points.

ANTIBODIES

[0377] Serum samples will be collected for analysis of levels of antibodies (total IgG and neutralizing antibodies) to the adenovirus.

ANGIOGENIC BIOMARKERS

[0378] There are no biomarkers to date for antiangiogenic therapy, but several biomarker candidates have been identified [Jain 2009]. These will be tested in peripheral blood samples obtained from all patients enrolled in this study. Plasma analysis will be carried out for circulating angiogenic and inflammatory biomarkers VEGF, PlGF, sVEGFR1, bFGF, IL-1β, IL-6, IL-8, and TNF-α (using multiplex ELISA plates from Meso-Scale Discovery) and sVEGFR2 and SDF1α (using R&D Systems kits), with samples run in duplicate, using established protocols [Horowitz Clinical Ovarian Cancer 2011 in press]. Blood-circulating cells will be enumerated in fresh samples using a standard flow cytometry protocol. The quantitative analysis endpoint was the change in the fraction of circulating CD34brightCD45dim CPCs or VEGFR2+CD45+ monocytic cells among blood mononuclear cells after treatment, as previously described [Horowitz Clinical Ovarian Cancer 2011 in press]. Archival tissue will be evaluated for CD31, CD34, VEGFR2, and vWF.

TISSUE COLLECTION

[0379] Tissue acquisition is not a mandated part of the study, but optional with a budget to cover non-clinically indicated biopsy or paracentesis to procure samples. There is no specified time for this to be done. The optimal time is considered to be one to two months after first dose of VB-111. It is anticipated that 20-50% of participants may have suitable areas for safe biopsy or ascites amenable to paracentesis.

DESCRIPTION OF STATISTICAL METHODS

[0380] The MTD of VB-111 will be determined using a standard "3+3" design. That is, 3 patients will initially be treated at a particular dose level. If more than one patient experiences DLT accrual will stop and the next lower dose level will be accepted as the MTD. If no DLT occurs, accrual to the next higher dose level will begin. If one DLT

occurs, 3 additional patients will be entered at that dose level. VB-111 will be escalated to the next higher level if none of these 3 patients experiences DLT, however, if one or more patients experience such an event, accrual will stop and the MTD will be defined to be the next lower dose level. With this escalation scheme, Table 19 gives the probability of escalation to the next higher dose level for a variety of hypothesized underlying toxicity rates.

TABLE 19: Probability of Escalation of VB-111 Dose Based on DLT

True Rate of DLT	10%	20%	30%	40%	50%	60%	70%
Probability of Escalation	0.91	0.71	0.49	0.31	0.17	0.08	0.03

[0381] As can be seen from TABLE 19, there is a >71% chance of escalating the combination if the underlying risk of DLT is <20% and a >91% chance of escalation if the underlying risk is <10%. In contrast, there is at most a 17% chance of escalation if the underlying DLT risk is >50% and <8% chance if the risk is >60%.

[0382] The assessment of objective response will primarily be descriptive. In general, the overall response rate and corresponding 95% confidence interval will be calculated.

[0383] Phase II aspect of the design will evaluate the response rates defined by RECIST criteria or CA125 (GCIG not Rustin criteria) and to describe the safety profile and characterize adverse events and toxicities. Thirty percent will be chosen as the target response rate based on reported responses of combination chemo-antiangiogenic agents in patients with recurrent ovarian cancer, typically in the 20-25% range.

[0384] The design will be two-stage optimal design in that an initial 10 patients will be enrolled during Stage 1. This will include participants who commence at a paclitaxel dose of 80 mg/m2 on the Phase I (*i.e.,* participants in Dose Levels 2 and 3). With a range of two to six patients enrolled from DL-2 and 3 cohorts of the Phase I part of the study, a further eight to four participants will be enrolled to the Phase II first stage before an interim analysis of efficacy. If one or no response is observed, then the trial will stop recruitment. Otherwise, if there are two or more responses, then 19 additional participants will be enrolled (i.e. possible maximum total = 29) to the Phase II (Total for the whole

study will then be 2-18 for Phase I overlapping with 0-29 for the Phase II). If there are five or fewer responses, then no further investigation of this therapy is warranted.

[0385] If the true RR ≤ 10%, the chance of ending the trial during Stage 1 is at least 74%. If the true RR is ≥30%, the chance that the trial will be stopped in Stage 1 is ≤15%. The power of final analysis is 80% to reject H0: RR ≤ 10% in favor of H1: RR ≥ 30% at a target type-1 error rate of 5%.

[0386] The trial will be terminated if more than 2 Grade IV GI perforations are observed during Stage I. If there are 3 GI perforations at any time, then this trial will be terminated. Assuming a true GI perforations rate of 4% the probability of observing more than 2 events during Stage I is 6.2%, and the probability to observe more than 3 events from the entire trial is 2.7%.

[0387] The quantitative and semi-quantitative data such as IHC data will be considered preliminary pilot data, using descriptive statistics and non-parametric analyses, attempting to explore correlations, acknowledging that these sample sizes lack sufficient power to draw definitive conclusions, but the advantage of using the same set of analyses in multiple studies will enable us to evaluate the potentially most useful predictors of efficacy and toxicity.

BIOMARKERS

[0388] Primarily non-parametric methods (e.g. Wilcoxon signed-rank or rank sum test) will be used to assess the impact of VB-111 on CECs, and correlative / predictive measures, all tests of statistical significance will be two-sided and no adjustment will be made for multiple comparisons.

LEVEL OF SIGNIFICANCE

[0389] Confidence intervals will be calculated at the (two-sided) 95% level of confidence.

LABORATORY TESTING

ANGIOGENESIS BIOMARKERS ANALYSES (LOCAL)

[0390] Plasma analysis will be carried out for circulating angiogenic and inflammatory biomarkers VEGF, PlGF, sVEGFR1, bFGF, IL-1β, IL-6, IL-8, and TNF-α (using multiplex ELISA plates from Meso-Scale Discovery) and sVEGFR2 and SDF1α (using R&D Systems kits. Blood-circulating cells will be enumerated in fresh samples using a standard flow cytometry protocol. Archival tissue will be evaluated for CD31, CD34,

VEGFR2, and vWF. Tumor marker: CA-125. Ten cc total plasma for each time-point, in EDTA tubes at room temperature, will be assayed.

[0391] Samples shall be collected at the following time points:

1. At Baseline
2. At Cycle 1: on Days 1 prior to study drug dosing, and days 8, 15, and 22
3. At Cycle 2 Day 1 prior to study drug dosing
4. Every 2 cycles thereafter beginning with Cycle 3, prior to study drug dosing, until disease progression

ANTIBODY TESTING

[0392] Titers of antibodies to the Ad-5 virus including IgG and neutralizing antibodies shall be collected for analysis. Samples shall be collected at the following time points:

1. At Each Cycle: on Days 1, 8, 15, and 22 prior to study drug dosing;
2. At the Study Completion Visit.

[0393] Blood shall be collected and prepared in the following manner:

1. 6ml of blood shall be collected in tubes with no anticoagulant.
2. Samples shall be left at room temperature for 1 hour, and then stored at 2-8°C overnight to permit clot retraction.
3. Blood shall be centrifuged the next day.
4. Approximately 2 ml serum shall be extracted and split into 4 aliquot tubes (0.5ml each, total of 2ml each in a Nalgene 100 1.5ml) and stored at -20°C until shipping for analysis.

BIODISTRIBUTION TESTING

[0394] The following tests will be performed:

1. Blood biodistribution: Viral DNA and Transgene expression
2. Urine biodistribution: Viral DNA

[0395] Whole blood sample will be collected for Biodistribution at the following time points:

1. On Day 1 & 8 of each odd cycle, prior to study drug dosing.
2. On VB-111 dosing days:
   a. Prior to infusion (Same as Day 1 sample)
   b. At end of infusion
   c. 3 ± 0.5 hours

d. 6 ± 0.5 hours

e. At the Study Completion Visit.

[0396] Blood samples will be prepared in the following manner:

1. Blood from each time point will be collected in 4 tubes (0.75ml/tube) containing EDTA.

a. 2 tubes for the analysis of viral DNA

b. 2 tubes for the analysis of transgene expression

2. The tubes should be labeled with the subject numbers, initials, date and time of sample collection and stored in a freezer at or below -70°C.

[0397] Urine samples will be prepared in the following manner:

1. Two urine samples of 1-2 ml will be collected from the total collection volume saved

2. Urine samples and total collection volumes will be stored frozen until further analyses.

RESULTS

[0398] VB-111 was administered to six patients, each having fallopian tube or epithelial ovarian cancer for a duration of at least 1 year prior to study entry, at a dose of $3x10^{12}$ VPs in combination with paclitaxel (40mg or 80mg) per subject as shown in Figure 3. The patients did not exhibit any serious adverse events that were related to VB-111. There were no dose limiting toxicities observed.

WHAT IS CLAIMED IS:

1. A method of reducing or decreasing a size of a tumor or eliminating a tumor in a patient comprising administering to the patient an effective amount of a nucleic acid construct, which comprises a Fas-chimera gene operably linked to an endothelial cell specific promoter, wherein a Fas-chimera gene product encoded by the nucleic acid construct reduces or decreases the size of the tumor or eliminates the tumor in the patient and wherein the tumor is associated with a female gynecological cancer or a metastasis thereof.

2. A method of inhibiting, decreasing, or reducing neo-vascularization or angiogenesis in a tumor comprising administering to a patient having the tumor an effective amount of a nucleic acid construct, which comprises a Fas-chimera gene operably linked to an endothelial cell specific promoter, wherein a Fas-chimera gene product encoded by the nucleic acid construct inhibits, reduces, or decreases the neo-vascularization or angiogenesis in the tumor and wherein the tumor is associated with a female gynecological cancer or a metastasis thereof.

3. A method of treating or preventing a tumor associated with or derived from Müllerian cancer, ovarian cancer, peritoneal cancer, fallopian tube cancer, or uterine papillary serous carcinoma in a patient comprising administering an effective amount of a nucleic acid construct, which comprises a Fas-chimera gene operably linked to an endothelial cell specific promoter, wherein a Fas-chimera gene product encoded by the nucleic acid construct treats or prevents a female gynecological cancer or a metastasis thereof.

4. The method of any of claim 2 or 3, wherein the tumor or a metastasis thereof is decreased in size or eliminated after the administration.

5. The method of claim 4, wherein the tumor or a metastatis thereof is decreased such that the longest diameter (LD) of the tumor is decreased at least about 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, or 100% compared to the LD prior to the administration.

6. The method of any of claims 2 to 5, wherein said female gynecological cancer is associated with or derived from Müllerian cancer, ovarian cancer, peritoneal cancer, fallopian tube cancer, uterine papillary serous carcinoma, or any combinations thereof.

7. The method of any one of claims 1 to 6, wherein the tumor is associated with or derived from Müllerian cancer.

8. The method of claims 7, wherein the Müllerian cancer is gynecologic malignant mixed Müllerian cancer or extragenital malignant mixed Müllerian cancer.

9. The method of any one of claims 1 to 6, wherein the ovarian cancer is epithelial ovarian cancer, ovarian germ cell cancer, or ovarian low malignant potential cancer.

10. The method of any one of claims 1 to 6, wherein the peritoneal cancer is peritoneal carcinoma or peritoneal mesothelioma.

11. The method of any one of claims 1 to 6, wherein the tumor is associated with or derived from fallopian tube cancer .

12. The method of any one of claims 1 to 6, wherein the tumor is associated with or derived from uterine papillary serous carcinoma or uterine serous adenocarcinoma.

13. The method of any one of claims 1 to 12, wherein the patient has had a prior platinum based therapy.

14. The method of claim 13, wherein the platinum is selected from the group consisting of cisplatin, carboplatin, oxaliplatin, and any combinations thereof.

15. The method of any one of claims 1 to 14, wherein the patient has had a prior taxane based therapy.

16. The method of claim 14, wherein the taxane is selected from the group consisting of paclitaxel, docetaxel, and any combinations thereof.

17. The method of any one of claims 1 to 16, wherein the patient has recurrent platinum-resistant cancer.

18. The method of any one of claims 1 to 17, wherein the patient has recurrent taxane-resistant cancer.

19. The method of claim 17 or 18, wherein the patient having the recurrent platinum-resistant cancer or the recurrent taxane-resistant cancer has a progressive tumor within six months of completing or receiving a platinum based therapy or a taxane based therapy.

20. The method of claim 17 or 18, wherein the recurrent platinum-resistant cancer or the recurrent taxane-resistant cancer is determined by imaging or by the level of cancer antigen 125 (CA-125) in plasma.

21. The method of any one of claims 13 to 20, wherein the patient has recovered from acute toxicity from the prior platinum based therapy or the prior taxane based therapy.

22. The method of any one of claims 1 to 21, wherein the patient has a bone marrow function comparable to a subject without the cancer.

23. The method of any one of claims 1 to 22, wherein the patient has a hematological function comparable to a subject without the cancer, wherein the indicator of hematological function is selected from the group consisting of:

a. Absolute Neutrophil Count (ANC) is equal to or higher than 1,000/mm3;

b. Platelet (PLT) count is equal to or higher than 100,000/mm3;

c. Prothrombin time (PT) is less than 1.2 x Upper Limit of Normal (ULN) seconds;

d. Thromboplastin time (PTT) is less than 1.2 x ULN seconds, wherein if PTT is higher than ULN, the patient has a negative lupus anti-coagulant (LAC); and

e. any combinations thereof.

24. The method of any one of claims 1 to 23, wherein the patient has an organ function comparable to a subject without the cancer, wherein the organ function is analyzed using common toxicity criteria selected from the group consisting of:

a. less than or equal to grade 1 common toxicity criteria neuropathy;

b. no more than 30% of major bone marrow containing areas having received prior radiation;

c. less than 2.5 x upper limit of normal (ULN) or less than 5 x ULN of serum glutamic oxaloacetic transaminase, serum glutamic pyruvic transaminase, or alkaline phosphatase;

d. less than or equal to 1.5 x ULN level of bilirubin;

e. less than or equal to 1.5 x ULN level of creatinine;

f. less than 2 + by dip stick of proteinuria at screening or less than 1.0 ratio of urinary protein creatinine; and

g. any combinations thereof.

25. The method of any one of claims 1 to 24, wherein the patient exhibits a plasma biomarker or cell surface biomarker for an anti-angiogenic therapy.

26. The method of claim 25, wherein the plasma biomarker is selected from the group consisting of vascular endothelial growth factor (VEGF), phosphatidylinositol-glycan biosynthesis class F protein (PIGF), soluble vascular endothelial growth factor receptor-1 (sVEGFR-1), sVEGFR-2, sVEGFR-3, basic fibroblast growth factor (bFGF), interleukin-1β (IL-1 β), interleukin-6 (IL-6), interleukin-8 (IL-8), tumor necrosis factor-α (TNF- α), Von Willebrand Factor (vWF), soluble c-kit (c-kit), stromal derived factor 1α (SDF1α), and alphafetoprotein (AFP).

27. The method of claim 24, wherein the cell surface biomarker is selected from the group consisting of CD31, CD34, CD45, CD133, vascular endothelial growth factor receptor-1 (VEGFR-1), and VEGFR-2.

28. The method of any one of claims 1 to 27, wherein the patient exhibits a tumor marker.

29. The method of claim 28, wherein the tumor marker is CA-125.

30. The method of claim 29, wherein the CA-125 expression level in the patient is reduced at least 50% after the administration compared to a pretreatment sample expressing $\geq$ 2 x upper limit of normal of CA-125.

31. The method of claim 29, wherein the CA-125 expression level in the patient is reduced at least 75% after the administration compared to a pretreatment sample expressing $\geq$ 2 x upper limit of normal of CA-125.

32. The method of any one of claims 1 to 31, wherein the patient does not have a pre-existing antibody against adenovirus.

33. The method of any one of claims 1 to 32, wherein the patient does not develop an antibody against adenovirus.

34. The method of any one of claims 1 to 33, further comprising administering an effective amount of one or more chemotherapeutic agents.

35. The method of claim 34, wherein the one or more chemotherapeutic agents are administered prior to, concurrently with, or after the administration of the nucleic acid construct.

36. The method of claim 34 or 35, wherein the one or more chemotherapeutic agents are no more than one, no more than two, or no more than three chemotherapeutic agents.

37. The method of any one of claims 34 to 36, wherein the one or more chemotherapeutic agents are selected from the group consisting of altretamine, raltritrexed, topotecan, paclitaxel, docetaxel, cisplatin, carboplatin, oxaliplatin, liposomal doxorubicin, gemcitabine, cyclophosphamide, vinorelbine, ifosfamide, etoposide, altretamine, capecitabine, irinotecan, melphalan, pemetrexed, bevacizumab, and albumin bound paclitaxel.

38. The method of any one of claims 34 to 37, wherein the chemotherapeutic agent is paclitaxel.

39. The method of any one of claims 37 or 38, wherein the effective amount of paclitaxel is at least about 10 mg/m^2, at least about 20 mg/m^2, at least about 30 mg/m^2, at least about 40 mg/m^2, at least about 50 mg/m^2, at least about 60 mg/m^2, at least about 70 mg/m^2, at least about 80 mg/m^2, at least about 90 mg/m^2, or at least about 100 mg/m^2.

40. The method of any one of claims 37 to 39, wherein the effective amount of paclitaxel is about 10 mg/m^2 to about 100 mg/m^2, about 20 mg/m^2 to about 90 mg/m^2, about 30 mg/m^2 to about 80 mg/m^2; about 30 mg/m^2 to about 70 mg/m^2; or about 40 mg/m^2 to about 60 mg/m^2.

41. The method of any one of claims 37 to 40, wherein paclitaxel is administered every day, every two days, every three days, every four days, every five days, every six days, every seven days, every eight days, every nine days, or every ten days.

42. The method of any one of claims 37 to 41 wherein the paclitaxel is administered by intravenous infusion for about 30 minutes, about 40 minutes, about 50 minutes, about 60 minutes, about 70 minutes, about 80 minutes, about 90 minutes, about 100 minutes, about 110 minutes, or about 120 minutes.

43. The method of any one of claims 37 to 42, wherein paclitaxel is administered once a week.

44. The method of any one of claims 37 to 43, wherein the paclitaxel is administered at a full dose in the patient with an absolute neutrophil count of $\geq 1000/mm^3$ and a platelet count of $\geq 100,000/mm^3$ or a first incidence of a platelet count between $75,000/mm^3$ and $100,000/ mm^3$.

45. The method of claim 44, wherein the paclitaxel dose is reduced following a further incidence of absolute neutrophil count of $<1000/ mm^3$.

46. The method of claim 44, wherein the paclitaxel dose is reduced following a repeat incidence of a platelet count between $75,000/mm^3$ and $100,000/ mm^3$.

47. The method of claim 44, wherein the full dose of paclitaxel is 80 mg/m^2.

48. The method of claims 45 or 46, wherein the reduced dose is 60 mg/ml^2.

49. The method of any one of claims 37-44 or 47, wherein the paclitaxel is administered at a full dose in the patient having neuropathy grade < 2.

50. The method of claim 49, wherein the full dose of paclitaxel is 80 mg/m^2.

51. The method of any one of claims 37 to 50, wherein the paclitaxel dose is reduced following a first incidence of neuropathy grade >2.

52. The method of claim 51, wherein the reduced dose of paclitaxel is 60 mg/m^2.

53. The method of claim 51 or 52, wherein the paclitaxel dose is further reduced following a second incidence of neuropathy grade >2.

54. The method of claim 53, wherein the further reduced dose of paclitaxel is 40 mg/m^2.

55. The method of any one of claims 44 to 54, wherein the paclitaxel dose is escalated.

56. The method of any one of claims 1 to 55, wherein the patient is administered with an immunosuppressant agent prior to or concomitantly with the administration of paclitaxel.

57. The method of claim 56, wherein the immunosuppressant agent is selected from the group consisting of H_2-receptor antagonists, cimetidine, ranitidine, corticosteroids, dexamethasone, cyclosporine, and diphenhydramine.

58. The method of any one of claims 34 to 38, wherein the chemotherapeutic agent is radiotherapy.

59. The method of any one of claims 1 to 58, wherein the nucleic acid construct is an adenovirus.

60. The method of claim 59, wherein the adenovirus is adenovirus serotype 5.

61. The method of claim 59 or 60, wherein the adenovirus is a non-replicating or conditionally replicating adenovirus.

62. The method of any one of claims 59 to 61, wherein the effective amount of the adenovirus is at least about 10^9 VPs, at least about 10^{10} VPs, at least about 10^{11} VPs, at least about 10^{12} VPs, or at least about 10^{13} VPs per patient.

63. The method of any one of claims 59 to 62, wherein the effective amount of the adenovirus is at least about 1 x 10^{12} VPs, at least about 2 x 10^{12} VPs, at least about 3 x 10^{12} VPs, at least about 4 x 10^{12} VPs, at least about 5 x 10^{12} VPs, at least about 6 x 10^{12} VPs, at least about 7 x 10^{12} VPs, at least about 8 x 10^{12} VPs, at least about 9 x 10^{12} VPs, or at least about 1 x 10^{13} VPs per patient.

64. The method of any one of claims 59 to 63, wherein the effective amount of the adenovirus is about 10^9 to about 10^{15} VPs, about 10^{10} to about 10^{14} VPs, about 10^{11} to about 10^{13} VPs, or about 10^{12} to about 10^{13} VPs, or about 3 x 10^{12} to about 10^{13} VPs per patient.

65. The method of any one of claims 1 to 64, wherein the nucleic acid construct is administered at least about every 7 days, at least about every two weeks, at least about every 15 days, at least about every three weeks, at least about every four weeks, at least about every one month, at least about every five weeks, at least about every six weeks, at least about every seven weeks, at least about every eight weeks, at least about every nine weeks, at least about every ten weeks, at least about every 11 weeks, or at least about every 12 weeks.

66. The method of any one of claims 1 to 65, wherein the nucleic acid construct is administered every eight weeks.

67. The method of any one of claims 1 to 66, wherein the nucleic acid construct is administered parenterally, orally, topically, or transdermally.

68. The method of any one of claims 1 to 67, wherein the nucleic acid construct is administered subcutaneously, intravenously, intranasally, intradermally, intramuscularly, intrathecally, intraperitoneally, intravesically, intravaginally, intrauterine, or rectally.

69. The method of any one of claims 1 to 68, wherein the Fas-chimera gene product comprises a polypeptide comprising an extracellular domain of a TNF Receptor 1 (TNFR1) polypeptide fused to a transmembrane domain and an intracellular domain of a Fas polypeptide.

70. The method of claim 69, wherein the extracellular domain of the TNFR1 comprises an amino acid sequence at least 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 4, wherein the extracellular domain of the TNFR1 is capable of binding to TNF-α.

71. The method of claim 69, wherein the trans-membrane domain and the intracellular domain of the Fas polypeptide comprises an amino acid sequence at least 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 8, wherein the trans-membrane domain and the intracellular domain of the Fas polypeptide is capable of inducing Fas mediated apoptosis.

72. The method of any of claims 1 to 71, wherein the Fas-chimera gene comprises a first nucleotide sequence, which is at least 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 3, and a second nucleotide sequence, which is at least 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 7.

73. The method of any of claims 1 to 72, wherein the endothelial cell specific promoter comprises a PPE-1 promoter.

74. The method of any one of claims 1 to 73, wherein the endothelial cell specific promoter further comprises an enhancer.

75. The method of claim 74, wherein the enhancer comprises a nucleotide sequence at least 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 15 or SEQ ID NO: 16, wherein said enhancer induces an improved endothelial cell specificity compared to an endothelial cell specific promoter without the enhancer.

76. The method of claim 74, wherein the enhancer comprises SEQ ID NO: 11 or SEQ ID NO: 12.

77. The method of claim 74, wherein the enhancer further comprises SEQ ID NO: 13 or SEQ ID NO: 14.

78. The method of any one of claims 1 to 77, wherein the endothelial cell specific promoter is a PPE-1-3X promoter.

79. The method of claim 78, wherein the PPE-1-3X promoter comprises a nucleotide sequence at least 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 18, wherein said PPE-1-3X promoter is capable of directing the Fas-chimera gene expression in endothelial cells.

80. The method of any one of claims 1 to 79, wherein the nucleic acid construct does not contain an E1 region of an adenovirus.

81. The method of any one of claims 1 to 80, wherein the nucleic acid construct comprises a nucleotide sequence at least 70%, 80%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 19.

82. The method of any one of claims 1 to 81, wherein the patient is negative for lupus anticoagulant (LAC) or antiphospholipid antibodies (APLA) or both.

83. The method of any one of claims 59 to 82, wherein the adenovirus is formulated by adding saline.

84. The method of any one of claims 59 to 83, wherein the adenovirus is administered at a rate of 1 ml/minute.

85. The method of claim 84, wherein the effective amount of the adenovirus is 3×10^{12} VPs per patient.

86. The method of any one of claims 59 to 85, wherein the adenovirus is administered at a rate of 1 ml/minute for the first 10 minutes and 3 ml/minute for the remainder of the administration.

87. The method of claim 86, wherein the effective amount of the adenovirus is 1×10^{13} VPs per patient.

88. The method of any one of claims 1 to 87, wherein the patient is administered an anti-emetic agent prior to or concomitantly with the administration of paclitaxel.

89. The method of claim 88, wherein the anti-emetic agent is selected from the group consisting of cimetidine, ranitidine, lorazepam, prochlorperazine, metoclopramide, dolasetron, granisetron, ondansetron, tropisetron, palonosetron, mirtazapine, domperidone, olanzapine, droperidol, haloperidol, chlorpromazine, promethazine, alizapride, aprepitant, casopitant, cyclizine, diphenhydramine, doxylamine, meclizine, promethazine, hydroxyzine, midazolam, hyoscine, scopolamine, dexamethasone, propofol, trimethobenzamide, emetrol, and muscimol.

90. A nucleic acid construct comprising SEQ ID NO: 18.

91. The nucleic acid construct of claim 90, further comprising a nucleotide sequence encoding a Fas-chimera protein.

92. The nucleic acid construct of claim 91, wherein the Fas-chimera protein comprises an amino acid sequence at least 60%, at least 70%, at least 80%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or at least 100% identical to SEQ ID NO: 10.

93. The nucleic acid construct of claim 91 or 92, wherein the nucleotide sequence comprises SEQ ID NO: 9.

94. A vector comprising the nucleic acid construct of any one of claims 90 to 93.

95. The vector of claim 94, which is an adenovirus.

96. The vector of claims 94 or 95, which is adenovirus serotype 5.

97. The vector of any one of claims 94 to 96, wherein the adenovirus is at least 60%, at least 70%, at least 80%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% pure.

98. The vector of any one of claims 94 to 97, which comprises SEQ ID NO: 19.

99. An adenovirus having European Collection of Cell Cultures (ECACC) deposit designation 13021201.

100. The adenovirus of claim 99, wherein the adenovirus is at least 60%, at least 70%, at least 80%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% pure.

101. A pharmaceutical composition comprising the vector of any one of claims 94 to 98 or the adenovirus of claim 99 or 100 and a pharmaceutically acceptable carrier, wherein the composition does not contain another type of adenovirus.

102. The composition of claim 101, wherein the another type of adenovirus comprises SEQ ID NO: 20 or SEQ ID NO: 21.

103. A method of inhibiting, decreasing, or reducing angiogenesis or neo-vascularization in a tissue of a subject in need thereof comprising administering the nucleic acid construct of any one of claims 90 to 93, the vector of any one of claims 94 to 98, the adenovirus of claim 99 or 100, or the composition of any one of claims 101 or 102 to the subject.

104. The method of claim 103, wherein the tissue comprises a tumor.

105. The method of claim 104, wherein the size of the tumor is reduced or decreased after the administration.

106. The method of claim 104 or 105, wherein the tumor is derived from or associated with thyroid cancer, neuroendocrine cancer, glioblastoma, a female gynecological cancer, any combinations thereof or a metastasis thereof.

107. The method of claim 106, wherein the tumor is derived from or associated with Müllerian cancer, ovarian cancer, peritoneal cancer, fallopian tube cancer, uterine papillary serous carcinoma, any combinations thereof, or a metastasis thereof.

SEQUENCE LISTING

<110> Breibart, Eyal
Leubitz, Andrea
Feige, Erez
Penson, Richard

<120> TREATMENT METHODS USING ADENOVIRUS

<130> 3182.043PC02

<140> To be assigned
<141> Herewith

<160> 27

<170> PatentIn version 3.5

<210> 1
<211> 1365
<212> DNA
<213> Homo sapiens TNFRSF1A

<400> 1
atgggcctct ccaccgtgcc tgacctgctg ctgccgctgg tgctcctgga gctgttggtg 60

ggaatatacc cctcaggggt tattggactg gtccctcacc taggggacag ggagaagaga 120

gatagtgtgt gtccccaagg aaaatatatc caccctcaaa ataattcgat ttgctgtacc 180

aagtgccaca aaggaaccta cttgtacaat gactgtccag gcccggggca ggatacggac 240

tgcagggagt gtgagagcgg ctccttcacc gcttcagaaa accacctcag acactgcctc 300

agctgctcca aatgccgaaa ggaaatgggt caggtggaga tctcttcttg cacagtggac 360

cgggacaccg tgtgtggctg caggaagaac cagtaccggc attattggag tgaaaacctt 420

ttccagtgct tcaattgcag cctctgcctc aatgggaccg tgcacctctc ctgccaggag 480

aaacagaaca ccgtgtgcac ctgccatgca ggtttctttc taagagaaaa cgagtgtgtc 540

tcctgtagta actgtaagaa aagcctggag tgcacgaagt tgtgcctacc ccagattgag 600

aatgttaagg gcactgagga ctcaggcacc acagtgctgt tgcccctggt cattttcttt 660

ggtctttgcc ttttatccct cctcttcatt ggtttaatgt atcgctacca acggtggaag 720

tccaagctct actccattgt ttgtgggaaa tcgacacctg aaaaagaggg ggagcttgaa 780

ggaactacta ctaagcccct ggccccaaac ccaagcttca gtcccactcc aggcttcacc 840

cccaccctgg gcttcagtcc cgtgcccagt tccaccttca cctccagctc cacctatacc 900

cccggtgact gtcccaactt tgcggctccc cgcagagagg tggcaccacc ctatcagggg 960

gctgacccca tccttgcgac agccctcgcc tccgacccca tccccaaccc ccttcagaag 1020

tgggaggaca gcgcccacaa gccacagagc ctagacactg atgaccccgc gacgctgtac 1080

gccgtggtgg agaacgtgcc cccgttgcgc tggaaggaat tcgtgcggcg cctagggctg 1140

agcgaccacg agatcgatcg gctggagctg cagaacgggc gctgcctgcg cgaggcgcaa 1200

tacagcatgc tggcgacctg gaggcggcgc acgccgcggc gcgaggccac gctggagctg 1260

ctgggacgcg tgctccgcga catggacctg ctgggctgcc tggaggacat cgaggaggcg 1320

ctttgcggcc ccgccgccct cccgcccgcg cccagtcttc tcaga 1365

<210> 2
<211> 455
<212> PRT
<213> Homo sapiens Wild Type TNF Receptor 1

<400> 2

Met Gly Leu Ser Thr Val Pro Asp Leu Leu Leu Pro Leu Val Leu Leu
1 5 10 15

Glu Leu Leu Val Gly Ile Tyr Pro Ser Gly Val Ile Gly Leu Val Pro
20 25 30

His Leu Gly Asp Arg Glu Lys Arg Asp Ser Val Cys Pro Gln Gly Lys
35 40 45

Tyr Ile His Pro Gln Asn Asn Ser Ile Cys Cys Thr Lys Cys His Lys
50 55 60

Gly Thr Tyr Leu Tyr Asn Asp Cys Pro Gly Pro Gly Gln Asp Thr Asp
65 70 75 80

Cys Arg Glu Cys Glu Ser Gly Ser Phe Thr Ala Ser Glu Asn His Leu
85 90 95

Arg His Cys Leu Ser Cys Ser Lys Cys Arg Lys Glu Met Gly Gln Val
100 105 110

Glu Ile Ser Ser Cys Thr Val Asp Arg Asp Thr Val Cys Gly Cys Arg
115 120 125

Lys Asn Gln Tyr Arg His Tyr Trp Ser Glu Asn Leu Phe Gln Cys Phe
130 135 140

Asn Cys Ser Leu Cys Leu Asn Gly Thr Val His Leu Ser Cys Gln Glu
145 150 155 160

Lys Gln Asn Thr Val Cys Thr Cys His Ala Gly Phe Phe Leu Arg Glu
165 170 175

Asn Glu Cys Val Ser Cys Ser Asn Cys Lys Lys Ser Leu Glu Cys Thr
180 185 190

Lys Leu Cys Leu Pro Gln Ile Glu Asn Val Lys Gly Thr Glu Asp Ser
195 200 205

Gly Thr Thr Val Leu Leu Pro Leu Val Ile Phe Phe Gly Leu Cys Leu
210 215 220

Leu Ser Leu Leu Phe Ile Gly Leu Met Tyr Arg Tyr Gln Arg Trp Lys
225 230 235 240

```
Ser Lys Leu Tyr Ser Ile Val Cys Gly Lys Ser Thr Pro Glu Lys Glu
                245                 250                 255

Gly Glu Leu Glu Gly Thr Thr Thr Lys Pro Leu Ala Pro Asn Pro Ser
            260                 265                 270

Phe Ser Pro Thr Pro Gly Phe Thr Pro Thr Leu Gly Phe Ser Pro Val
        275                 280                 285

Pro Ser Ser Thr Phe Thr Ser Ser Ser Thr Tyr Thr Pro Gly Asp Cys
    290                 295                 300

Pro Asn Phe Ala Ala Pro Arg Arg Glu Val Ala Pro Pro Tyr Gln Gly
305                 310                 315                 320

Ala Asp Pro Ile Leu Ala Thr Ala Leu Ala Ser Asp Pro Ile Pro Asn
                325                 330                 335

Pro Leu Gln Lys Trp Glu Asp Ser Ala His Lys Pro Gln Ser Leu Asp
            340                 345                 350

Thr Asp Asp Pro Ala Thr Leu Tyr Ala Val Val Glu Asn Val Pro Pro
        355                 360                 365

Leu Arg Trp Lys Glu Phe Val Arg Arg Leu Gly Leu Ser Asp His Glu
    370                 375                 380

Ile Asp Arg Leu Glu Leu Gln Asn Gly Arg Cys Leu Arg Glu Ala Gln
385                 390                 395                 400

Tyr Ser Met Leu Ala Thr Trp Arg Arg Arg Thr Pro Arg Arg Glu Ala
                405                 410                 415

Thr Leu Glu Leu Leu Gly Arg Val Leu Arg Asp Met Asp Leu Leu Gly
            420                 425                 430

Cys Leu Glu Asp Ile Glu Glu Ala Leu Cys Gly Pro Ala Ala Leu Pro
        435                 440                 445

Pro Ala Pro Ser Leu Leu Arg
    450                 455


<210>  3
<211>  591
<212>  DNA
<213>  Homo sapiens Ligand Binding Domain of TNFR1

<400>  3
atgggcctct ccaccgtgcc tgacctgctg ctgccgctgg tgctcctgga gctgttggtg       60

ggaatatacc cctcaggggt tattggactg gtccctcacc taggggacag ggagaagaga      120
```

gatagtgtgt gtccccaagg aaaatatatc caccctcaaa ataattcgat ttgctgtacc 180

aagtgccaca aaggaaccta cttgtacaat gactgtccag gcccggggca ggatacggac 240

tgcagggagt gtgagagcgg ctccttcacc gcttcagaaa accacctcag acactgcctc 300

agctgctcca aatgccgaaa ggaaatgggt caggtggaga tctcttcttg cacagtggac 360

cgggacaccg tgtgtggctg caggaagaac cagtaccggc attattggag tgaaaacctt 420

ttccagtgct tcaattgcag cctctgcctc aatgggaccg tgcacctctc ctgccaggag 480

aaacagaaca ccgtgtgcac ctgccatgca ggtttctttc taagagaaaa cgagtgtgtc 540

tcctgtagta actgtaagaa aagcctggag tgcacgaagt tgtgcctacc a 591

<210> 4
<211> 197
<212> PRT
<213> Homo sapiens Ligand Binding Domain of TNFR1

<400> 4

Met Gly Leu Ser Thr Val Pro Asp Leu Leu Leu Pro Leu Val Leu Leu
1 5 10 15

Glu Leu Leu Val Gly Ile Tyr Pro Ser Gly Val Ile Gly Leu Val Pro
20 25 30

His Leu Gly Asp Arg Glu Lys Arg Asp Ser Val Cys Pro Gln Gly Lys
35 40 45

Tyr Ile His Pro Gln Asn Asn Ser Ile Cys Cys Thr Lys Cys His Lys
50 55 60

Gly Thr Tyr Leu Tyr Asn Asp Cys Pro Gly Pro Gly Gln Asp Thr Asp
65 70 75 80

Cys Arg Glu Cys Glu Ser Gly Ser Phe Thr Ala Ser Glu Asn His Leu
85 90 95

Arg His Cys Leu Ser Cys Ser Lys Cys Arg Lys Glu Met Gly Gln Val
100 105 110

Glu Ile Ser Ser Cys Thr Val Asp Arg Asp Thr Val Cys Gly Cys Arg
115 120 125

Lys Asn Gln Tyr Arg His Tyr Trp Ser Glu Asn Leu Phe Gln Cys Phe
130 135 140

Asn Cys Ser Leu Cys Leu Asn Gly Thr Val His Leu Ser Cys Gln Glu
145 150 155 160

Lys Gln Asn Thr Val Cys Thr Cys His Ala Gly Phe Phe Leu Arg Glu
165 170 175

Asn Glu Cys Val Ser Cys Ser Asn Cys Lys Lys Ser Leu Glu Cys Thr
180 185 190

Lys Leu Cys Leu Pro
195

<210> 5
<211> 1008
<212> DNA
<213> Homo sapiens full-length FAS

<400> 5
atgctgggca tctggaccct cctacctctg gttcttacgt ctgttgctag attatcgtcc 60

aaaagtgtta atgcccaagt gactgacatc aactccaagg gattggaatt gaggaagact 120

gttactacag ttgagactca gaacttggaa ggcctgcatc atgatggcca attctgccat 180

aagccctgtc ctccaggtga aaggaaagct agggactgca cagtcaatgg ggatgaacca 240

gactgcgtgc cctgccaaga agggaaggag tacacagaca aagcccattt ttcttccaaa 300

tgcagaagat gtagattgtg tgatgaagga catggcttag aagtggaaat aaactgcacc 360

cggacccaga ataccaagtg cagatgtaaa ccaaactttt tttgtaactc tactgtatgt 420

gaacactgtg acccttgcac caaatgtgaa catggaatca tcaaggaatg cacactcacc 480

agcaacacca agtgcaaaga ggaaggatcc agatctaact tggggtggct ttgtcttctt 540

cttttgccaa ttccactaat tgtttgggtg aagagaaagg aagtacagaa aacatgcaga 600

aagcacagaa aggaaaacca aggttctcat gaatctccaa ctttaaatcc tgaaacagtg 660

gcaataaatt tatctgatgt tgacttgagt aaatatatca ccactattgc tggagtcatg 720

acactaagtc aagttaaagg ctttgttcga aagaatggtg tcaatgaagc caaaatagat 780

gagatcaaga atgacaatgt ccaagacaca gcagaacaga aagttcaact gcttcgtaat 840

tggcatcaac ttcatggaaa gaaagaagcg tatgacacat tgattaaaga tctcaaaaaa 900

gccaatcttt gtactcttgc agagaaaatt cagactatca tcctcaagga cattactagt 960

gactcagaaa attcaaactt cagaaatgaa atccaaagct tggtctag 1008

<210> 6
<211> 335
<212> PRT
<213> Homo sapiens full-length FAS

<400> 6

Met Leu Gly Ile Trp Thr Leu Leu Pro Leu Val Leu Thr Ser Val Ala
1 5 10 15

Arg Leu Ser Ser Lys Ser Val Asn Ala Gln Val Thr Asp Ile Asn Ser
20 25 30

Lys Gly Leu Glu Leu Arg Lys Thr Val Thr Thr Val Glu Thr Gln Asn
35 40 45

```
Leu Glu Gly Leu His His Asp Gly Gln Phe Cys His Lys Pro Cys Pro
    50                  55                  60

Pro Gly Glu Arg Lys Ala Arg Asp Cys Thr Val Asn Gly Asp Glu Pro
65                  70                  75                  80

Asp Cys Val Pro Cys Gln Glu Gly Lys Glu Tyr Thr Asp Lys Ala His
                85                  90                  95

Phe Ser Ser Lys Cys Arg Arg Cys Arg Leu Cys Asp Glu Gly His Gly
            100                 105                 110

Leu Glu Val Glu Ile Asn Cys Thr Arg Thr Gln Asn Thr Lys Cys Arg
        115                 120                 125

Cys Lys Pro Asn Phe Phe Cys Asn Ser Thr Val Cys Glu His Cys Asp
    130                 135                 140

Pro Cys Thr Lys Cys Glu His Gly Ile Ile Lys Glu Cys Thr Leu Thr
145                 150                 155                 160

Ser Asn Thr Lys Cys Lys Glu Glu Gly Ser Arg Ser Asn Leu Gly Trp
                165                 170                 175

Leu Cys Leu Leu Leu Leu Pro Ile Pro Leu Ile Val Trp Val Lys Arg
            180                 185                 190

Lys Glu Val Gln Lys Thr Cys Arg Lys His Arg Lys Glu Asn Gln Gly
        195                 200                 205

Ser His Glu Ser Pro Thr Leu Asn Pro Glu Thr Val Ala Ile Asn Leu
    210                 215                 220

Ser Asp Val Asp Leu Ser Lys Tyr Ile Thr Thr Ile Ala Gly Val Met
225                 230                 235                 240

Thr Leu Ser Gln Val Lys Gly Phe Val Arg Lys Asn Gly Val Asn Glu
                245                 250                 255

Ala Lys Ile Asp Glu Ile Lys Asn Asp Asn Val Gln Asp Thr Ala Glu
            260                 265                 270

Gln Lys Val Gln Leu Leu Arg Asn Trp His Gln Leu His Gly Lys Lys
        275                 280                 285

Glu Ala Tyr Asp Thr Leu Ile Lys Asp Leu Lys Lys Ala Asn Leu Cys
    290                 295                 300

Thr Leu Ala Glu Lys Ile Gln Thr Ile Ile Leu Lys Asp Ile Thr Ser
305                 310                 315                 320
```

Asp Ser Glu Asn Ser Asn Phe Arg Asn Glu Ile Gln Ser Leu Val
325 330 335

<210> 7
<211> 505
<212> DNA
<213> Homo sapiens Effector Domain of FAS

<400> 7
aggatccaga tctaacttgg ggtggctttg tcttcttctt ttgccaattc cactaattgt 60

ttgggtgaag agaaaggaag tacagaaaac atgcagaaag cacagaaagg aaaaccaagg 120

ttctcatgaa tctccaacct taaatcctga aacagtggca ataaatttat ctgatgttga 180

cttgagtaaa tatatcacca ctattgctgg agtcatgaca ctaagtcaag ttaaaggctt 240

tgttcgaaag aatggtgtca atgaagccaa aatagatgag atcaagaatg acaatgtcca 300

agacacagca gaacagaaag ttcaactgct tcgtaattgg catcaacttc atggaaagaa 360

agaagcgtat gacacattga ttaaagatct caaaaaagcc aatctttgta ctcttgcaga 420

gaaaattcag actatcatcc tcaaggacat tactagtgac tcagaaaatt caaacttcag 480

aaatgaaatc caaagcttgg tctag 505

<210> 8
<211> 167
<212> PRT
<213> Homo sapiens Effector Domain of FAS

<400> 8

Gly Ser Arg Ser Asn Leu Gly Trp Leu Cys Leu Leu Leu Leu Pro Ile
1 5 10 15

Pro Leu Ile Val Trp Val Lys Arg Lys Glu Val Gln Lys Thr Cys Arg
20 25 30

Lys His Arg Lys Glu Asn Gln Gly Ser His Glu Ser Pro Thr Leu Asn
35 40 45

Pro Glu Thr Val Ala Ile Asn Leu Ser Asp Val Asp Leu Ser Lys Tyr
50 55 60

Ile Thr Thr Ile Ala Gly Val Met Thr Leu Ser Gln Val Lys Gly Phe
65 70 75 80

Val Arg Lys Asn Gly Val Asn Glu Ala Lys Ile Asp Glu Ile Lys Asn
85 90 95

Asp Asn Val Gln Asp Thr Ala Glu Gln Lys Val Gln Leu Leu Arg Asn
100 105 110

Trp His Gln Leu His Gly Lys Lys Glu Ala Tyr Asp Thr Leu Ile Lys
115 120 125

Asp Leu Lys Lys Ala Asn Leu Cys Thr Leu Ala Glu Lys Ile Gln Thr
130 135 140

Ile Ile Leu Lys Asp Ile Thr Ser Asp Ser Glu Asn Ser Asn Phe Arg
145 150 155 160

Asn Glu Ile Gln Ser Leu Val
165

<210> 9
<211> 1101
<212> DNA
<213> Homo sapiens FAS-chimera

<400> 9
atgggcctct ccaccgtgcc tgacctgctg ctgccgctgg tgctcctgga gctgttggtg 60

ggaatatacc cctcaggggt tattggactg gtccctcacc taggggacag ggagaagaga 120

gatagtgtgt gtccccaagg aaaatatatc caccctcaaa ataattcgat ttgctgtacc 180

aagtgccaca aaggaaccta cttgtacaat gactgtccag gcccggggca ggatacggac 240

tgcagggagt gtgagagcgg ctccttcacc gcttcagaaa accacctcag acactgcctc 300

agctgctcca aatgccgaaa ggaaatgggt caggtggaga tctcttcttg cacagtggac 360

cgggacaccg tgtgtggctg caggaagaac cagtaccggc attattggag tgaaaacctt 420

ttccagtgct tcaattgcag cctctgcctc aatgggaccg tgcacctctc ctgccaggag 480

aaacagaaca ccgtgtgcac ctgccatgca ggtttctttc taagagaaaa cgagtgtgtc 540

tcctgtagta actgtaagaa aagcctggag tgcacgaagt tgtgcctacc aagcttagga 600

tccagatcta acttggggtg gctttgtctt cttcttttgc caattccact aattgtttgg 660

gtgaagagaa aggaagtaca gaaaacatgc agaaagcaca gaaaggaaaa ccaaggttct 720

catgaatctc caaccttaaa tcctgaaaca gtggcaataa atttatctga tgttgacttg 780

agtaaatata tcaccactat tgctggagtc atgacactaa gtcaagttaa aggctttgtt 840

cgaaagaatg gtgtcaatga agccaaaata gatgagatca agaatgacaa tgtccaagac 900

acagcagaac agaaagttca actgcttcgt aattggcatc aacttcatgg aaagaaagaa 960

gcgtatgaca cattgattaa agatctcaaa aaagccaatc tttgtactct tgcagagaaa 1020

attcagacta tcatcctcaa ggacattact agtgactcag aaaattcaaa cttcagaaat 1080

gaaatccaaa gcttggtcta g 1101

<210> 10
<211> 366
<212> PRT
<213> Homo sapiens FAS-chimera

<400> 10

Met Gly Leu Ser Thr Val Pro Asp Leu Leu Leu Pro Leu Val Leu Leu
1 5 10 15

```
Glu Leu Leu Val Gly Ile Tyr Pro Ser Gly Val Ile Gly Leu Val Pro
            20                  25                  30

His Leu Gly Asp Arg Glu Lys Arg Asp Ser Val Cys Pro Gln Gly Lys
        35                  40                  45

Tyr Ile His Pro Gln Asn Asn Ser Ile Cys Cys Thr Lys Cys His Lys
    50                  55                  60

Gly Thr Tyr Leu Tyr Asn Asp Cys Pro Gly Pro Gly Gln Asp Thr Asp
65                  70                  75                  80

Cys Arg Glu Cys Glu Ser Gly Ser Phe Thr Ala Ser Glu Asn His Leu
                85                  90                  95

Arg His Cys Leu Ser Cys Ser Lys Cys Arg Lys Glu Met Gly Gln Val
            100                 105                 110

Glu Ile Ser Ser Cys Thr Val Asp Arg Asp Thr Val Cys Gly Cys Arg
        115                 120                 125

Lys Asn Gln Tyr Arg His Tyr Trp Ser Glu Asn Leu Phe Gln Cys Phe
    130                 135                 140

Asn Cys Ser Leu Cys Leu Asn Gly Thr Val His Leu Ser Cys Gln Glu
145                 150                 155                 160

Lys Gln Asn Thr Val Cys Thr Cys His Ala Gly Phe Phe Leu Arg Glu
                165                 170                 175

Asn Glu Cys Val Ser Cys Ser Asn Cys Lys Lys Ser Leu Glu Cys Thr
            180                 185                 190

Lys Leu Cys Leu Pro Ser Leu Gly Ser Arg Ser Asn Leu Gly Trp Leu
        195                 200                 205

Cys Leu Leu Leu Leu Pro Ile Pro Leu Ile Val Trp Val Lys Arg Lys
    210                 215                 220

Glu Val Gln Lys Thr Cys Arg Lys His Arg Lys Glu Asn Gln Gly Ser
225                 230                 235                 240

His Glu Ser Pro Thr Leu Asn Pro Glu Thr Val Ala Ile Asn Leu Ser
                245                 250                 255

Asp Val Asp Leu Ser Lys Tyr Ile Thr Thr Ile Ala Gly Val Met Thr
            260                 265                 270

Leu Ser Gln Val Lys Gly Phe Val Arg Lys Asn Gly Val Asn Glu Ala
        275                 280                 285
```

Lys Ile Asp Glu Ile Lys Asn Asp Asn Val Gln Asp Thr Ala Glu Gln
290 295 300

Lys Val Gln Leu Leu Arg Asn Trp His Gln Leu His Gly Lys Lys Glu
305 310 315 320

Ala Tyr Asp Thr Leu Ile Lys Asp Leu Lys Lys Ala Asn Leu Cys Thr
325 330 335

Leu Ala Glu Lys Ile Gln Thr Ile Ile Leu Lys Asp Ile Thr Ser Asp
340 345 350

Ser Glu Asn Ser Asn Phe Arg Asn Glu Ile Gln Ser Leu Val
355 360 365

<210> 11
<211> 47
<212> DNA
<213> Artificial Sequence

<220>
<223> Endothelial Cell-Specific Enhancer Elements

<400> 11
ctggagggtg actttgcttc tggagccagt acttcatact tttcatt 47

<210> 12
<211> 47
<212> DNA
<213> Artificial Sequence

<220>
<223> Endothelial Cell-Specific Enhancer

<400> 12
aatgaaaagt atgaagtact ggctccagaa gcaaagtcac cctccag 47

<210> 13
<211> 44
<212> DNA
<213> Artificial Sequence

<220>
<223> Endothelial Cell-Specific Enhancer

<400> 13
gtacttcata cttttcattc caatggggtg actttgcttc tgga 44

<210> 14
<211> 44
<212> DNA
<213> Artificial Sequence

<220>
<223> Endothelial Cell-Specific Enhancer Element

<400> 14
tccagaagca aagtcacccc attggaatga aaagtatgaa gtac 44

<210> 15
<211> 131
<212> DNA
<213> Artificial Sequence

<220>
<223> Endothelial Cell-Specific 3X Enhancer Element

<400> 15
ctccagaagc aaagtcaccc cattggaatg aaaagtatga agtacaatga aaagtatgaa 60

gtactggctc cagaagcaaa gtcaccctcc agaagcaaag tcaccccatt ggaatgaaaa 120

gtatgaagta c 131

<210> 16
<211> 131
<212> DNA
<213> Artificial Sequence

<220>
<223> Endothelial Cell-Specific 3X Enhancer Element

<400> 16
gtacttcata cttttcattc caatggggtg actttgcttc tggagggtga ctttgcttct 60

ggagccagta cttcatactt ttcattgtac ttcatacttt tcattccaat ggggtgactt 120

tgcttctgga g 131

<210> 17
<211> 850
<212> DNA
<213> Artificial Sequence

<220>
<223> Endothelial Cell-Specific PPE-1 Promoter

<400> 17
gtacgtgtac ttctgatcgg cgatactagg gagataagga tgtgcctgac aaaaccacat 60

tgttgttgtt atcattatta tttagttttc cttccttgct aactcctgac ggaatctttc 120

tcacctcaaa tgcgaagtac tttagtttag aaaagacttg gtggaagggg tggtggtgga 180

aaagtagggt gatcttccaa actaatctgg ttccccgccc gccccagtag ctgggattca 240

agagcgaaga gtggggatcg tccccttgtt tgatcagaaa gacataaaag gaaaatcaag 300

tgaacaatga tcagccccac ctccacccca ccccccctgcg cgcgcacaat acaatctatt 360

taattgtact tcatactttt cattccaatg gggtgacttt gcttctggag aaactcttga 420

ttcttgaact ctggggctgg cagctagcaa aaggggaagc gggctgctgc tctctgcagg 480

ttctgcagcg gtctctgtct agtgggtgtt ttctttttct tagccctgcc cctggattgt 540

cagacggcgg gcgtctgcct ctgaagttag ccgtgatttc ctctagagcc gggtcttatc 600

tctggctgca cgttgcctgt gggtgactaa tcacacaata acattgttta gggctggaat 660

gaagtcagag ctgtttaccc ccactctata ggggttcaat ataaaaaggc ggcggagaac 720

tgtccgagtc agaagcgttc ctgcaccggc gctgagagcc tgacccggtc tgctccgctg 780

tccttgcgcg ctgcctcccg gctgcccgcg acgctttcgc cccagtggaa gggccacttg 840

ctgcggccgc 850

<210> 18
<211> 987
<212> DNA
<213> Artificial Sequence

<220>
<223> Endothelial Cell-Specific PPE-1 3X Promoter

<400> 18
gtacgtgtac ttctgatcgg cgatactagg gagataagga tgtgcctgac aaaaccacat 60

tgttgttgtt atcattatta tttagttttc cttccttgct aactcctgac ggaatctttc 120

tcacctcaaa tgcgaagtac tttagtttag aaaagacttg gtggaagggg tggtggtgga 180

aaagtagggt gatcttccaa actaatctgg ttccccgccc gccccagtag ctgggattca 240

agagcgaaga gtggggatcg tcccccttgtt tgatcagaaa gacataaaag gaaaatcaag 300

tgaacaatga tcagccccac ctccacccca ccccccctgcg cgcgcacaat acaatctatt 360

taattgtact tcatactttt cattccaatg gggtgacttt gcttctggag aaactcttga 420

ttcttgaact ctggggctgg cagctagcct ccagaagcaa agtcacccca ttggaatgaa 480

aagtatgaag tacaatgaaa agtatgaagt actggctcca gaagcaaagt caccctccag 540

aagcaaagtc accccattgg aatgaaaagt atgaagtacg ctagcaaaag gggaagcggg 600

ctgctgctct ctgcaggttc tgcagcggtc tctgtctagt gggtgttttc tttttcttag 660

ccctgcccct ggattgtcag acggcgggcg tctgcctctg aagttagccg tgatttcctc 720

tagagccggg tcttatctct ggctgcacgt tgcctgtggg tgactaatca cacaataaca 780

ttgtttaggg ctggaatgaa gtcagagctg tttaccccca ctctataggg gttcaatata 840

aaaaggcggc ggagaactgt ccgagtcaga agcgttcctg caccggcgct gagagcctga 900

cccggtctgc tccgctgtcc ttgcgcgctg cctcccggct gcccgcgacg ctttcgcccc 960

agtggaaggg ccacttgctg cggccgc 987

<210> 19
<211> 35207
<212> DNA
<213> Artificial Sequence

<220>
<223> VB-111 entire construct

<400> 19
catcatcaat aatatacctt attttggatt gaagccaata tgataatgag ggggtggagt 60

ttgtgacgtg gcgcggggcg tgggaacggg gcgggtgacg tagtagtgtg gcggaagtgt 120

gatgttgcaa gtgtggcgga acacatgtaa gcgacggatg tggcaaaagt gacgtttttg 180

gtgtgcgccg gtgtacacag gaagtgacaa ttttcgcgcg gttttaggcg gatgttgtag 240

taaatttggg cgtaaccgag taagatttgg ccattttcgc gggaaaactg aataagagga 300

agtgaaatct gaataatttt gtgttactca tagcgcgtaa tatttgtcta gggccgcggg 360

gactttgacc gtttacgtgg agactcgccc aggtgttttt ctcaggtgtt ttccgcgttc 420

cgggtcaaag ttggcgtttt attattatag tcagtacgta cgtgtacttc tgatcggcga 480

tactagggag ataaggatgt gcctgacaaa accacattgt tgttgttatc attattattt 540

agttttcctt ccttgctaac tcctgacgga atctttctca cctcaaatgc gaagtacttt 600

agtttagaaa agacttggtg gaaggggtgg tggtggaaaa gtagggtgat cttccaaact 660

aatctggttc cccgcccgcc ccagtagctg ggattcaaga gcgaagagtg gggatcgtcc 720

ccttgtttga tcagaaagac ataaaaggaa aatcaagtga acaatgatca gccccacctc 780

caccccaccc ccctgcgcgc gcacaataca atctatttaa ttgtacttca tacttttcat 840

tccaatgggg tgactttgct tctggagaaa ctcttgattc ttgaactctg gggctggcag 900

ctagcctcca gaagcaaagt caccccattg gaatgaaaag tatgaagtac aatgaaaagt 960

atgaagtact ggctccagaa gcaaagtcac cctccagaag caaagtcacc ccattggaat 1020

gaaaagtatg aagtacgcta gcaaaagggg aagcgggctg ctgctctctg caggttctgc 1080

agcggtctct gtctagtggg tgttttcttt ttcttagccc tgcccctgga ttgtcagacg 1140

gcgggcgtct gcctctgaag ttagccgtga tttcctctag agccgggtct tatctctggc 1200

tgcacgttgc ctgtgggtga ctaatcacac aataacattg tttagggctg gaatgaagtc 1260

agagctgttt acccccactc tataggggtt caatataaaa aggcggcgga gaactgtccg 1320

agtcagaagc gttcctgcac cggcgctgag agcctgaccc ggtctgctcc gctgtccttg 1380

cgcgctgcct cccggctgcc cgcgacgctt tcgccccagt ggaagggcca cttgctgcgg 1440

ccgctaattc tgcagatcgg gatccggcat gggcctctcc accgtgcctg acctgctgct 1500

gccgctggtg ctcctggagc tgttggtggg aatatacccc tcaggggtta ttggactggt 1560

ccctcaccta ggggacaggg agaagagaga tagtgtgtgt ccccaaggaa aatatatcca 1620

ccctcaaaat aattcgattt gctgtaccaa gtgccacaaa ggaacctact tgtacaatga 1680

ctgtccaggc ccggggcagg atacggactg cagggagtgt gagagcggct ccttcaccgc 1740

ttcagaaaac cacctcagac actgcctcag ctgctccaaa tgccgaaagg aaatgggtca 1800

ggtggagatc tcttcttgca cagtggaccg ggacaccgtg tgtggctgca ggaagaacca 1860

gtaccggcat tattggagtg aaaacctttt ccagtgcttc aattgcagcc tctgcctcaa 1920

tgggaccgtg cacctctcct gccaggagaa acagaacacc gtgtgcacct gccatgcagg 1980

tttctttcta agagaaaacg agtgtgtctc ctgtagtaac tgtaagaaaa gcctggagtg 2040

cacgaagttg tgcctaccaa gcttaggatc cagatctaac ttggggtggc tttgtcttct 2100

tcttttgcca attccactaa ttgtttgggt gaagagaaag gaagtacaga aaacatgcag 2160

aaagcacaga aaggaaaacc aaggttctca tgaatctcca accttaaatc ctgaaacagt 2220

ggcaataaat ttatctgatg ttgacttgag taaatatatc accactattg ctggagtcat 2280

gacactaagt caagttaaag gctttgttcg aaagaatggt gtcaatgaag ccaaaataga 2340

tgagatcaag aatgacaatg tccaagacac agcagaacag aaagttcaac tgcttcgtaa 2400

ttggcatcaa cttcatggaa agaaagaagc gtatgacaca ttgattaaag atctcaaaaa 2460

agccaatctt tgtactcttg cagagaaaat tcagactatc atcctcaagg acattactag 2520

tgactcagaa aattcaaact tcagaaatga aatccaaagc ttggtctagc tcgagcatgc 2580

atctaggcgg ccgcatggca gaaattcgcg aattcgctag cgttaacgga tcctctagac 2640

gagatccgaa cttgtttatt gcagcttata atggttacaa ataaagcaat agcatcacaa 2700

atttcacaaa taaagcattt ttttcactgc attctagttg tggtttgtcc aaactcatca 2760

atgtatctta tcatgtctag atctgtactg aaatgtgtgg gcgtggctta agggtgggaa 2820

agaatatata aggtgggggt cttatgtagt tttgtatctg ttttgcagca gccgccgccg 2880

ccatgagcac caactcgttt gatggaagca ttgtgagctc atatttgaca acgcgcatgc 2940

ccccatgggc cggggtgcgt cagaatgtga tgggctccag cattgatggt cgccccgtcc 3000

tgcccgcaaa ctctactacc ttgacctacg agaccgtgtc tggaacgccg ttggagactg 3060

cagcctccgc cgccgcttca gccgctgcag ccaccgcccg cgggattgtg actgactttg 3120

ctttcctgag cccgcttgca agcagtgcag cttcccgttc atccgcccgc gatgacaagt 3180

tgacggctct tttggcacaa ttggattctt tgacccggga acttaatgtc gtttctcagc 3240

agctgttgga tctgcgccag caggtttctg ccctgaaggc ttcctcccct cccaatgcgg 3300

tttaaaacat aaataaaaaa ccagactctg tttggatttg gatcaagcaa gtgtcttgct 3360

gtctttattt aggggttttg cgcgcgcggt aggcccggga ccagcggtct cggtcgttga 3420

gggtcctgtg tatttttcc aggacgtggt aaaggtgact ctggatgttc agatacatgg 3480

gcataagccc gtctctgggg tggaggtagc accactgcag agcttcatgc tgcggggtgg 3540

tgttgtagat gatccagtcg tagcaggagc gctgggcgtg gtgcctaaaa atgtctttca 3600

gtagcaagct gattgccagg ggcaggccct tggtgtaagt gtttacaaag cggttaagct 3660

gggatgggtg catacgtggg gatatgagat gcatcttgga ctgtattttt aggttggcta 3720

tgttcccagc catatccctc cggggattca tgttgtgcag aaccaccagc acagtgtatc 3780

cggtgcactt gggaaatttg tcatgtagct tagaaggaaa tgcgtggaag aacttggaga 3840

cgcccttgtg acctccaaga ttttccatgc attcgtccat aatgatggca atgggcccac 3900

gggcggcggc ctgggcgaag atatttctgg gatcactaac gtcatagttg tgttccagga 3960

tgagatcgtc ataggccatt tttacaaagc gcgggcggag ggtgccagac tgcggtataa 4020

tggttccatc cggcccaggg gcgtagttac cctcacagat ttgcatttcc cacgctttga 4080

gttcagatgg ggggatcatg tctacctgcg gggcgatgaa gaaaacggtt tccggggtag 4140

gggagatcag ctgggaagaa agcaggttcc tgagcagctg cgacttaccg cagccggtgg 4200

gcccgtaaat cacacctatt accggctgca actggtagtt aagagagctg cagctgccgt 4260

catccctgag cagggggcc acttcgttaa gcatgtccct gactcgcatg ttttccctga 4320

ccaaatccgc cagaaggcgc tcgccgccca gcgatagcag ttcttgcaag gaagcaaagt 4380

ttttcaacgg tttgagaccg tccgccgtag gcatgctttt gagcgtttga ccaagcagtt 4440

ccaggcggtc ccacagctcg gtcacctgct ctacggcatc tcgatccagc atatctcctc 4500

gtttcgcggg ttggggcggc tttcgctgta cggcagtagt cggtgctcgt ccagacgggc 4560

cagggtcatg tctttccacg ggcgcagggt cctcgtcagc gtagtctggg tcacggtgaa 4620

ggggtgcgct ccgggctgcg cgctggccag ggtgcgcttg aggctggtcc tgctggtgct 4680

gaagcgctgc cggtcttcgc cctgcgcgtc ggccaggtag catttgacca tggtgtcata 4740

gtccagcccc tccgcggcgt ggcccttggc gcgcagcttg cccttggagg aggcgccgca 4800

cgaggggcag tgcagacttt tgagggcgta gagcttgggc gcgagaaata ccgattccgg 4860

ggagtaggca tccgcgccgc aggccccgca gacggtctcg cattccacga gccaggtgag 4920

ctctggccgt tcggggtcaa aaaccaggtt tcccccatgc tttttgatgc gtttcttacc 4980

tctggtttcc atgagccggt gtccacgctc ggtgacgaaa aggctgtccg tgtccccgta 5040

tacagacttg agaggcctgt cctcgagcgg tgttccgcgg tcctcctcgt atagaaactc 5100

ggaccactct gagacaaagg ctcgcgtcca ggccagcacg aaggaggcta agtgggaggg 5160

gtagcggtcg ttgtccacta gggggtccac tcgctccagg gtgtgaagac acatgtcgcc 5220

ctcttcggca tcaaggaagg tgattggttt gtaggtgtag gccacgtgac cgggtgttcc 5280

tgaaggggg ctataaaagg gggtgggggc gcgttcgtcc tcactctctt ccgcatcgct 5340

gtctgcgagg gccagctgtt ggggtgagta ctccctctga aaagcgggca tgacttctgc 5400

gctaagattg tcagtttcca aaaacgagga ggatttgata ttcacctggc ccgcggtgat 5460

gcctttgagg gtggccgcat ccatctggtc agaaaagaca atctttttgt tgtcaagctt 5520

ggtggcaaac gacccgtaga gggcgttgga cagcaacttg gcgatggagc gcagggtttg 5580

gtttttgtcg cgatcggcgc gctccttggc cgcgatgttt agctgcacgt attcgcgcgc 5640

aacgcaccgc cattcgggaa agacggtggt gcgctcgtcg ggcaccaggt gcacgcgcca 5700

accgcggttg tgcagggtga caaggtcaac gctggtggct acctctccgc gtaggcgctc 5760

gttggtccag cagaggcggc cgcccttgcg cgagcagaat ggcggtaggg ggtctagctg 5820

cgtctcgtcc ggggggtctg cgtccacggt aaagaccccg ggcagcaggc gcgcgtcgaa 5880

gtagtctatc ttgcatcctt gcaagtctag cgcctgctgc catgcgcggg cggcaagcgc 5940

gcgctcgtat gggttgagtg ggggacccca tggcatgggg tgggtgagcg cggaggcgta 6000

catgccgcaa atgtcgtaaa cgtagagggg ctctctgagt attccaagat atgtagggta 6060

gcatcttcca ccgcggatgc tggcgcgcac gtaatcgtat agttcgtgcg agggagcgag 6120

gaggtcggga ccgaggttgc tacgggcggg ctgctctgct cggaagacta tctgcctgaa 6180

gatggcatgt gagttggatg atatggttgg acgctggaag acgttgaagc tggcgtctgt 6240

gagacctacc gcgtcacgca cgaaggaggc gtaggagtcg cgcagcttgt tgaccagctc 6300

ggcggtgacc tgcacgtcta gggcgcagta gtccagggtt tccttgatga tgtcatactt 6360

atcctgtccc tttttttttcc acagctcgcg gttgaggaca aactcttcgc ggtctttcca 6420

gtactcttgg atcggaaacc cgtcggcctc cgaacggtaa gagcctagca tgtagaactg 6480

gttgacggcc tggtaggcgc agcatccctt ttctacgggt agcgcgtatg cctgcgcggc 6540

cttccggagc gaggtgtggg tgagcgcaaa ggtgtccctg accatgactt tgaggtactg 6600

gtatttgaag tcagtgtcgt cgcatccgcc ctgctcccag agcaaaaagt ccgtgcgctt 6660

tttggaacgc ggatttggca gggcgaaggt gacatcgttg aagagtatct ttcccgcgcg 6720

aggcataaag ttgcgtgtga tgcggaaggg tcccggcacc tcggaacggt tgttaattac 6780

ctgggcggcg agcacgatct cgtcaaagcc gttgatgttg tggcccacaa tgtaaagttc 6840

caagaagcgc gggatgccct tgatggaagg caatttttta agttcctcgt aggtgagctc 6900

ttcaggggag ctgagcccgt gctctgaaag ggcccagtct gcaagatgag ggttggaagc 6960

gacgaatgag ctccacaggt cacgggccat tagcatttgc aggtggtcgc gaaaggtcct 7020

aaactggcga cctatggcca ttttttctgg ggtgatgcag tagaaggtaa gcgggtcttg 7080

ttcccagcgg tcccatccaa ggttcgcggc taggtctcgc gcggcagtca ctagaggctc 7140

atctccgccg aacttcatga ccagcatgaa gggcacgagc tgcttcccaa aggcccccat 7200

ccaagtatag gtctctacat cgtaggtgac aaagagacgc tcggtgcgag gatgcgagcc 7260

gatcgggaag aactggatct cccgccacca attggaggag tggctattga tgtggtgaaa 7320

gtagaagtcc ctgcgacggg ccgaacactc gtgctggctt ttgtaaaaac gtgcgcagta 7380

ctggcagcgg tgcacgggct gtacatcctg cacgaggttg acctgacgac cgcgcacaag 7440

gaagcagagt gggaatttga gcccctcgcc tggcgggttt ggctggtggt cttctacttc 7500

ggctgcttgt ccttgaccgt ctggctgctc gaggggagtt acggtggatc ggaccaccac 7560

gccgcgcgag cccaaagtcc agatgtccgc gcgcggcggt cggagcttga tgacaacatc 7620

gcgcagatgg gagctgtcca tggtctggag ctcccgcggc gtcaggtcag gcgggagctc 7680

ctgcaggttt acctcgcata gacgggtcag ggcgcgggct agatccaggt gatacctaat 7740

ttccaggggc tggttggtgg cggcgtcgat ggcttgcaag aggccgcatc cccgcggcgc 7800

gactacggta ccgcgcggcg ggcggtgggc cgcgggggtg tccttggatg atgcatctaa 7860

aagcggtgac gcgggcgagc ccccggaggt agggggggct ccggacccgc cgggagaggg 7920

ggcaggggca cgtcggcgcc gcgcgcgggc aggagctggt gctgcgcgcg taggttgctg 7980

gcgaacgcga cgacgcggcg gttgatctcc tgaatctggc gcctctgcgt gaagacgacg 8040

ggcccggtga gcttgaacct gaaagagagt tcgacagaat caatttcggt gtcgttgacg 8100

gcggcctggc gcaaaatctc ctgcacgtct cctgagttgt cttgataggc gatctcggcc 8160

atgaactgct cgatctcttc ctcctggaga tctccgcgtc cggctcgctc cacggtggcg 8220

gcgaggtcgt tggaaatgcg ggccatgagc tgcgagaagg cgttgaggcc tccctcgttc 8280

cagacgcggc tgtagaccac gcccccttcg gcatcgcggg cgcgcatgac cacctgcgcg 8340

agattgagct ccacgtgccg ggcgaagacg gcgtagtttc gcaggcgctg aaagaggtag 8400

ttgagggtgg tggcggtgtg ttctgccacg aagaagtaca taacccagcg tcgcaacgtg 8460

gattcgttga tatcccccaa ggcctcaagg cgctccatgg cctcgtagaa gtccacggcg 8520

aagttgaaaa actgggagtt gcgcgccgac acggttaact cctcctccag aagacggatg 8580

agctcggcga cagtgtcgcg cacctcgcgc tcaaaggcta caggggcctc ttcttcttct 8640

tcaatctcct cttccataag ggcctcccct tcttcttctt ctggcggcgg tgggggaggg 8700

gggacacggc ggcgacgacg gcgcaccggg aggcggtcga caaagcgctc gatcatctcc 8760

ccgcggcgac ggcgcatggt ctcggtgacg gcgcggccgt tctcgcgggg gcgcagttgg 8820

aagacgccgc ccgtcatgtc ccggttatgg gttggcgggg ggctgccatg cggcagggat 8880

acggcgctaa cgatgcatct caacaattgt tgtgtaggta ctccgccgcc gagggacctg 8940

agcgagtccg catcgaccgg atcggaaaac ctctcgagaa aggcgtctaa ccagtcacag 9000

tcgcaaggta ggctgagcac cgtggcgggc ggcagcgggc ggcggtcggg gttgtttctg 9060

gcggaggtgc tgctgatgat gtaattaaag taggcggtct tgagacggcg gatggtcgac 9120

agaagcacca tgtccttggg tccggcctgc tgaatgcgca ggcggtcggc catgccccag 9180

gcttcgtttt gacatcggcg caggtctttg tagtagtctt gcatgagcct ttctaccggc 9240

acttcttctt ctccttcctc ttgtcctgca tctcttgcat ctatcgctgc ggcggcggcg 9300

gagtttggcc gtaggtggcg ccctcttcct cccatgcgtg tgaccccgaa gcccctcatc 9360

ggctgaagca gggctaggtc ggcgacaacg cgctcggcta atatggcctg ctgcacctgc 9420

gtgagggtag actggaagtc atccatgtcc acaaagcggt ggtatgcgcc cgtgttgatg 9480

gtgtaagtgc agttggccat aacggaccag ttaacggtct ggtgacccgg ctgcgagagc 9540

tcggtgtacc tgagacgcga gtaagccctc gagtcaaata cgtagtcgtt gcaagtccgc 9600

accaggtact ggtatcccac caaaaagtgc ggcggcggct ggcggtagag gggccagcgt 9660

agggtggccg gggctccggg ggcgagatct tccaacataa ggcgatgata tccgtagatg 9720

tacctggaca tccaggtgat gccggcggcg gtggtggagg cgcgcggaaa gtcgcggacg 9780

cggttccaga tgttgcgcag cggcaaaaag tgctccatgg tcgggacgct ctggccggtc 9840

aggcgcgcgc aatcgttgac gctctagacc gtgcaaaagg agagcctgta agcgggcact 9900

cttccgtggt ctggtggata aattcgcaag ggtatcatgg cggacgaccg gggttcgagc 9960

cccgtatccg gccgtccgcc gtgatccatg cggttaccgc ccgcgtgtcg aacccaggtg 10020

tgcgacgtca gacaacgggg gagtgctcct tttggcttcc ttccaggcgc ggcggctgct 10080

gcgctagctt ttttggccac tggccgcgcg cagcgtaagc ggttaggctg gaaagcgaaa 10140

gcattaagtg gctcgctccc tgtagccgga gggttatttt ccaagggttg agtcgcggga 10200

cccccggttc gagtctcgga ccggccggac tgcggcgaac gggggtttgc ctccccgtca 10260

tgcaagaccc cgcttgcaaa ttcctccgga aacagggacg agccccttt ttgcttttcc 10320

cagatgcatc cggtgctgcg gcagatgcgc ccccctcctc agcagcggca agagcaagag 10380

cagcggcaga catgcagggc accctcccct cctcctaccg cgtcaggagg ggcgacatcc 10440

gcggttgacg cggcagcaga tggtgattac gaaccccccgc ggcgccgggc ccggcactac 10500

ctggacttgg aggagggcga gggcctggcg cggctaggag cgccctctcc tgagcggcac 10560

ccaagggtgc agctgaagcg tgatacgcgt gaggcgtacg tgccgcggca gaacctgttt 10620
cgcgaccgcg agggagagga gcccgaggag atgcgggatc gaaagttcca cgcagggcgc 10680
gagctgcggc atggcctgaa tcgcgagcgg ttgctgcgcg aggaggactt tgagcccgac 10740
gcgcgaaccg ggattagtcc cgcgcgcgca cacgtggcgg ccgccgacct ggtaaccgca 10800
tacgagcaga cggtgaacca ggagattaac tttcaaaaaa gctttaacaa ccacgtgcgt 10860
acgcttgtgg cgcgcgagga ggtggctata ggactgatgc atctgtggga ctttgtaagc 10920
gcgctggagc aaaacccaaa tagcaagccg ctcatggcgc agctgttcct tatagtgcag 10980
cacagcaggg acaacgaggc attcagggat gcgctgctaa acatagtaga gcccgagggc 11040
cgctggctgc tcgatttgat aaacatcctg cagagcatag tggtgcagga gcgcagcttg 11100
agcctggctg acaaggtggc cgccatcaac tattccatgc ttagcctggg caagttttac 11160
gcccgcaaga tataccatac cccttacgtt cccatagaca aggaggtaaa gatcgagggg 11220
ttctacatgc gcatggcgct gaaggtgctt accttgagcg acgacctggg cgtttatcgc 11280
aacgagcgca tccacaaggc cgtgagcgtg agccggcggc gcgagctcag cgaccgcgag 11340
ctgatgcaca gcctgcaaag ggccctggct ggcacgggca gcggcgatag agaggccgag 11400
tcctactttg acgcgggcgc tgacctgcgc tgggccccaa gccgacgcgc cctggaggca 11460
gctggggccg gacctgggct ggcggtggca cccgcgcgcg ctggcaacgt cggcggcgtg 11520
gaggaatatg acgaggacga tgagtacgag ccagaggacg gcgagtacta agcggtgatg 11580
tttctgatca gatgatgcaa gacgcaacgg acccggcggt gcgggcggcg ctgcagagcc 11640
agccgtccgg ccttaactcc acggacgact ggcgccaggt catggaccgc atcatgtcgc 11700
tgactgcgcg caatcctgac gcgttccggc agcagccgca ggccaaccgg ctctccgcaa 11760
ttctggaagc ggtggtcccg gcgcgcgcaa accccacgca cgagaaggtg ctggcgatcg 11820
taaacgcgct ggccgaaaac agggccatcc ggcccgacga ggccggcctg gtctacgacg 11880
cgctgcttca gcgcgtggct cgttacaaca gcggcaacgt gcagaccaac ctggaccggc 11940
tggtgggggа tgtgcgcgag gccgtggcgc agcgtgagcg cgcgcagcag cagggcaacc 12000
tgggctccat ggttgcacta aacgccttcc tgagtacaca gcccgccaac gtgccgcggg 12060
gacaggagga ctacaccaac tttgtgagcg cactgcggct aatggtgact gagacaccgc 12120
aaagtgaggt gtaccagtct gggccagact atttttтcca gaccagtaga caaggcctgc 12180
agaccgtaaa cctgagccag gctttcaaaa acttgcaggg gctgtggggg gtgcgggctc 12240
ccacaggcga ccgcgcgacc gtgtctagct tgctgacgcc caactcgcgc ctgttgctgc 12300
tgctaatagc gcccttcacg gacagtggca gcgtgtcccg ggacacatac ctaggtcact 12360
tgctgacact gtaccgcgag gccataggtc aggcgcatgt ggacgagcat actttccagg 12420
agattacaag tgtcagccgc gcgctggggc aggaggacac gggcagcctg gaggcaaccc 12480
taaactacct gctgaccaac cggcggcaga agatcccctc gttgcacagt ttaaacagcg 12540
aggaggagcg cattttgcgc tacgtgcagc agagcgtgag ccttaacctg atgcgcgacg 12600

gggtaacgcc cagcgtggcg ctggacatga ccgcgcgcaa catggaaccg ggcatgtatg 12660

cctcaaaccg gccgtttatc aaccgcctaa tggactactt gcatcgcgcg gccgccgtga 12720

accccgagta tttcaccaat gccatcttga acccgcactg gctaccgccc cctggtttct 12780

acaccggggg attcgaggtg cccgagggta acgatggatt cctctgggac gacatagacg 12840

acagcgtgtt ttccccgcaa ccgcagaccc tgctagagtt gcaacagcgc gagcaggcag 12900

aggcggcgct gcgaaaggaa agcttccgca ggccaagcag cttgtccgat ctaggcgctg 12960

cggccccgcg gtcagatgct agtagcccat ttccaagctt gatagggtct cttaccagca 13020

ctcgcaccac ccgcccgcgc ctgctgggcg aggaggagta cctaaacaac tcgctgctgc 13080

agccgcagcg cgaaaaaaac ctgcctccgg catttcccaa caacgggata gagagcctag 13140

tggacaagat gagtagatgg aagacgtacg cgcaggagca cagggacgtg ccaggcccgc 13200

gcccgcccac ccgtcgtcaa aggcacgacc gtcagcgggg tctggtgtgg gaggacgatg 13260

actcggcaga cgacagcagc gtcctggatt tgggagggag tggcaacccg tttgcgcacc 13320

ttcgccccag gctggggaga atgttttaaa aaaaaaaaaa gcatgatgca aaataaaaaa 13380

ctcaccaagg ccatggcacc gagcgttggt tttcttgtat tccccttagt atgcggcgcg 13440

cggcgatgta tgaggaaggt cctcctccct cctacgagag tgtggtgagc gcggcgccag 13500

tggcggcggc gctgggttct cccttcgatg ctcccctgga cccgccgttt gtgcctccgc 13560

ggtacctgcg gcctaccggg gggagaaaca gcatccgtta ctctgagttg gcacccctat 13620

tcgacaccac ccgtgtgtac ctggtggaca acaagtcaac ggatgtggca tccctgaact 13680

accagaacga ccacagcaac tttctgacca cggtcattca aaacaatgac tacagcccgg 13740

gggaggcaag cacacagacc atcaatcttg acgaccggtc gcactggggc ggcgacctga 13800

aaaccatcct gcataccaac atgccaaatg tgaacgagtt catgtttacc aataagttta 13860

aggcgcgggt gatggtgtcg cgcttgccta ctaaggacaa tcaggtggag ctgaaatacg 13920

agtgggtgga gttcacgctg cccgagggca actactccga gaccatgacc atagacctta 13980

tgaacaacgc gatcgtggag cactacttga aagtgggcag acagaacggg gttctggaaa 14040

gcgacatcgg ggtaaagttt gacacccgca acttcagact ggggtttgac cccgtcactg 14100

gtcttgtcat gcctggggta tatacaaacg aagccttcca tccagacatc attttgctgc 14160

caggatgcgg ggtggacttc acccacagcc gcctgagcaa cttgttgggc atccgcaagc 14220

ggcaaccctt ccaggagggc tttaggatca cctacgatga tctggagggt ggtaacattc 14280

ccgcactgtt ggatgtggac gcctaccagg cgagcttgaa agatgacacc gaacagggcg 14340

ggggtggcgc aggcggcagc aacagcagtg gcagcggcgc ggaagagaac tccaacgcgg 14400

cagccgcggc aatgcagccg gtggaggaca tgaacgatca tgccattcgc ggcgacacct 14460

ttgccacacg ggctgaggag aagcgcgctg aggccgaagc agcggccgaa gctgccgccc 14520

ccgctgcgca acccgaggtc gagaagcctc agaagaaacc ggtgatcaaa cccctgacag 14580

aggacagcaa gaaacgcagt tacaacctaa taagcaatga cagcaccttc acccagtacc 14640

gcagctggta ccttgcatac aactacggcg accctcagac cggaatccgc tcatggaccc 14700

tgctttgcac tcctgacgta acctgcggct cggagcaggt ctactggtcg ttgccagaca 14760

tgatgcaaga ccccgtgacc ttccgctcca cgcgccagat cagcaacttt ccggtggtgg 14820

gcgccgagct gttgcccgtg cactccaaga gcttctacaa cgaccaggcc gtctactccc 14880

aactcatccg ccagtttacc tctctgaccc acgtgttcaa tcgctttccc gagaaccaga 14940

ttttggcgcg cccgccagcc cccaccatca ccaccgtcag tgaaaacgtt cctgctctca 15000

cagatcacgg gacgctaccg ctgcgcaaca gcatcggagg agtccagcga gtgaccatta 15060

ctgacgccag acgccgcacc tgcccctacg tttacaaggc cctgggcata gtctcgccgc 15120

gcgtcctatc gagccgcact ttttgagcaa gcatgtccat ccttatatcg cccagcaata 15180

acacaggctg gggcctgcgc ttcccaagca agatgtttgg cggggccaag aagcgctccg 15240

accaacaccc agtgcgcgtg cgcgggcact accgcgcgcc ctggggcgcg cacaaacgcg 15300

gccgcactgg gcgcaccacc gtcgatgacg ccatcgacgc ggtggtggag gaggcgcgca 15360

actacacgcc cacgccgcca ccagtgtcca cagtggacgc ggccattcag accgtggtgc 15420

gcggagcccg gcgctatgct aaaatgaaga gacggcggag gcgcgtagca cgtcgccacc 15480

gccgccgacc cggcactgcc gcccaacgcg cggcggcggc cctgcttaac cgcgcacgtc 15540

gcaccggccg acgggcggcc atgcgggccg ctcgaaggct ggccgcgggt attgtcactg 15600

tgccccccag gtccaggcga cgagcggccg ccgcagcagc cgcggccatt agtgctatga 15660

ctcagggtcg caggggcaac gtgtattggg tgcgcgactc ggttagcggc ctgcgcgtgc 15720

ccgtgcgcac ccgccccccg cgcaactaga ttgcaagaaa aaactactta gactcgtact 15780

gttgtatgta tccagcggcg gcggcgcgca acgaagctat gtccaagcgc aaaatcaaag 15840

aagagatgct ccaggtcatc gcgccggaga tctatggccc cccgaagaag gaagagcagg 15900

attacaagcc ccgaaagcta aagcgggtca aaaagaaaaa gaaagatgat gatgatgaac 15960

ttgacgacga ggtggaactg ctgcacgcta ccgcgcccag gcgacgggta cagtggaaag 16020

gtcgacgcgt aaaacgtgtt ttgcgacccg gcaccaccgt agtctttacg cccggtgagc 16080

gctccacccg cacctacaag cgcgtgtatg atgaggtgta cggcgacgag gacctgcttg 16140

agcaggccaa cgagcgcctc ggggagtttg cctacggaaa gcggcataag gacatgctgg 16200

cgttgccgct ggacgagggc aacccaacac ctagcctaaa gcccgtaaca ctgcagcagg 16260

tgctgcccgc gcttgcaccg tccgaagaaa agcgcggcct aaagcgcgag tctggtgact 16320

tggcacccac cgtgcagctg atggtaccca agcgccagcg actggaagat gtcttggaaa 16380

aaatgaccgt ggaacctggg ctggagcccg aggtccgcgt gcggccaatc aagcaggtgg 16440

cgccgggact gggcgtgcag accgtggacg ttcagatacc cactaccagt agcaccagta 16500

ttgccaccgc cacagagggc atggagacac aaacgtcccc ggttgcctca gcggtggcgg 16560

atgccgcggt gcaggcggtc gctgcggccg cgtccaagac ctctacggag gtgcaaacgg 16620

acccgtggat gtttcgcgtt tcagcccccc ggcgcccgcg ccgttcgagg aagtacggcg 16680

ccgccagcgc gctactgccc gaatatgccc tacatccttc cattgcgcct acccccggct 16740
atcgtggcta cacctaccgc cccagaagac gagcaactac ccgacgccga accaccactg 16800
gaacccgccg ccgccgtcgc cgtcgccagc ccgtgctggc cccgatttcc gtgcgcaggg 16860
tggctcgcga aggaggcagg accctggtgc tgccaacagc gcgctaccac cccagcatcg 16920
tttaaaagcc ggtctttgtg gttcttgcag atatggccct cacctgccgc ctccgtttcc 16980
cggtgccggg attccgagga agaatgcacc gtaggagggg catggccggc cacggcctga 17040
cgggcggcat gcgtcgtgcg caccaccggc ggcggcgcgc gtcgcaccgt cgcatgcgcg 17100
gcggtatcct gcccctcctt attccactga tcgccgcggc gattggcgcc gtgcccggaa 17160
ttgcatccgt ggccttgcag gcgcagagac actgattaaa aacaagttgc atgtggaaaa 17220
atcaaaataa aaagtctgga ctctcacgct cgcttggtcc tgtaactatt ttgtagaatg 17280
gaagacatca actttgcgtc tctggccccg cgacacggct cgcgcccgtt catgggaaac 17340
tggcaagata tcggcaccag caatatgagc ggtggcgcct tcagctgggg ctcgctgtgg 17400
agcggcatta aaaatttcgg ttccaccgtt aagaactatg gcagcaaggc ctggaacagc 17460
agcacaggcc agatgctgag ggataagttg aaagagcaaa atttccaaca aaaggtggta 17520
gatggcctgg cctctggcat tagcggggtg gtggacctgg ccaaccaggc agtgcaaaat 17580
aagattaaca gtaagcttga tccccgccct cccgtagagg agcctccacc ggccgtggag 17640
acagtgtctc cagaggggcg tggcgaaaag cgtccgcgcc ccgacaggga agaaactctg 17700
gtgacgcaaa tagacgagcc tccctcgtac gaggaggcac taaagcaagg cctgcccacc 17760
acccgtccca tcgcgcccat ggctaccgga gtgctgggcc agcacacacc cgtaacgctg 17820
gacctgcctc cccccgccga cacccagcag aaacctgtgc tgccaggccc gaccgccgtt 17880
gttgtaaccc gtcctagccg cgcgtccctg cgccgcgccg ccagcggtcc gcgatcgttg 17940
cggcccgtag ccagtggcaa ctggcaaagc acactgaaca gcatcgtggg tctgggggtg 18000
caatccctga agcgccgacg atgcttctga tagctaacgt gtcgtatgtg tgtcatgtat 18060
gcgtccatgt cgccgccaga ggagctgctg agccgccgcg cgcccgcttt ccaagatggc 18120
taccccttcg atgatgccgc agtggtctta catgcacatc tcgggccagg acgcctcgga 18180
gtacctgagc cccgggctgg tgcagtttgc ccgcgccacc gagacgtact tcagcctgaa 18240
taacaagttt agaaacccca cggtggcgcc tacgcacgac gtgaccacag accggtccca 18300
gcgtttgacg ctgcggttca tccctgtgga ccgtgaggat actgcgtact cgtacaaggc 18360
gcggttcacc ctagctgtgg gtgataaccg tgtgctggac atggcttcca cgtactttga 18420
catccgcggc gtgctggaca ggggccctac ttttaagccc tactctggca ctgcctacaa 18480
cgccctggct cccaagggtg ccccaaatcc ttgcgaatgg gatgaagctg ctactgctct 18540
tgaaataaac ctagaagaag aggacgatga caacgaagac gaagtagacg agcaagctga 18600
gcagcaaaaa actcacgtat ttgggcaggc gccttattct ggtataaata ttacaaagga 18660
gggtattcaa ataggtgtcg aaggtcaaac acctaaatat gccgataaaa catttcaacc 18720

tgaacctcaa ataggagaat ctcagtggta cgaaacagaa attaatcatg cagctgggag 18780
agtcctaaaa aagactaccc caatgaaacc atgttacggt tcatatgcaa aacccacaaa 18840
tgaaaatgga gggcaaggca ttcttgtaaa gcaacaaaat ggaaagctag aaagtcaagt 18900
ggaaatgcaa tttttctcaa ctactgaggc agccgcaggc aatggtgata acttgactcc 18960
taaagtggta ttgtacagtg aagatgtaga tatagaaacc ccagacactc atatttctta 19020
catgcccact attaaggaag gtaactcacg agaactaatg ggccaacaat ctatgcccaa 19080
caggcctaat tacattgctt ttagggacaa ttttattggt ctaatgtatt acaacagcac 19140
gggtaatatg ggtgttctgg cgggccaagc atcgcagttg aatgctgttg tagatttgca 19200
agacagaaac acagagcttt cataccagct tttgcttgat tccattggtg atagaaccag 19260
gtacttttct atgtggaatc aggctgttga cagctatgat ccagatgtta gaattattga 19320
aaatcatgga actgaagatg aacttccaaa ttactgcttt ccactgggag gtgtgattaa 19380
tacagagact cttaccaagg taaaacctaa aacaggtcag gaaaatggat gggaaaaaga 19440
tgctacagaa ttttcagata aaaatgaaat aagagttgga aataattttg ccatggaaat 19500
caatctaaat gccaacctgt ggagaaattt cctgtactcc aacatagcgc tgtatttgcc 19560
cgacaagcta aagtacagtc cttccaacgt aaaaatttct gataacccaa acacctacga 19620
ctacatgaac aagcgagtgg tggctcccgg gctagtggac tgctacatta accttggagc 19680
acgctggtcc cttgactata tggacaacgt caacccattt aaccaccacc gcaatgctgg 19740
cctgcgctac cgctcaatgt tgctgggcaa tggtcgctat gtgcccttcc acatccaggt 19800
gcctcagaag ttctttgcca ttaaaaacct ccttctcctg ccgggctcat acacctacga 19860
gtggaacttc aggaaggatg ttaacatggt tctgcagagc tccctaggaa atgacctaag 19920
ggttgacgga gccagcatta agtttgatag catttgcctt tacgccacct tcttccccat 19980
ggcccacaac accgcctcca cgcttgaggc catgcttaga aacgacacca acgaccagtc 20040
ctttaacgac tatctctccg ccgccaacat gctctaccct atacccgcca acgctaccaa 20100
cgtgcccata tccatcccct cccgcaactg ggcggctttc cgcggctggg ccttcacgcg 20160
ccttaagact aaggaaaccc catcactggg ctcgggctac gacccttatt acacctactc 20220
tggctctata ccctacctag atggaacctt ttacctcaac cacaccttta agaaggtggc 20280
cattaccttt gactcttctg tcagctggcc tggcaatgac cgcctgctta cccccaacga 20340
gtttgaaatt aagcgctcag ttgacgggga gggttacaac gttgcccagt gtaacatgac 20400
caaagactgg ttcctggtac aaatgctagc taactataac attggctacc agggcttcta 20460
tatcccagag agctacaagg accgcatgta ctccttcttt agaaacttcc agcccatgag 20520
ccgtcaggtg gtggatgata ctaaatacaa ggactaccaa caggtgggca tcctacacca 20580
acacaacaac tctggatttg ttggctacct tgcccccacc atgcgcgaag gacaggccta 20640
ccctgctaac ttcccctatc cgcttatagg caagaccgca gttgacagca ttacccagaa 20700
aaagtttctt tgcgatcgca ccctttggcg catcccattc tccagtaact ttatgtccat 20760

gggcgcactc acagacctgg gccaaaacct tctctacgcc aactccgccc acgcgctaga 20820
catgactttt gaggtggatc ccatggacga gcccaccctt ctttatgttt tgtttgaagt 20880
ctttgacgtg gtccgtgtgc accagccgca ccgcggcgtc atcgaaaccg tgtacctgcg 20940
cacgcccttc tcggccggca acgccacaac ataaagaagc aagcaacatc aacaacagct 21000
gccgccatgg gctccagtga gcaggaactg aaagccattg tcaaagatct tggttgtggg 21060
ccatattttt tgggcaccta tgacaagcgc tttccaggct ttgtttctcc acacaagctc 21120
gcctgcgcca tagtcaatac ggccggtcgc gagactgggg gcgtacactg gatggccttt 21180
gcctggaacc cgcactcaaa aacatgctac ctctttgagc cctttggctt ttctgaccag 21240
cgactcaagc aggtttacca gtttgagtac gagtcactcc tgcgccgtag cgccattgct 21300
tcttcccccg accgctgtat aacgctggaa aagtccaccc aaagcgtaca ggggcccaac 21360
tcggccgcct gtggactatt ctgctgcatg tttctccacg cctttgccaa ctggccccaa 21420
actcccatgg atcacaaccc caccatgaac cttattaccg gggtacccaa ctccatgctc 21480
aacagtcccc aggtacagcc caccctgcgt cgcaaccagg aacagctcta cagcttcctg 21540
gagcgccact cgccctactt ccgcagccac agtgcgcaga ttaggagcgc cacttctttt 21600
tgtcacttga aaaacatgta aaaataatgt actagagaca ctttcaataa aggcaaatgc 21660
ttttatttgt acactctcgg gtgattattt acccccaccc ttgccgtctg cgccgtttaa 21720
aaatcaaagg ggttctgccg cgcatcgcta tgcgccactg gcagggacac gttgcgatac 21780
tggtgtttag tgctccactt aaactcaggc acaaccatcc gcggcagctc ggtgaagttt 21840
tcactccaca ggctgcgcac catcaccaac gcgtttagca ggtcgggcgc cgatatcttg 21900
aagtcgcagt tggggcctcc gccctgcgcg cgcgagttgc gatacacagg gttgcagcac 21960
tggaacacta tcagcgccgg gtggtgcacg ctggccagca cgctcttgtc ggagatcaga 22020
tccgcgtcca ggtcctccgc gttgctcagg gcgaacggag tcaactttgg tagctgcctt 22080
cccaaaaagg gcgcgtgccc aggctttgag ttgcactcgc accgtagtgg catcaaaagg 22140
tgaccgtgcc cggtctgggc gttaggatac agcgcctgca taaaagcctt gatctgctta 22200
aaagccacct gagcctttgc gccttcagag aagaacatgc cgcaagactt gccggaaaac 22260
tgattggccg gacaggccgc gtcgtgcacg cagcaccttg cgtcggtgtt ggagatctgc 22320
accacatttc ggccccaccg gttcttcacg atcttggcct tgctagactg ctccttcagc 22380
gcgcgctgcc cgttttcgct cgtcacatcc atttcaatca cgtgctcctt atttatcata 22440
atgcttccgt gtagacactt aagctcgcct tcgatctcag cgcagcggtg cagccacaac 22500
gcgcagcccg tgggctcgtg atgcttgtag gtcacctctg caaacgactg caggtacgcc 22560
tgcaggaatc gccccatcat cgtcacaaag gtcttgttgc tggtgaaggt cagctgcaac 22620
ccgcggtgct cctcgttcag ccaggtcttg catacggccg ccagagcttc cacttggtca 22680
ggcagtagtt tgaagttcgc ctttagatcg ttatccacgt ggtacttgtc catcagcgcg 22740
cgcgcagcct ccatgccctt ctcccacgca gacacgatcg gcacactcag cgggttcatc 22800

accgtaattt cactttccgc ttcgctgggc tcttcctctt cctcttgcgt ccgcatacca 22860
cgcgccactg ggtcgtcttc attcagccgc cgcactgtgc gcttacctcc tttgccatgc 22920
ttgattagca ccggtgggtt gctgaaaccc accatttgta gcgccacatc ttctctttct 22980
tcctcgctgt ccacgattac ctctggtgat ggcgggcgct cgggcttggg agaagggcgc 23040
ttctttttct tcttgggcgc aatggccaaa tccgccgccg aggtcgatgg ccgcgggctg 23100
ggtgtgcgcg gcaccagcgc gtcttgtgat gagtcttcct cgtcctcgga ctcgatacgc 23160
cgcctcatcc gctttttgg gggcgcccgg ggaggcggcg gcgacgggga cggggacgac 23220
acgtcctcca tggttggggg acgtcgcgcc gcaccgcgtc cgcgctcggg ggtggtttcg 23280
cgctgctcct cttcccgact ggccatttcc ttctcctata ggcagaaaaa gatcatggag 23340
tcagtcgaga agaaggacag cctaaccgcc ccctctgagt tcgccaccac cgcctccacc 23400
gatgccgcca acgcgcctac caccttcccc gtcgaggcac ccccgcttga ggaggaggaa 23460
gtgattatcg agcaggaccc aggttttgta agcgaagacg acgaggaccg ctcagtacca 23520
acagaggata aaaagcaaga ccaggacaac gcagaggcaa acgaggaaca agtcgggcgg 23580
ggggacgaaa ggcatggcga ctacctagat gtgggagacg acgtgctgtt gaagcatctg 23640
cagcgccagt gcgccattat ctgcgacgcg ttgcaagagc gcagcgatgt gcccctcgcc 23700
atagcggatg tcagccttgc ctacgaacgc cacctattct caccgcgcgt acccccaaa 23760
cgccaagaaa acggcacatg cgagcccaac ccgcgcctca acttctaccc cgtatttgcc 23820
gtgccagagg tgcttgccac ctatcacatc tttttccaaa actgcaagat acccctatcc 23880
tgccgtgcca accgcagccg agcggacaag cagctggcct tgcggcaggg cgctgtcata 23940
cctgatatcg cctcgctcaa cgaagtgcca aaaatctttg agggtcttgg acgcgacgag 24000
aagcgcgcgg caaacgctct gcaacaggaa aacagcgaaa atgaaagtca ctctggagtg 24060
ttggtggaac tcgagggtga caacgcgcgc ctagccgtac taaaacgcag catcgaggtc 24120
acccactttg cctacccggc acttaaccta ccccccaagg tcatgagcac agtcatgagt 24180
gagctgatcg tgcgccgtgc gcagcccctg gagagggatg caaatttgca agaacaaaca 24240
gaggagggcc tacccgcagt tggcgacgag cagctagcgc gctggcttca aacgcgcgag 24300
cctgccgact tggaggagcg acgcaaacta atgatggccg cagtgctcgt taccgtggag 24360
cttgagtgca tgcagcggtt ctttgctgac ccggagatgc agcgcaagct agaggaaaca 24420
ttgcactaca cctttcgaca gggctacgta cgccaggcct gcaagatctc caacgtggag 24480
ctctgcaacc tggtctccta ccttggaatt ttgcacgaaa accgccttgg gcaaaacgtg 24540
cttcattcca cgctcaaggg cgaggcgcgc cgcgactacg tccgcgactg cgtttactta 24600
tttctatgct acacctggca gacggccatg ggcgtttggc agcagtgctt ggaggagtgc 24660
aacctcaagg agctgcagaa actgctaaag caaaacttga aggacctatg gacggccttc 24720
aacgagcgct ccgtggccgc gcacctggcg gacatcattt tccccgaacg cctgcttaaa 24780
accctgcaac agggtctgcc agacttcacc agtcaaagca tgttgcagaa ctttaggaac 24840

tttatcctag agcgctcagg aatcttgccc gccacctgct gtgcacttcc tagcgacttt 24900

gtgcccatta agtaccgcga atgccctccg ccgctttggg gccactgcta ccttctgcag 24960

ctagccaact accttgccta ccactctgac ataatggaag acgtgagcgg tgacggtcta 25020

ctggagtgtc actgtcgctg caacctatgc accccgcacc gctccctggt ttgcaattcg 25080

cagctgctta acgaaagtca aattatcggt acctttgagc tgcagggtcc ctcgcctgac 25140

gaaaagtccg cggctccggg gttgaaactc actccggggc tgtggacgtc ggcttacctt 25200

cgcaaatttg tacctgagga ctaccacgcc cacgagatta ggttctacga agaccaatcc 25260

cgcccgccta atgcggagct taccgcctgc gtcattaccc agggccacat tcttggccaa 25320

ttgcaagcca tcaacaaagc ccgccaagag tttctgctac gaaagggacg gggggtttac 25380

ttggaccccc agtccggcga ggagctcaac ccaatccccc cgccgccgca gccctatcag 25440

cagcagccgc gggcccttgc ttcccaggat ggcacccaaa aagaagctgc agctgccgcc 25500

gccacccacg gacgaggagg aatactggga cagtcaggca gaggaggttt tggacgagga 25560

ggaggaggac atgatggaag actgggagag cctagacgag gaagcttccg aggtcgaaga 25620

ggtgtcagac gaaacaccgt caccctcggt cgcattcccc tcgccggcgc cccagaaatc 25680

ggcaaccggt tccagcatgg ctacaacctc cgctcctcag gcgccgccgg cactgcccgt 25740

tcgccgaccc aaccgtagat gggacaccac tggaaccagg gccggtaagt ccaagcagcc 25800

gccgccgtta gcccaagagc aacaacagcg ccaaggctac cgctcatggc gcgggcacaa 25860

gaacgccata gttgcttgct tgcaagactg tgggggcaac atctccttcg cccgccgctt 25920

tcttctctac catcacggcg tggccttccc ccgtaacatc ctgcattact accgtcatct 25980

ctacagccca tactgcaccg gcggcagcgg cagcaacagc agcggccaca cagaagcaaa 26040

ggcgaccgga tagcaagact ctgacaaagc ccaagaaatc cacagcggcg gcagcagcag 26100

gaggaggagc gctgcgtctg gcgcccaacg aacccgtatc gacccgcgag cttagaaaca 26160

ggatttttcc cactctgtat gctatatttc aacagagcag gggccaagaa caagagctga 26220

aaataaaaaa caggtctctg cgatccctca cccgcagctg cctgtatcac aaaagcgaag 26280

atcagcttcg gcgcacgctg gaagacgcgg aggctctctt cagtaaatac tgcgcgctga 26340

ctcttaagga ctagtttcgc gccctttctc aaatttaagc gcgaaaacta cgtcatctcc 26400

agcggccaca cccggcgcca gcacctgttg tcagcgccat tatgagcaag gaaattccca 26460

cgccctacat gtggagttac cagccacaaa tgggacttgc ggctggagct gcccaagact 26520

actcaacccg aataaactac atgagcgcgg gaccccacat gatatcccgg gtcaacggaa 26580

tacgcgccca ccgaaaccga attctcctgg aacaggcggc tattaccacc acacctcgta 26640

ataaccttaa tccccgtagt tggcccgctg ccctggtgta ccaggaaagt cccgctccca 26700

ccactgtggt acttcccaga gacgcccagg ccgaagttca gatgactaac tcaggggcgc 26760

agcttgcggg cggctttcgt cacagggtgc ggtcgcccgg gcagggtata actcacctga 26820

caatcagagg gcgaggtatt cagctcaacg acgagtcggt gagctcctcg cttggtctcc 26880

gtccggacgg gacatttcag atcggcggcg ccggccgctc ttcattcacg cctcgtcagg 26940

caatcctaac tctgcagacc tcgtcctctg agccgcgctc tggaggcatt ggaactctgc 27000

aatttattga ggagtttgtg ccatcggtct actttaaccc cttctcggga cctcccggcc 27060

actatccgga tcaatttatt cctaactttg acgcggtaaa ggactcggcg gacggctacg 27120

actgaatgtt aagtggagag gcagagcaac tgcgcctgaa acacctggtc cactgtcgcc 27180

gccacaagtg ctttgcccgc gactccggtg agttttgcta ctttgaattg cccgaggatc 27240

atatcgaggg cccggcgcac ggcgtccggc ttaccgccca gggagagctt gcccgtagcc 27300

tgattcggga gtttacccag cgccccctgc tagttgagcg ggacagggga ccctgtgttc 27360

tcactgtgat ttgcaactgt cctaaccctg gattacatca agatctttgt tgccatctct 27420

gtgctgagta taataaatac agaaattaaa atatactggg gctcctatcg ccatcctgta 27480

aacgccaccg tcttcacccg cccaagcaaa ccaaggcgaa ccttacctgg tacttttaac 27540

atctctccct ctgtgattta caacagtttc aacccagacg gagtgagtct acgagagaac 27600

ctctccgagc tcagctactc catcagaaaa aacaccaccc tccttacctg ccgggaacgt 27660

acgagtgcgt caccggccgc tgcaccacac ctaccgcctg accgtaaacc agacttttc 27720

cggacagacc tcaataactc tgtttaccag aacaggaggt gagcttagaa aacccttagg 27780

gtattaggcc aaaggcgcag ctactgtggg gtttatgaac aattcaagca actctacggg 27840

ctattctaat tcaggtttct ctagaatcgg ggttggggtt attctctgtc ttgtgattct 27900

ctttattctt atactaacgc ttctctgcct aaggctcgcc gcctgctgtg tgcacatttg 27960

catttattgt cagcttttta aacgctgggg tcgccaccca agatgattag gtacataatc 28020

ctaggtttac tcacccttgc gtcagcccac ggtaccaccc aaaaggtgga ttttaaggag 28080

ccagcctgta atgttacatt cgcagctgaa gctaatgagt gcaccactct tataaaatgc 28140

accacagaac atgaaaagct gcttattcgc cacaaaaaca aaattggcaa gtatgctgtt 28200

tatgctattt ggcagccagg tgacactaca gagtataatg ttacagtttt ccagggtaaa 28260

agtcataaaa cttttatgta tacttttcca ttttatgaaa tgtgcgacat taccatgtac 28320

atgagcaaac agtataagtt gtggccccca caaaattgtg tggaaaacac tggcactttc 28380

tgctgcactg ctatgctaat tacagtgctc gctttggtct gtaccctact ctatattaaa 28440

tacaaaagca gacgcagctt tattgaggaa aagaaaatgc cttaatttac taagttacaa 28500

agctaatgtc accactaact gctttactcg ctgcttgcaa aacaaattca aaaagttagc 28560

attataatta gaataggatt taaacccccc ggtcatttcc tgctcaatac cattcccctg 28620

aacaattgac tctatgtggg atatgctcca gcgctacaac cttgaagtca ggcttcctgg 28680

atgtcagcat ctgactttgg ccagcacctg tcccgcggat ttgttccagt ccaactacag 28740

cgacccaccc taacagagat gaccaacaca accaacgcgg ccgccgctac cggacttaca 28800

tctaccacaa atacacccca agtttctgcc tttgtcaata actgggataa cttgggcatg 28860

tggtggttct ccatagcgct tatgtttgta tgccttatta ttatgtggct catctgctgc 28920

ctaaagcgca aacgcgcccg accacccatc tatagtccca tcattgtgct acacccaaac 28980

aatgatggaa tccatagatt ggacggactg aaacacatgt tcttttctct tacagtatga 29040

ttaaatgaga catgattcct cgagttttta tattactgac ccttgttgcg ctttttttgt 29100

gcgtgctcca cattggctgc ggtttctcac atcgaagtag actgcattcc agccttcaca 29160

gtctatttgc tttacggatt tgtcaccctc acgctcatct gcagcctcat cactgtggtc 29220

atcgccttta tccagtgcat tgactgggtc tgtgtgcgct ttgcatatct cagacaccat 29280

ccccagtaca gggacaggac tatagctgag cttcttagaa ttctttaatt atgaaattta 29340

ctgtgacttt tctgctgatt atttgcaccc tatctgcgtt ttgttccccg acctccaagc 29400

ctcaaagaca tatatcatgc agattcactc gtatatggaa tattccaagt tgctacaatg 29460

aaaaaagcga tctttccgaa gcctggttat atgcaatcat ctctgttatg gtgttctgca 29520

gtaccatctt agccctagct atatatccct accttgacat tggctggaac gcaatagatg 29580

ccatgaacca cccaactttc cccgcgcccg ctatgcttcc actgcaacaa gttgttgccg 29640

gcggctttgt cccagccaat cagcctcgcc caccttctcc caccccccact gaaatcagct 29700

actttaatct aacaggagga gatgactgac accctagatc tagaaatgga cggaattatt 29760

acagagcagc gcctgctaga aagacgcagg gcagcggccg agcaacagcg catgaatcaa 29820

gagctccaag acatggttaa cttgcaccag tgcaaaaggg gtatcttttg tctggtaaag 29880

caggccaaag tcacctacga cagtaatacc accggacacc gccttagcta caagttgcca 29940

accaagcgtc agaaattggt ggtcatggtg ggagaaaagc ccattaccat aactcagcac 30000

tcggtagaaa ccgaaggctg cattcactca ccttgtcaag gacctgagga tctctgcacc 30060

cttattaaga ccctgtgcgg tctcaaagat cttattccct ttaactaata aaaaaaaata 30120

ataaagcatc acttacttaa aatcagttag caaatttctg tccagtttat tcagcagcac 30180

ctccttgccc tcctcccagc tctggtattg cagcttcctc ctggctgcaa actttctcca 30240

caatctaaat ggaatgtcag tttcctcctg ttcctgtcca tccgcaccca ctatcttcat 30300

gttgttgcag atgaagcgcg caagaccgtc tgaagatacc ttcaaccccg tgtatccata 30360

tgacacggaa accggtcctc caactgtgcc ttttcttact cctccctttg tatcccccaa 30420

tgggtttcaa gagagtcccc ctggggtact ctctttgcgc ctatccgaac ctctagttac 30480

ctccaatggc atgcttgcgc tcaaaatggg caacggcctc tctctggacg aggccggcaa 30540

ccttacctcc caaaatgtaa ccactgtgag cccacctctc aaaaaaacca agtcaaacat 30600

aaacctggaa atatctgcac ccctcacagt tacctcagaa gccctaactg tggctgccgc 30660

cgcacctcta atggtcgcgg gcaacacact caccatgcaa tcacaggccc cgctaaccgt 30720

gcacgactcc aaacttagca ttgccaccca aggacccctc acagtgtcag aaggaaagct 30780

agccctgcaa acatcaggcc ccctcaccac caccgatagc agtaccctta ctatcactgc 30840

ctcacccccct ctaactactg ccactggtag cttgggcatt gacttgaaag agcccattta 30900

tacacaaaat ggaaaactag gactaaagta cggggctcct ttgcatgtaa cagacgacct 30960

aaacactttg accgtagcaa ctggtccagg tgtgactatt aataatactt ccttgcaaac 31020

taaagttact ggagccttgg gttttgattc acaaggcaat atgcaactta atgtagcagg 31080

aggactaagg attgattctc aaaacagacg ccttatactt gatgttagtt atccgtttga 31140

tgctcaaaac caactaaatc taagactagg acagggccct ctttttataa actcagccca 31200

caacttggat attaactaca acaaaggcct ttacttgttt acagcttcaa acaattccaa 31260

aaagcttgag gttaacctaa gcactgccaa ggggttgatg tttgacgcta cagccatagc 31320

cattaatgca ggagatgggc ttgaatttgg ttcacctaat gcaccaaaca caaatcccct 31380

caaaacaaaa attggccatg gcctagaatt tgattcaaac aaggctatgg ttcctaaact 31440

aggaactggc cttagttttg acagcacagg tgccattaca gtaggaaaca aaaataatga 31500

taagctaact ttgtggacca caccagctcc atctcctaac tgtagactaa atgcagagaa 31560

agatgctaaa ctcactttgg tcttaacaaa atgtggcagt caaatacttg ctacagtttc 31620

agttttggct gttaaaggca gtttggctcc aatatctgga acagttcaaa gtgctcatct 31680

tattataaga tttgacgaaa atggagtgct actaaacaat tccttcctgg acccagaata 31740

ttggaacttt agaaatggag atcttactga aggcacagcc tatacaaacg ctgttggatt 31800

tatgcctaac ctatcagctt atccaaaatc tcacggtaaa actgccaaaa gtaacattgt 31860

cagtcaagtt tacttaaacg gagacaaaac taaacctgta acactaacca ttacactaaa 31920

cggtacacag gaaacaggag acacaactcc aagtgcatac tctatgtcat tttcatggga 31980

ctggtctggc cacaactaca ttaatgaaat atttgccaca tcctcttaca ctttttcata 32040

cattgcccaa gaataaagaa tcgtttgtgt tatgtttcaa cgtgtttatt tttcaattgc 32100

agaaaatttc aagtcatttt tcattcagta gtatagcccc accaccacat agcttataca 32160

gatcaccgta ccttaatcaa actcacagaa ccctagtatt caacctgcca cctccctccc 32220

aacacacaga gtacacagtc ctttctcccc ggctggcctt aaaaagcatc atatcatggg 32280

taacagacat attcttaggt gttatattcc acacggtttc ctgtcgagcc aaacgctcat 32340

cagtgatatt aataaactcc ccgggcagct cacttaagtt catgtcgctg tccagctgct 32400

gagccacagg ctgctgtcca acttgcggtt gcttaacggg cggcgaagga gaagtccacg 32460

cctacatggg ggtagagtca taatcgtgca tcaggatagg gcggtggtgc tgcagcagcg 32520

cgcgaataaa ctgctgccgc cgccgctccg tcctgcagga atacaacatg gcagtggtct 32580

cctcagcgat gattcgcacc gcccgcagca taaggcgcct tgtcctccgg gcacagcagc 32640

gcaccctgat ctcacttaaa tcagcacagt aactgcagca cagcaccaca atattgttca 32700

aaatcccaca gtgcaaggcg ctgtatccaa agctcatggc ggggaccaca gaacccacgt 32760

ggccatcata ccacaagcgc aggtagatta agtggcgacc cctcataaac acgctggaca 32820

taaacattac ctcttttggc atgttgtaat tcaccacctc ccggtaccat ataaacctct 32880

gattaaacat ggcgccatcc accaccatcc taaaccagct ggccaaaacc tgcccgccgg 32940

ctatacactg cagggaaccg ggactggaac aatgacagtg gagagcccag gactcgtaac 33000

catggatcat catgctcgtc atgatatcaa tgttggcaca acacaggcac acgtgcatac 33060

acttcctcag gattacaagc tcctcccgcg ttagaaccat atcccaggga acaacccatt 33120

cctgaatcag cgtaaatccc acactgcagg gaagacctcg cacgtaactc acgttgtgca 33180

ttgtcaaagt gttacattcg ggcagcagcg gatgatcctc cagtatggta gcgcgggttt 33240

ctgtctcaaa aggaggtaga cgatccctac tgtacggagt gcgccgagac aaccgagatc 33300

gtgttggtcg tagtgtcatg ccaaatggaa cgccggacgt agtcatattt cctgaagcaa 33360

aaccaggtgc gggcgtgaca aacagatctg cgtctccggt ctcgccgctt agatcgctct 33420

gtgtagtagt tgtagtatat ccactctctc aaagcatcca ggcgcccccc ggcttcgggt 33480

tctatgtaaa ctccttcatg cgccgctgcc ctgataacat ccaccaccgc agaataagcc 33540

acacccagcc aacctacaca ttcgttctgc gagtcacaca cgggaggagc gggaagagct 33600

ggaagaacca tgtttttttt tttattccaa aagattatcc aaaacctcaa aatgaagatc 33660

tattaagtga acgcgctccc ctccggtggc gtggtcaaac tctacagcca aagaacagat 33720

aatggcattt gtaagatgtt gcacaatggc ttccaaaagg caaacggccc tcacgtccaa 33780

gtggacgtaa aggctaaacc cttcagggtg aatctcctct ataaacattc cagcaccttc 33840

aaccatgccc aaataattct catctcgcca ccttctcaat atatctctaa gcaaatcccg 33900

aatattaagt ccggccattg taaaaatctg ctccagagcg ccctccacct tcagcctcaa 33960

gcagcgaatc atgattgcaa aaattcaggt tcctcacaga cctgtataag attcaaaagc 34020

ggaacattaa caaaaatacc gcgatcccgt aggtcccttc gcagggccag ctgaacataa 34080

tcgtgcaggt ctgcacggac cagcgcggcc acttccccgc caggaaccat gacaaaagaa 34140

cccacactga ttatgacacg catactcgga gctatgctaa ccagcgtagc cccgatgtaa 34200

gcttgttgca tgggcggcga tataaaatgc aaggtgctgc tcaaaaaatc aggcaaagcc 34260

tcgcgcaaaa aagaaagcac atcgtagtca tgctcatgca gataaaggca ggtaagctcc 34320

ggaaccacca cagaaaaaga caccattttt ctctcaaaca tgtctgcggg tttctgcata 34380

aacacaaaat aaaataacaa aaaaacattt aaacattaga agcctgtctt acaacaggaa 34440

aaacaaccct tataagcata agacggacta cggccatgcc ggcgtgaccg taaaaaaact 34500

ggtcaccgtg attaaaaagc accaccgaca gctcctcggt catgtccgga gtcataatgt 34560

aagactcggt aaacacatca ggttgattca catcggtcag tgctaaaaag cgaccgaaat 34620

agcccggggg aatacatacc cgcaggcgta gagacaacat tacagccccc ataggaggta 34680

taacaaaatt aataggagag aaaaacacat aaacacctga aaaaccctcc tgcctaggca 34740

aaatagcacc ctcccgctcc agaacaacat acagcgcttc cacagcggca gccataacag 34800

tcagccttac cagtaaaaaa gaaaacctat taaaaaaaca ccactcgaca cggcaccagc 34860

tcaatcagtc acagtgtaaa aaagggccaa gtgcagagcg agtatatata ggactaaaaa 34920

atgacgtaac ggttaaagtc cacaaaaaac acccagaaaa ccgcacgcga acctacgccc 34980

agaaacgaaa gccaaaaaac ccacaacttc ctcaaatcgt cacttccgtt ttcccacgtt 35040

acgtcacttc ccattttaag aaaactacaa ttcccaacac atacaagtta ctccgcccta 35100

aaacctacgt cacccgcccc gttcccacgc cccgcgccac gtcacaaact ccacccccctc 35160

attatcatat tggcttcaat ccaaaataag gtatattatt gatgatg 35207

<210> 20
<211> 35203
<212> DNA
<213> Artificial Sequence

<220>
<223> Construct containing two mismatches with no duplication

<400> 20
catcatcaat aatatacctt attttggatt gaagccaata tgataatgag ggggtggagt 60

ttgtgacgtg gcgcggggcg tgggaacggg gcgggtgacg tagtagtgtg gcggaagtgt 120

gatgttgcaa gtgtggcgga acacatgtaa gcgacggatg tggcaaaagt gacgtttttg 180

gtgtgcgccg gtgtacacag gaagtgacaa ttttcgcgcg gttttaggcg gatgttgtag 240

taaatttggg cgtaaccgag taagatttgg ccattttcgc gggaaaactg aataagagga 300

agtgaaatct gaataatttt gtgttactca tagcgcgtaa tatttgtcta gggccgcggg 360

gactttgacc gtttacgtgg agactcgccc aggtgttttt ctcaggtgtt ttccgcgttc 420

cgggtcaaag ttggcgtttt attattatag tcagtacgta cgtgtacttc tgatcggcga 480

tactagggag ataaggatgt acctgacaaa accacattgt tgttgttatc attattattt 540

agttttcctt ccttgctaac tcctgacgga atctttctca cctcaaatgc gaagtacttt 600

agtttagaaa agacttggtg gaaggggtgg tggtggaaaa gtagggtgat cttccaaact 660

aatctggttc cccgcccgcc ccagtagctg ggattcaaga gcgaagagtg gggatcgtcc 720

ccttgtttga tcagaaagac ataaaaggaa aatcaagtga acaatgatca gccccacctc 780

caccccaccc ccctgcgcgc gcacaataca atctatttaa ttgtacttca tacttttcat 840

tccaatgggg tgactttgct tctggagaaa ctcttgattc ttgaactctg gggctggcag 900

ctagcctcca gaagcaaagt caccccattg gaatgaaaag tatgaagtac aatgaaaagt 960

atgaagtact ggctccagaa gcaaagtcac cctccagaag caaagtcacc ccattggaat 1020

gaaaagtatg aagtacgcta gcaaaagggg aagcgggctg ctgctctctg caggttctgc 1080

agcggtctct gtctagtggg tgttttcttt ttcttagccc tgcccctgga ttgtcagacg 1140

gcgggcgtct gcctctgaag ttagccgtga tttcctctag agccgggtct tatctctggc 1200

tgcacgttgc ctgtgggtga ctaatcacac aataacattg tttagggctg gaataaagtc 1260

agagctgttt acccccactc tataggggtt caatataaaa aggcggcgga gaactgtccg 1320

agtcagaagc gttcctgcac cggcgctgag agcctgaccc ggtctgctcc gctgtccttg 1380

cgcgctgcct cccggctgcc cgcgacgctt tcgccccagt ggaagggcca cttgctgcgg 1440

ccgctaattc tgcagatcgg gatccggcat gggcctctcc accgtgcctg acctgctgct 1500

gccgctggtg ctcctggagc tgttggtggg aatatacccc tcaggggtta ttggactggt 1560

ccctcaccta ggggacaggg agaagagaga tagtgtgtgt ccccaaggaa aatatatcca 1620

ccctcaaaat aattcgattt gctgtaccaa gtgccacaaa ggaacctact tgtacaatga 1680

ctgtccaggc ccggggcagg atacggactg cagggagtgt gagagcggct ccttcaccgc 1740

ttcagaaaac cacctcagac actgcctcag ctgctccaaa tgccgaaagg aaatgggtca 1800

ggtggagatc tcttcttgca cagtggaccg ggacaccgtg tgtggctgca ggaagaacca 1860

gtaccggcat tattggagtg aaaacctttt ccagtgcttc aattgcagcc tctgcctcaa 1920

tgggaccgtg cacctctcct gccaggagaa acagaacacc gtgtgcacct gccatgcagg 1980

tttctttcta agagaaaacg agtgtgtctc ctgtagtaac tgtaagaaaa gcctggagtg 2040

cacgaagttg tgcctaccaa gcttaggatc cagatctaac ttggggtggc tttgtcttct 2100

tcttttgcca attccactaa ttgtttgggt gaagagaaag gaagtacaga aaacatgcag 2160

aaagcacaga aaggaaaacc aaggttctca tgaatctcca accttaaatc ctgaaacagt 2220

ggcaataaat ttatctgatg ttgacttgag taaatatatc accactattg ctggagtcat 2280

gacactaagt caagttaaag gctttgttcg aaagaatggt gtcaatgaag ccaaaataga 2340

tgagatcaag aatgacaatg tccaagacac agcagaacag aaagttcaac tgcttcgtaa 2400

ttggcatcaa cttcatggaa agaaagaagc gtatgacaca ttgattaaag atctcaaaaa 2460

agccaatctt tgtactcttg cagagaaaat tcagactatc atcctcaagg acattactag 2520

tgactcagaa aattcaaact tcagaaatga aatccaaagc ttggtctagc tcgagcatgc 2580

atctaggcgg ccgcatggca gaaattcgcg aattcgctag cgttaacgga tcctctagac 2640

gagatccgaa cttgtttatt gcagcttata atggttacaa ataaagcaat agcatcacaa 2700

atttcacaaa taaagcattt ttttcactgc attctagttg tggtttgtcc aaactcatca 2760

atgtatctta tcatgtctag atctgtactg aaatgtgtgg gcgtggctta agggtgggaa 2820

agaatatata aggtgggggt cttatgtagt tttgtatctg ttttgcagca gccgccgccg 2880

ccatgagcac caactcgttt gatggaagca ttgtgagctc atatttgaca acgcgcatgc 2940

ccccatgggc cggggtgcgt cagaatgtga tgggctccag cattgatggt cgccccgtcc 3000

tgcccgcaaa ctctactacc ttgacctacg agaccgtgtc tggaacgccg ttggagactg 3060

cagcctccgc cgccgcttca gccgctgcag ccaccgcccg cgggattgtg actgactttg 3120

ctttcctgag cccgcttgca agcagtgcag cttcccgttc atccgcccgc gatgacaagt 3180

tgacggctct tttggcacaa ttggattctt tgacccggga acttaatgtc gtttctcagc 3240

agctgttgga tctgcgccag caggtttctg ccctgaaggc ttcctccccc cccaatgcgg 3300

tttaaaacat aaataaaaaa ccagactctg tttggatttg gatcaagcaa gtgtcttgct 3360

gtctttattt aggggttttg cgcgcgcggt aggcccggga ccagcggtct cggtcgttga 3420

gggtcctgtg tatttttcc aggacgtggt aaaggtgact ctggatgttc agatacatgg 3480

gcataagccc gtctctgggg tggaggtagc accactgcag agcttcatgc tgcggggtgg 3540

tgttgtagat gatccagtcg tagcaggagc gctgggcgtg gtgcctaaaa atgtctttca 3600

gtagcaagct gattgccagg ggcaggccct tggtgtaagt gtttacaaag cggttaagct 3660

gggatgggtg catacgtggg gatatgagat gcatcttgga ctgtattttt aggttggcta 3720

tgttcccagc catatccctc cggggattca tgttgtgcag aaccaccagc acagtgtatc 3780

cggtgcactt gggaaatttg tcatgtagct tagaaggaaa tgcgtggaag aacttggaga 3840

cgcccttgtg acctccaaga ttttccatgc attcgtccat aatgatggca atgggcccac 3900

gggcggcggc ctgggcgaag atatttctgg gatcactaac gtcatagttg tgttccagga 3960

tgagatcgtc ataggccatt tttacaaagc gcgggcggag ggtgccagac tgcggtataa 4020

tggttccatc cggcccaggg gcgtagttac cctcacagat ttgcatttcc cacgctttga 4080

gttcagatgg ggggatcatg tctacctgcg gggcgatgaa gaaaacggtt tccggggtag 4140

gggagatcag ctgggaagaa agcaggttcc tgagcagctg cgacttaccg cagccggtgg 4200

gcccgtaaat cacacctatt accggctgca actggtagtt aagagagctg cagctgccgt 4260

catccctgag cagggggggcc acttcgttaa gcatgtccct gactcgcatg ttttccctga 4320

ccaaatccgc cagaaggcgc tcgccgccca gcgatagcag ttcttgcaag gaagcaaagt 4380

ttttcaacgg tttgagaccg tccgccgtag gcatgctttt gagcgtttga ccaagcagtt 4440

ccaggcggtc ccacagctcg gtcacctgct ctacggcatc tcgatccagc atatctcctc 4500

gtttcgcggg ttggggcggc tttcgctgta cggcagtagt cggtgctcgt ccagacgggc 4560

cagggtcatg tctttccacg ggcgcagggt cctcgtcagc gtagtctggg tcacggtgaa 4620

ggggtgcgct ccgggctgcg cgctggccag ggtgcgcttg aggctggtcc tgctggtgct 4680

gaagcgctgc cggtcttcgc cctgcgcgtc ggccaggtag catttgacca tggtgtcata 4740

gtccagcccc tccgcggcgt ggcccttggc gcgcagcttg cccttggagg aggcgccgca 4800

cgaggggcag tgcagacttt tgagggcgta gagcttgggc gcgagaaata ccgattccgg 4860

ggagtaggca tccgcgccgc aggccccgca gacggtctcg cattccacga gccaggtgag 4920

ctctggccgt tcggggtcaa aaaccaggtt tcccccatgc tttttgatgc gtttcttacc 4980

tctggtttcc atgagccggt gtccacgctc ggtgacgaaa aggctgtccg tgtccccgta 5040

tacagacttg agaggcctgt cctcgagcgg tgttccgcgg tcctcctcgt atagaaactc 5100

ggaccactct gagacaaagg ctcgcgtcca ggccagcacg aaggaggcta agtgggaggg 5160

gtagcggtcg ttgtccacta gggggtccac tcgctccagg gtgtgaagac acatgtcgcc 5220

ctcttcggca tcaaggaagg tgattggttt gtaggtgtag gccacgtgac cgggtgttcc 5280

tgaaggggggg ctataaaagg gggtgggggc gcgttcgtcc tcactctctt ccgcatcgct 5340

gtctgcgagg gccagctgtt ggggtgagta ctccctctga aaagcgggca tgacttctgc 5400

gctaagattg tcagtttcca aaaacgagga ggatttgata ttcacctggc ccgcggtgat 5460

gcctttgagg gtggccgcat ccatctggtc agaaaagaca atctttttgt tgtcaagctt 5520

ggtggcaaac gacccgtaga gggcgttgga cagcaacttg gcgatggagc gcagggtttg 5580

gtttttgtcg cgatcggcgc gctccttggc cgcgatgttt agctgcacgt attcgcgcgc 5640

aacgcaccgc cattcgggaa agacggtggt gcgctcgtcg ggcaccaggt gcacgcgcca 5700

accgcggttg tgcagggtga caaggtcaac gctggtggct acctctccgc gtaggcgctc 5760

gttggtccag cagaggcggc cgcccttgcg cgagcagaat ggcggtaggg ggtctagctg 5820

cgtctcgtcc ggggggtctg cgtccacggt aaagaccccg ggcagcaggc gcgcgtcgaa 5880

gtagtctatc ttgcatcctt gcaagtctag cgcctgctgc catgcgcggg cggcaagcgc 5940

gcgctcgtat gggttgagtg ggggacccca tggcatgggg tgggtgagcg cggaggcgta 6000

catgccgcaa atgtcgtaaa cgtagagggg ctctctgagt attccaagat atgtagggta 6060

gcatcttcca ccgcggatgc tggcgcgcac gtaatcgtat agttcgtgcg agggagcgag 6120

gaggtcggga ccgaggttgc tacgggcggg ctgctctgct cggaagacta tctgcctgaa 6180

gatggcatgt gagttggatg atatggttgg acgctggaag acgttgaagc tggcgtctgt 6240

gagacctacc gcgtcacgca cgaaggaggc gtaggagtcg cgcagcttgt tgaccagctc 6300

ggcggtgacc tgcacgtcta gggcgcagta gtccagggtt tccttgatga tgtcatactt 6360

atcctgtccc tttttttcc acagctcgcg gttgaggaca aactcttcgc ggtctttcca 6420

gtactcttgg atcggaaacc cgtcggcctc cgaacggtaa gagcctagca tgtagaactg 6480

gttgacggcc tggtaggcgc agcatccctt ttctacgggt agcgcgtatg cctgcgcggc 6540

cttccggagc gaggtgtggg tgagcgcaaa ggtgtccctg accatgactt tgaggtactg 6600

gtatttgaag tcagtgtcgt cgcatccgcc ctgctcccag agcaaaaagt ccgtgcgctt 6660

tttggaacgc ggatttggca gggcgaaggt gacatcgttg aagagtatct ttcccgcgcg 6720

aggcataaag ttgcgtgtga tgcggaaggg tcccggcacc tcggaacggt tgttaattac 6780

ctgggcggcg agcacgatct cgtcaaagcc gttgatgttg tggcccacaa tgtaaagttc 6840

caagaagcgc gggatgccct tgatggaagg caatttttta agttcctcgt aggtgagctc 6900

ttcaggggag ctgagcccgt gctctgaaag ggcccagtct gcaagatgag ggttggaagc 6960

gacgaatgag ctccacaggt cacgggccat tagcatttgc aggtggtcgc gaaaggtcct 7020

aaactggcga cctatggcca ttttttctgg ggtgatgcag tagaaggtaa gcgggtcttg 7080

ttcccagcgg tcccatccaa ggttcgcggc taggtctcgc gcggcagtca ctagaggctc 7140

atctccgccg aacttcatga ccagcatgaa gggcacgagc tgcttcccaa aggcccccat 7200

ccaagtatag gtctctacat cgtaggtgac aaagagacgc tcggtgcgag gatgcgagcc 7260

gatcgggaag aactggatct cccgccacca attggaggag tggctattga tgtggtgaaa 7320

gtagaagtcc ctgcgacggg ccgaacactc gtgctggctt ttgtaaaaac gtgcgcagta 7380

ctggcagcgg tgcacgggct gtacatcctg cacgaggttg acctgacgac cgcgcacaag 7440

gaagcagagt gggaatttga gcccctcgcc tggcgggttt ggctggtggt cttctacttc 7500

ggctgcttgt ccttgaccgt ctggctgctc gaggggagtt acggtggatc ggaccaccac 7560

gccgcgcgag cccaaagtcc agatgtccgc gcgcggcggt cggagcttga tgacaacatc 7620

gcgcagatgg gagctgtcca tggtctggag ctcccgcggc gtcaggtcag gcgggagctc 7680

ctgcaggttt acctcgcata gacgggtcag ggcgcgggct agatccaggt gatacctaat 7740

ttccaggggc tggttggtgg cggcgtcgat ggcttgcaag aggccgcatc cccgcggcgc 7800

gactacggta ccgcgcggcg ggcggtgggc cgcgggggtg tccttggatg atgcatctaa 7860

aagcggtgac gcgggcgagc ccccggaggt agggggggct ccggacccgc cgggagaggg 7920

ggcaggggca cgtcggcgcc gcgcgcgggc aggagctggt gctgcgcgcg taggttgctg 7980

gcgaacgcga cgacgcggcg gttgatctcc tgaatctggc gcctctgcgt gaagacgacg 8040

ggcccggtga gcttgaacct gaaagagagt tcgacagaat caatttcggt gtcgttgacg 8100

gcggcctggc gcaaaatctc ctgcacgtct cctgagttgt cttgataggc gatctcggcc 8160

atgaactgct cgatctcttc ctcctggaga tctccgcgtc cggctcgctc cacggtggcg 8220

gcgaggtcgt tggaaatgcg ggccatgagc tgcgagaagg cgttgaggcc tccctcgttc 8280

cagacgcggc tgtagaccac gccccttcg gcatcgcggg cgcgcatgac cacctgcgcg 8340

agattgagct ccacgtgccg ggcgaagacg gcgtagtttc gcaggcgctg aaagaggtag 8400

ttgagggtgg tggcggtgtg ttctgccacg aagaagtaca taacccagcg tcgcaacgtg 8460

gattcgttga tatcccccaa ggcctcaagg cgctccatgg cctcgtagaa gtccacggcg 8520

aagttgaaaa actgggagtt gcgcgccgac acggttaact cctcctccag aagacggatg 8580

agctcggcga cagtgtcgcg cacctcgcgc tcaaaggcta caggggcctc ttcttcttct 8640

tcaatctcct cttccataag ggcctcccct tcttcttctt ctggcggcgg tgggggaggg 8700

gggacacggc ggcgacgacg gcgcaccggg aggcggtcga caaagcgctc gatcatctcc 8760

ccgcggcgac ggcgcatggt ctcggtgacg gcgcggccgt tctcgcgggg gcgcagttgg 8820

aagacgccgc ccgtcatgtc ccggttatgg gttggcgggg ggctgccatg cggcagggat 8880

acggcgctaa cgatgcatct caacaattgt tgtgtaggta ctccgccgcc gagggacctg 8940

agcgagtccg catcgaccgg atcggaaaac ctctcgagaa aggcgtctaa ccagtcacag 9000

tcgcaaggta ggctgagcac cgtggcgggc ggcagcgggc ggcggtcggg gttgtttctg 9060

gcggaggtgc tgctgatgat gtaattaaag taggcggtct tgagacggcg gatggtcgac 9120

agaagcacca tgtccttggg tccggcctgc tgaatgcgca ggcggtcggc catgccccag 9180

gcttcgtttt gacatcggcg caggtctttg tagtagtctt gcatgagcct ttctaccggc 9240

acttcttctt ctccttcctc ttgtcctgca tctcttgcat ctatcgctgc ggcggcggcg 9300

gagtttggcc gtaggtggcg ccctcttcct cccatgcgtg tgaccccgaa gcccctcatc 9360

ggctgaagca gggctaggtc ggcgacaacg cgctcggcta atatggcctg ctgcacctgc 9420

gtgagggtag actggaagtc atccatgtcc acaaagcggt ggtatgcgcc cgtgttgatg 9480

gtgtaagtgc agttggccat aacggaccag ttaacggtct ggtgacccgg ctgcgagagc 9540

tcggtgtacc tgagacgcga gtaagccctc gagtcaaata cgtagtcgtt gcaagtccgc 9600

accaggtact ggtatcccac caaaaagtgc ggcggcggct ggcggtagag gggccagcgt 9660

agggtggccg gggctccggg ggcgagatct tccaacataa ggcgatgata tccgtagatg 9720

tacctggaca tccaggtgat gccggcggcg gtggtggagg cgcgcggaaa gtcgcggacg 9780
cggttccaga tgttgcgcag cggcaaaaag tgctccatgg tcgggacgct ctggccggtc 9840
aggcgcgcgc aatcgttgac gctctagacc gtgcaaaagg agagcctgta agcgggcact 9900
cttccgtggt ctggtggata aattcgcaag ggtatcatgg cggacgaccg gggttcgagc 9960
cccgtatccg gccgtccgcc gtgatccatg cggttaccgc ccgcgtgtcg aacccaggtg 10020
tgcgacgtca gacaacgggg gagtgctcct tttggcttcc ttccaggcgc ggcggctgct 10080
gcgctagctt ttttggccac tggccgcgcg cagcgtaagc ggttaggctg gaaagcgaaa 10140
gcattaagtg gctcgctccc tgtagccgga gggttatttt ccaagggttg agtcgcggga 10200
cccccggttc gagtctcgga ccggccggac tgcggcgaac gggggtttgc ctccccgtca 10260
tgcaagaccc cgcttgcaaa ttcctccgga aacagggacg agccccttt ttgcttttcc 10320
cagatgcatc cggtgctgcg gcagatgcgc ccccctcctc agcagcggca agagcaagag 10380
cagcggcaga catgcagggc accctcccct cctcctaccg cgtcaggagg ggcgacatcc 10440
gcggttgacg cggcagcaga tggtgattac gaacccccgc ggcgccgggc ccggcactac 10500
ctggacttgg aggagggcga gggcctggcg cggctaggag cgccctctcc tgagcggcac 10560
ccaagggtgc agctgaagcg tgatacgcgt gaggcgtacg tgccgcggca gaacctgttt 10620
cgcgaccgcg agggagagga gcccgaggag atgcgggatc gaaagttcca cgcagggcgc 10680
gagctgcggc atggcctgaa tcgcgagcgg ttgctgcgcg aggaggactt tgagcccgac 10740
gcgcgaaccg ggattagtcc cgcgcgcgca cacgtggcgg ccgccgacct ggtaaccgca 10800
tacgagcaga cggtgaacca ggagattaac tttcaaaaaa gctttaacaa ccacgtgcgt 10860
acgcttgtgg cgcgcgagga ggtggctata ggactgatgc atctgtggga ctttgtaagc 10920
gcgctggagc aaaacccaaa tagcaagccg ctcatggcgc agctgttcct tatagtgcag 10980
cacagcaggg acaacgaggc attcagggat gcgctgctaa acatagtaga gcccgagggc 11040
cgctggctgc tcgatttgat aaacatcctg cagagcatag tggtgcagga gcgcagcttg 11100
agcctggctg acaaggtggc cgccatcaac tattccatgc ttagcctggg caagttttac 11160
gcccgcaaga tataccatac cccttacgtt cccatagaca aggaggtaaa gatcgagggg 11220
ttctacatgc gcatggcgct gaaggtgctt accttgagcg acgacctggg cgtttatcgc 11280
aacgagcgca tccacaaggc cgtgagcgtg agccggcggc gcgagctcag cgaccgcgag 11340
ctgatgcaca gcctgcaaag ggccctggct ggcacgggca gcggcgatag agaggccgag 11400
tcctactttg acgcgggcgc tgacctgcgc tgggccccaa gccgacgcgc cctggaggca 11460
gctggggccg gacctgggct ggcggtggca cccgcgcgcg ctggcaacgt cggcggcgtg 11520
gaggaatatg acgaggacga tgagtacgag ccagaggacg gcgagtacta agcggtgatg 11580
tttctgatca gatgatgcaa gacgcaacgg acccggcggt gcgggcggcg ctgcagagcc 11640
agccgtccgg ccttaactcc acggacgact ggcgccaggt catggaccgc atcatgtcgc 11700
tgactgcgcg caatcctgac gcgttccggc agcagccgca ggccaaccgg ctctccgcaa 11760

ttctggaagc ggtggtcccg gcgcgcgcaa accccacgca cgagaaggtg ctggcgatcg 11820

taaacgcgct ggccgaaaac agggccatcc ggcccgacga ggccggcctg gtctacgacg 11880

cgctgcttca gcgcgtggct cgttacaaca gcggcaacgt gcagaccaac ctggaccggc 11940

tggtggggga tgtgcgcgag gccgtggcgc agcgtgagcg cgcgcagcag cagggcaacc 12000

tgggctccat ggttgcacta aacgccttcc tgagtacaca gcccgccaac gtgccgcggg 12060

gacaggagga ctacaccaac tttgtgagcg cactgcggct aatggtgact gagacaccgc 12120

aaagtgaggt gtaccagtct gggccagact atttttttcca gaccagtaga caaggcctgc 12180

agaccgtaaa cctgagccag gctttcaaaa acttgcaggg gctgtggggg gtgcgggctc 12240

ccacaggcga ccgcgcgacc gtgtctagct tgctgacgcc caactcgcgc ctgttgctgc 12300

tgctaatagc gcccttcacg gacagtggca gcgtgtcccg ggacacatac ctaggtcact 12360

tgctgacact gtaccgcgag gccataggtc aggcgcatgt ggacgagcat actttccagg 12420

agattacaag tgtcagccgc gcgctggggc aggaggacac gggcagcctg gaggcaaccc 12480

taaactacct gctgaccaac cggcggcaga agatcccctc gttgcacagt ttaaacagcg 12540

aggaggagcg cattttgcgc tacgtgcagc agagcgtgag ccttaacctg atgcgcgacg 12600

gggtaacgcc cagcgtggcg ctggacatga ccgcgcgcaa catggaaccg ggcatgtatg 12660

cctcaaaccg gccgtttatc aaccgcctaa tggactactt gcatcgcgcg gccgccgtga 12720

accccgagta tttcaccaat gccatcttga acccgcactg gctaccgccc cctggtttct 12780

acaccggggg attcgaggtg cccgagggta acgatggatt cctctgggac gacatagacg 12840

acagcgtgtt ttccccgcaa ccgcagaccc tgctagagtt gcaacagcgc gagcaggcag 12900

aggcggcgct gcgaaaggaa agcttccgca ggccaagcag cttgtccgat ctaggcgctg 12960

cggccccgcg gtcagatgct agtagcccat ttccaagctt gatagggtct cttaccagca 13020

ctcgcaccac ccgcccgcgc ctgctgggcg aggaggagta cctaaacaac tcgctgctgc 13080

agccgcagcg cgaaaaaaac ctgcctccgg catttcccaa caacgggata gagagcctag 13140

tggacaagat gagtagatgg aagacgtacg cgcaggagca cagggacgtg ccaggcccgc 13200

gcccgcccac ccgtcgtcaa aggcacgacc gtcagcgggg tctggtgtgg gaggacgatg 13260

actcggcaga cgacagcagc gtcctggatt tgggagggag tggcaacccg tttgcgcacc 13320

ttcgccccag gctggggaga atgttttaaa aaaaaaaaaa gcatgatgca aaataaaaaa 13380

ctcaccaagg ccatggcacc gagcgttggt tttcttgtat tccccttagt atgcggcgcg 13440

cggcgatgta tgaggaaggt cctcctccct cctacgagag tgtggtgagc gcggcgccag 13500

tggcggcggc gctgggttct cccttcgatg ctcccctgga cccgccgttt gtgcctccgc 13560

ggtacctgcg gcctaccggg gggagaaaca gcatccgtta ctctgagttg gcacccctat 13620

tcgacaccac ccgtgtgtac ctggtggaca acaagtcaac ggatgtggca tccctgaact 13680

accagaacga ccacagcaac tttctgacca cggtcattca aaacaatgac tacagcccgg 13740

gggaggcaag cacacagacc atcaatcttg acgaccggtc gcactggggc ggcgacctga 13800

aaaccatcct gcataccaac atgccaaatg tgaacgagtt catgtttacc aataagttta 13860

aggcgcgggt gatggtgtcg cgcttgccta ctaaggacaa tcaggtggag ctgaaatacg 13920

agtgggtgga gttcacgctg cccgagggca actactccga gaccatgacc atagacctta 13980

tgaacaacgc gatcgtggag cactacttga aagtgggcag acagaacggg gttctggaaa 14040

gcgacatcgg ggtaaagttt gacacccgca acttcagact ggggtttgac cccgtcactg 14100

gtcttgtcat gcctggggta tatacaaacg aagccttcca tccagacatc attttgctgc 14160

caggatgcgg ggtggacttc acccacagcc gcctgagcaa cttgttgggc atccgcaagc 14220

ggcaaccctt ccaggagggc tttaggatca cctacgatga tctggagggt ggtaacattc 14280

ccgcactgtt ggatgtggac gcctaccagg cgagcttgaa agatgacacc gaacagggcg 14340

ggggtggcgc aggcggcagc aacagcagtg gcagcggcgc ggaagagaac tccaacgcgg 14400

cagccgcggc aatgcagccg gtggaggaca tgaacgatca tgccattcgc ggcgacacct 14460

ttgccacacg ggctgaggag aagcgcgctg aggccgaagc agcggccgaa gctgccgccc 14520

ccgctgcgca acccgaggtc gagaagcctc agaagaaacc ggtgatcaaa cccctgacag 14580

aggacagcaa gaaacgcagt tacaacctaa taagcaatga cagcaccttc acccagtacc 14640

gcagctggta ccttgcatac aactacggcg accctcagac cggaatccgc tcatggaccc 14700

tgctttgcac tcctgacgta acctgcggct cggagcaggt ctactggtcg ttgccagaca 14760

tgatgcaaga ccccgtgacc ttccgctcca cgcgccagat cagcaacttt ccggtggtgg 14820

gcgccgagct gttgcccgtg cactccaaga gcttctacaa cgaccaggcc gtctactccc 14880

aactcatccg ccagtttacc tctctgaccc acgtgttcaa tcgctttccc gagaaccaga 14940

ttttggcgcg cccgccagcc cccaccatca ccaccgtcag tgaaaacgtt cctgctctca 15000

cagatcacgg gacgctaccg ctgcgcaaca gcatcggagg agtccagcga gtgaccatta 15060

ctgacgccag acgccgcacc tgcccctacg tttacaaggc cctgggcata gtctcgccgc 15120

gcgtcctatc gagccgcact ttttgagcaa gcatgtccat ccttatatcg cccagcaata 15180

acacaggctg gggcctgcgc ttcccaagca agatgtttgg cggggccaag aagcgctccg 15240

accaacaccc agtgcgcgtg cgcgggcact accgcgcgcc ctggggcgcg cacaaacgcg 15300

gccgcactgg gcgcaccacc gtcgatgacg ccatcgacgc ggtggtggag gaggcgcgca 15360

actacacgcc cacgccgcca ccagtgtcca cagtggacgc ggccattcag accgtggtgc 15420

gcggagcccg gcgctatgct aaaatgaaga gacggcggag gcgcgtagca cgtcgccacc 15480

gccgccgacc cggcactgcc gcccaacgcg cggcggcggc cctgcttaac cgcgcacgtc 15540

gcaccggccg acgggcggcc atgcgggccg ctcgaaggct ggccgcgggt attgtcactg 15600

tgccccccag gtccaggcga cgagcggccg ccgcagcagc cgcggccatt agtgctatga 15660

ctcagggtcg caggggcaac gtgtattggg tgcgcgactc ggttagcggc ctgcgcgtgc 15720

ccgtgcgcac ccgccccccg cgcaactaga ttgcaagaaa aaactactta gactcgtact 15780

gttgtatgta tccagcggcg gcggcgcgca acgaagctat gtccaagcgc aaaatcaaag 15840

aagagatgct ccaggtcatc gcgccggaga tctatggccc cccgaagaag gaagagcagg 15900

attacaagcc ccgaaagcta aagcgggtca aaaagaaaaa gaaagatgat gatgatgaac 15960

ttgacgacga ggtggaactg ctgcacgcta ccgcgcccag gcgacgggta cagtggaaag 16020

gtcgacgcgt aaaacgtgtt ttgcgacccg gcaccaccgt agtctttacg cccggtgagc 16080

gctccacccg cacctacaag cgcgtgtatg atgaggtgta cggcgacgag gacctgcttg 16140

agcaggccaa cgagcgcctc ggggagtttg cctacggaaa gcggcataag gacatgctgg 16200

cgttgccgct ggacgagggc aacccaacac ctagcctaaa gcccgtaaca ctgcagcagg 16260

tgctgcccgc gcttgcaccg tccgaagaaa agcgcggcct aaagcgcgag tctggtgact 16320

tggcacccac cgtgcagctg atggtaccca agcgccagcg actggaagat gtcttggaaa 16380

aaatgaccgt ggaacctggg ctggagcccg aggtccgcgt gcggccaatc aagcaggtgg 16440

cgccgggact gggcgtgcag accgtggacg ttcagatacc cactaccagt agcaccagta 16500

ttgccaccgc cacagagggc atggagacac aaacgtcccc ggttgcctca gcggtggcgg 16560

atgccgcggt gcaggcggtc gctgcggccg cgtccaagac ctctacggag gtgcaaacgg 16620

acccgtggat gtttcgcgtt tcagcccccc ggcgcccgcg ccgttcgagg aagtacggcg 16680

ccgccagcgc gctactgccc gaatatgccc tacatccttc cattgcgcct acccccggct 16740

atcgtggcta cacctaccgc cccagaagac gagcaactac ccgacgccga accaccactg 16800

gaacccgccg ccgccgtcgc cgtcgccagc ccgtgctggc cccgatttcc gtgcgcaggg 16860

tggctcgcga aggaggcagg accctggtgc tgccaacagc gcgctaccac cccagcatcg 16920

tttaaaagcc ggtctttgtg gttcttgcag atatggccct cacctgccgc ctccgtttcc 16980

cggtgccggg attccgagga agaatgcacc gtaggagggg catggccggc cacggcctga 17040

cgggcggcat gcgtcgtgcg caccaccggc ggcggcgcgc gtcgcaccgt cgcatgcgcg 17100

gcggtatcct gcccctcctt attccactga tcgccgcggc gattggcgcc gtgcccggaa 17160

ttgcatccgt ggccttgcag gcgcagagac actgattaaa aacaagttgc atgtggaaaa 17220

atcaaaataa aaagtctgga ctctcacgct cgcttggtcc tgtaactatt ttgtagaatg 17280

gaagacatca actttgcgtc tctggccccg cgacacggct cgcgcccgtt catgggaaac 17340

tggcaagata tcggcaccag caatatgagc ggtggcgcct tcagctgggg ctcgctgtgg 17400

agcggcatta aaaatttcgg ttccaccgtt aagaactatg gcagcaaggc ctggaacagc 17460

agcacaggcc agatgctgag ggataagttg aaagagcaaa atttccaaca aaaggtggta 17520

gatggcctgg cctctggcat tagcggggtg gtggacctgg ccaaccaggc agtgcaaaat 17580

aagattaaca gtaagcttga tccccgccct cccgtagagg agcctccacc ggccgtggag 17640

acagtgtctc cagaggggcg tggcgaaaag cgtccgcgcc ccgacaggga agaaactctg 17700

gtgacgcaaa tagacgagcc tccctcgtac gaggaggcac taaagcaagg cctgcccacc 17760

acccgtccca tcgcgcccat ggctaccgga gtgctgggcc agcacacacc cgtaacgctg 17820

gacctgcctc cccccgccga cacccagcag aaacctgtgc tgccaggccc gaccgccgtt 17880

gttgtaaccc gtcctagccg cgcgtccctg cgccgcgccg ccagcggtcc gcgatcgttg 17940

cggcccgtag ccagtggcaa ctggcaaagc acactgaaca gcatcgtggg tctgggggtg 18000

caatccctga agcgccgacg atgcttctga tagctaacgt gtcgtatgtg tgtcatgtat 18060

gcgtccatgt cgccgccaga ggagctgctg agccgccgcg cgcccgcttt ccaagatggc 18120

taccccttcg atgatgccgc agtggtctta catgcacatc tcgggccagg acgcctcgga 18180

gtacctgagc cccgggctgg tgcagtttgc ccgcgccacc gagacgtact tcagcctgaa 18240

taacaagttt agaaacccca cggtggcgcc tacgcacgac gtgaccacag accggtccca 18300

gcgtttgacg ctgcggttca tccctgtgga ccgtgaggat actgcgtact cgtacaaggc 18360

gcggttcacc ctagctgtgg gtgataaccg tgtgctggac atggcttcca cgtactttga 18420

catccgcggc gtgctggaca ggggccctac ttttaagccc tactctggca ctgcctacaa 18480

cgccctggct cccaagggtg ccccaaatcc ttgcgaatgg gatgaagctg ctactgctct 18540

tgaaataaac ctagaagaag aggacgatga caacgaagac gaagtagacg agcaagctga 18600

gcagcaaaaa actcacgtat ttgggcaggc gccttattct ggtataaata ttacaaagga 18660

gggtattcaa ataggtgtcg aaggtcaaac acctaaatat gccgataaaa catttcaacc 18720

tgaacctcaa ataggagaat ctcagtggta cgaaacagaa attaatcatg cagctgggag 18780

agtcctaaaa aagactaccc caatgaaacc atgttacggt tcatatgcaa aacccacaaa 18840

tgaaaatgga gggcaaggca ttcttgtaaa gcaacaaaat ggaaagctag aaagtcaagt 18900

ggaaatgcaa tttttctcaa ctactgaggc agccgcaggc aatggtgata acttgactcc 18960

taaagtggta ttgtacagtg aagatgtaga tatagaaacc ccagacactc atatttctta 19020

catgcccact attaaggaag gtaactcacg agaactaatg ggccaacaat ctatgcccaa 19080

caggcctaat tacattgctt ttagggacaa ttttattggt ctaatgtatt acaacagcac 19140

gggtaatatg ggtgttctgg cgggccaagc atcgcagttg aatgctgttg tagatttgca 19200

agacagaaac acagagcttt cataccagct tttgcttgat tccattggtg atagaaccag 19260

gtacttttct atgtggaatc aggctgttga cagctatgat ccagatgtta gaattattga 19320

aaatcatgga actgaagatg aacttccaaa ttactgcttt ccactgggag gtgtgattaa 19380

tacagagact cttaccaagg taaaacctaa aacaggtcag gaaaatggat gggaaaaaga 19440

tgctacagaa ttttcagata aaaatgaaat aagagttgga aataattttg ccatggaaat 19500

caatctaaat gccaacctgt ggagaaattt cctgtactcc aacatagcgc tgtatttgcc 19560

cgacaagcta aagtacagtc cttccaacgt aaaaatttct gataacccaa acacctacga 19620

ctacatgaac aagcgagtgg tggctcccgg gctagtggac tgctacatta accttggagc 19680

acgctggtcc cttgactata tggacaacgt caacccattt aaccaccacc gcaatgctgg 19740

cctgcgctac cgctcaatgt tgctgggcaa tggtcgctat gtgcccttcc acatccaggt 19800

gcctcagaag ttctttgcca ttaaaaacct ccttctcctg ccgggctcat acacctacga 19860

gtggaacttc aggaaggatg ttaacatggt tctgcagagc tccctaggaa atgacctaag 19920

ggttgacgga gccagcatta agtttgatag catttgcctt tacgccacct tcttccccat 19980

ggcccacaac accgcctcca cgcttgaggc catgcttaga aacgacacca acgaccagtc 20040

ctttaacgac tatctctccg ccgccaacat gctctaccct atacccgcca acgctaccaa 20100

cgtgcccata tccatcccct cccgcaactg ggcggctttc cgcggctggg ccttcacgcg 20160

ccttaagact aaggaaaccc catcactggg ctcgggctac gacccttatt acacctactc 20220

tggctctata ccctacctag atggaacctt ttacctcaac cacaccttta agaaggtggc 20280

cattaccttt gactcttctg tcagctggcc tggcaatgac cgcctgctta cccccaacga 20340

gtttgaaatt aagcgctcag ttgacgggga gggttacaac gttgcccagt gtaacatgac 20400

caaagactgg ttcctggtac aaatgctagc taactataac attggctacc agggcttcta 20460

tatcccagag agctacaagg accgcatgta ctccttcttt agaaacttcc agcccatgag 20520

ccgtcaggtg gtggatgata ctaaatacaa ggactaccaa caggtgggca tcctacacca 20580

acacaacaac tctggatttg ttggctacct tgcccccacc atgcgcgaag gacaggccta 20640

ccctgctaac ttcccctatc cgcttatagg caagaccgca gttgacagca ttacccagaa 20700

aaagtttctt tgcgatcgca ccctttggcg catcccattc tccagtaact ttatgtccat 20760

gggcgcactc acagacctgg gccaaaacct tctctacgcc aactccgccc acgcgctaga 20820

catgactttt gaggtggatc ccatggacga gcccaccctt ctttatgttt tgtttgaagt 20880

ctttgacgtg gtccgtgtgc accagccgca ccgcggcgtc atcgaaaccg tgtacctgcg 20940

cacgcccttc tcggccggca acgccacaac ataaagaagc aagcaacatc aacaacagct 21000

gccgccatgg gctccagtga gcaggaactg aaagccattg tcaaagatct tggttgtggg 21060

ccatattttt tgggcaccta tgacaagcgc tttccaggct ttgtttctcc acacaagctc 21120

gcctgcgcca tagtcaatac ggccggtcgc gagactgggg gcgtacactg gatggccttt 21180

gcctggaacc cgcactcaaa aacatgctac ctctttgagc cctttggctt ttctgaccag 21240

cgactcaagc aggtttacca gtttgagtac gagtcactcc tgcgccgtag cgccattgct 21300

tcttcccccg accgctgtat aacgctggaa aagtccaccc aaagcgtaca ggggcccaac 21360

tcggccgcct gtggactatt ctgctgcatg tttctccacg cctttgccaa ctggccccaa 21420

actcccatgg atcacaaccc caccatgaac cttattaccg gggtacccaa ctccatgctc 21480

aacagtcccc aggtacagcc caccctgcgt cgcaaccagg aacagctcta cagcttcctg 21540

gagcgccact cgccctactt ccgcagccac agtgcgcaga ttaggagcgc cacttctttt 21600

tgtcacttga aaaacatgta aaaataatgt actagagaca ctttcaataa aggcaaatgc 21660

ttttatttgt acactctcgg gtgattattt acccccaccc ttgccgtctg cgccgtttaa 21720

aaatcaaagg ggttctgccg cgcatcgcta tgcgccactg gcagggacac gttgcgatac 21780

tggtgtttag tgctccactt aaactcaggc acaaccatcc gcggcagctc ggtgaagttt 21840

tcactccaca ggctgcgcac catcaccaac gcgtttagca ggtcgggcgc cgatatcttg 21900

aagtcgcagt tggggcctcc gccctgcgcg cgcgagttgc gatacacagg gttgcagcac 21960

tggaacacta tcagcgccgg gtggtgcacg ctggccagca cgctcttgtc ggagatcaga 22020

tccgcgtcca ggtcctccgc gttgctcagg gcgaacggag tcaactttgg tagctgcctt 22080

cccaaaaagg gcgcgtgccc aggctttgag ttgcactcgc accgtagtgg catcaaaagg 22140

tgaccgtgcc cggtctgggc gttaggatac agcgcctgca taaaagcctt gatctgctta 22200

aaagccacct gagcctttgc gccttcagag aagaacatgc cgcaagactt gccggaaaac 22260

tgattggccg gacaggccgc gtcgtgcacg cagcaccttg cgtcggtgtt ggagatctgc 22320

accacatttc ggccccaccg gttcttcacg atcttggcct tgctagactg ctccttcagc 22380

gcgcgctgcc cgttttcgct cgtcacatcc atttcaatca cgtgctcctt atttatcata 22440

atgcttccgt gtagacactt aagctcgcct tcgatctcag cgcagcggtg cagccacaac 22500

gcgcagcccg tgggctcgtg atgcttgtag gtcacctctg caaacgactg caggtacgcc 22560

tgcaggaatc gccccatcat cgtcacaaag gtcttgttgc tggtgaaggt cagctgcaac 22620

ccgcggtgct cctcgttcag ccaggtcttg catacggccg ccagagcttc cacttggtca 22680

ggcagtagtt tgaagttcgc ctttagatcg ttatccacgt ggtacttgtc catcagcgcg 22740

cgcgcagcct ccatgccctt ctcccacgca gacacgatcg gcacactcag cgggttcatc 22800

accgtaattt cactttccgc ttcgctgggc tcttcctctt cctcttgcgt ccgcatacca 22860

cgcgccactg ggtcgtcttc attcagccgc cgcactgtgc gcttacctcc tttgccatgc 22920

ttgattagca ccggtgggtt gctgaaaccc accatttgta gcgccacatc ttctctttct 22980

tcctcgctgt ccacgattac ctctggtgat ggcgggcgct cgggcttggg agaagggcgc 23040

ttctttttct tcttgggcgc aatggccaaa tccgccgccg aggtcgatgg ccgcgggctg 23100

ggtgtgcgcg gcaccagcgc gtcttgtgat gagtcttcct cgtcctcgga ctcgatacgc 23160

cgcctcatcc gctttttgg gggcgcccgg ggaggcggcg gcgacgggga cggggacgac 23220

acgtcctcca tggttggggg acgtcgcgcc gcaccgcgtc cgcgctcggg ggtggtttcg 23280

cgctgctcct cttcccgact ggccatttcc ttctcctata ggcagaaaaa gatcatggag 23340

tcagtcgaga agaaggacag cctaaccgcc ccctctgagt tcgccaccac cgcctccacc 23400

gatgccgcca acgcgcctac caccttcccc gtcgaggcac ccccgcttga ggaggaggaa 23460

gtgattatcg agcaggaccc aggttttgta agcgaagacg acgaggaccg ctcagtacca 23520

acagaggata aaaagcaaga ccaggacaac gcagaggcaa acgaggaaca agtcgggcgg 23580

ggggacgaaa ggcatggcga ctacctagat gtgggagacg acgtgctgtt gaagcatctg 23640

cagcgccagt gcgccattat ctgcgacgcg ttgcaagagc gcagcgatgt gcccctcgcc 23700

atagcggatg tcagccttgc ctacgaacgc cacctattct caccgcgcgt acccccaaa 23760

cgccaagaaa acggcacatg cgagcccaac ccgcgcctca acttctaccc cgtatttgcc 23820

gtgccagagg tgcttgccac ctatcacatc tttttccaaa actgcaagat acccctatcc 23880

tgccgtgcca accgcagccg agcggacaag cagctggcct tgcggcaggg cgctgtcata 23940

cctgatatcg cctcgctcaa cgaagtgcca aaaatctttg agggtcttgg acgcgacgag 24000

aagcgcgcgg caaacgctct gcaacaggaa aacagcgaaa atgaaagtca ctctggagtg 24060

ttggtggaac tcgagggtga caacgcgcgc ctagccgtac taaaacgcag catcgaggtc 24120

acccactttg cctacccggc acttaaccta ccccccaagg tcatgagcac agtcatgagt 24180

gagctgatcg tgcgccgtgc gcagcccctg gagagggatg caaatttgca agaacaaaca 24240

gaggagggcc tacccgcagt tggcgacgag cagctagcgc gctggcttca aacgcgcgag 24300

cctgccgact tggaggagcg acgcaaacta atgatggccg cagtgctcgt taccgtggag 24360

cttgagtgca tgcagcggtt ctttgctgac ccggagatgc agcgcaagct agaggaaaca 24420

ttgcactaca cctttcgaca gggctacgta cgccaggcct gcaagatctc caacgtggag 24480

ctctgcaacc tggtctccta ccttggaatt ttgcacgaaa accgccttgg gcaaaacgtg 24540

cttcattcca cgctcaaggg cgaggcgcgc cgcgactacg tccgcgactg cgtttactta 24600

tttctatgct acacctggca gacggccatg ggcgtttggc agcagtgctt ggaggagtgc 24660

aacctcaagg agctgcagaa actgctaaag caaaacttga aggacctatg gacggccttc 24720

aacgagcgct ccgtggccgc gcacctggcg gacatcattt tccccgaacg cctgcttaaa 24780

accctgcaac agggtctgcc agacttcacc agtcaaagca tgttgcagaa ctttaggaac 24840

tttatcctag agcgctcagg aatcttgccc gccacctgct gtgcacttcc tagcgacttt 24900

gtgcccatta agtaccgcga atgccctccg ccgctttggg gccactgcta ccttctgcag 24960

ctagccaact accttgccta ccactctgac ataatggaag acgtgagcgg tgacggtcta 25020

ctggagtgtc actgtcgctg caacctatgc accccgcacc gctccctggt ttgcaattcg 25080

cagctgctta acgaaagtca aattatcggt acctttgagc tgcagggtcc ctcgcctgac 25140

gaaaagtccg cggctccggg gttgaaactc actccggggc tgtggacgtc ggcttacctt 25200

cgcaaatttg tacctgagga ctaccacgcc cacgagatta ggttctacga agaccaatcc 25260

cgcccgccta atgcggagct taccgcctgc gtcattaccc agggccacat tcttggccaa 25320

ttgcaagcca tcaacaaagc ccgccaagag tttctgctac gaaagggacg gggggtttac 25380

ttggaccccc agtccggcga ggagctcaac ccaatccccc cgccgccgca gccctatcag 25440

cagcagccgc gggcccttgc ttcccaggat ggcacccaaa aagaagctgc agctgccgcc 25500

gccacccacg gacgaggagg aatactggga cagtcaggca gaggaggttt tggacgagga 25560

ggaggaggac atgatggaag actgggagag cctagacgag gaagcttccg aggtcgaaga 25620

ggtgtcagac gaaacaccgt caccctcggt cgcattcccc tcgccggcgc cccagaaatc 25680

ggcaaccggt tccagcatgg ctacaacctc cgctcctcag gcgccgccgg cactgcccgt 25740

tcgccgaccc aaccgtagat gggacaccac tggaaccagg gccggtaagt ccaagcagcc 25800

gccgccgtta gcccaagagc aacaacagcg ccaaggctac cgctcatggc gcgggcacaa 25860

gaacgccata gttgcttgct tgcaagactg tgggggcaac atctccttcg cccgccgctt 25920

tcttctctac catcacggcg tggccttccc ccgtaacatc ctgcattact accgtcatct 25980

ctacagccca tactgcaccg gcggcagcgg cagcaacagc agcggccaca cagaagcaaa 26040

ggcgaccgga tagcaagact ctgacaaagc ccaagaaatc cacagcggcg gcagcagcag 26100

gaggaggagc gctgcgtctg gcgcccaacg aacccgtatc gacccgcgag cttagaaaca 26160

ggatttttcc cactctgtat gctatatttc aacagagcag gggccaagaa caagagctga 26220

aaataaaaaa caggtctctg cgatccctca cccgcagctg cctgtatcac aaaagcgaag 26280

atcagcttcg gcgcacgctg gaagacgcgg aggctctctt cagtaaatac tgcgcgctga 26340

ctcttaagga ctagtttcgc gccctttctc aaatttaagc gcgaaaacta cgtcatctcc 26400

agcggccaca cccggcgcca gcacctgttg tcagcgccat tatgagcaag gaaattccca 26460

cgccctacat gtggagttac cagccacaaa tgggacttgc ggctggagct gcccaagact 26520

actcaacccg aataaactac atgagcgcgg gaccccacat gatatcccgg gtcaacggaa 26580

tacgcgccca ccgaaaccga attctcctgg aacaggcggc tattaccacc acacctcgta 26640

ataaccttaa tccccgtagt tggcccgctg ccctggtgta ccaggaaagt cccgctccca 26700

ccactgtggt acttcccaga gacgcccagg ccgaagttca gatgactaac tcaggggcgc 26760

agcttgcggg cggctttcgt cacagggtgc ggtcgcccgg gcagggtata actcacctga 26820

caatcagagg gcgaggtatt cagctcaacg acgagtcggt gagctcctcg cttggtctcc 26880

gtccggacgg gacatttcag atcggcggcg ccggccgctc ttcattcacg cctcgtcagg 26940

caatcctaac tctgcagacc tcgtcctctg agccgcgctc tggaggcatt ggaactctgc 27000

aatttattga ggagtttgtg ccatcggtct actttaaccc cttctcggga cctcccggcc 27060

actatccgga tcaatttatt cctaactttg acgcggtaaa ggactcggcg gacggctacg 27120

actgaatgtt aagtggagag gcagagcaac tgcgcctgaa acacctggtc cactgtcgcc 27180

gccacaagtg ctttgcccgc gactccggtg agttttgcta ctttgaattg cccgaggatc 27240

atatcgaggg cccggcgcac ggcgtccggc ttaccgccca gggagagctt gcccgtagcc 27300

tgattcggga gtttacccag cgccccctgc tagttgagcg ggacagggga ccctgtgttc 27360

tcactgtgat ttgcaactgt cctaaccctg gattacatca agatctttgt tgccatctct 27420

gtgctgagta taataaatac agaaattaaa atatactggg gctcctatcg ccatcctgta 27480

aacgccaccg tcttcacccg cccaagcaaa ccaaggcgaa ccttacctgg tacttttaac 27540

atctctccct ctgtgattta caacagtttc aacccagacg gagtgagtct acgagagaac 27600

ctctccgagc tcagctactc catcagaaaa aacaccaccc tccttacctg ccgggaacgt 27660

acgagtgcgt caccggccgc tgcaccacac ctaccgcctg accgtaaacc agacttttc 27720

cggacagacc tcaataactc tgtttaccag aacaggaggt gagcttagaa aacccttagg 27780

gtattaggcc aaaggcgcag ctactgtggg gtttatgaac aattcaagca actctacggg 27840

ctattctaat tcaggtttct ctagaatcgg ggttggggtt attctctgtc ttgtgattct 27900

ctttattctt atactaacgc ttctctgcct aaggctcgcc gcctgctgtg tgcacatttg 27960

catttattgt cagcttttta aacgctgggg tcgccaccca agatgattag gtacataatc 28020

ctaggtttac tcacccttgc gtcagcccac ggtaccaccc aaaaggtgga ttttaaggag 28080

ccagcctgta atgttacatt cgcagctgaa gctaatgagt gcaccactct tataaaatgc 28140

accacagaac atgaaaagct gcttattcgc cacaaaaaca aaattggcaa gtatgctgtt 28200

tatgctattt ggcagccagg tgacactaca gagtataatg ttacagtttt ccagggtaaa 28260

agtcataaaa cttttatgta tacttttcca ttttatgaaa tgtgcgacat taccatgtac 28320

atgagcaaac agtataagtt gtggccccca caaaattgtg tggaaaacac tggcactttc 28380

tgctgcactg ctatgctaat tacagtgctc gctttggtct gtaccctact ctatattaaa 28440

tacaaaagca gacgcagctt tattgaggaa aagaaaatgc cttaatttac taagttacaa 28500

agctaatgtc accactaact gctttactcg ctgcttgcaa aacaaattca aaaagttagc 28560

attataatta gaataggatt taaacccccc ggtcatttcc tgctcaatac cattcccctg 28620

aacaattgac tctatgtggg atatgctcca gcgctacaac cttgaagtca ggcttcctgg 28680

atgtcagcat ctgactttgg ccagcacctg tcccgcggat ttgttccagt ccaactacag 28740

cgacccaccc taacagagat gaccaacaca accaacgcgg ccgccgctac cggacttaca 28800

tctaccacaa atacacccca agtttctgcc tttgtcaata actgggataa cttgggcatg 28860

tggtggttct ccatagcgct tatgtttgta tgccttatta ttatgtggct catctgctgc 28920

ctaaagcgca aacgcgcccg accacccatc tatagtccca tcattgtgct acacccaaac 28980

aatgatggaa tccatagatt ggacggactg aaacacatgt tcttttctct tacagtatga 29040

ttaaatgaga catgattcct cgagttttta tattactgac ccttgttgcg ctttttttgt 29100

gcgtgctcca cattggctgc ggtttctcac atcgaagtag actgcattcc agccttcaca 29160

gtctatttgc tttacggatt tgtcaccctc acgctcatct gcagcctcat cactgtggtc 29220

atcgccttta tccagtgcat tgactgggtc tgtgtgcgct ttgcatatct cagacaccat 29280

ccccagtaca gggacaggac tatagctgag cttcttagaa ttctttaatt atgaaattta 29340

ctgtgacttt tctgctgatt atttgcaccc tatctgcgtt ttgttccccg acctccaagc 29400

ctcaaagaca tatatcatgc agattcactc gtatatggaa tattccaagt tgctacaatg 29460

aaaaaagcga tctttccgaa gcctggttat atgcaatcat ctctgttatg gtgttctgca 29520

gtaccatctt agccctagct atatatccct accttgacat tggctggaac gcaatagatg 29580

ccatgaacca cccaactttc cccgcgcccg ctatgcttcc actgcaacaa gttgttgccg 29640

gcggctttgt cccagccaat cagcctcgcc caccttctcc caccccact gaaatcagct 29700

actttaatct aacaggagga gatgactgac accctagatc tagaaatgga cggaattatt 29760

acagagcagc gcctgctaga aagacgcagg gcagcggccg agcaacagcg catgaatcaa 29820

gagctccaag acatggttaa cttgcaccag tgcaaaaggg gtatcttttg tctggtaaag 29880

caggccaaag tcacctacga cagtaatacc accggacacc gccttagcta caagttgcca 29940

accaagcgtc agaaattggt ggtcatggtg ggagaaaagc ccattaccat aactcagcac 30000

tcggtagaaa ccgaaggctg cattcactca ccttgtcaag gacctgagga tctctgcacc 30060

cttattaaga ccctgtgcgg tctcaaagat cttattccct ttaactaata aaaaaaaata 30120

ataaagcatc acttacttaa aatcagttag caaatttctg tccagtttat tcagcagcac 30180

ctccttgccc tcctcccagc tctggtattg cagcttcctc ctggctgcaa actttctcca 30240

caatctaaat ggaatgtcag tttcctcctg ttcctgtcca tccgcaccca ctatcttcat 30300

gttgttgcag atgaagcgcg caagaccgtc tgaagatacc ttcaaccccg tgtatccata 30360

tgacacggaa accggtcctc caactgtgcc ttttcttact cctccctttg tatcccccaa 30420

tgggtttcaa gagagtcccc ctggggtact ctctttgcgc ctatccgaac ctctagttac 30480

ctccaatggc atgcttgcgc tcaaaatggg caacggcctc tctctggacg aggccggcaa 30540

ccttacctcc caaaatgtaa ccactgtgag cccacctctc aaaaaaacca agtcaaacat 30600

aaacctggaa atatctgcac ccctcacagt tacctcagaa gccctaactg tggctgccgc 30660

cgcacctcta atggtcgcgg gcaacacact caccatgcaa tcacaggccc cgctaaccgt 30720

gcacgactcc aaacttagca ttgccaccca aggacccctc acagtgtcag aaggaaagct 30780

agccctgcaa acatcaggcc ccctcaccac caccgatagc agtaccctta ctatcactgc 30840

ctcaccccct ctaactactg ccactggtag cttgggcatt gacttgaaag agcccattta 30900

tacacaaaat ggaaaactag gactaaagta cggggctcct ttgcatgtaa cagacgacct 30960

aaacactttg accgtagcaa ctggtccagg tgtgactatt aataatactt ccttgcaaac 31020

taaagttact ggagccttgg gttttgattc acaaggcaat atgcaactta atgtagcagg 31080

aggactaagg attgattctc aaaacagacg ccttatactt gatgttagtt atccgtttga 31140

tgctcaaaac caactaaatc taagactagg acagggccct ctttttataa actcagccca 31200

caacttggat attaactaca acaaaggcct ttacttgttt acagcttcaa acaattccaa 31260

aaagcttgag gttaacctaa gcactgccaa ggggttgatg tttgacgcta cagccatagc 31320

cattaatgca ggagatgggc ttgaatttgg ttcacctaat gcaccaaaca caaatcccct 31380

caaaacaaaa attggccatg gcctagaatt tgattcaaac aaggctatgg ttcctaaact 31440

aggaactggc cttagttttg acagcacagg tgccattaca gtaggaaaca aaaataatga 31500

taagctaact ttgtggacca caccagctcc atctcctaac tgtagactaa atgcagagaa 31560

agatgctaaa ctcactttgg tcttaacaaa atgtggcagt caaatacttg ctacagtttc 31620

agttttggct gttaaaggca gtttggctcc aatatctgga acagttcaaa gtgctcatct 31680

tattataaga tttgacgaaa atggagtgct actaaacaat tccttcctgg acccagaata 31740

ttggaacttt agaaatggag atcttactga aggcacagcc tatacaaacg ctgttggatt 31800

tatgcctaac ctatcagctt atccaaaatc tcacggtaaa actgccaaaa gtaacattgt 31860

cagtcaagtt tacttaaacg gagacaaaac taaacctgta acactaacca ttacactaaa 31920

cggtacacag gaaacaggag acacaactcc aagtgcatac tctatgtcat tttcatggga 31980

ctggtctggc cacaactaca ttaatgaaat atttgccaca tcctcttaca ctttttcata 32040

cattgcccaa gaataaagaa tcgtttgtgt tatgtttcaa cgtgtttatt tttcaattgc 32100

agaaaatttc aagtcatttt tcattcagta gtatagcccc accaccacat agcttataca 32160

gatcaccgta ccttaatcaa actcacagaa ccctagtatt caacctgcca cctccctccc 32220
aacacacaga gtacacagtc ctttctcccc ggctggcctt aaaaagcatc atatcatggg 32280
taacagacat attcttaggt gttatattcc acacggtttc ctgtcgagcc aaacgctcat 32340
cagtgatatt aataaactcc ccgggcagct cacttaagtt catgtcgctg tccagctgct 32400
gagccacagg ctgctgtcca acttgcggtt gcttaacggg cggcgaagga gaagtccacg 32460
cctacatggg ggtagagtca taatcgtgca tcaggatagg gcggtggtgc tgcagcagcg 32520
cgcgaataaa ctgctgccgc cgccgctccg tcctgcagga atacaacatg gcagtggtct 32580
cctcagcgat gattcgcacc gcccgcagca taaggcgcct tgtcctccgg gcacagcagc 32640
gcaccctgat ctcacttaaa tcagcacagt aactgcagca cagcaccaca atattgttca 32700
aaatcccaca gtgcaaggcg ctgtatccaa agctcatggc ggggaccaca gaacccacgt 32760
ggccatcata ccacaagcgc aggtagatta agtggcgacc cctcataaac acgctggaca 32820
taaacattac ctcttttggc atgttgtaat tcaccacctc ccggtaccat ataaacctct 32880
gattaaacat ggcgccatcc accaccatcc taaaccagct ggccaaaacc tgcccgccgg 32940
ctatacactg cagggaaccg ggactggaac aatgacagtg gagagcccag gactcgtaac 33000
catggatcat catgctcgtc atgatatcaa tgttggcaca acacaggcac acgtgcatac 33060
acttcctcag gattacaagc tcctcccgcg ttagaaccat atcccaggga acaacccatt 33120
cctgaatcag cgtaaatccc acactgcagg gaagacctcg cacgtaactc acgttgtgca 33180
ttgtcaaagt gttacattcg ggcagcagcg gatgatcctc cagtatggta gcgcgggttt 33240
ctgtctcaaa aggaggtaga cgatccctac tgtacggagt gcgccgagac aaccgagatc 33300
gtgttggtcg tagtgtcatg ccaaatggaa cgccggacgt agtcatattt cctgaagcaa 33360
aaccaggtgc gggcgtgaca aacagatctg cgtctccggt ctcgccgctt agatcgctct 33420
gtgtagtagt tgtagtatat ccactctctc aaagcatcca ggcgcccccc ggcttcgggt 33480
tctatgtaaa ctccttcatg cgccgctgcc ctgataacat ccaccaccgc agaataagcc 33540
acacccagcc aacctacaca ttcgttctgc gagtcacaca cgggaggagc gggaagagct 33600
ggaagaacca tgttttttttt tttattccaa aagattatcc aaaacctcaa aatgaagatc 33660
tattaagtga acgcgctccc ctccggtggc gtggtcaaac tctacagcca aagaacagat 33720
aatggcattt gtaagatgtt gcacaatggc ttccaaaagg caaacggccc tcacgtccaa 33780
gtggacgtaa aggctaaacc cttcagggtg aatctcctct ataaacattc cagcaccttc 33840
aaccatgccc aaataattct catctcgcca ccttctcaat atatctctaa gcaaatcccg 33900
aatattaagt ccggccattg taaaaatctg ctccagagcg ccctccacct tcagcctcaa 33960
gcagcgaatc atgattgcaa aaattcaggt tcctcacaga cctgtataag attcaaaagc 34020
ggaacattaa caaaaatacc gcgatcccgt aggtcccttc gcagggccag ctgaacataa 34080
tcgtgcaggt ctgcacggac cagcgcggcc acttccccgc caggaaccat gacaaaagaa 34140
cccacactga ttatgacacg catactcgga gctatgctaa ccagcgtagc cccgatgtaa 34200

gcttgttgca tgggcggcga tataaaatgc aaggtgctgc tcaaaaaatc aggcaaagcc 34260

tcgcgcaaaa aagaaagcac atcgtagtca tgctcatgca gataaaggca ggtaagctcc 34320

ggaaccacca cagaaaaaga caccattttt ctctcaaaca tgtctgcggg tttctgcata 34380

aacacaaaat aaaataacaa aaaaacattt aaacattaga agcctgtctt acaacaggaa 34440

aaacaaccct tataagcata agacggacta cggccatgcc ggcgtgaccg taaaaaaact 34500

ggtcaccgtg attaaaaagc accaccgaca gctcctcggt catgtccgga gtcataatgt 34560

aagactcggt aaacacatca ggttgattca catcggtcag tgctaaaaag cgaccgaaat 34620

agcccggggg aatacatacc cgcaggcgta gagacaacat tacagccccc ataggaggta 34680

taacaaaatt aataggagag aaaaacacat aaacacctga aaaaccctcc tgcctaggca 34740

aaatagcacc ctcccgctcc agaacaacat acagcgcttc cacagcggca gccataacag 34800

tcagccttac cagtaaaaaa gaaaacctat taaaaaaaca ccactcgaca cggcaccagc 34860

tcaatcagtc acagtgtaaa aaagggccaa gtgcagagcg agtatatata ggactaaaaa 34920

atgacgtaac ggttaaagtc cacaaaaaac acccagaaaa ccgcacgcga acctacgccc 34980

agaaacgaaa gccaaaaaac ccacaacttc ctcaaatcgt cacttccgtt ttcccacgtt 35040

acgtcacttc ccattttaag aaaactacaa ttcccaacac atacaagtta ctccgcccta 35100

aaacctacgt cacccgcccc gttcccacgc cccgcgccac gtcacaaact ccacccccctc 35160

attatcatat tggcttcaat ccaaaataag gtatattatt gat 35203

<210> 21
<211> 36460
<212> DNA
<213> Artificial Sequence

<220>
<223> Contruct containing two mismatches with duplication

<400> 21
catcatcaat aatatacctt attttggatt gaagccaata tgataatgag ggggtggagt 60

ttgtgacgtg gcgcggggcg tgggaacggg gcgggtgacg tagtagtgtg gcggaagtgt 120

gatgttgcaa gtgtggcgga acacatgtaa gcgacggatg tggcaaaagt gacgtttttg 180

gtgtgcgccg gtgtacacag gaagtgacaa ttttcgcgcg gttttaggcg gatgttgtag 240

taaatttggg cgtaaccgag taagatttgg ccattttcgc gggaaaactg aataagagga 300

agtgaaatct gaataatttt gtgttactca tagcgcgtaa tatttgtcta gggccgcggg 360

gactttgacc gtttacgtgg agactcgccc aggtgttttt ctcaggtgtt ttccgcgttc 420

cgggtcaaag ttggcgtttt attattatag tcagtacgta cgtgtacttc tgatcggcga 480

tactagggag ataaggatgt acctgacaaa accacattgt tgttgttatc attattattt 540

agttttcctt ccttgctaac tcctgacgga atctttctca cctcaaatgc gaagtacttt 600

agtttagaaa agacttggtg gaaggggtgg tggtggaaaa gtagggtgat cttccaaact 660

aatctggttc cccgcccgcc ccagtagctg ggattcaaga gcgaagagtg gggatcgtcc 720

ccttgtttga tcagaaagac ataaaaggaa aatcaagtga acaatgatca gccccacctc 780

caccccaccc ccctgcgcgc gcacaataca atctatttaa ttgtacttca tacttttcat 840

tccaatgggg tgactttgct tctggagaaa ctcttgattc ttgaactctg gggctggcag 900

ctagcctcca gaagcaaagt caccccattg gaatgaaaag tatgaagtac aatgaaaagt 960

atgaagtact ggctccagaa gcaaagtcac cctccagaag caaagtcacc ccattggaat 1020

gaaaagtatg aagtacgcta gcaaaagggg aagcgggctg ctgctctctg caggttctgc 1080

agcggtctct gtctagtggg tgttttcttt ttcttagccc tgcccctgga ttgtcagacg 1140

gcgggcgtct gcctctgaag ttagccgtga tttcctctag agccgggtct tatctctggc 1200

tgcacgttgc ctgtgggtga ctaatcacac aataacattg tttagggctg gaataaagtc 1260

agagctgttt acccccactc tataggggtt caatataaaa aggcggcgga gaactgtccg 1320

agtcagaagc gttcctgcac cggcgctgag agcctgaccc ggtctgctcc gctgtccttg 1380

cgcgctgcct cccggctgcc cgcgacgctt tcgccccagt ggaagggcca cttgctgcgg 1440

ccgctaattc tgcagatcgg gatccggcat gggcctctcc accgtgcctg acctgctgct 1500

gccgctggtg ctcctggagc tgttggtggg aatatacccc tcaggggtta ttggactggt 1560

ccctcaccta ggggacaggg agaagagaga tagtgtgtgt ccccaaggaa aatatatcca 1620

ccctcaaaat aattcgattt gctgtaccaa gtgccacaaa ggaacctact tgtacaatga 1680

ctgtccaggc ccggggcagg atacggactg cagggagtgt gagagcggct ccttcaccgc 1740

ttcagaaaac cacctcagac actgcctcag ctgctccaaa tgccgaaagg aaatgggtca 1800

ggtggagatc tcttcttgca cagtggaccg ggacaccgtg tgtggctgca ggaagaacca 1860

gtaccggcat tattggagtg aaaacctttt ccagtgcttc aattgcagcc tctgcctcaa 1920

tgggaccgtg cacctctcct gccaggagaa acagaacacc gtgtgcacct gccatgcagg 1980

tttctttcta agagaaaacg agtgtgtctc ctgtagtaac tgtaagaaaa gcctggagtg 2040

cacgaagttg tgcctaccaa gcttaggatc cagatctaac ttggggtggc tttgtcttct 2100

tcttttgcca attccactaa ttgtttgggt gaagagaaag gaagtacaga aaacatgcag 2160

aaagcacaga aaggaaaacc aaggttctca tgaatctcca accttaaatc ctgaaacagt 2220

ggcaataaat ttatctgatg ttgacttgag taaatatatc accactattg ctggagtcat 2280

gacactaagt caagttaaag gctttgttcg aaagaatggt gtcaatgaag ccaaaataga 2340

tgagatcaag aatgacaatg tccaagacac agcagaacag aaagttcaac tgcttcgtaa 2400

ttggcatcaa cttcatggaa agaaagaagc gtatgacaca ttgattaaag atctcaaaaa 2460

agccaatctt tgtactcttg cagagaaaat tcagactatc atcctcaagg acattactag 2520

tgactcagaa aattcaaact tcagaaatga aatccaaagc ttggtctagc tcgagcatgc 2580

atctaggcgg ccgcatggca gaaattcgcg aattcgctag cgttaacgga tcctctagac 2640

gagatccgaa cttgtttatt gcagcttata atggttacaa ataaagcaat agcatcacaa 2700

atttcacaaa taaagcattt ttttcactgc attctagttg tggtttgtcc aaactcatca 2760

atgtatctta tcatgtctag atctgtactg aaatgtgtgg gcgtggctta agggtgggaa 2820

agaatatata aggtgggggt cttatgtagt tttgtatctg ttttgcagca gccgccgccg 2880

ccatgagcac caactcgttt gatggaagca ttgtgagctc atatttgaca acgcgcatgc 2940

ccccatgggc cggggtgcgt cagaatgtga tgggctccag cattgatggt cgccccgtcc 3000

tgcccgcaaa ctctactacc ttgacctacg agaccgtgtc tggaacgccg ttggagactg 3060

cagcctccgc cgccgcttca gccgctgcag ccaccgcccg cgggattgtg actgactttg 3120

ctttcctgag cccgcttgca agcagtgcag cttcccgttc atccgcccgc gatgacaagt 3180

tgacggctct tttggcacaa ttggattctt tgacccggga acttaatgtc gtttctcagc 3240

agctgttgga tctgcgccag caggtttctg ccctgaaggc ttcctccccc cccaatgcgg 3300

tttaaaacat aaataaaaaa ccagactctg tttggatttg gatcaagcaa gtgtcttgct 3360

gtctttattt aggggttttg cgcgcgcggt aggcccggga ccagcggtct cggtcgttga 3420

gggtcctgtg tatttttcc aggacgtggt aaaggtgact ctggatgttc agatacatgg 3480

gcataagccc gtctctgggg tggaggtagc accactgcag agcttcatgc tgcggggtgg 3540

tgttgtagat gatccagtcg tagcaggagc gctgggcgtg gtgcctaaaa atgtctttca 3600

gtagcaagct gattgccagg ggcaggccct tggtgtaagt gtttacaaag cggttaagct 3660

gggatgggtg catacgtggg gatatgagat gcatcttgga ctgtattttt aggttggcta 3720

tgttcccagc catatccctc cggggattca tgttgtgcag aaccaccagc acagtgtatc 3780

cggtgcactt gggaaatttg tcatgtagct tagaaggaaa tgcgtggaag aacttggaga 3840

cgcccttgtg acctccaaga ttttccatgc attcgtccat aatgatggca atgggcccac 3900

gggcggcggc ctgggcgaag atatttctgg gatcactaac gtcatagttg tgttccagga 3960

tgagatcgtc ataggccatt tttacaaagc gcgggcggag ggtgccagac tgcggtataa 4020

tggttccatc cggcccaggg gcgtagttac cctcacagat ttaagggtgg gaaagaatat 4080

ataaggtggg ggtcttatgt agttttgtat ctgttttgca gcagccgccg ccgccatgag 4140

caccaactcg tttgatggaa gcattgtgag ctcatatttg acaacgcgca tgcccccatg 4200

ggccggggtg cgtcagaatg tgatgggctc cagcattgat ggtcgccccg tcctgcccgc 4260

aaactctact accttgacct acgagaccgt gtctggaacg ccgttggaga ctgcagcctc 4320

cgccgccgct tcagccgctg cagccaccgc ccgcgggatt gtgactgact ttgctttcct 4380

gagcccgctt gcaagcagtg cagcttcccg ttcatccgcc cgcgatgaca agttgacggc 4440

tcttttggca caattggatt ctttgacccg ggaacttaat gtcgtttctc agcagctgtt 4500

ggatctgcgc cagcaggttt ctgccctgaa ggcttcctcc cctcccaatg cggtttaaaa 4560

cataaataaa aaaccagact ctgtttggat ttggatcaag caagtgtctt gctgtcttta 4620

tttaggggtt ttgcgcgcgc ggtaggcccg ggaccagcgg tctcggtcgt tgagggtcct 4680

gtgtattttt tccaggacgt ggtaaaggtg actctggatg ttcagataca tgggcataag 4740

cccgtctctg gggtggaggt agcaccactg cagagcttca tgctgcgggg tggtgttgta 4800

gatgatccag tcgtagcagg agcgctgggc gtggtgccta aaaatgtctt tcagtagcaa 4860

gctgattgcc aggggcaggc ccttggtgta agtgtttaca aagcggttaa gctgggatgg 4920

gtgcatacgt ggggatatga gatgcatctt ggactgtatt tttaggttgg ctatgttccc 4980

agccatatcc ctccggggat tcatgttgtg cagaaccacc agcacagtgt atccggtgca 5040

cttgggaaat ttgtcatgta gcttagaagg aaatgcgtgg aagaacttgg agacgccctt 5100

gtgacctcca agattttcca tgcattcgtc cataatgatg gcaatgggcc cacgggcggc 5160

ggcctgggcg aagatatttc tgggatcact aacgtcatag ttgtgttcca ggatgagatc 5220

gtcataggcc atttttacaa agcgcgggcg gagggtgcca gactgcggta taatggttcc 5280

atccggccca ggggcgtagt taccctcaca gatttgcatt tcccacgctt tgagttcaga 5340

tgggggggatc atgtctacct gcggggcgat gaagaaaacg gtttccgggg taggggagat 5400

cagctgggaa gaaagcaggt tcctgagcag ctgcgactta ccgcagccgg tgggcccgta 5460

aatcacacct attaccggct gcaactggta gttaagagag ctgcagctgc cgtcatccct 5520

gagcaggggg gccacttcgt taagcatgtc cctgactcgc atgttttccc tgaccaaatc 5580

cgccagaagg cgctcgccgc ccagcgatag cagttcttgc aaggaagcaa agtttttcaa 5640

cggtttgaga ccgtccgccg taggcatgct tttgagcgtt tgaccaagca gttccaggcg 5700

gtcccacagc tcggtcacct gctctacggc atctcgatcc agcatatctc ctcgtttcgc 5760

gggttggggc ggctttcgct gtacggcagt agtcggtgct cgtccagacg ggccagggtc 5820

atgtctttcc acgggcgcag ggtcctcgtc agcgtagtct gggtcacggt gaaggggtgc 5880

gctccgggct gcgcgctggc cagggtgcgc ttgaggctgg tcctgctggt gctgaagcgc 5940

tgccggtctt cgccctgcgc gtcggccagg tagcatttga ccatggtgtc atagtccagc 6000

ccctccgcgg cgtggccctt ggcgcgcagc ttgcccttgg aggaggcgcc gcacgagggg 6060

cagtgcagac ttttgagggc gtagagcttg ggcgcgagaa ataccgattc cggggagtag 6120

gcatccgcgc cgcaggcccc gcagacggtc tcgcattcca cgagccaggt gagctctggc 6180

cgttcggggt caaaaaccag gtttccccca tgctttttga tgcgtttctt acctctggtt 6240

tccatgagcc ggtgtccacg ctcggtgacg aaaaggctgt ccgtgtcccc gtatacagac 6300

ttgagaggcc tgtcctcgag cggtgttccg cggtcctcct cgtatagaaa ctcggaccac 6360

tctgagacaa aggctcgcgt ccaggccagc acgaaggagg ctaagtggga ggggtagcgg 6420

tcgttgtcca ctaggggtc cactcgctcc agggtgtgaa gacacatgtc gccctcttcg 6480

gcatcaagga aggtgattgg tttgtaggtg taggccacgt gaccgggtgt tcctgaaggg 6540

gggctataaa agggggtggg ggcgcgttcg tcctcactct cttccgcatc gctgtctgcg 6600

agggccagct gttggggtga gtactccctc tgaaaagcgg gcatgacttc tgcgctaaga 6660

ttgtcagttt ccaaaaacga ggaggatttg atattcacct ggcccgcggt gatgcctttg 6720

agggtggccg catccatctg gtcagaaaag acaatctttt tgttgtcaag cttggtggca 6780

aacgacccgt agagggcgtt ggacagcaac ttggcgatgg agcgcagggt ttggtttttg 6840

tcgcgatcgg cgcgctcctt ggccgcgatg tttagctgca cgtattcgcg cgcaacgcac 6900

cgccattcgg gaaagacggt ggtgcgctcg tcgggcacca ggtgcacgcg ccaaccgcgg 6960

ttgtgcaggg tgacaaggtc aacgctggtg gctacctctc cgcgtaggcg ctcgttggtc 7020

cagcagaggc ggccgccctt gcgcgagcag aatggcggta gggggtctag ctgcgtctcg 7080

tccggggggt ctgcgtccac ggtaaagacc ccgggcagca ggcgcgcgtc gaagtagtct 7140

atcttgcatc cttgcaagtc tagcgcctgc tgccatgcgc gggcggcaag cgcgcgctcg 7200

tatgggttga gtgggggacc ccatggcatg gggtgggtga gcgcggaggc gtacatgccg 7260

caaatgtcgt aaacgtagag gggctctctg agtattccaa gatatgtagg gtagcatctt 7320

ccaccgcgga tgctggcgcg cacgtaatcg tatagttcgt gcgagggagc gaggaggtcg 7380

ggaccgaggt tgctacgggc gggctgctct gctcggaaga ctatctgcct gaagatggca 7440

tgtgagttgg atgatatggt tggacgctgg aagacgttga agctggcgtc tgtgagacct 7500

accgcgtcac gcacgaagga ggcgtaggag tcgcgcagct tgttgaccag ctcggcggtg 7560

acctgcacgt ctagggcgca gtagtccagg gtttccttga tgatgtcata cttatcctgt 7620

ccctttttt tccacagctc gcggttgagg acaaactctt cgcggtcttt ccagtactct 7680

tggatcggaa acccgtcggc ctccgaacgg taagagccta gcatgtagaa ctggttgacg 7740

gcctggtagg cgcagcatcc cttttctacg ggtagcgcgt atgcctgcgc ggccttccgg 7800

agcgaggtgt gggtgagcgc aaaggtgtcc ctgaccatga ctttgaggta ctggtatttg 7860

aagtcagtgt cgtcgcatcc gccctgctcc cagagcaaaa agtccgtgcg ctttttggaa 7920

cgcggatttg gcagggcgaa ggtgacatcg ttgaagagta tctttcccgc gcgaggcata 7980

aagttgcgtg tgatgcggaa gggtcccggc acctcggaac ggttgttaat tacctgggcg 8040

gcgagcacga tctcgtcaaa gccgttgatg ttgtggccca caatgtaaag ttccaagaag 8100

cgcgggatgc ccttgatgga aggcaatttt ttaagttcct cgtaggtgag ctcttcaggg 8160

gagctgagcc cgtgctctga aagggcccag tctgcaagat gagggttgga agcgacgaat 8220

gagctccaca ggtcacgggc cattagcatt tgcaggtggt cgcgaaaggt cctaaactgg 8280

cgacctatgg ccatttttc tggggtgatg cagtagaagg taagcgggtc ttgttcccag 8340

cggtcccatc caaggttcgc ggctaggtct cgcgcggcag tcactagagg ctcatctccg 8400

ccgaacttca tgaccagcat gaagggcacg agctgcttcc caaaggcccc catccaagta 8460

taggtctcta catcgtaggt gacaaagaga cgctcggtgc gaggatgcga gccgatcggg 8520

aagaactgga tctcccgcca ccaattggag gagtggctat tgatgtggtg aaagtagaag 8580

tccctgcgac gggccgaaca ctcgtgctgg cttttgtaaa aacgtgcgca gtactggcag 8640

cggtgcacgg gctgtacatc ctgcacgagg ttgacctgac gaccgcgcac aaggaagcag 8700

agtgggaatt tgagcccctc gcctggcggg tttggctggt ggtcttctac ttcggctgct 8760

tgtccttgac cgtctggctg ctcgagggga gttacggtgg atcggaccac cacgccgcgc 8820

gagcccaaag tccagatgtc cgcgcgcggc ggtcggagct tgatgacaac atcgcgcaga 8880

tgggagctgt ccatggtctg gagctcccgc ggcgtcaggt caggcgggag ctcctgcagg 8940
tttacctcgc atagacgggt cagggcgcgg gctagatcca ggtgatacct aatttccagg 9000
ggctggttgg tggcggcgtc gatggcttgc aagaggccgc atccccgcgg cgcgactacg 9060
gtaccgcgcg gcgggcggtg ggccgcgggg gtgtccttgg atgatgcatc taaaagcggt 9120
gacgcgggcg agcccccgga ggtagggggg gctccggacc cgccgggaga gggggcaggg 9180
gcacgtcggc gccgcgcgcg ggcaggagct ggtgctgcgc gcgtaggttg ctggcgaacg 9240
cgacgacgcg gcggttgatc tcctgaatct ggcgcctctg cgtgaagacg acgggcccgg 9300
tgagcttgaa cctgaaagag agttcgacag aatcaatttc ggtgtcgttg acggcggcct 9360
ggcgcaaaat ctcctgcacg tctcctgagt tgtcttgata ggcgatctcg gccatgaact 9420
gctcgatctc ttcctcctgg agatctccgc gtccggctcg ctccacggtg gcggcgaggt 9480
cgttggaaat gcgggccatg agctgcgaga aggcgttgag gcctccctcg ttccagacgc 9540
ggctgtagac cacgccccct tcggcatcgc gggcgcgcat gaccacctgc gcgagattga 9600
gctccacgtg ccgggcgaag acggcgtagt ttcgcaggcg ctgaaagagg tagttgaggg 9660
tggtggcggt gtgttctgcc acgaagaagt acataaccca gcgtcgcaac gtggattcgt 9720
tgatatcccc caaggcctca aggcgctcca tggcctcgta gaagtccacg gcgaagttga 9780
aaaactggga gttgcgcgcc gacacggtta actcctcctc cagaagacgg atgagctcgg 9840
cgacagtgtc gcgcacctcg cgctcaaagg ctacaggggc ctcttcttct tcttcaatct 9900
cctcttccat aagggcctcc ccttcttctt cttctggcgg cggtggggga gggggacac 9960
ggcggcgacg acggcgcacc gggaggcggt cgacaaagcg ctcgatcatc tccccgcggc 10020
gacggcgcat ggtctcggtg acggcgcggc cgttctcgcg ggggcgcagt tggaagacgc 10080
cgcccgtcat gtcccggtta tgggttggcg gggggctgcc atgcggcagg gatacggcgc 10140
taacgatgca tctcaacaat tgttgtgtag gtactccgcc gccgagggac ctgagcgagt 10200
ccgcatcgac cggatcggaa aacctctcga gaaaggcgtc taaccagtca cagtcgcaag 10260
gtaggctgag caccgtggcg ggcggcagcg ggcggcggtc ggggttgttt ctggcggagg 10320
tgctgctgat gatgtaatta aagtaggcgg tcttgagacg gcggatggtc gacagaagca 10380
ccatgtcctt gggtccggcc tgctgaatgc gcaggcggtc ggccatgccc caggcttcgt 10440
tttgacatcg gcgcaggtct ttgtagtagt cttgcatgag cctttctacc ggcacttctt 10500
cttctccttc ctcttgtcct gcatctcttg catctatcgc tgcggcggcg gcggagtttg 10560
gccgtaggtg gcgccctctt cctcccatgc gtgtgacccc gaagcccctc atcggctgaa 10620
gcagggctag gtcggcgaca acgcgctcgg ctaatatggc ctgctgcacc tgcgtgaggg 10680
tagactggaa gtcatccatg tccacaaagc ggtggtatgc gcccgtgttg atggtgtaag 10740
tgcagttggc cataacggac cagttaacgg tctggtgacc cggctgcgag agctcggtgt 10800
acctgagacg cgagtaagcc ctcgagtcaa atacgtagtc gttgcaagtc cgcaccaggt 10860
actggtatcc caccaaaaag tgcggcggcg gctggcggta gaggggccag cgtagggtgg 10920

ccggggctcc gggggcgaga tcttccaaca taaggcgatg atatccgtag atgtacctgg 10980
acatccaggt gatgccggcg gcggtggtgg aggcgcgcgg aaagtcgcgg acgcggttcc 11040
agatgttgcg cagcggcaaa aagtgctcca tggtcgggac gctctggccg gtcaggcgcg 11100
cgcaatcgtt gacgctctag accgtgcaaa aggagagcct gtaagcgggc actcttccgt 11160
ggtctggtgg ataaattcgc aagggtatca tggcggacga ccggggttcg agccccgtat 11220
ccggccgtcc gccgtgatcc atgcggttac cgcccgcgtg tcgaacccag gtgtgcgacg 11280
tcagacaacg ggggagtgct ccttttggct tccttccagg cgcggcggct gctgcgctag 11340
ctttttggc cactggccgc gcgcagcgta agcggttagg ctggaaagcg aaagcattaa 11400
gtggctcgct ccctgtagcc ggagggttat tttccaaggg ttgagtcgcg ggacccccgg 11460
ttcgagtctc ggaccggccg gactgcggcg aacgggggtt tgcctccccg tcatgcaaga 11520
ccccgcttgc aaattcctcc ggaaacaggg acgagcccct tttttgcttt tcccagatgc 11580
atccggtgct gcggcagatg cgccccctc ctcagcagcg gcaagagcaa gagcagcggc 11640
agacatgcag ggcaccctcc cctcctccta ccgcgtcagg aggggcgaca tccgcggttg 11700
acgcggcagc agatggtgat tacgaacccc cgcggcgccg ggcccggcac tacctggact 11760
tggaggaggg cgagggcctg gcgcggctag gagcgccctc tcctgagcgg cacccaaggg 11820
tgcagctgaa gcgtgatacg cgtgaggcgt acgtgccgcg gcagaacctg tttcgcgacc 11880
gcgagggaga ggagcccgag gagatgcggg atcgaaagtt ccacgcaggg cgcgagctgc 11940
ggcatggcct gaatcgcgag cggttgctgc gcgaggagga ctttgagccc gacgcgcgaa 12000
ccgggattag tcccgcgcgc gcacacgtgg cggccgccga cctggtaacc gcatacgagc 12060
agacggtgaa ccaggagatt aactttcaaa aaagctttaa caaccacgtg cgtacgcttg 12120
tggcgcgcga ggaggtggct ataggactga tgcatctgtg ggactttgta agcgcgctgg 12180
agcaaaaccc aaatagcaag ccgctcatgg cgcagctgtt ccttatagtg cagcacagca 12240
gggacaacga ggcattcagg gatgcgctgc taaacatagt agagcccgag ggccgctggc 12300
tgctcgattt gataaacatc ctgcagagca tagtggtgca ggagcgcagc ttgagcctgg 12360
ctgacaaggt ggccgccatc aactattcca tgcttagcct gggcaagttt tacgcccgca 12420
agatatacca tacccttac gttcccatag acaaggaggt aaagatcgag gggttctaca 12480
tgcgcatggc gctgaaggtg cttaccttga gcgacgacct gggcgtttat cgcaacgagc 12540
gcatccacaa ggccgtgagc gtgagccggc ggcgcgagct cagcgaccgc gagctgatgc 12600
acagcctgca aagggccctg gctggcacgg gcagcggcga tagagaggcc gagtcctact 12660
ttgacgcggg cgctgacctg cgctgggccc caagccgacg cgccctggag gcagctgggg 12720
ccggacctgg gctggcggtg gcacccgcgc gcgctggcaa cgtcggcggc gtggaggaat 12780
atgacgagga cgatgagtac gagccagagg acggcgagta ctaagcggtg atgtttctga 12840
tcagatgatg caagacgcaa cggacccggc ggtgcgggcg gcgctgcaga gccagccgtc 12900
cggccttaac tccacggacg actggcgcca ggtcatggac cgcatcatgt cgctgactgc 12960

gcgcaatcct gacgcgttcc ggcagcagcc gcaggccaac cggctctccg caattctgga 13020

agcggtggtc ccggcgcgcg caaaccccac gcacgagaag gtgctggcga tcgtaaacgc 13080

gctggccgaa aacagggcca tccggcccga cgaggccggc ctggtctacg acgcgctgct 13140

tcagcgcgtg gctcgttaca acagcggcaa cgtgcagacc aacctggacc ggctggtggg 13200

ggatgtgcgc gaggccgtgg cgcagcgtga gcgcgcgcag cagcagggca acctgggctc 13260

catggttgca ctaaacgcct tcctgagtac acagcccgcc aacgtgccgc ggggacagga 13320

ggactacacc aactttgtga gcgcactgcg gctaatggtg actgagacac cgcaaagtga 13380

ggtgtaccag tctgggccag actatttttt ccagaccagt agacaaggcc tgcagaccgt 13440

aaacctgagc caggctttca aaaacttgca ggggctgtgg ggggtgcggg ctcccacagg 13500

cgaccgcgcg accgtgtcta gcttgctgac gcccaactcg cgcctgttgc tgctgctaat 13560

agcgcccttc acggacagtg gcagcgtgtc ccgggacaca tacctaggtc acttgctgac 13620

actgtaccgc gaggccatag gtcaggcgca tgtggacgag catactttcc aggagattac 13680

aagtgtcagc cgcgcgctgg ggcaggagga cacgggcagc ctggaggcaa ccctaaacta 13740

cctgctgacc aaccggcggc agaagatccc ctcgttgcac agtttaaaca gcgaggagga 13800

gcgcattttg cgctacgtgc agcagagcgt gagccttaac ctgatgcgcg acggggtaac 13860

gcccagcgtg gcgctggaca tgaccgcgcg caacatggaa ccgggcatgt atgcctcaaa 13920

ccggccgttt atcaaccgcc taatggacta cttgcatcgc gcggccgccg tgaaccccga 13980

gtatttcacc aatgccatct tgaacccgca ctggctaccg ccccctggtt tctacaccgg 14040

gggattcgag gtgcccgagg gtaacgatgg attcctctgg gacgacatag acgacagcgt 14100

gttttccccg caaccgcaga ccctgctaga gttgcaacag cgcgagcagg cagaggcggc 14160

gctgcgaaag gaaagcttcc gcaggccaag cagcttgtcc gatctaggcg ctgcggcccc 14220

gcggtcagat gctagtagcc catttccaag cttgataggg tctcttacca gcactcgcac 14280

cacccgcccg cgcctgctgg gcgaggagga gtacctaaac aactcgctgc tgcagccgca 14340

gcgcgaaaaa aacctgcctc cggcatttcc caacaacggg atagagagcc tagtggacaa 14400

gatgagtaga tggaagacgt acgcgcagga gcacagggac gtgccaggcc cgcgcccgcc 14460

cacccgtcgt caaaggcacg accgtcagcg gggtctggtg tgggaggacg atgactcggc 14520

agacgacagc agcgtcctgg atttgggagg gagtggcaac ccgtttgcgc accttcgccc 14580

caggctgggg agaatgtttt aaaaaaaaaa aaagcatgat gcaaaataaa aaactcacca 14640

aggccatggc accgagcgtt ggttttcttg tattcccctt agtatgcggc gcgcggcgat 14700

gtatgaggaa ggtcctcctc cctcctacga gagtgtggtg agcgcggcgc cagtggcggc 14760

ggcgctgggt tctcccttcg atgctcccct ggacccgccg tttgtgcctc cgcggtacct 14820

gcggcctacc ggggggagaa acagcatccg ttactctgag ttggcacccc tattcgacac 14880

cacccgtgtg tacctggtgg acaacaagtc aacggatgtg gcatccctga actaccagaa 14940

cgaccacagc aactttctga ccacggtcat tcaaaacaat gactacagcc cgggggaggc 15000

aagcacacag accatcaatc ttgacgaccg gtcgcactgg ggcggcgacc tgaaaaccat 15060

cctgcatacc aacatgccaa atgtgaacga gttcatgttt accaataagt ttaaggcgcg 15120

ggtgatggtg tcgcgcttgc ctactaagga caatcaggtg gagctgaaat acgagtgggt 15180

ggagttcacg ctgcccgagg gcaactactc cgagaccatg accatagacc ttatgaacaa 15240

cgcgatcgtg gagcactact tgaaagtggg cagacagaac ggggttctgg aaagcgacat 15300

cggggtaaag tttgacaccc gcaacttcag actggggttt gaccccgtca ctggtcttgt 15360

catgcctggg gtatatacaa acgaagcctt ccatccagac atcattttgc tgccaggatg 15420

cggggtggac ttcacccaca gccgcctgag caacttgttg ggcatccgca agcggcaacc 15480

cttccaggag ggctttagga tcacctacga tgatctggag ggtggtaaca ttcccgcact 15540

gttggatgtg gacgcctacc aggcgagctt gaaagatgac accgaacagg gcgggggtgg 15600

cgcaggcggc agcaacagca gtggcagcgg cgcggaagag aactccaacg cggcagccgc 15660

ggcaatgcag ccggtggagg acatgaacga tcatgccatt cgcggcgaca cctttgccac 15720

acgggctgag gagaagcgcg ctgaggccga agcagcggcc gaagctgccg cccccgctgc 15780

gcaacccgag gtcgagaagc ctcagaagaa accggtgatc aaaccctga cagaggacag 15840

caagaaacgc agttacaacc taataagcaa tgacagcacc ttcacccagt accgcagctg 15900

gtaccttgca tacaactacg gcgaccctca gaccggaatc cgctcatgga ccctgctttg 15960

cactcctgac gtaacctgcg gctcggagca ggtctactgg tcgttgccag acatgatgca 16020

agaccccgtg accttccgct ccacgcgcca gatcagcaac tttccggtgg tgggcgccga 16080

gctgttgccc gtgcactcca agagcttcta caacgaccag gccgtctact cccaactcat 16140

ccgccagttt acctctctga cccacgtgtt caatcgcttt cccgagaacc agattttggc 16200

gcgcccgcca gcccccacca tcaccaccgt cagtgaaaac gttcctgctc tcacagatca 16260

cgggacgcta ccgctgcgca acagcatcgg aggagtccag cgagtgacca ttactgacgc 16320

cagacgccgc acctgcccct acgtttacaa ggccctgggc atagtctcgc cgcgcgtcct 16380

atcgagccgc acttttgag caagcatgtc catccttata tcgcccagca ataacacagg 16440

ctggggcctg cgcttcccaa gcaagatgtt tggcggggcc aagaagcgct ccgaccaaca 16500

cccagtgcgc gtgcgcgggc actaccgcgc gccctggggc gcgcacaaac gcggccgcac 16560

tgggcgcacc accgtcgatg acgccatcga cgcggtggtg gaggaggcgc gcaactacac 16620

gcccacgccg ccaccagtgt ccacagtgga cgcggccatt cagaccgtgg tgcgcggagc 16680

ccggcgctat gctaaaatga agagacggcg gaggcgcgta gcacgtcgcc accgccgccg 16740

acccggcact gccgcccaac gcgcggcggc ggccctgctt aaccgcgcac gtcgcaccgg 16800

ccgacgggcg gccatgcggg ccgctcgaag gctggccgcg ggtattgtca ctgtgccccc 16860

caggtccagg cgacgagcgg ccgccgcagc agccgcggcc attagtgcta tgactcaggg 16920

tcgcaggggc aacgtgtatt gggtgcgcga ctcggttagc ggcctgcgcg tgcccgtgcg 16980

cacccgcccc ccgcgcaact agattgcaag aaaaaactac ttagactcgt actgttgtat 17040

gtatccagcg gcggcggcgc gcaacgaagc tatgtccaag cgcaaaatca aagaagagat 17100

gctccaggtc atcgcgccgg agatctatgg ccccccgaag aaggaagagc aggattacaa 17160

gccccgaaag ctaaagcggg tcaaaaagaa aaagaaagat gatgatgatg aacttgacga 17220

cgaggtggaa ctgctgcacg ctaccgcgcc caggcgacgg gtacagtgga aaggtcgacg 17280

cgtaaaacgt gttttgcgac ccggcaccac cgtagtcttt acgcccggtg agcgctccac 17340

ccgcacctac aagcgcgtgt atgatgaggt gtacggcgac gaggacctgc ttgagcaggc 17400

caacgagcgc ctcggggagt ttgcctacgg aaagcggcat aaggacatgc tggcgttgcc 17460

gctggacgag ggcaacccaa cacctagcct aaagcccgta acactgcagc aggtgctgcc 17520

cgcgcttgca ccgtccgaag aaaagcgcgg cctaaagcgc gagtctggtg acttggcacc 17580

caccgtgcag ctgatggtac ccaagcgcca gcgactggaa gatgtcttgg aaaaaatgac 17640

cgtggaacct gggctggagc ccgaggtccg cgtgcggcca atcaagcagg tggcgccggg 17700

actgggcgtg cagaccgtgg acgttcagat acccactacc agtagcacca gtattgccac 17760

cgccacagag ggcatggaga cacaaacgtc cccggttgcc tcagcggtgg cggatgccgc 17820

ggtgcaggcg gtcgctgcgg ccgcgtccaa gacctctacg gaggtgcaaa cggacccgtg 17880

gatgtttcgc gtttcagccc cccggcgccc gcgccgttcg aggaagtacg gcgccgccag 17940

cgcgctactg cccgaatatg ccctacatcc ttccattgcg cctacccccg gctatcgtgg 18000

ctacacctac cgccccagaa gacgagcaac tacccgacgc cgaaccacca ctggaacccg 18060

ccgccgccgt cgccgtcgcc agcccgtgct ggccccgatt tccgtgcgca gggtggctcg 18120

cgaaggaggc aggaccctgg tgctgccaac agcgcgctac caccccagca tcgtttaaaa 18180

gccggtcttt gtggttcttg cagatatggc cctcacctgc cgcctccgtt tcccggtgcc 18240

gggattccga ggaagaatgc accgtaggag gggcatggcc ggccacggcc tgacgggcgg 18300

catgcgtcgt gcgcaccacc ggcggcggcg cgcgtcgcac cgtcgcatgc gcggcggtat 18360

cctgcccctc cttattccac tgatcgccgc ggcgattggc gccgtgcccg gaattgcatc 18420

cgtggccttg caggcgcaga gacactgatt aaaaacaagt tgcatgtgga aaaatcaaaa 18480

taaaaagtct ggactctcac gctcgcttgg tcctgtaact attttgtaga atggaagaca 18540

tcaactttgc gtctctggcc ccgcgacacg gctcgcgccc gttcatggga aactggcaag 18600

atatcggcac cagcaatatg agcggtggcg ccttcagctg gggctcgctg tggagcggca 18660

ttaaaaattt cggttccacc gttaagaact atggcagcaa ggcctggaac agcagcacag 18720

gccagatgct gagggataag ttgaaagagc aaaatttcca acaaaaggtg gtagatggcc 18780

tggcctctgg cattagcggg gtggtggacc tggccaacca ggcagtgcaa aataagatta 18840

acagtaagct tgatccccgc cctcccgtag aggagcctcc accggccgtg gagacagtgt 18900

ctccagaggg gcgtggcgaa aagcgtccgc gccccgacag ggaagaaact ctggtgacgc 18960

aaatagacga gcctccctcg tacgaggagg cactaaagca aggcctgccc accacccgtc 19020

ccatcgcgcc catggctacc ggagtgctgg gccagcacac acccgtaacg ctggacctgc 19080

ctccccccgc cgacacccag cagaaacctg tgctgccagg cccgaccgcc gttgttgtaa 19140

cccgtcctag ccgcgcgtcc ctgcgccgcg ccgccagcgg tccgcgatcg ttgcggcccg 19200

tagccagtgg caactggcaa agcacactga acagcatcgt gggtctgggg gtgcaatccc 19260

tgaagcgccg acgatgcttc tgatagctaa cgtgtcgtat gtgtgtcatg tatgcgtcca 19320

tgtcgccgcc agaggagctg ctgagccgcc gcgcgcccgc tttccaagat ggctacccct 19380

tcgatgatgc cgcagtggtc ttacatgcac atctcgggcc aggacgcctc ggagtacctg 19440

agccccgggc tggtgcagtt tgcccgcgcc accgagacgt acttcagcct gaataacaag 19500

tttagaaacc ccacggtggc gcctacgcac gacgtgacca cagaccggtc ccagcgtttg 19560

acgctgcggt tcatccctgt ggaccgtgag gatactgcgt actcgtacaa ggcgcggttc 19620

accctagctg tgggtgataa ccgtgtgctg gacatggctt ccacgtactt tgacatccgc 19680

ggcgtgctgg acaggggccc tacttttaag ccctactctg gcactgccta caacgccctg 19740

gctcccaagg gtgccccaaa tccttgcgaa tgggatgaag ctgctactgc tcttgaaata 19800

aacctagaag aagaggacga tgacaacgaa gacgaagtag acgagcaagc tgagcagcaa 19860

aaaactcacg tatttgggca ggcgccttat tctggtataa atattacaaa ggagggtatt 19920

caaataggtg tcgaaggtca aacacctaaa tatgccgata aaacatttca acctgaacct 19980

caaataggag aatctcagtg gtacgaaaca gaaattaatc atgcagctgg gagagtccta 20040

aaaaagacta ccccaatgaa accatgttac ggttcatatg caaaacccac aaatgaaaat 20100

ggagggcaag gcattcttgt aaagcaacaa aatggaaagc tagaaagtca agtggaaatg 20160

caatttttct caactactga ggcagccgca ggcaatggtg ataacttgac tcctaaagtg 20220

gtattgtaca gtgaagatgt agatatagaa accccagaca ctcatatttc ttacatgccc 20280

actattaagg aaggtaactc acgagaacta atgggccaac aatctatgcc caacaggcct 20340

aattacattg cttttaggga caattttatt ggtctaatgt attacaacag cacgggtaat 20400

atgggtgttc tggcgggcca agcatcgcag ttgaatgctg ttgtagattt gcaagacaga 20460

aacacagagc tttcatacca gcttttgctt gattccattg gtgatagaac caggtacttt 20520

tctatgtgga atcaggctgt tgacagctat gatccagatg ttagaattat tgaaaatcat 20580

ggaactgaag atgaacttcc aaattactgc tttccactgg gaggtgtgat taatacagag 20640

actcttacca aggtaaaacc taaaacaggt caggaaaatg gatgggaaaa agatgctaca 20700

gaattttcag ataaaaatga aataagagtt ggaaataatt ttgccatgga aatcaatcta 20760

aatgccaacc tgtggagaaa tttcctgtac tccaacatag cgctgtattt gcccgacaag 20820

ctaaagtaca gtccttccaa cgtaaaaatt tctgataacc caaacaccta cgactacatg 20880

aacaagcgag tggtggctcc cgggctagtg gactgctaca ttaaccttgg agcacgctgg 20940

tcccttgact atatggacaa cgtcaaccca tttaaccacc accgcaatgc tggcctgcgc 21000

taccgctcaa tgttgctggg caatggtcgc tatgtgccct tccacatcca ggtgcctcag 21060

aagttctttg ccattaaaaa cctccttctc ctgccgggct catacaccta cgagtggaac 21120

ttcaggaagg atgttaacat ggttctgcag agctccctag gaaatgacct aagggttgac 21180

ggagccagca ttaagtttga tagcatttgc ctttacgcca ccttcttccc catggcccac 21240

aacaccgcct ccacgcttga ggccatgctt agaaacgaca ccaacgacca gtcctttaac 21300

gactatctct ccgccgccaa catgctctac cctatacccg ccaacgctac caacgtgccc 21360

atatccatcc cctcccgcaa ctgggcggct ttccgcggct gggccttcac gcgccttaag 21420

actaaggaaa ccccatcact gggctcgggc tacgaccctt attacaccta ctctggctct 21480

ataccctacc tagatggaac cttttacctc aaccacacct ttaagaaggt ggccattacc 21540

tttgactctt ctgtcagctg gcctggcaat gaccgcctgc ttacccccaa cgagtttgaa 21600

attaagcgct cagttgacgg ggagggttac aacgttgccc agtgtaacat gaccaaagac 21660

tggttcctgg tacaaatgct agctaactat aacattggct accagggctt ctatatccca 21720

gagagctaca aggaccgcat gtactccttc tttagaaact tccagcccat gagccgtcag 21780

gtggtggatg atactaaata caaggactac caacaggtgg gcatcctaca ccaacacaac 21840

aactctggat ttgttggcta ccttgccccc accatgcgcg aaggacaggc ctaccctgct 21900

aacttcccct atccgcttat aggcaagacc gcagttgaca gcattaccca gaaaaagttt 21960

ctttgcgatc gcacccttg gcgcatccca ttctccagta actttatgtc catgggcgca 22020

ctcacagacc tgggccaaaa ccttctctac gccaactccg cccacgcgct agacatgact 22080

tttgaggtgg atcccatgga cgagcccacc cttctttatg ttttgtttga agtctttgac 22140

gtggtccgtg tgcaccagcc gcaccgcggc gtcatcgaaa ccgtgtacct gcgcacgccc 22200

ttctcggccg gcaacgccac aacataaaga agcaagcaac atcaacaaca gctgccgcca 22260

tgggctccag tgagcaggaa ctgaaagcca ttgtcaaaga tcttggttgt gggccatatt 22320

ttttgggcac ctatgacaag cgctttccag gctttgtttc tccacacaag ctcgcctgcg 22380

ccatagtcaa tacggccggt cgcgagactg ggggcgtaca ctggatggcc tttgcctgga 22440

acccgcactc aaaaacatgc tacctctttg agccctttgg cttttctgac cagcgactca 22500

agcaggttta ccagtttgag tacgagtcac tcctgcgccg tagcgccatt gcttcttccc 22560

ccgaccgctg tataacgctg gaaaagtcca cccaaagcgt acaggggccc aactcggccg 22620

cctgtggact attctgctgc atgtttctcc acgcctttgc caactggccc caaactccca 22680

tggatcacaa ccccaccatg aaccttatta ccggggtacc caactccatg ctcaacagtc 22740

cccaggtaca gcccaccctg cgtcgcaacc aggaacagct ctacagcttc ctggagcgcc 22800

actcgcccta cttccgcagc cacagtgcgc agattaggag cgccacttct ttttgtcact 22860

tgaaaaacat gtaaaaataa tgtactagag acactttcaa taaaggcaaa tgcttttatt 22920

tgtacactct cgggtgatta tttaccccca cccttgccgt ctgcgccgtt taaaaatcaa 22980

aggggttctg ccgcgcatcg ctatgcgcca ctggcaggga cacgttgcga tactggtgtt 23040

tagtgctcca cttaaactca ggcacaacca tccgcggcag ctcggtgaag ttttcactcc 23100

acaggctgcg caccatcacc aacgcgttta gcaggtcggg cgccgatatc ttgaagtcgc 23160

agttggggcc tccgccctgc gcgcgcgagt tgcgatacac agggttgcag cactggaaca 23220

ctatcagcgc cgggtggtgc acgctggcca gcacgctctt gtcggagatc agatccgcgt 23280

ccaggtcctc cgcgttgctc agggcgaacg gagtcaactt tggtagctgc cttcccaaaa 23340

agggcgcgtg cccaggcttt gagttgcact cgcaccgtag tggcatcaaa aggtgaccgt 23400

gcccggtctg ggcgttagga tacagcgcct gcataaaagc cttgatctgc ttaaaagcca 23460

cctgagcctt tgcgccttca gagaagaaca tgccgcaaga cttgccggaa aactgattgg 23520

ccggacaggc cgcgtcgtgc acgcagcacc ttgcgtcggt gttggagatc tgcaccacat 23580

ttcggcccca ccggttcttc acgatcttgg ccttgctaga ctgctccttc agcgcgcgct 23640

gcccgttttc gctcgtcaca tccatttcaa tcacgtgctc cttatttatc ataatgcttc 23700

cgtgtagaca cttaagctcg ccttcgatct cagcgcagcg gtgcagccac aacgcgcagc 23760

ccgtgggctc gtgatgcttg taggtcacct ctgcaaacga ctgcaggtac gcctgcagga 23820

atcgccccat catcgtcaca aaggtcttgt tgctggtgaa ggtcagctgc aacccgcggt 23880

gctcctcgtt cagccaggtc ttgcatacgg ccgccagagc ttccacttgg tcaggcagta 23940

gtttgaagtt cgcctttaga tcgttatcca cgtggtactt gtccatcagc gcgcgcgcag 24000

cctccatgcc cttctcccac gcagacacga tcggcacact cagcgggttc atcaccgtaa 24060

tttcactttc cgcttcgctg ggctcttcct cttcctcttg cgtccgcata ccacgcgcca 24120

ctgggtcgtc ttcattcagc cgccgcactg tgcgcttacc tcctttgcca tgcttgatta 24180

gcaccggtgg gttgctgaaa cccaccattt gtagcgccac atcttctctt tcttcctcgc 24240

tgtccacgat tacctctggt gatggcgggc gctcgggctt gggagaaggg cgcttctttt 24300

tcttcttggg cgcaatggcc aaatccgccg ccgaggtcga tggccgcggg ctgggtgtgc 24360

gcggcaccag cgcgtcttgt gatgagtctt cctcgtcctc ggactcgata cgccgcctca 24420

tccgcttttt tgggggcgcc cggggaggcg gcggcgacgg ggacggggac gacacgtcct 24480

ccatggttgg gggacgtcgc gccgcaccgc gtccgcgctc gggggtggtt tcgcgctgct 24540

cctcttcccg actggccatt tccttctcct ataggcagaa aaagatcatg gagtcagtcg 24600

agaagaagga cagcctaacc gccccctctg agttcgccac caccgcctcc accgatgccg 24660

ccaacgcgcc taccaccttc cccgtcgagg caccccgct tgaggaggag gaagtgatta 24720

tcgagcagga cccaggtttt gtaagcgaag acgacgagga ccgctcagta ccaacagagg 24780

ataaaaagca agaccaggac aacgcagagg caaacgagga acaagtcggg cgggggacg 24840

aaaggcatgg cgactaccta gatgtgggag acgacgtgct gttgaagcat ctgcagcgcc 24900

agtgcgccat tatctgcgac gcgttgcaag agcgcagcga tgtgcccctc gccatagcgg 24960

atgtcagcct tgcctacgaa cgccacctat tctcaccgcg cgtacccccc aaacgccaag 25020

aaaacggcac atgcgagccc aacccgcgcc tcaacttcta ccccgtattt gccgtgccag 25080

aggtgcttgc cacctatcac atctttttcc aaaactgcaa gataccccta tcctgccgtg 25140

ccaaccgcag ccgagcggac aagcagctgg ccttgcggca gggcgctgtc atacctgata 25200

tcgcctcgct caacgaagtg ccaaaaatct ttgagggtct tggacgcgac gagaagcgcg 25260

cggcaaacgc tctgcaacag gaaaacagcg aaaatgaaag tcactctgga gtgttggtgg 25320

aactcgaggg tgacaacgcg cgcctagccg tactaaaacg cagcatcgag gtcacccact 25380

ttgcctaccc ggcacttaac ctacccccca aggtcatgag cacagtcatg agtgagctga 25440

tcgtgcgccg tgcgcagccc ctggagaggg atgcaaattt gcaagaacaa acagaggagg 25500

gcctacccgc agttggcgac gagcagctag cgcgctggct tcaaacgcgc gagcctgccg 25560

acttggagga gcgacgcaaa ctaatgatgg ccgcagtgct cgttaccgtg gagcttgagt 25620

gcatgcagcg gttctttgct gacccggaga tgcagcgcaa gctagaggaa acattgcact 25680

acacctttcg acagggctac gtacgccagg cctgcaagat ctccaacgtg gagctctgca 25740

acctggtctc ctaccttgga attttgcacg aaaaccgcct tgggcaaaac gtgcttcatt 25800

ccacgctcaa gggcgaggcg cgccgcgact acgtccgcga ctgcgtttac ttatttctat 25860

gctacacctg gcagacggcc atgggcgttt ggcagcagtg cttggaggag tgcaacctca 25920

aggagctgca gaaactgcta aagcaaaact tgaaggacct atggacggcc ttcaacgagc 25980

gctccgtggc cgcgcacctg gcggacatca ttttccccga acgcctgctt aaaaccctgc 26040

aacagggtct gccagacttc accagtcaaa gcatgttgca gaactttagg aactttatcc 26100

tagagcgctc aggaatcttg cccgccacct gctgtgcact tcctagcgac tttgtgccca 26160

ttaagtaccg cgaatgccct ccgccgcttt ggggccactg ctaccttctg cagctagcca 26220

actaccttgc ctaccactct gacataatgg aagacgtgag cggtgacggt ctactggagt 26280

gtcactgtcg ctgcaaccta tgcaccccgc accgctccct ggtttgcaat tcgcagctgc 26340

ttaacgaaag tcaaattatc ggtacctttg agctgcaggg tccctcgcct gacgaaaagt 26400

ccgcggctcc ggggttgaaa ctcactccgg ggctgtggac gtcggcttac cttcgcaaat 26460

ttgtacctga ggactaccac gcccacgaga ttaggttcta cgaagaccaa tcccgcccgc 26520

ctaatgcgga gcttaccgcc tgcgtcatta cccagggcca cattcttggc caattgcaag 26580

ccatcaacaa agcccgccaa gagtttctgc tacgaaaggg acgggggggtt tacttggacc 26640

cccagtccgg cgaggagctc aacccaatcc ccccgccgcc gcagccctat cagcagcagc 26700

cgcgggccct tgcttcccag gatggcaccc aaaaagaagc tgcagctgcc gccgccaccc 26760

acggacgagg aggaatactg ggacagtcag gcagaggagg ttttggacga ggaggaggag 26820

gacatgatgg aagactggga gagcctagac gaggaagctt ccgaggtcga agaggtgtca 26880

gacgaaacac cgtcaccctc ggtcgcattc ccctcgccgg cgccccagaa atcggcaacc 26940

ggttccagca tggctacaac ctccgctcct caggcgccgc cggcactgcc cgttcgccga 27000

cccaaccgta gatgggacac cactggaacc agggccggta agtccaagca gccgccgccg 27060

ttagcccaag agcaacaaca gcgccaaggc taccgctcat ggcgcgggca caagaacgcc 27120

atagttgctt gcttgcaaga ctgtgggggc aacatctcct tcgcccgccg ctttcttctc 27180

taccatcacg gcgtggcctt cccccgtaac atcctgcatt actaccgtca tctctacagc 27240

ccatactgca ccggcggcag cggcagcaac agcagcggcc acacagaagc aaaggcgacc 27300

ggatagcaag actctgacaa agcccaagaa atccacagcg gcggcagcag caggaggagg 27360

agcgctgcgt ctggcgccca acgaacccgt atcgacccgc gagcttagaa acaggatttt 27420

tcccactctg tatgctatat ttcaacagag caggggccaa gaacaagagc tgaaaataaa 27480

aaacaggtct ctgcgatccc tcacccgcag ctgcctgtat cacaaaagcg aagatcagct 27540

tcggcgcacg ctggaagacg cggaggctct cttcagtaaa tactgcgcgc tgactcttaa 27600

ggactagttt cgcgcccttt ctcaaattta agcgcgaaaa ctacgtcatc tccagcggcc 27660

acacccggcg ccagcacctg ttgtcagcgc cattatgagc aaggaaattc ccacgcccta 27720

catgtggagt taccagccac aaatgggact tgcggctgga gctgcccaag actactcaac 27780

ccgaataaac tacatgagcg cgggacccca catgatatcc cgggtcaacg gaatacgcgc 27840

ccaccgaaac cgaattctcc tggaacaggc ggctattacc accacacctc gtaataacct 27900

taatccccgt agttggcccg ctgccctggt gtaccaggaa agtcccgctc ccaccactgt 27960

ggtacttccc agagacgccc aggccgaagt tcagatgact aactcagggg cgcagcttgc 28020

gggcggcttt cgtcacaggg tgcggtcgcc cgggcagggt ataactcacc tgacaatcag 28080

agggcgaggt attcagctca acgacgagtc ggtgagctcc tcgcttggtc tccgtccgga 28140

cgggacattt cagatcggcg gcgccggccg ctcttcattc acgcctcgtc aggcaatcct 28200

aactctgcag acctcgtcct ctgagccgcg ctctggaggc attggaactc tgcaatttat 28260

tgaggagttt gtgccatcgg tctactttaa ccccttctcg ggacctcccg gccactatcc 28320

ggatcaattt attcctaact ttgacgcggt aaaggactcg gcggacggct acgactgaat 28380

gttaagtgga gaggcagagc aactgcgcct gaaacacctg gtccactgtc gccgccacaa 28440

gtgctttgcc cgcgactccg gtgagttttg ctactttgaa ttgcccgagg atcatatcga 28500

gggcccggcg cacggcgtcc ggcttaccgc ccagggagag cttgcccgta gcctgattcg 28560

ggagtttacc cagcgccccc tgctagttga gcgggacagg ggaccctgtg ttctcactgt 28620

gatttgcaac tgtcctaacc ctggattaca tcaagatctt tgttgccatc tctgtgctga 28680

gtataataaa tacagaaatt aaaatatact ggggctccta tcgccatcct gtaaacgcca 28740

ccgtcttcac ccgcccaagc aaaccaaggc gaaccttacc tggtactttt aacatctctc 28800

cctctgtgat ttacaacagt ttcaacccag acggagtgag tctacgagag aacctctccg 28860

agctcagcta ctccatcaga aaaaacacca ccctccttac ctgccgggaa cgtacgagtg 28920

cgtcaccggc cgctgcacca cacctaccgc ctgaccgtaa accagacttt ttccggacag 28980

acctcaataa ctctgtttac cagaacagga ggtgagctta gaaaaccctt agggtattag 29040

gccaaaggcg cagctactgt ggggtttatg aacaattcaa gcaactctac gggctattct 29100

aattcaggtt tctctagaat cggggttggg gttattctct gtcttgtgat tctctttatt 29160

cttatactaa cgcttctctg cctaaggctc gccgcctgct gtgtgcacat ttgcatttat 29220

tgtcagcttt ttaaacgctg gggtcgccac ccaagatgat taggtacata atcctaggtt 29280

tactcaccct tgcgtcagcc cacggtacca cccaaaaggt ggattttaag gagccagcct 29340

gtaatgttac attcgcagct gaagctaatg agtgcaccac tcttataaaa tgcaccacag 29400

aacatgaaaa gctgcttatt cgccacaaaa acaaaattgg caagtatgct gtttatgcta 29460

tttggcagcc aggtgacact acagagtata atgttacagt tttccagggt aaaagtcata 29520

aaacttttat gtatactttt ccattttatg aaatgtgcga cattaccatg tacatgagca 29580

aacagtataa gttgtggccc ccacaaaatt gtgtggaaaa cactggcact ttctgctgca 29640

ctgctatgct aattacagtg ctcgctttgg tctgtaccct actctatatt aaatacaaaa 29700

gcagacgcag ctttattgag gaaaagaaaa tgccttaatt tactaagtta caaagctaat 29760

gtcaccacta actgctttac tcgctgcttg caaaacaaat tcaaaaagtt agcattataa 29820

ttagaatagg atttaaaccc cccggtcatt tcctgctcaa taccattccc ctgaacaatt 29880

gactctatgt gggatatgct ccagcgctac aaccttgaag tcaggcttcc tggatgtcag 29940

catctgactt tggccagcac ctgtcccgcg gatttgttcc agtccaacta cagcgaccca 30000

ccctaacaga gatgaccaac acaaccaacg cggccgccgc taccggactt acatctacca 30060

caaatacacc ccaagtttct gcctttgtca ataactggga taacttgggc atgtggtggt 30120

tctccatagc gcttatgttt gtatgcctta ttattatgtg gctcatctgc tgcctaaagc 30180

gcaaacgcgc ccgaccaccc atctatagtc ccatcattgt gctacaccca aacaatgatg 30240

gaatccatag attggacgga ctgaaacaca tgttcttttc tcttacagta tgattaaatg 30300

agacatgatt cctcgagttt ttatattact gacccttgtt gcgctttttt tgtgcgtgct 30360

ccacattggc tgcggtttct cacatcgaag tagactgcat tccagccttc acagtctatt 30420

tgctttacgg atttgtcacc ctcacgctca tctgcagcct catcactgtg gtcatcgcct 30480

ttatccagtg cattgactgg gtctgtgtgc gctttgcata tctcagacac catccccagt 30540

acagggacag gactatagct gagcttctta gaattcttta attatgaaat ttactgtgac 30600

ttttctgctg attatttgca ccctatctgc gttttgttcc ccgacctcca agcctcaaag 30660

acatatatca tgcagattca ctcgtatatg gaatattcca agttgctaca atgaaaaaag 30720

cgatctttcc gaagcctggt tatatgcaat catctctgtt atggtgttct gcagtaccat 30780

cttagcccta gctatatatc cctaccttga cattggctgg aacgcaatag atgccatgaa 30840

ccacccaact ttccccgcgc ccgctatgct tccactgcaa caagttgttg ccggcggctt 30900

tgtcccagcc aatcagcctc gcccaccttc tcccaccccc actgaaatca gctactttaa 30960

tctaacagga ggagatgact gacaccctag atctagaaat ggacggaatt attacagagc 31020

agcgcctgct agaaagacgc agggcagcgg ccgagcaaca gcgcatgaat caagagctcc 31080

aagacatggt taacttgcac cagtgcaaaa ggggtatctt ttgtctggta aagcaggcca 31140

aagtcaccta cgacagtaat accaccggac accgccttag ctacaagttg ccaaccaagc 31200

gtcagaaatt ggtggtcatg gtgggagaaa agcccattac cataactcag cactcggtag 31260

aaaccgaagg ctgcattcac tcaccttgtc aaggacctga ggatctctgc acccttatta 31320

agaccctgtg cggtctcaaa gatcttattc cctttaacta ataaaaaaaa ataataaagc 31380

atcacttact taaaatcagt tagcaaattt ctgtccagtt tattcagcag cacctccttg 31440

ccctcctccc agctctggta ttgcagcttc ctcctggctg caaactttct ccacaatcta 31500

aatggaatgt cagtttcctc ctgttcctgt ccatccgcac ccactatctt catgttgttg 31560

cagatgaagc gcgcaagacc gtctgaagat accttcaacc ccgtgtatcc atatgacacg 31620

gaaaccggtc ctccaactgt gccttttctt actcctccct ttgtatcccc caatgggttt 31680

caagagagtc cccctggggt actctctttg cgcctatccg aacctctagt tacctccaat 31740

ggcatgcttg cgctcaaaat gggcaacggc ctctctctgg acgaggccgg caaccttacc 31800

tcccaaaatg taaccactgt gagcccacct ctcaaaaaaa ccaagtcaaa cataaacctg 31860

gaaatatctg cacccctcac agttacctca gaagccctaa ctgtggctgc cgccgcacct 31920

ctaatggtcg cgggcaacac actcaccatg caatcacagg ccccgctaac cgtgcacgac 31980

tccaaactta gcattgccac ccaaggaccc ctcacagtgt cagaaggaaa gctagccctg 32040

caaacatcag gccccctcac caccaccgat agcagtaccc ttactatcac tgcctcaccc 32100

cctctaacta ctgccactgg tagcttgggc attgacttga aagagcccat ttatacacaa 32160

aatggaaaac taggactaaa gtacggggct cctttgcatg taacagacga cctaaacact 32220

ttgaccgtag caactggtcc aggtgtgact attaataata cttccttgca aactaaagtt 32280

actggagcct tgggttttga ttcacaaggc aatatgcaac ttaatgtagc aggaggacta 32340

aggattgatt ctcaaaacag acgccttata cttgatgtta gttatccgtt tgatgctcaa 32400

aaccaactaa atctaagact aggacagggc cctcttttta taaactcagc ccacaacttg 32460

gatattaact acaacaaagg cctttacttg tttacagctt caaacaattc caaaaagctt 32520

gaggttaacc taagcactgc caaggggttg atgtttgacg ctacagccat agccattaat 32580

gcaggagatg ggcttgaatt tggttcacct aatgcaccaa acacaaatcc cctcaaaaca 32640

aaaattggcc atggcctaga atttgattca aacaaggcta tggttcctaa actaggaact 32700

ggccttagtt ttgacagcac aggtgccatt acagtaggaa acaaaaataa tgataagcta 32760

actttgtgga ccacaccagc tccatctcct aactgtagac taaatgcaga gaaagatgct 32820

aaactcactt tggtcttaac aaaatgtggc agtcaaatac ttgctacagt ttcagttttg 32880

gctgttaaag gcagtttggc tccaatatct ggaacagttc aaagtgctca tcttattata 32940

agatttgacg aaaatggagt gctactaaac aattccttcc tggacccaga atattggaac 33000

tttagaaatg gagatcttac tgaaggcaca gcctatacaa acgctgttgg atttatgcct 33060

aacctatcag cttatccaaa atctcacggt aaaactgcca aaagtaacat tgtcagtcaa 33120

gtttacttaa acggagacaa aactaaacct gtaacactaa ccattacact aaacggtaca 33180

caggaaacag gagacacaac tccaagtgca tactctatgt cattttcatg ggactggtct 33240

ggccacaact acattaatga aatatttgcc acatcctctt acacttttc atacattgcc 33300

caagaataaa gaatcgtttg tgttatgttt caacgtgttt atttttcaat tgcagaaaat 33360

ttcaagtcat ttttcattca gtagtatagc cccaccacca catagcttat acagatcacc 33420

gtaccttaat caaactcaca gaaccctagt attcaacctg ccacctccct cccaacacac 33480

agagtacaca gtcctttctc cccggctggc cttaaaaagc atcatatcat gggtaacaga 33540

catattctta ggtgttatat tccacacggt ttcctgtcga gccaaacgct catcagtgat 33600

attaataaac tccccgggca gctcacttaa gttcatgtcg ctgtccagct gctgagccac 33660

aggctgctgt ccaacttgcg gttgcttaac gggcggcgaa ggagaagtcc acgcctacat 33720

gggggtagag tcataatcgt gcatcaggat agggcggtgg tgctgcagca gcgcgcgaat 33780

aaactgctgc cgccgccgct ccgtcctgca ggaatacaac atggcagtgg tctcctcagc 33840

gatgattcgc accgcccgca gcataaggcg ccttgtcctc cgggcacagc agcgcaccct 33900

gatctcactt aaatcagcac agtaactgca gcacagcacc acaatattgt tcaaaatccc 33960

acagtgcaag gcgctgtatc caaagctcat ggcggggacc acagaaccca cgtggccatc 34020

ataccacaag cgcaggtaga ttaagtggcg acccctcata aacacgctgg acataaacat 34080

tacctctttt ggcatgttgt aattcaccac ctcccggtac catataaacc tctgattaaa 34140

catggcgcca tccaccacca tcctaaacca gctggccaaa acctgcccgc cggctataca 34200

ctgcagggaa ccgggactgg aacaatgaca gtggagagcc caggactcgt aaccatggat 34260

catcatgctc gtcatgatat caatgttggc acaacacagg cacacgtgca tacacttcct 34320

caggattaca agctcctccc gcgttagaac catatcccag ggaacaaccc attcctgaat 34380

cagcgtaaat cccacactgc agggaagacc tcgcacgtaa ctcacgttgt gcattgtcaa 34440

agtgttacat tcgggcagca gcggatgatc ctccagtatg gtagcgcggg tttctgtctc 34500

aaaaggaggt agacgatccc tactgtacgg agtgcgccga gacaaccgag atcgtgttgg 34560

tcgtagtgtc atgccaaatg gaacgccgga cgtagtcata tttcctgaag caaaaccagg 34620

tgcgggcgtg acaaacagat ctgcgtctcc ggtctcgccg cttagatcgc tctgtgtagt 34680

agttgtagta tatccactct ctcaaagcat ccaggcgccc cctggcttcg ggttctatgt 34740

aaactccttc atgcgccgct gccctgataa catccaccac cgcagaataa gccacaccca 34800

gccaacctac acattcgttc tgcgagtcac acacgggagg agcgggaaga gctggaagaa 34860

ccatgttttt ttttttattc caaaagatta tccaaaacct caaaatgaag atctattaag 34920

tgaacgcgct cccctccggt ggcgtggtca aactctacag ccaaagaaca gataatggca 34980

tttgtaagat gttgcacaat ggcttccaaa aggcaaacgg ccctcacgtc caagtggacg 35040

taaaggctaa acccttcagg gtgaatctcc tctataaaca ttccagcacc ttcaaccatg 35100

cccaaataat tctcatctcg ccaccttctc aatatatctc taagcaaatc ccgaatatta 35160

agtccggcca ttgtaaaaat ctgctccaga gcgccctcca ccttcagcct caagcagcga 35220

atcatgattg caaaaattca ggttcctcac agacctgtat aagattcaaa agcggaacat 35280

taacaaaaat accgcgatcc cgtaggtccc ttcgcagggc cagctgaaca taatcgtgca 35340

ggtctgcacg gaccagcgcg gccacttccc cgccaggaac catgacaaaa gaacccacac 35400

tgattatgac acgcatactc ggagctatgc taaccagcgt agccccgatg taagcttgtt 35460

gcatgggcgg cgatataaaa tgcaaggtgc tgctcaaaaa atcaggcaaa gcctcgcgca 35520

aaaaagaaag cacatcgtag tcatgctcat gcagataaag gcaggtaagc tccggaacca 35580

ccacagaaaa agacaccatt tttctctcaa acatgtctgc gggtttctgc ataaacacaa 35640

aataaaataa caaaaaaaca tttaaacatt agaagcctgt cttacaacag gaaaaacaac 35700

ccttataagc ataagacgga ctacggccat gccggcgtga ccgtaaaaaa actggtcacc 35760

gtgattaaaa agcaccaccg acagctcctc ggtcatgtcc ggagtcataa tgtaagactc 35820

ggtaaacaca tcaggttgat tcacatcggt cagtgctaaa aagcgaccga aatagcccgg 35880

gggaatacat acccgcaggc gtagagacaa cattacagcc cccataggag gtataacaaa 35940

attaatagga gagaaaaaca cataaacacc tgaaaaaccc tcctgcctag gcaaaatagc 36000

accctcccgc tccagaacaa catacagcgc ttccacagcg gcagccataa cagtcagcct 36060

taccagtaaa aaagaaaacc tattaaaaaa acaccactcg acacggcacc agctcaatca 36120

gtcacagtgt aaaaaagggc caagtgcaga gcgagtatat ataggactaa aaaatgacgt 36180

aacggttaaa gtccacaaaa aacacccaga aaaccgcacg cgaacctacg cccagaaacg 36240

aaagccaaaa aacccacaac ttcctcaaat cgtcacttcc gttttcccac gttacgtcac 36300

ttcccatttt aagaaaacta caattcccaa cacatacaag ttactccgcc ctaaaaccta 36360

cgtcacccgc cccgttccca cgccccgcgc cacgtcacaa actccacccc ctcattatca 36420

tattggcttc aatccaaaat aaggtatatt attgatgatg 36460

<210> 22
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Endothelial Cell-Specific Enhancer Element

<400> 22
ggtgactttg cttctggag 19

<210> 23
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Endothelial Cell-Specific Enhancer Element

<400> 23
ctccagaagc aaagtcacc 19

<210> 24
<211> 19
<212> DNA
<213> Artificial Sequence

<220>

<223> Endothelial Cell-Specific Enhancer Element

<400> 24
gtacttcata cttttcatt 19

<210> 25
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Endothelial Cell-Specific Enhancer Element

<400> 25
aatgaaaagt atgaagtac 19

<210> 26
<211> 6
<212> DNA
<213> Artificial Sequence

<220>
<223> Hypoxia Response element

<400> 26
gcacgt 6

<210> 27
<211> 40
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide linker

<400> 27

Gly Gly Gly Ser Gly Gly Gly Ser Gly Gly Gly Ser Gly Gly Gly Ser
1 5 10 15

Gly Gly Gly Ser Gly Gly Gly Ser Gly Gly Gly Ser Gly Gly Gly Ser
20 25 30

Gly Gly Gly Ser Gly Gly Gly Ser
35 40