antibiotic agent, an anti-inflammatory agent, an antiviral agent, a local anesthetic agent, a growth factor, and a corticosteroid.

16. The pharmaceutical composition according to claim 15, wherein said additional agent is an antibiotic agent, said antibiotic agent having antibacterial activity against *Acinetobacter baumannii*, *Pseudomonas aeruginosa*, and/or *Staphylococcus aureus*.

17. The pharmaceutical composition according to claim 16, wherein said additional agent is an antibiotic agent having antibacterial activity against *Staphylococcus aureus*.

18. The pharmaceutical composition according to claim 15, wherein said additional agent is an antibiotic agent, said antibiotic agent having antibacterial activity against bacteria other than *Acinetobacter baumannii*, *Pseudomonas aeruginosa*, and *Staphylococcus aureus*.

19. The pharmaceutical composition according to any one of claims 10-18, wherein said composition is for use in treating a bacterial infection associated with an area of non-intact skin, and each of said phage strains is present in said composition in an amount corresponding to 10^3 to 10^{13} phage particles/cm^2 of said area.

20. The pharmaceutical composition according to claim 19, wherein each of said phage strains is present in said composition in an amount corresponding to 10^7 to 10^9 phage particles/cm^2 of said area.

21. ~~A~~ The pharmaceutical composition ~~comprising the composition~~ according to ~~any one of claims 7-9 and a pharmaceutically acceptable carrier~~ claim 10, wherein said pharmaceutical composition comprises said five bacteriophage strains comprising nucleic acid sequences of SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, and SEQ ID NO:5.

22. The pharmaceutical composition according to claim 21, wherein said composition is formulated for topical application.

23. The pharmaceutical composition according to claim 21 or 22, wherein said composition is for use in treating a bacterial infection associated with an area of non-intact skin, and each of said phage strains is present in said composition in an amount corresponding to 10^7 to 10^9 phage particles/cm^2 of said area.