




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

Neuroptix SAPPHIRE-September Prototype - Review Mode				For Investigational Use Only	
File	Test Setup	Data Format Setup	Print Report	Export	Utilities Help
Subject Information: *Subject ID: M12-0104127-004 *Subject Code: PHWESDPDNJMBK Exam Date: Exam Time:			Test Information: QLS Sample Time: 30 ms. FLS Sample Time: 30 ms. Number of Samples: 5 Sample Duration: 60 ms. Total Measurement Time: 480 ms. First Measurement: QLS		
			FLS		
Alignment Mode Live Images					
Front View 			Cross-Sectional View 		
Align and Measure			Spot Lights ON		
			Fixation Target ON		
			Background Illumination ON		
			Cancel		

FIG. 10




Neuroptix SAPPHIRE-September Prototype - Review Mode				For Investigational Use Only			
File Test Setup Data Format Setup Print Report Export Utilities Help							
Subject Information: *Subject ID: M12-0104127-004 *Subject Code: PHWESDPDNJMBK Exam Date: Exam Time:				Test Information: QLS Sample Time: 30 ms. FLS Sample Time: 30 ms. Number of Samples: 5 Sample Duration: 60 ms. Total Measurement Time: 480 ms. First Measurement: QLS			
Review Mode Captured Images							
QLS  FLS 		Amplitude (slow): 3.9775e-001 Gamma (slow): -7.5847e-005 Amplitude (fast): 6.864e-002 Gamma (fast): -1.527e-002 Average Intensity: 4.4620e+004 Amp (fast) / Amp (slow): 1.7258e-001 Amplitude (slow): 3.9775e-001 Gamma (slow): -7.5847e-005 Amplitude (fast): 6.864e-002 Gamma (fast): -1.527e-002 Average Intensity: 4.4620e+004 Amp (fast) / Amp (slow): 1.7258e-001		Amplitude (slow): 3.9775e-001 Gamma (slow): -7.5847e-005 Amplitude (fast): 6.864e-002 Gamma (fast): -1.527e-002 Average Intensity: 4.4620e+004 Amp (fast) / Amp (slow): 1.7258e-001 Amplitude (slow): 3.9775e-001 Gamma (slow): -7.5847e-005 Amplitude (fast): 6.864e-002 Gamma (fast): -1.527e-002 Average Intensity: 4.4620e+004 Amp (fast) / Amp (slow): 1.7258e-001			
Front View 		Cross-Sectional View 		Reject All Previous Next Reject Accept Cancel Save			

FIG. 11




FIG. 12




FIG. 13




FIG. 14

