

Figure 1. DSC thermogram of (1R,2S)-(E)-2-(3-(4-((cis-2,6-dimethylmorpholino) methyl) styryl)-1H-indazol-6-yl)-5'-methoxyspiro[cyclopropane-1,3'-indolin]-2'-one fumarate form A




Figure 2. DSC thermogram of (1R,2S)-(E)-2-(3-(4-((cis-2,6-dimethylmorpholino) methyl) styryl)-1H-indazol-6-yl)-5'-methoxyspiro[cyclopropane-1,3'-indolin]-2'-one fumarate form B




Figure 3. DSC thermogram of (1R,2S)-(E)-2-(3-(4-((cis-2,6-dimethylmorpholino) methyl) styryl)-1H-indazol-6-yl)-5'-methoxyspiro[cyclopropane-1,3'-indolin]-2'-one fumarate form C




Figure 4. DSC thermogram of (1R,2S)-(E)-2-(3-(4-((cis-2,6-dimethylmorpholino)methyl)styryl)-1H-indazol-6-yl)-5'-methoxyspiro[cyclopropane-1,3'-indolin]-2'-one fumarate form D




Figure 5. DSC thermogram of (1R,2S)-(E)-2-(3-(4-((cis-2,6-dimethylmorpholino)methyl)styryl)-1H-indazol-6-yl)-5'-methoxy Spiro[cyclopropane-1,3'-indolin]-2'-one maleate form A




Figure 6. DSC thermogram of (1R,2S)-(E)-2-(3-(4-((cis-2,6-dimethylmorpholino)methyl)styryl)-1H-indazol-6-yl)-5'-methoxyspiro[cyclopropane-1,3'-indolin]-2'-one phosphate




Figure 7. XRPD of (1R,2S)-(E)-2-(3-(4-((cis-2,6-dimethylmorpholino)methyl)styryl)-1H-indazol-6-yl)-5'-methoxyspiro[cyclopropane-1,3'-indolin]-2'-one fumarate form A




Figure 8. XRPD of (1R,2S)-(E)-2-(3-(4-((cis-2,6-dimethylmorpholino)methyl)styryl)-1H-indazol-6-yl)-5'-methoxyspiro[cyclopropane-1,3'-indolin]-2'-one fumarate form B





Figure 9. XRPD of (1R,2S)-(E)-2-(3-(4-((cis-2,6-dimethylmorpholino)methyl)styryl)-1H-indazol-6-yl)-5'-methoxyspiro[cyclopropane-1,3'-indolin]-2'-one fumarate form C



10/11

Figure 10. XRPD of (1R,2S)-(E)-2-(3-(4-((cis-2,6-dimethylmorpholino)methyl)styryl)-1H-indazol-6-yl)-5'-methoxyspiro[cyclopropane-1,3'-indolin]-2'-one fumarate form D




Figure 11. XRPD of (1R,2S)-(E)-2-(3-(4-((cis-2,6-dimethylmorpholino)methyl)styryl)-1H-indazol-6-yl)-5'-methoxyspiro[cyclopropane-1,3'-indolin]-2'-one maleate form A

