









FIG. 2A

FIG. 2B






FIG. 2D




FIG. 2E




FIG. 2F




FIG. 3




FIG. 4A






FIG. 4B



Lane no	Samples
1	1 kb ladder
2	Undigested
3-12	Clone 1 to 10 digested with NcoI/NotI
13	100bp ladder

FIG. 4C



Lane no	Samples
1	1 kb ladder
2	Undigested
3-12	Clone 1 to 10 digested with HindIII/AscI
13	100bp ladder

FIG. 4D




FIG. 4E




FIG. 5A




FIG. 5B





FIG. 5C







FIG. 5F




FIG. 5G




FIG. 5H




FIG. 6B




FIG. 6A




FIG. 6D




FIG. 6C




FIG. 7A






FIG. 7B









FIG. 9B






FIG. 9C continued




FIG. 10A




FIG. 10B





FIG. 10C






FIG. 10E




FIG. 11A




FIG. 11B




FIG. 11C




FIG. 11D




FIG. 11E






FIG. 11E continued








FIG. 12A






FIG. 12B











FIG. 13










FIG. 15B







FIG. 15C



C2901




C4608




C3452




C5511




C0694




C0997




C5397





C5392



C0949







- Magnetic Beads coated with CLEC2D antigen
- The beads were incubated with FITC labelled-anti CLEC2D antibody
- Data confirms saturated CLEC2D antigen coating

FIG. 16F




FIG. 16G




FIG. 17A






FIG. 17B








FIG. 18C





FIG. 18D






FIG. 19B





FIG. 19A

FIG. 19C






FIG. 19E




FIG. 19F




FIG. 19G




FIG. 20A




FIG. 20B




FIG. 20C




FIG. 20D




FIG. 20E





FIG. 20F









FIG. 20H










FIG. 21A




FIG. 21C




FIG. 21D




FIG. 21E





FIG. 21F






FIG. 21H




FIG. 21





FIG. 22A












FIG. 23A

















FIG. 24A





FIG. 24B







FIG. 24C continued
Glioma - LN229



Lymphoma - Ramos






FIG. 24C continued
Myeloma - NCI-H929



Liver cancer - HepG2






FIG. 25A




FIG. 25B




FIG. 25C




FIG. 25D




FIG. 25E




FIG. 26

