




FIG. 1a




FIG. 1b




FIG. 2




FIG. 3a




FIG. 3b

SETTINGS

Measuring Frequency: _____ SEC(s)

HP Valve Opening Time: _____ SEC(s)

LP Valve Opening Time: _____ SEC(s)

Minimum Purity Allowable: _____ %

Alarm: *ENABLED*

MAIN PAGE

SETTINGS

LOGGER

FIG. 4

LOGGER


NO.	DATE	TIME	TEMP (°C)	RH (%)	Press (Bar)	Purity (%)	REMARKS
1.	24/06/2021	11:30:00 AM	N/A	N/A	1	99.60%	PASS
2.	24/06/2021	12:00:00 PM	N/A	N/A	1	94.00%	FAIL (ALARM)
3.	24/06/2021	12:05:32 PM	N/A	N/A	N/A	N/A	PURITY SETTING CHANGED


MAIN PAGE

SETTINGS

LOGGER

FIG. 5

**FIG. 6.1**

**FIG. 6.2**




FIG. 7.1




FIG. 7.2




FIG. 7.3




FIG. 7.4






FIG. 7.5



**FIG. 8.2**




FIG. 9.1




FIG. 9.2




FIG. 9.3




FIG. 9.4




FIG. 9.5




FIG. 9.6





FIG. 9.7

**FIG. 10**