
WHAT IS CLAIMED IS:

1. A compound of Formula (I):



(I)

or a stereoisomer, a tautomer, a pharmaceutically-acceptable salt thereof, wherein:

Ring A is a 5- to 9-membered bicyclic spiro carbocycle;

Ring B is selected from a C_{5-6} carbocycle and a 5- to 6-membered heterocycle;

----- is an optional bond;

M is absent or selected from N and CR^{10};

L is selected from $-(CR^4R^4)_{0-1}-$, $-(CR^4R^4)_{0-1}C(O)-$, $-OC(O)-$, $-NR^6C(O)-$, and $-NR^6-$;

R^1 is selected from NR^5R^5, OR^5, $-(CR^4R^4)_nC_{3-10}$ carbocycle and $-(CR^4R^4)_n$-4- to 15-membered heterocycle comprising carbon atoms and 1-4 heteroatoms selected from N, NR^8, O, and $S(O)_p$; wherein said carbocycle, and heterocycle are substituted with 1-4 R^7;

R^2, at each occurrence, is independently selected from halogen, C_{1-6} alkyl, C_{1-4} alkoxy, C_{1-4} alkylthio, C_{1-4} haloalkyl, -OH, $-CH_2OH$, $-OCH_2F$, $-OCHF_2$, $-OCF_3$, CN, $-NH_2$, $-NH(C_{1-4}$ alkyl), $-N(C_{1-4}$ alkyl)$_2$, $-CO_2H$, $-CH_2CO_2H$, $-CO_2(C_{1-4}$ alkyl), $-CO(C_{1-4}$ alkyl), $-CH_2NH_2$, $-CONH_2$, $-CONH(C_{1-4}$ alkyl), $-CON(C_{1-4}$ alkyl)$_2$, $-OCH_2CO_2H$, $-NHCO(C_{1-4}$ alkyl), $-NHCO_2(C_{1-4}$ alkyl), $-NHSO_2(C_{1-4}$ alkyl), $-SO_2NH_2$, $-C(=NH)NH_2$, a carbocycle, and a heterocycle, wherein said alkyl, alkoxy, alkylthio, haloalkyl, carbocycle, and heterocycle are substituted with 0-4 R^9;

R^3, at each occurrence, is independently selected from halogen, C_{1-6} alkyl, C_{1-4} alkoxy, C_{1-4} alkylthio, C_{1-4} haloalkyl, $-CH_2OH$, $-OCH_2F$, $-OCHF_2$, $-OCF_3$, CN, $-NH_2$, $-NH(C_{1-4}$ alkyl), $-N(C_{1-4}$ alkyl)$_2$, $-CO_2H$, $-CH_2CO_2H$, $-CO_2(C_{1-4}$ alkyl), $-CO(C_{1-4}$ alkyl), $-CH_2NH_2$, $-CONH_2$, $-CONH(C_{1-4}$ alkyl), $-CON(C_{1-4}$ alkyl)$_2$, $-OCH_2CO_2H$, $-NHCO(C_{1-4}$ alkyl), $-NHCO_2(C_{1-4}$ alkyl), $-NHSO_2(C_{1-4}$

alkyl), -SO_2NH_2, -C(=NH)NH_2, a carbocycle, and a heterocycle, wherein said alkyl, alkoxy, alkylthio, haloalkyl, carbocycle, and heterocycle are substituted with 0-4 R^9;

R^4, at each occurrence, is independently selected from H, OH, NH_2, CH_2NH_2, C_{1-4} haloalkyl, OCH_2F, $OCHF_2$, OCF_3, -NH(C_{1-4} alkyl), -N(C_{1-4} alkyl)$_2$, C_{1-4} alkoxy, CH_2OH, CH_2O(C_{1-4} alkyl), CH_2CO_2H, CH_2CO_2(C_{1-4} alkyl), C_{1-4} alkyl, a carbocycle, and a heterocycle, wherein said alkyl, alkoxy, haloalkyl, carbocycle, and heterocycle are substituted with 0-4 R^9;

R^5, at each occurrence, is independently selected from H, C_{1-4} alkyl, -(CR^6R^6)$_n$-C_{3-10} carbocycle and -(CR^6R^6)$_n$-4- to 10-membered heterocycle comprising carbon atoms and 1-4 heteroatoms selected from N, NR^8, O, and $S(O)_p$, wherein said alkyl, carbocycle and heterocycle are substituted with 1-4 R^7;

alternatively, R^5 and R^5 are taken together with the nitrogen atom to which they are attached to form a 4- to 15-membered substituted with 1-4 R^7;

R^6, at each occurrence, is independently selected from H, C_{1-4} alkyl, CH_2NH_2, C_{1-4} haloalkyl, C_{1-4} alkoxy, CH_2OH, CH_2O(C_{1-4} alkyl), CH_2CO_2H, CH_2CO_2(C_{1-4} alkyl), a carbocycle, and a heterocycle, wherein said alkyl, alkoxy, haloalkyl, carbocycle, and heterocycle are substituted with 0-4 R^9;

alternatively, R^1 and R^6 are taken together with the nitrogen atom to which they are attached to form a heterocycle comprising carbon atoms and 1-4 heteroatoms selected from N, NR^8, O, and $S(O)_p$ and substituted with 1-4 R^7;

R^7, at each occurrence, is independently selected from H, =O, NO_2, halogen, C_{1-7} alkyl, C_{1-4} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, C_{1-4} alkoxy, CN, OH, CHF_2, CF_3, -(CH_2)$_n$-CO_2H, -(CH_2)$_n$-CO_2(C_{1-4} alkyl), -(CH_2)$_n$-NR^8R^8, -NHCOH, -NHCO(C_{1-4} alkyl), -$NHCOCF_3$, -$NHCO_2$(C_{1-4} alkyl), -$NHCO_2$(CH_2)$_2$O(C_{1-4} alkyl), -$NHCO_2$(CH_2)$_3$O(C_{1-4} alkyl), -$NHCO_2$(CH_2)$_2$OH, -$NHCO_2$(CH_2)$_2$$NH_2$, -$NHCO_2$($CH_2$)$_2$N($C_{1-4}$ alkyl)$_2$, -$NHCO_2CH_2CO_2H$, -CH_2NHCO_2(C_{1-4} alkyl), -NHC(O)NR^8R^8, -$NHSO_2$(C_{1-4} alkyl), -$S(O)_p$(C_{1-4} alkyl), -SO_2NH_2, -SO_2NH(C_{1-4} alkyl), -SO_2N(C_{1-4} alkyl)$_2$, -SO_2NH(CH_2)$_2$OH, -SO_2NH(CH_2)$_2$O(C_{1-4} alkyl), -(CH_2)$_n$-$CONR^8R^8$, -O(CH_2)$_n$-carbocycle, -O(CH_2)$_n$-heterocycle, -NHCO-carbocycle, -NHCO-heterocycle, -(CH_2)$_n$-carbocycle, and -(CH_2)$_n$-heterocycle comprising carbon

atoms and 1-4 heteroatoms selected from N, NR^8, O, and $S(O)_p$, wherein said alkyl, alkenyl, alkynyl, alkoxyl, carbocycle, and heterocycle are substituted with 0-4 R^9;

R^8, at each occurrence, is independently selected from H, C_{1-6} alkyl, C_{1-4} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, $-(CH_2)_n$-$C(O)C_{1-4}$alkyl, $-(CH_2)_n$-C(O)carbocycle, $-(CH_2)_n$-C(O)heterocycle, $-(CH_2)_n$ $-C(O)NR^aR^a$, $-(CH_2)_n$-$NR^aC(O)$ C_{1-4}alkyl, $-(CH_2)_n$-$C(O)OC_{1-4}$alkyl, $-(CH_2)_n$-$C(O)C_{1-4}$alkyl, $-(CH_2)_n$-C(O)O-carbocycle, $-(CH_2)_n$-C(O)O-heterocycle, $-(CH_2)_n$-SO_2alkyl, $-(CH_2)_n$ SO_2carbocycle, $-(CH_2)_n$-SO_2heterocycle, $-(CH_2)_n$-$SO_2NR^aR^a$, $-(CH_2)_n$-carbocycle, and $-(CH_2)_n$-heterocycle, wherein said alkyl, carbocycle, and heterocycle are substituted with 0-4 R^9;

alternatively, R^8 and R^8 are taken together with the nitrogen atom to which they are attached to form a 4- to 10-membered heterocycle substituted with 0-4 R^9;

R^9, at each occurrence, is independently selected from halogen, OH, =O, CN, NO_2, CHF_2, CF_3, C_{1-4} alkyl, C_{1-4} alkoxy, CH_2OH, $CO(C_{1-4}$ alkyl), CO_2H, $CO_2(C_{1-4}$ alkyl), $-(CHR^{10})_nNR^aR^a$, $-(CHR^{10})_nCONR^aR^a$, $-(CHR^{10})_nNR^aCO(C_{1-4}$ alkyl), $-O(CHR^{10})_n$carbocycle, $-O(CHR^{10})_n$heterocycle, $-O(CHR^{10})_nNR^aR^a$, and $-(CR^{10}R^{10})_n$-4- to 10-membered heterocycle, wherein said alkyl, alkoxy, carbocycle, and heterocycle are substituted with 0-4 R^b;

R^{10} is selected from H and C_{1-4} alkyl;

R^a, at each occurrence, is independently selected from H, C_{1-4} alkyl, $-(CH_2)_nOH$, $CO(C_{1-4}$ alkyl), $COCF_3$, $CO_2(C_{1-4}$ alkyl), $-CONH_2$, $-CONH-C_{1-4}$ alkylene-$CO_2(C_{1-4}$ alkyl), C_{1-4} alkylene-$CO_2(C_{1-4}$ alkyl), R^c, CO_2R^c, and $CONHR^c$; alternatively, R^a and R^a are taken together with the nitrogen atom to which they are attached to form a 4- to 10-membered heterocycle, wherein said alkyl, alkylene, and heterocycle are substituted with 0-4 R^b;

R^b, at each occurrence, is independently selected from =O, OH, halogen, C_{1-4} alkyl, C_{1-4} alkoxy, OCF_3, $OC(O)C_{1-4}$ alkyl, NH_2, NO_2, $N(C_{1-4}$ alkyl)$_2$, $CO(C_{1-4}$ alkyl), $CO(C_{1-4}$ haloalkyl), $CO_2(C_{1-4}$ alkyl), $CONH_2$, $-CONH(C_{1-4}$ alkyl), $-CON(C_{1-4}$ alkyl)$_2$, $-CONH-C_{1-4}$ alkylene-$O(C_{1-4}$ alkyl), $-CONH-C_{1-4}$ alkylene-$N(C_{1-4}$ alkyl)$_2$, $-CONH-C_{1-4}$ alkylene-N (C_{1-4} alkyl)$_2$, $-C_{1-4}$ alkylene-O-$P(O)(OH)_2$, $-NHCO_2(C_{1-4}$

alkyl), -R^c, COR^c, CO_2R^c, and $CONHR^c$, wherein said alkyl and alkoxy are substituted with R^d;


R^c, at each occurrence, is independently selected from -$(CH_2)_n$-C_{3-6} cycloalkyl, -$(CH_2)_n$-phenyl, and -$(CH_2)_n$-5- to 6-membered heterocycle containing carbon atoms and 1-4 heteroatoms selected from the group consisting of: N, NH, N(C_{1-4} alkyl), O, and $S(O)_p$; wherein each ring moiety is substituted with 0-2 R^d;

R^d, at each occurrence, is independently selected from =O, halogen, -OH, C_{1-4} alkyl, NH_2, NH(C_{1-4} alkyl), N(C_{1-4} alkyl)$_2$, C_{1-4} alkoxy, and -NHCO(C_{1-4} alkyl), and a heterocycle containing carbon atoms and 1-4 heteroatoms selected from the group consisting of: N, NH, N(C_{1-4} alkyl), O, and $S(O)_p$;

n, at each occurrence, is independently selected from 0, 1, 2, 3, and 4; and


p, at each occurrence, is independently selected from 0, 1, and 2.

2. The compound of claim 1, having Formula (II):




(II)

or a stereoisomer, a tautomer, a pharmaceutically-acceptable salt thereof, wherein:



is selected from



M is selected from N and CR^{10};

L is selected from $-(CR^4R^4)_{0-1}-$, $-(CR^4R^4)_{0-1}C(O)-$, $-OC(O)-$, $-NR^6C(O)-$, and $-NR^6-$;

R^1 is selected from NR^5R^5, OR^5, $-(CR^4R^4)_nC_{3-10}$ carbocycle and $-(CR^4R^4)_n$-4- to 15-membered heterocycle comprising carbon atoms and 1-4 heteroatoms selected from N, NR^8, O, and $S(O)_p$; wherein said alkyl, carbocycle, and heterocycle are substituted with 1-4 R^7;

R^3, at each occurrence, is independently selected from halogen, C_{1-6} alkyl, C_{1-4} alkoxy, C_{1-4} alkylthio, C_{1-4} haloalkyl, $-CH_2OH$, $-OCH_2F$, $-OCHF_2$, $-OCF_3$, CN, $-NH_2$, $-NH(C_{1-4}$ alkyl), $-N(C_{1-4}$ alkyl)$_2$, $-CO_2H$, $-CH_2CO_2H$, $-CO_2(C_{1-4}$ alkyl), $-CO(C_{1-4}$ alkyl), $-CH_2NH_2$, $-CONH_2$, $-CONH(C_{1-4}$ alkyl), $-CON(C_{1-4}$ alkyl)$_2$, $-OCH_2CO_2H$, $-NHCO(C_{1-4}$ alkyl), $-NHCO_2(C_{1-4}$ alkyl), $-NHSO_2(C_{1-4}$ alkyl), $-SO_2NH_2$, $-C(=NH)NH_2$, a carbocycle, and a heterocycle, wherein said alkyl, alkoxy, alkylthio, haloalkyl, carbocycle, and heterocycle are substituted with 0-4 R^9;

R^4, at each occurrence, is independently selected from H, OH, NH_2, CH_2NH_2, C_{1-4} haloalkyl, OCH_2F, $OCHF_2$, OCF_3, $-NH(C_{1-4}$ alkyl), $-N(C_{1-4}$ alkyl)$_2$, C_{1-4} alkoxy, CH_2OH, $CH_2O(C_{1-4}$ alkyl), CH_2CO_2H, $CH_2CO_2(C_{1-4}$ alkyl), C_{1-4} alkyl, a carbocycle, and a heterocycle, wherein said alkyl, alkoxy, haloalkyl, carbocycle, and heterocycle are substituted with 0-4 R^9;

R^5, at each occurrence, is independently selected from H, C_{1-4} alkyl, $-(CR^6R^6)_n-C_{3-10}$ carbocycle and $-(CR^6R^6)_n$-4- to 10-membered heterocycle comprising carbon atoms and 1-4 heteroatoms selected from N, NR^8, O, and $S(O)_p$, wherein said alkyl, carbocycle and heterocycle are substituted with 1-4 R^7;

alternatively, R^5 and R^5 are taken together with the nitrogen atom to which they are attached to form a 4- to 15-membered heterocycle substituted with 1-4 R^7;

R^6, at each occurrence, is independently selected from H, C_{1-4} alkyl, CH_2NH_2, C_{1-4} haloalkyl, C_{1-4} alkoxy, CH_2OH, $CH_2O(C_{1-4}$ alkyl), CH_2CO_2H, $CH_2CO_2(C_{1-4}$ alkyl), a carbocycle, and a heterocycle, wherein said alkyl, alkoxy, haloalkyl, carbocycle, and heterocycle are substituted with 0-4 R^9;

alternatively, R^1 and R^6 are taken together with the nitrogen atom to which they are attached to form a heterocycle comprising carbon atoms and 1-4 heteroatoms selected from N, NR^8, O, and $S(O)_p$ and substituted with 1-4 R^7;

R^7, at each occurrence, is independently selected from H, =O, NO_2, halogen, C_{1-6} alkyl, C_{1-4} alkyl, C_{2-4} alkenyl, C_{1-4} alkoxy, CN, OH, CF_3, $-(CH_2)_n-CO_2H$, $-(CH_2)_n-CO_2(C_{1-4}$ alkyl), $-(CH_2)_n-NR^8R^8$, -NHCOH, $-NHCO(C_{1-4}$ alkyl), $-NHCOCF_3$, $-NHCO_2(C_{1-4}$ alkyl), $-NHCO_2(CH_2)_2O(C_{1-4}$ alkyl), $-NHCO_2(CH_2)_3O(C_{1-4}$ alkyl), $-NHCO_2(CH_2)_2OH$, $-NHCO_2(CH_2)_2NH_2$, $-NHCO_2(CH_2)_2N(C_{1-4}$ alkyl)$_2$, $-NHCO_2CH_2CO_2H$, $-CH_2NHCO_2(C_{1-4}$ alkyl), $-NHC(O)NR^8R^8$, $-NHSO_2(C_{1-4}$ alkyl), $-S(O)_p(C_{1-4}$ alkyl), $-SO_2NH_2$, $-SO_2NH(C_{1-4}$ alkyl), $-SO_2N(C_{1-4}$ alkyl)$_2$, $-SO_2NH(CH_2)_2OH$, $-SO_2NH(CH_2)_2O(C_{1-4}$ alkyl), $-(CH_2)_n-CONR^8R^8$, $-O(CH_2)_n$-carbocycle, $-O(CH_2)_n$-heterocycle, -NHCO-carbocycle, -NHCO-heterocycle, $-(CH_2)_n$-carbocycle, and $-(CH_2)_n$-heterocycle comprising carbon atoms and 1-4 heteroatoms selected from N, NR^8, O, and $S(O)_p$, wherein said alkyl, alkenyl, alkoxyl, a carbocycle, and a heterocycle are substituted with 0-4 R^9;

R^8, at each occurrence, is independently selected from H, C_{1-4} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, $-(CH_2)_n-C(O)C_{1-4}$alkyl, $-(CH_2)_n-C(O)$carbocycle, $-(CH_2)_n-C(O)$heterocycle, $-(CH_2)_n-C(O)NR^aR^a$, $-(CH_2)_n-NR^aC(O)C_{1-4}$alkyl, $-(CH_2)_n-C(O)OC_{1-4}$alkyl, $-(CH_2)_n-C(O)C_{1-4}$alkyl, $-(CH_2)_n-C(O)O$-carbocycle, $-(CH_2)_n-C(O)O$-heterocycle, $-(CH_2)_n-SO_2$alkyl, $-(CH_2)_n-SO_2$carbocycle, $-(CH_2)_n-SO_2$heterocycle, $-(CH_2)_n-SO_2NR^aR^a$, $-(CH_2)_n$-carbocycle, and $-(CH_2)_n$-heterocycle, wherein said alkyl, carbocycle, and heterocycle are substituted with 0-4 R^9;

alternatively, R^8 and R^8 are taken together with the nitrogen atom to which they are attached to form a 4- to 10-membered heterocycle substituted with 0-4 R^9;

R^9, at each occurrence, is independently selected from halogen, OH, =O, CN, NO_2, CHF_2, CF_3, C_{1-4} alkyl, C_{1-4} alkoxy, CH_2OH, $CO(C_{1-4}$ alkyl), CO_2H, $CO_2(C_{1-4}$

alkyl), -$(CHR^{10})_nNR^aR^a$, -$(CHR^{10})_nCONR^aR^a$, -$(CHR^{10})_nNR^aCO(C_{1-4}$ alkyl), -$O(CHR^{10})_n$carbocycle, -$O(CHR^{10})_n$heterocycle, -$O(CHR^{10})_nNR^aR^a$, and -$(CR^{10}R^{10})_n$-4- to 10-membered heterocycle, wherein said alkyl, alkoxy, carbocycle, and heterocycle are substituted with 0-4 R^b;

R^{10} is selected from H and C_{1-4} alkyl;

R^a, at each occurrence, is independently selected from H, C_{1-4} alkyl, -$(CH_2)_nOH$, $CO(C_{1-4}$ alkyl), $COCF_3$, $CO_2(C_{1-4}$ alkyl), -$CONH_2$, -CONH-C_{1-4} alkylene-$CO_2(C_{1-4}$ alkyl), C_{1-4} alkylene-$CO_2(C_{1-4}$ alkyl), R^c, CO_2R^c, and $CONHR^c$; alternatively, R^a and R^a are taken together with the nitrogen atom to which they are attached to form a 4- to 10-membered heterocycle, wherein said alkyl, alkylene, and heterocycle are substituted with 0-4 R^b;

R^b, at each occurrence, is independently selected from =O, OH, halogen, C_{1-4} alkyl, C_{1-4} alkoxy, OCF_3, $OC(O)C_{1-4}$ alkyl, NH_2, NO_2, $N(C_{1-4}$ alkyl$)_2$, $CO(C_{1-4}$ alkyl), $CO(C_{1-4}$ haloalkyl), $CO_2(C_{1-4}$ alkyl), $CONH_2$, -$CONH(C_{1-4}$ alkyl), -$CON(C_{1-4}$ alkyl$)_2$, -CONH-C_{1-4} alkylene-$O(C_{1-4}$ alkyl), -CONH-C_{1-4} alkylene-$N(C_{1-4}$ alkyl$)_2$, -CONH-C_{1-4} alkylene-N (C_{1-4} alkyl$)_2$, -C_{1-4} alkylene-O-$P(O)(OH)_2$, -$NHCO_2(C_{1-4}$ alkyl), -R^c, COR^c, CO_2R^c, and $CONHR^c$, wherein said alkyl and alkoxy are substituted with R^d;


R^c, at each occurrence, is independently selected from -$(CH_2)_n$-C_{3-6} cycloalkyl, -$(CH_2)_n$-phenyl, and -$(CH_2)_n$-5- to 6-membered heterocycle containing carbon atoms and 1-4 heteroatoms selected from the group consisting of: N, NH, $N(C_{1-4}$ alkyl), O, and $S(O)_p$; wherein each ring moiety is substituted with 0-2 R^d;

R^d, at each occurrence, is independently selected from =O, halogen, -OH, C_{1-4} alkyl, NH_2, $NH(C_{1-4}$ alkyl), $N(C_{1-4}$ alkyl$)_2$, C_{1-4} alkoxy, and -$NHCO(C_{1-4}$ alkyl), and a heterocycle containing carbon atoms and 1-4 heteroatoms selected from the group consisting of: N, NH, $N(C_{1-4}$ alkyl), O, and $S(O)_p$;

n, at each occurrence, is independently selected from 0, 1, 2, 3, and 4; and

p, at each occurrence, is independently selected from 0, 1, and 2.

3. The compound of claim 1 or 2, having Formula (III):



(III)

or a stereoisomer, a tautomer, a pharmaceutically-acceptable salt thereof, wherein:

M is selected from N and CR^{10};

R^1 is selected from NR^5R^5, OR^5, -$(CH_2)_n$-C_{3-10} carbocycle, and -$(CH_2)_n$- 5- to 10-membered heterocycle, wherein said carbocycle and heterocycle are substituted with 1-4 R^7;

R^3, at each occurrence, is independently selected from halogen, C_{1-6} alkyl, C_{1-4} alkoxy, C_{1-4} alkylthio, C_{1-4} haloalkyl, -CH_2OH, -OCH_2F, -$OCHF_2$, -OCF_3, CN, and -NH_2;

R^5, at each occurrence, is independently selected from H, C_{1-4} alkyl, -$(CR^6R^6)_n$-C_{3-10} carbocycle, and -$(CR^6R^6)_n$-4- to 10-membered heterocycle comprising carbon atoms and 1-4 heteroatoms selected from N, NR^8, O, and $S(O)_p$, wherein said alkyl, carbocycle, and heterocycle are substituted with 1-4 R^7;

alternatively, R^5 and R^5 are taken together with the nitrogen atom to which they are attached to form a 4- to 10-membered heterocycle substituted with 1-4 R^7;

R^6, at each occurrence, is independently selected from H and C_{1-4} alkyl;

R^7, at each occurrence, is independently selected from H, =O, NO_2, halogen, C_{1-6} alkyl, C_{1-4} alkyl, C_{1-4} alkoxy, CN, OH, CF_3, -$(CH_2)_n$-CO_2H, -$(CH_2)_n$-CO_2(C_{1-4} alkyl), -$(CH_2)_n$-NR^8R^8, -NHCOH, -NHCO(C_{1-4} alkyl), -$NHCOCF_3$, -$NHCO_2$(C_{1-4} alkyl), -$NHCO_2(CH_2)_2O$(C_{1-4} alkyl), -$NHCO_2(CH_2)_3O$(C_{1-4} alkyl), -$NHCO_2(CH_2)_2OH$, -$NHCO_2(CH_2)_2NH_2$, -$NHCO_2(CH_2)_2N$(C_{1-4} alkyl)$_2$, -$NHCO_2CH_2CO_2H$, -CH_2NHCO_2(C_{1-4} alkyl), -$NHC(O)NR^8R^8$, -$NHSO_2$(C_{1-4} alkyl), -$S(O)_p$(C_{1-4} alkyl), -SO_2NH_2, -SO_2NH(C_{1-4} alkyl), -SO_2N(C_{1-4} alkyl)$_2$, -$SO_2NH(CH_2)_2OH$, -$SO_2NH(CH_2)_2O$(C_{1-4} alkyl), -$(CH_2)_n$-$CONR^8R^8$, -O$(CH_2)_n$-carbocycle, -O$(CH_2)_n$-heterocycle, -NHCO-carbocycle, -NHCO-heterocycle, -$(CH_2)_n$-carbocycle, and -$(CH_2)_n$-heterocycle comprising carbon

atoms and 1-4 heteroatoms selected from N, NR^8, O, and $S(O)_p$, wherein said alkyl, alkenyl, alkynyl, alkoxyl, carbocycle, and heterocycle are substituted with 0-4 R^9;

R^8, at each occurrence, is independently selected from H, C_{1-4} alkyl, C_{2-4} alkenyl, $C(O)C_{1-4}$alkyl, C(O)carbocycle, C(O)heterocycle, $-(CH_2)_n-C(O)NR^aR^a$, $-(CH_2)_n-NR^aC(O)C_{1-4}$alkyl, $C(O)OC_{1-4}$alkyl, C(O)O-carbocycle, C(O)O-heterocycle, SO_2alkyl, SO_2carbocycle, SO_2heterocycle, $SO_2NR^aR^a$, $-(CH_2)_n$-carbocycle, and $-(CH_2)_n$-heterocycle, wherein said alkyl, alkenyl, carbocycle, and heterocycle are substituted with 0-4 R^9;

R^9, at each occurrence, is independently selected from halogen, OH, CN, NO_2, CHF_2, CF_3, C_{1-4} alkyl, C_{1-4} alkoxy, CH_2OH, $CO(C_{1-4}$ alkyl), CO_2H, $CO_2(C_{1-4}$ alkyl), $-(CHR^{10})_nNR^aR^a$, $-(CHR^{10})_nCONR^aR^a$, $-(CHR^{10})_nNR^aCO(C_{1-4}$ alkyl), $-O(CHR^{10})_n$carbocycle, $-O(CHR^{10})_n$heterocycle, $-O(CHR^{10})_nNR^aR^a$, and $-(CR^{10}R^{10})_n$-4- to 10-membered heterocycle, wherein said alkyl, alkoxy, carbocycle, and heterocycle are substituted with 0-4 R^b;

R^{10} is selected from H and C_{1-4} alkyl;

R^a, at each occurrence, is independently selected from H, C_{1-4} alkyl, $-(CH_2)_nOH$, $CO(C_{1-4}$ alkyl), $COCF_3$, $CO_2(C_{1-4}$ alkyl), $-CONH_2$, $-CONH-C_{1-4}$ alkylene-$CO_2(C_{1-4}$ alkyl), C_{1-4} alkylene-$CO_2(C_{1-4}$ alkyl), R^c, CO_2R^c, and $CONHR^c$; alternatively, R^a and R^a are taken together with the nitrogen atom to which they are attached to form a 4- to 10-membered heterocycle, wherein said alkyl, alkylene, and heterocycle are substituted with 0-4 R^b;

R^b, at each occurrence, is independently selected from =O, halogen, C_{1-4} alkyl, C_{1-4} alkoxy, OCF_3, $OC(O)C_{1-4}$ alkyl, NH_2, NO_2, $N(C_{1-4}$ alkyl)$_2$, $CO(C_{1-4}$ alkyl), $CO(C_{1-4}$ haloalkyl), $CO_2(C_{1-4}$ alkyl), $CONH_2$, $-CONH(C_{1-4}$ alkyl), $-CON(C_{1-4}$ alkyl)$_2$, $-CONH-C_{1-4}$ alkylene-$O(C_{1-4}$ alkyl), $-CONH-C_{1-4}$ alkylene-$N(C_{1-4}$ alkyl)$_2$, $-CONH-C_{1-4}$ alkylene-N $(C_{1-4}$ alkyl)$_2$, $-C_{1-4}$ alkylene-O-$P(O)(OH)_2$, $-NHCO_2(C_{1-4}$ alkyl), $-R^c$, COR^c, CO_2R^c, and $CONHR^c$, wherein said alkyl and alkoxy are substituted with R^d;


R^c, at each occurrence, is independently selected from $-(CH_2)_n-C_{3-6}$ cycloalkyl, $-(CH_2)_n$-phenyl, and $-(CH_2)_n$-5- to 6-membered heterocycle containing carbon atoms and 1-4 heteroatoms selected from the group consisting of: N, NH, $N(C_{1-4}$ alkyl), O, and $S(O)_p$; wherein each ring moiety is substituted with 0-2 R^d;

R^d, at each occurrence, is independently selected from =O, halogen, -OH, C_{1-4} alkyl, NH_2, $NH(C_{1-4}$ alkyl), $N(C_{1-4}$ alkyl)$_2$, C_{1-4} alkoxy, and -$NHCO(C_{1-4}$ alkyl), and a heterocycle containing carbon atoms and 1-4 heteroatoms selected from the group consisting of: N, NH, $N(C_{1-4}$ alkyl), O, and $S(O)_p$;

n, at each occurrence, is independently selected from 0, 1, 2, 3, and 4; and














p, at each occurrence, is independently selected from 0, 1, and 2.


4. The compound of any one of claims 1-3, having Formula (IV):



(IV)

or a stereoisomer, a tautomer, a pharmaceutically-acceptable salt thereof, wherein:

R^1 is selected from , , , , , , , , , , , , .



R^7, at each occurrence, is independently selected from H, =O, NO_2, halogen, C_{1-4} alkyl, C_{1-4} alkoxy, CN, OH, CF_3, $-(CH_2)_n-CO_2H$, $-(CH_2)_n-CO_2(C_{1-4}$ alkyl), $-(CH_2)_n-NR^8R^8$, $-NHCO(C_{1-4}$ alkyl), $-NHCOCF_3$, $-NHCO_2(C_{1-4}$ alkyl), $-NHCO_2(CH_2)_2O(C_{1-4}$ alkyl), $-NHCO_2(CH_2)_3O(C_{1-4}$ alkyl), $-NHCO_2(CH_2)_2OH$, $-NHCO_2(CH_2)_2NH_2$, $-NHCO_2(CH_2)_2N(C_{1-4}$ alkyl)$_2$, $-NHCO_2CH_2CO_2H$, $-CH_2NHCO_2(C_{1-4}$ alkyl), $-NHC(O)NR^8R^8$, $-NHSO_2(C_{1-4}$ alkyl), $-SO_2NH_2$, $-SO_2NH(C_{1-4}$ alkyl), $-SO_2N(C_{1-4}$ alkyl)$_2$, $-SO_2NH(CH_2)_2OH$, $-SO_2NH(CH_2)_2O(C_{1-4}$ alkyl), $-(CH_2)_n-CONR^8R^8$, $-O(CH_2)_n$-carbocycle, $-O(CH_2)_n$-heterocycle, -NHCO-carbocyc

le, -NHCO-heterocycle, -$(CH_2)_n$-carbocycle, and -$(CH_2)_n$-heterocycle comprising carbon atoms and 1-4 heteroatoms selected from N, NR^8, O, and $S(O)_p$, wherein said alkyl, alkenyl, alkynyl, alkoxyl, carbocycle, and heterocycle are substituted with 0-4 R^9;

R^8, at each occurrence, is independently selected from H, C_{1-4} alkyl, $C(O)C_{1-4}$alkyl, C(O)carbocycle, C(O)heterocycle, -$(CH_2)_n$-$C(O)NR^aR^a$, $C(O)OC_{1-4}$alkyl, C(O)O-carbocycle, C(O)O-heterocycle, SO_2alkyl, SO_2carbocycle, SO_2heterocycle, $SO_2NR^aR^a$, -$(CH_2)_n$-carbocycle, and -$(CH_2)_n$-heterocycle, wherein said alkyl, carbocycle, and heterocycle are substituted with 0-4 R^9;


alternatively, R^8 and R^8 are taken together with the nitrogen atom to which they are attached to form a 4- to 10-membered heterocycle substituted with 0-4 R^9;


R^9, at each occurrence, is independently selected from halogen, OH, CN, NO_2, CHF_2, CF_3, C_{1-4} alkyl, C_{1-4} alkoxy, CH_2OH, CO_2H, $CO_2(C_{1-4}$ alkyl), $CONH_2$, -$(CH_2)_n NR^aR^a$, -$(CH_2)_n CONR^aR^a$, -$(CH_2)_n NHCO(C_{1-4}$ alkyl), -$O(CH_2)_n$heterocycle, -$O(CH_2)_{2-4}NR^aR^a$, and -$(CR^{10}R^{10})_n$-4- to 10-membered heterocycle, wherein said alkyl, alkoxyl, carbocycle, and heterocycle are substituted with 0-4 R^b;

R^a, at each occurrence, is independently selected from H and C_{1-4} alkyl; alternatively, R^a and R^a are taken together with the nitrogen atom to which they are attached to form a 4- to 10-membered heterocycle, wherein said alkyl, alkylene, and heterocycle are substituted with 0-4 R^b; and









R^b, at each occurrence, is independently selected from =O, halogen, C_{1-4} alkyl, C_{1-4} alkoxy, OCF_3, NH_2, NO_2, $N(C_{1-4}$ alkyl)$_2$, $CO(C_{1-4}$ alkyl), $CO(C_{1-4}$ haloalkyl), $CO_2(C_{1-4}$ alkyl), $CONH_2$, -$CONH(C_{1-4}$ alkyl), -$CON(C_{1-4}$ alkyl)$_2$, -CONH-C_{1-4} alkylene-$O(C_{1-4}$ alkyl), -CONH-C_{1-4} alkylene-$N(C_{1-4}$ alkyl)$_2$, -CONH-C_{1-4} alkylene-N $(C_{1-4}$ alkyl)$_2$, and -$NHCO_2(C_{1-4}$ alkyl).

5. The compound of any one of claims 1-4 or a stereoisomer, a tautomer, a pharmaceutically-acceptable salt thereof, wherein:

R^1 is selected from 





, 

,








, and

;

R^7, at each occurrence, is independently selected from H, halogen, C_{1-4} alkyl, C_{1-4} alkoxy, $-NR^8R^8$, C_{3-6} cycloalkyl, phenyl, and $-(CH_2)_n$-heterocycle comprising carbon atoms and 1-4 heteroatoms selected from N, NR^8, O, and $S(O)_p$, wherein said alkyl, alkenyl, alkynyl, alkoxyl, carbocycle, and heterocycle are substituted with 0-4 R^9;

R^8, at each occurrence, is independently selected from H, C_{1-4} alkyl, $-(CH_2)_n$-C_{3-6} cycloalkyl, $-(CH_2)_n$-phenyl, and $-(CH_2)_n$-heterocycle, wherein said alkyl, cycloalkyl, phenyl, and heterocycle are substituted with 0-4 R^9;

alternatively, R^8 and R^8 are taken together with the nitrogen atom to which they are attached to form a heterocycle selected from 
,

,

, and

;

R^9, at each occurrence, is independently selected from F, Cl, OH, CN, C_{1-4} alkyl, C_{1-4} alkoxy, $-(CH_2)_nNR^aR^a$, and a 4- to 10-membered heterocycle, wherein said alkyl, alkoxyl, and heterocycle are substituted with 0-4 R^b;

R^a, at each occurrence, is independently selected from H, C_{1-4} alkyl, $-(CH_2)_nOH$, $CO(C_{1-4}$ alkyl), $COCF_3$, $CO_2(C_{1-4}$ alkyl), $-CONH_2$, $-CONH-C_{1-4}$ alkylene-$CO_2(C_{1-4}$ alkyl), and C_{1-4} alkylene-$CO_2(C_{1-4}$ alkyl); and

R^b, at each occurrence, is independently selected from halogen, C_{1-4} alkyl, C_{1-4} alkoxy, OCF_3, NH_2, NO_2, $N(C_{1-4}$ alkyl)$_2$, $CO(C_{1-4}$ alkyl), $CO(C_{1-4}$ haloalkyl), $CO_2(C_{1-4}$ alkyl), $CONH_2$, $-CONH(C_{1-4}$ alkyl), $-CON(C_{1-4}$ alkyl)$_2$, $-CONH-C_{1-4}$ alkylene-$O(C_{1-4}$

alkyl), -CONH-C_{1-4} alkylene-N(C_{1-4} alkyl)$_2$, -CONH-C_{1-4} alkylene-N (C_{1-4} alkyl)$_2$, -C_{1-4} alkylene-O-P(O)(OH)$_2$, and -NHCO$_2$(C_{1-4} alkyl).

6. The compound of claim 3 or a stereoisomer, a tautomer, a pharmaceutically-acceptable salt thereof, wherein:


R^1 is NR^5R^5;

R^5 and R^5 are taken together with the nitrogen atom to which they are attached to form a 4- to 10-membered heterocycle substituted with 1-4 R^7;

R^7, at each occurrence, is independently selected from H, halogen, C_{1-4} alkyl, C_{1-4} alkoxy, CN, OH, CF_3, and -NR^8R^8; and

R^8, at each occurrence, is independently selected from H and C_{1-4} alkyl.

7. The compound of claim 1 or 2, having Formula (V):



(V)

or a stereoisomer, a tautomer, a pharmaceutically-acceptable salt thereof, wherein:

M is selected from N and CR^{10};

R^1 is a 5- to 10-membered heterocycle substituted with 1-4 R^7;

R^6, at each occurrence, is independently selected from H and C_{1-4} alkyl;

R^7, at each occurrence, is independently selected from H, =O, NO_2, halogen, C_{1-4} alkyl, C_{1-4} alkoxy, CN, OH, CF_3, -$(CH_2)_n$-CO_2H, -$(CH_2)_n$-CO_2(C_{1-4} alkyl), -$(CH_2)_n$-NR^8R^8, -NHCO(C_{1-4} alkyl), -$NHCOCF_3$, -NHCO$_2$(C_{1-4} alkyl), -NHCO$_2$(CH_2)$_2$O(C_{1-4} alkyl), -NHCO$_2$(CH_2)$_3$O(C_{1-4} alkyl), -NHCO$_2$(CH_2)$_2$OH, -NHCO$_2$(CH_2)$_2$$NH_2$, -NHCO$_2$($CH_2$)$_2$N($C_{1-4}$ alkyl)$_2$, -NHCO$_2$$CH_2CO_2H$, -$CH_2$NHCO$_2$($C_{1-4}$ alkyl), -NHC(O)NR^8R^8, -$NHSO_2$(C_{1-4} alkyl), -SO_2NH_2, -SO_2NH(C_{1-4} alkyl), -SO_2N(C_{1-4}

alkyl)$_2$, -$SO_2NH(CH_2)_2OH$, -$SO_2NH(CH_2)_2O$(C_{1-4} alkyl), -$(CH_2)_n$-$CONR^8R^8$, -$O(CH_2)_n$-carbocycle, -$O(CH_2)_n$-heterocycle, -NHCO-carbocycle, -NHCO-heterocycle, -$(CH_2)_n$-carbocycle, and -$(CH_2)_n$-heterocycle comprising carbon atoms and 1-4 heteroatoms selected from N, NR^8, O, and $S(O)_p$, wherein said alkyl, alkenyl, alkynyl, alkoxyl, carbocycle, and heterocycle are substituted with 0-4 R^9;

R^8, at each occurrence, is independently selected from H, C_{1-4} alkyl, -$(CH_2)_n$-carbocycle, and -$(CH_2)_n$-heterocycle, wherein said alkyl, carbocycle, and heterocycle are substituted with 0-4 R^9;

R^9, at each occurrence, is independently selected from halogen, OH, CN, NO_2, CHF_2, CF_3, C_{1-4} alkyl, C_{1-4} alkoxy, CH_2OH, $CO(C_{1-4}$ alkyl), CO_2H, $CO_2(C_{1-4}$ alkyl), -$(CHR^{10})_nNR^aR^a$, -$(CHR^{10})_nCONR^aR^a$, -$(CHR^{10})_nNR^aCO(C_{1-4}$ alkyl), -$O(CHR^{10})_n$carbocycle, -$O(CHR^{10})_n$heterocycle, -$O(CHR^{10})_nNR^aR^a$, and -$(CR^{10}R^{10})_n$-4- to 10-membered heterocycle, wherein said alkyl, alkoxy, carbocycle, and heterocycle are substituted with 0-4 R^b;

R^{10} is selected from H and C_{1-4} alkyl;

R^a, at each occurrence, is independently selected from H, C_{1-4} alkyl, -$(CH_2)_n$OH, $CO(C_{1-4}$ alkyl), $COCF_3$, $CO_2(C_{1-4}$ alkyl), -$CONH_2$, -CONH-C_{1-4} alkylene-$CO_2(C_{1-4}$ alkyl), C_{1-4} alkylene-$CO_2(C_{1-4}$ alkyl), R^c, CO_2R^c, and $CONHR^c$; alternatively, R^a and R^a are taken together with the nitrogen atom to which they are attached to form a 4- to 10-membered heterocycle, wherein said alkyl, alkylene, and heterocycle are substituted with 0-4 R^b;

R^b, at each occurrence, is independently selected from =O, halogen, C_{1-4} alkyl, C_{1-4} alkoxy, OCF_3, NH_2, NO_2, $N(C_{1-4}$ alkyl)$_2$, $CO(C_{1-4}$ alkyl), $CO(C_{1-4}$ haloalkyl), $CO_2(C_{1-4}$ alkyl), $CONH_2$, -CONH(C_{1-4} alkyl), -$CON(C_{1-4}$ alkyl)$_2$, -CONH-C_{1-4} alkylene-$O(C_{1-4}$ alkyl), -CONH-C_{1-4} alkylene-$N(C_{1-4}$ alkyl)$_2$, -CONH-C_{1-4} alkylene-$N(C_{1-4}$ alkyl)$_2$, -C_{1-4} alkylene-O-$P(O)(OH)_2$, -$NHCO_2(C_{1-4}$ alkyl), -R^c, COR^c, CO_2R^c, and $CONHR^c$;


R^c, at each occurrence, is independently selected from -$(CH_2)_n$-C_{3-6} cycloalkyl, -$(CH_2)_n$-phenyl, and -$(CH_2)_n$-5- to 6-membered heterocycle containing carbon atoms and 1-4 heteroatoms selected from the group consisting of: N, NH, $N(C_{1-4}$ alkyl), O, and $S(O)_p$; wherein each ring moiety is substituted with 0-2 R^d;

R^d, at each occurrence, is independently selected from =O, halogen, -OH, C_{1-4} alkyl, NH_2, $NH(C_{1-4}$ alkyl), $N(C_{1-4}$ alkyl)$_2$, C_{1-4} alkoxy, and -$NHCO(C_{1-4}$ alkyl), and a heterocycle containing carbon atoms and 1-4 heteroatoms selected from the group consisting of: N, NH, $N(C_{1-4}$ alkyl), O, and $S(O)_p$;

n, at each occurrence, is independently selected from 0, 1, 2, 3, and 4; and







p, at each occurrence, is independently selected from 0, 1, and 2.

8. The compound of claim 1 or 2, having Formula (VI):



(VI)


or a stereoisomer, a tautomer, a pharmaceutically-acceptable salt thereof, wherein:

R^1 is selected from , , , , , , and ;

R^6 is H; and

R^7, at each occurrence, is independently selected from H, halogen, C_{1-4} alkyl, C_{1-4} alkoxy, CN, OH, -$(CH_2)_n$-carbocycle, and -$(CH_2)_n$-heterocycle, wherein said alkyl, alkoxyl, carbocycle, and heterocycle are substituted with 0-4 R^9.

9. The compound of claim 1 or 2, having Formula (VII):



(VII)

or a stereoisomer, a tautomer, a pharmaceutically-acceptable salt thereof, wherein:

M is selected from N and CR^{10};

R^5, at each occurrence, is independently selected from H, C_{1-4} alkyl, $-(CR^6R^6)_n-C_{3-10}$ carbocycle, and $-(CR^6R^6)_n$-4 to 10-membered heterocycle comprising carbon atoms and 1-4 heteroatoms selected from N, NR^8, O, and $S(O)_p$, wherein said alkyl, carbocycle, and heterocycle are substituted with 1-4 R^7;

alternatively, R^5 and R^5 are taken together with the nitrogen atom to which they are attached to form a 4- to 10-membered heterocycle substituted with 1-4 R^7;

R^7, at each occurrence, is independently selected from H, =O, NO_2, halogen, C_{1-4} alkyl, C_{1-4} alkoxy, CN, OH, CF_3, $-(CH_2)_n-CO_2H$, $-(CH_2)_n-CO_2(C_{1-4}$ alkyl), $-(CH_2)_n-NR^8R^8$, $-NHCO(C_{1-4}$ alkyl), $-NHCOCF_3$, $-NHCO_2(C_{1-4}$ alkyl), $-NHCO_2(CH_2)_2O(C_{1-4}$ alkyl), $-NHCO_2(CH_2)_3O(C_{1-4}$ alkyl), $-NHCO_2(CH_2)_2OH$, $-NHCO_2(CH_2)_2NH_2$, $-NHCO_2(CH_2)_2N(C_{1-4}$ alkyl)$_2$, $-NHCO_2CH_2CO_2H$, $-CH_2NHCO_2(C_{1-4}$ alkyl), $-NHC(O)NR^8R^8$, $-NHSO_2(C_{1-4}$ alkyl), $-SO_2NH_2$, $-SO_2NH(C_{1-4}$ alkyl), $-SO_2N(C_{1-4}$ alkyl)$_2$, $-SO_2NH(CH_2)_2OH$, $-SO_2NH(CH_2)_2O(C_{1-4}$ alkyl), $-(CH_2)_n-CONR^8R^8$, $-O(CH_2)_n$-carbocycle, $-O(CH_2)_n$-heterocycle, -NHCO-carbocycle, -NHCO-heterocycle, $-(CH_2)_n$-carbocycle, and $-(CH_2)_n$-heterocycle comprising carbon atoms and 1-4 heteroatoms selected from N, NR^8, O, and $S(O)_p$, wherein said alkyl, alkenyl, alkynyl, alkoxyl, carbocycle, and heterocycle are substituted with 0-4 R^9;

R^8, at each occurrence, is independently selected from H, C_{1-4} alkyl, $C(O)C_{1-4}$alkyl, C(O)carbocycle, C(O)heterocycle, $-(CH_2)_n$ $C(O)NR^aR^a$, $C(O)OC_{1-4}$alkyl, C(O)O-carbocycle, C(O)O-heterocycle, SO_2alkyl, SO_2carbocycle, SO_2heterocycle, $SO_2NR^aR^a$, $-(CH_2)_n$-carbocycle, and $-(CH_2)_n$-heterocycle, wherein said alkyl, carbocycle, and heterocycle are substituted with 0-4 R^9;

R^9, at each occurrence, is independently selected from halogen, OH, CN, NO_2, CHF_2, CF_3, C_{1-4} alkyl, C_{1-4} alkoxy, CH_2OH, $CO(C_{1-4}$ alkyl), CO_2H, $CO_2(C_{1-4}$ alkyl), $-(CHR^{10})_nNR^aR^a$, $-(CHR^{10})_nCONR^aR^a$, $-(CHR^{10})_nNR^aCO(C_{1-4}$ alkyl), $-O(CHR^{10})_n$carbocycle, $-O(CHR^{10})_n$heterocycle, $-O(CHR^{10})_nNR^aR^a$, and $-(CR^{10}R^{10})_n$-4- to 10-membered heterocycle, wherein said alkyl, alkoxy, carbocycle, and heterocycle are substituted with 0-4 R^b;

R^{10} is selected from H and C_{1-4} alkyl;

R^a, at each occurrence, is independently selected from H, C_{1-4} alkyl, $-(CH_2)_nOH$, $CO(C_{1-4}$ alkyl), $COCF_3$, $CO_2(C_{1-4}$ alkyl), $-CONH_2$, $-CONH-C_{1-4}$ alkylene-$CO_2(C_{1-4}$ alkyl), C_{1-4} alkylene-$CO_2(C_{1-4}$ alkyl), R^c, CO_2R^c, and $CONHR^c$; alternatively, R^a and R^a are taken together with the nitrogen atom to which they are attached to form a 4- to 10-membered heterocycle, wherein said alkyl, alkylene, and heterocycle are substituted with 0-4 R^b;

R^b, at each occurrence, is independently selected from =O, halogen, C_{1-4} alkyl, C_{1-4} alkoxy, OCF_3, NH_2, NO_2, $N(C_{1-4}$ alkyl)$_2$, $CO(C_{1-4}$ alkyl), $CO(C_{1-4}$ haloalkyl), $CO_2(C_{1-4}$ alkyl), $CONH_2$, $-CONH(C_{1-4}$ alkyl), $-CON(C_{1-4}$ alkyl)$_2$, $-CONH-C_{1-4}$ alkylene-$O(C_{1-4}$ alkyl), $-CONH-C_{1-4}$ alkylene-$N(C_{1-4}$ alkyl)$_2$, $-CONH-C_{1-4}$ alkylene-$N(C_{1-4}$ alkyl)$_2$, $-C_{1-4}$ alkylene-O-P(O)$(OH)_2$, $-NHCO_2(C_{1-4}$ alkyl), $-R^c$, COR^c, CO_2R^c, and $CONHR^c$;

R^c, at each occurrence, is independently selected from $-(CH_2)_n-C_{3-6}$ cycloalkyl, $-(CH_2)_n$-phenyl, and $-(CH_2)_n$-5- to 6-membered heterocycle containing carbon atoms and 1-4 heteroatoms selected from the group consisting of: N, NH, $N(C_{1-4}$ alkyl), O, and $S(O)_p$; wherein each ring moiety is substituted with 0-2 R^d;

R^d, at each occurrence, is independently selected from =O, halogen, -OH, C_{1-4} alkyl, NH_2, $NH(C_{1-4}$ alkyl), $N(C_{1-4}$ alkyl)$_2$, C_{1-4} alkoxy, and $-NHCO(C_{1-4}$ alkyl), and a heterocycle containing carbon atoms and 1-4 heteroatoms selected from the group consisting of: N, NH, $N(C_{1-4}$ alkyl), O, and $S(O)_p$;




n, at each occurrence, is independently selected from 0, 1, 2, 3, and 4; and

p, at each occurrence, is independently selected from 0, 1, and 2.

10. The compound of claim 9 or a stereoisomer, a tautomer, a pharmaceutically-acceptable salt thereof, wherein:

M is N;


R^5 is selected from H, C_{1-4} alkyl, $-(CH_2)_n-C_{3-10}$ carbocycle, $-(CH_2)_n$-aryl, $-(CH_2)_n$-4- to 10-membered heterocycle selected from

R^7, at each occurrence, is independently selected from H, halogen, C_{1-4} alkyl, C_{1-4} alkoxy, CN, OH, -$(CH_2)_n$-carbocycle, and -$(CH_2)_n$-heterocycle, wherein said alkyl, alkoxyl, carbocycle, and heterocycle are substituted with 0-4 R^9.

R^9, at each occurrence, is independently selected from halogen, OH, NO_2, CHF_2, CF_3, C_{1-4} alkyl, C_{1-4} alkoxy, CH_2OH, CO_2H, $CO_2(C_{1-4}$ alkyl), $CONH_2$, -NH_2, and a 4- to 10-membered heterocycle.













11. The compound of claim 3, having Formula (VIII):



























(VIII)




or a stereoisomer, a tautomer, a pharmaceutically-acceptable salt thereof, wherein:

M is selected from N and CH;

R^1 is selected from , , , , , , , , , , , ,









,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,





,

,

, and

;

R^7, at each occurrence, is independently selected from H, =O, NO_2, F, Cl, Br, C_{1-6} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, C_{1-4} alkoxy, CN, OH, CF_3, $-(CH_2)_n-CO_2H$, $-(CH_2)_n-CO_2(C_{1-4}$ alkyl), $-(CH_2)_n-NR^8R^8$, -NHCOH, $-NHCO(C_{1-4}$ alkyl), $-NHCOCF_3$, $-NHCO_2(C_{1-4}$ alkyl), $-NHCO_2(CH_2)_2O(C_{1-4}$ alkyl), $-NHCO_2(CH_2)_3O(C_{1-4}$ alkyl), $-NHCO_2(CH_2)_2OH$, $-NHCO_2(CH_2)_2NH_2$, $-NHCO_2(CH_2)_2N(C_{1-4}$ alkyl)$_2$, $-NHCO_2CH_2CO_2H$, $-(CH_2)_{1-2}NHCO_2(C_{1-4}$ alkyl), $-NHC(O)NR^8R^8$, $-NHSO_2(C_{1-4}$ alkyl), $S(C_{1-4}$ alkyl), $-SO_2NH_2$, $-SO_2NH(C_{1-4}$ alkyl), $-SO_2N(C_{1-4}$ alkyl)$_2$, $-SO_2NH(CH_2)_2OH$, $-SO_2NH(CH_2)_2O(C_{1-4}$ alkyl), $-(CH_2)_n-CONR^8R^8$, $-O(CH_2)_n$-carbocycle, $-O(CH_2)_n$-heterocycle, -NHCO-carbocycle, -NHCO-heterocycle, $-(CH_2)_n$-carbocycle, and $-(CH_2)_n$-heterocycle comprising carbon atoms and 1-4 heteroatoms selected from N, NR^8, O, and $S(O)_p$, wherein said alkyl,



alkenyl, alkynyl, alkoxyl, carbocycle, and heterocycle are substituted with 0-4 R^9 and






wherein said carbocycle is selected from  and , and wherein




said heterocycle is selected from , , ,

, , , and ,

R^8, at each occurrence, is independently selected from H, $C_{1\text{-}4}$ alkyl, $C(O)C_{1\text{-}4}$alkyl, C(O)carbocycle, C(O)heterocycle, $-(CH_2)_n$-$C(O)NR^aR^a$, $-(CH_2)_n$-$NHC(O)C_{1\text{-}4}$alkyl, $C(O)O$- $C_{1\text{-}4}$alkyl, C(O)O-carbocycle, C(O)O-heterocycle, SO_2alkyl, SO_2carbocycle, SO_2heterocycle, $SO_2NR^aR^a$, $-(CH_2)_n$-$C_{3\text{-}6}$cycloalkyl, $-(CH_2)_n$-aryl, and $-(CH_2)_n$-heterocycle, wherein said alkyl, cycloalkyl, aryl, and heterocycle are substituted with 0-4 R^9;

alternatively, R^8 and R^8 are taken together with the nitrogen atom to which they are attached to form a heterocycle selected from , ,

, , , , ,

,  and ;

R^9, at each occurrence, is independently selected from F, Cl, Br, I, OH, =O, CN, NO_2, CHF_2, CF_3, $C_{1\text{-}4}$ alkyl, $C_{1\text{-}4}$ alkoxy, CH_2OH, CO_2H, $CO_2(C_{1\text{-}4}$ alkyl), $CONH_2$, $-(CH_2)_nNR^aR^a$, $-(CH_2)_nCONR^aR^a$, $-(CH_2)_nNHCO(C_{1\text{-}4}$ alkyl), $-O(CH_2)_n$heterocycle, $-O(CH_2)_{2\text{-}4}NR^aR^a$, $-(CH_2)_n$- carbocycle, and $-(CH_2)_n$-4- to

10-membered heterocycle, wherein said alkyl, alkoxyl, carbocycle, and heterocycle are substituted with 0-4 R^b;

R^a, at each occurrence, is independently selected from H and C_{1-4} alkyl; alternatively, R^a and R^a are taken together with the nitrogen atom to which they are attached to form a 4- to 10-membered heterocycle, wherein said alkyl, alkylene, and heterocycle are substituted with 0-4 R^b;


R^b, at each occurrence, is independently selected from =O, halogen, C_{1-4} alkyl, C_{1-4} alkoxy, OCF_3, $OC(O)C_{1-4}$ alkyl, NH_2, NO_2, $N(C_{1-4}$ alkyl$)_2$, $CO(C_{1-4}$ alkyl), $CO(C_{1-4}$ haloalkyl), $CO_2(C_{1-4}$ alkyl), $CONH_2$, $-CONH(C_{1-4}$ alkyl), $-CON(C_{1-4}$ alkyl$)_2$, $-CONH-C_{1-4}$ alkylene-$O(C_{1-4}$ alkyl), $-CONH-C_{1-4}$ alkylene-$N(C_{1-4}$ alkyl$)_2$, $-CONH-C_{1-4}$ alkylene-N $(C_{1-4}$ alkyl$)_2$, and $-NHCO_2(C_{1-4}$ alkyl), wherein said alkyl and alkoxy are substituted with R^d;

R^d, at each occurrence, is independently selected from =O, halogen, -OH, C_{1-4} alkyl, NH_2, $NH(C_{1-4}$ alkyl), $N(C_{1-4}$ alkyl$)_2$, C_{1-4} alkoxy, and $-NHCO(C_{1-4}$ alkyl), and a heterocycle containing carbon atoms and 1-4 heteroatoms selected from the group consisting of: N, NH, $N(C_{1-4}$ alkyl), O, and $S(O)_p$;

n, at each occurrence, is independently selected from 0, 1, 2, 3, and 4; and

p, at each occurrence, is independently selected from 0, 1, and 2.

12. The compound of claim 3 having Formula (VIII):











(VIII)




or a stereoisomer, a tautomer, a pharmaceutically-acceptable salt thereof, wherein:


M is selected from N and CH;

R^1 is NR^5R^5;

R^5 and R^5 are taken together with the nitrogen atom to which they are attached to form a heterocycle selected from , , , ,. , , and ;

R^7, at each occurrence, is independently selected from H, =O, F, Cl, Br, C_{1-4} alkyl, C_{1-4} alkoxy, CN, OH, CF_3, $-(CH_2)_n-NR^8R^8$, $-NHSO_2(C_{1-4}$ alkyl), $-SO_2NH_2$, $-SO_2NH(C_{1-4}$ alkyl), $-SO_2N(C_{1-4}$ alkyl$)_2$, $-(CH_2)_n-CONR^8R^8$, $-(CH_2)_n$-phenyl, and $-(CH_2)_n$-heterocycle selected from ;





R^8, at each occurrence, is independently selected from H, CF_3, CD_3, CH_3, $C(CH_3)_3$, , , and ;

alternatively, R^8 and R^8 are taken together to form ; and

R^9, at each occurrence, is independently selected from F, Cl, OH, NO_2, CHF_2, $(CH_2)_{0-2}CF_3$, CD_3, CH_3, OC_{1-4} alkyl, SO_2NH_2, and phenyl substituted with C_{1-4} alkyl.

13. The compound of claim 7 or a stereoisomer, a tautomer, a pharmaceutically-acceptable salt thereof, wherein:

M is N;

R^1 and R^6 are taken together with the nitrogen atom to which they are attached to form a heterocycle selected from , , , and ;

R^7, at each occurrence, is independently selected from H, halogen, C_{1-4} alkyl, C_{1-4} alkoxy, CN, OH, CF_3, $-(CH_2)_n-CO_2H$, $-(CH_2)_n-CO_2(C_{1-4}$ alkyl), $-(CH_2)_n-NR^8R^8$, $-NHCO(C_{1-4}$ alkyl), $-NHC(O)NR^8R^8$, $-NHSO_2(C_{1-4}$ alkyl), $-SO_2NH_2$, $-SO_2NH(C_{1-4}$ alkyl), $-SO_2N(C_{1-4}$ alkyl)$_2$, $-SO_2NH(CH_2)_2OH$, $-SO_2NH(CH_2)_2O(C_{1-4}$ alkyl), $-(CH_2)_n-CONR^8R^8$, $-(CH_2)_n$-carbocycle, and $-(CH_2)_n$-heterocycle comprising carbon atoms and 1-4 heteroatoms selected from N, NR^8, O, and $S(O)_p$, wherein said alkyl, alkenyl, alkynyl, alkoxyl, carbocycle, and heterocycle are substituted with 0-4 R^9;


R^8, at each occurrence, is independently selected from H and C_{1-4} alkyl:

R^9, at each occurrence, is independently selected from halogen, OH, CN, NO_2, CHF_2, CF_3, C_{1-4} alkyl, C_{1-4} alkoxy, CH_2OH, $CO(C_{1-4}$ alkyl), CO_2H, and $CO_2(C_{1-4}$ alkyl);

n, at each occurrence, is independently selected from 0, 1, 2, 3, and 4; and

p, at each occurrence, is independently selected from 0, 1, and 2.

14. The compound of claim 1 or 2, having Formula (IX):



(IX)

or a stereoisomer, a tautomer, a pharmaceutically-acceptable salt thereof, wherein:

R^1 is selected from NR^5R^5, and a 5- to 10-membered heterocycle substituted with 1-4 R^7;

R^3, at each occurrence, is independently selected from halogen and C_{1-6} alkyl;

R^5 and R^5 are taken together with the nitrogen atom to which they are attached to form a 4- to 10-membered heterocycle substituted with 1-4 R^7;

R^7, at each occurrence, is independently selected from H, =O, NO_2, halogen, C_{1-4} alkyl, C_{1-4} alkoxy, CN, OH, CF_3, $-(CH_2)_n-CO_2H$, $-(CH_2)_n-CO_2(C_{1-4}$ alkyl), $-(CH_2)_n-NR^8R^8$, $-NHCO(C_{1-4}$ alkyl), $-NHCOCF_3$, $-NHCO_2(C_{1-4}$ alkyl), $-NHCO_2(CH_2)_2O(C_{1-4}$ alkyl), $-NHCO_2(CH_2)_3O(C_{1-4}$ alkyl), $-NHCO_2(CH_2)_2OH$, $-NHCO_2(CH_2)_2NH_2$, $-NHCO_2(CH_2)_2N(C_{1-4}$ alkyl)$_2$, $-NHCO_2CH_2CO_2H$, $-CH_2NHCO_2(C_{1-4}$ alkyl), $-NHC(O)NR^8R^8$, $-NHSO_2(C_{1-4}$ alkyl), $-SO_2NH_2$, $-SO_2NH(C_{1-4}$ alkyl), $-SO_2N(C_{1-4}$ alkyl)$_2$, $-SO_2NH(CH_2)_2OH$, $-SO_2NH(CH_2)_2O(C_{1-4}$ alkyl), $-(CH_2)_n-CONR^8R^8$, $-O(CH_2)_n$-carbocycle, $-O(CH_2)_n$-heterocycle, -NHCO-carbocycle, -NHCO-heterocycle, $-(CH_2)_n$-carbocycle, and $-(CH_2)_n$-heterocycle comprising carbon atoms and 1-4 heteroatoms selected from N, NR^8, O, and $S(O)_p$, wherein said alkyl, alkenyl, alkynyl, alkoxyl, carbocycle, and heterocycle are substituted with 0-4 R^9;

R^8, at each occurrence, is independently selected from H, C_{1-4} alkyl, C_{2-4} alkenyl, $C(O)C_{1-4}$alkyl, C(O)carbocycle, C(O)heterocycle, $-(CH_2)_n-C(O)NR^aR^a$, $C(O)OC_{1-4}$alkyl, C(O)O-carbocycle, C(O)O-heterocycle, SO_2alkyl, SO_2carbocycle, SO_2heterocycle, $SO_2NR^aR^a$, $-(CH_2)_n$-carbocycle, and $-(CH_2)_n$-heterocycle, wherein said alkyl, alkenyl, carbocycle, and heterocycle are substituted with 0-4 R^9;

R^9, at each occurrence, is independently selected from halogen, OH, CN, NO_2, CHF_2, CF_3, C_{1-4} alkyl, C_{1-4} alkoxy, CH_2OH, $CO(C_{1-4}$ alkyl), CO_2H, $CO_2(C_{1-4}$ alkyl), $-(CHR^{10})_nNR^aR^a$, $-(CHR^{10})_nCONR^aR^a$, $-(CHR^{10})_nNR^aCO(C_{1-4}$ alkyl), $-O(CHR^{10})_n$carbocycle, $-O(CHR^{10})_n$heterocycle, $-O(CHR^{10})_nNR^aR^a$, and $-(CR^{10}R^{10})_n$-4- to 10-membered heterocycle, wherein said alkyl, alkoxy, carbocycle, and heterocycle are substituted with 0-4 R^b;

R^{10} is selected from H and C_{1-4} alkyl;

R^a, at each occurrence, is independently selected from H, C_{1-4} alkyl, $-(CH_2)_nOH$, $CO(C_{1-4}$ alkyl), $COCF_3$, $CO_2(C_{1-4}$ alkyl), $-CONH_2$, $-CONH-C_{1-4}$ alkylene-$CO_2(C_{1-4}$ alkyl), C_{1-4} alkylene-$CO_2(C_{1-4}$ alkyl), R^c, CO_2R^c, and $CONHR^c$; alternatively, R^a and R^a are

taken together with the nitrogen atom to which they are attached to form a 4- to 10-membered heterocycle, wherein said alkyl, alkylene, and heterocycle are substituted with 0-4 R^b;

R^b, at each occurrence, is independently selected from =O, halogen, C_{1-4} alkyl, C_{1-4} alkoxy, OCF_3, NH_2, NO_2, $N(C_{1-4}$ alkyl$)_2$, $CO(C_{1-4}$ alkyl), $CO(C_{1-4}$ haloalkyl), $CO_2(C_{1-4}$ alkyl), $CONH_2$, -$CONH(C_{1-4}$ alkyl), -$CON(C_{1-4}$ alkyl$)_2$, -CONH-C_{1-4} alkylene-$O(C_{1-4}$ alkyl), -CONH-C_{1-4} alkylene-$N(C_{1-4}$ alkyl$)_2$, -CONH-C_{1-4} alkylene-N $(C_{1-4}$ alkyl$)_2$, -C_{1-4} alkylene-O-$P(O)(OH)_2$, -$NHCO_2(C_{1-4}$ alkyl), -R^c, COR^c, CO_2R^c, and $CONHR^c$;

R^c, at each occurrence, is independently selected from -$(CH_2)_n$-C_{3-6} cycloalkyl, -$(CH_2)_n$-phenyl, and -$(CH_2)_n$-5- to 6-membered heterocycle containing carbon atoms and 1-4 heteroatoms selected from the group consisting of: N, NH, $N(C_{1-4}$ alkyl), O, and $S(O)_p$; wherein each ring moiety is substituted with 0-2 R^d;

R^d, at each occurrence, is independently selected from =O, halogen, -OH, C_{1-4} alkyl, NH_2, $NH(C_{1-4}$ alkyl), $N(C_{1-4}$ alkyl$)_2$, C_{1-4} alkoxy, and -$NHCO(C_{1-4}$ alkyl), and a heterocycle containing carbon atoms and 1-4 heteroatoms selected from the group consisting of: N, NH, $N(C_{1-4}$ alkyl), O, and $S(O)_p$;

n, at each occurrence, is independently selected from 0, 1, 2, 3, and 4; and

p, at each occurrence, is independently selected from 0, 1, and 2.

15. A compound according to claim 1 which is selected from the group consisting of:

N-[6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,3-dihydro-1H-indene-2-carboxamide,

4-(dimethylamino)-N-[6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]benzamide,

2-(naphthalen-1-yl)-N-[6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]acetamide,

2-(naphthalen-2-yl)-N-[6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]acetamide,

1-methyl-N-[6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

N-[6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-3-phenylpropanamide,

N-[6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1-(2,2,2-trifluoroethyl)-1H-pyrazole-3-carboxamide,

3-methyl-N-[6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1-phenyl-1H-pyrazole-4-carboxamide,

1-*tert*-butyl-N-[6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-pyrazole-4-carboxamide,

N-[6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1-phenyl-1H-pyrazole-3-carboxamide,

1-(2-hydroxy-2-methylpropyl)-N-[6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

N-[6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1-phenyl-1H-pyrazole-4-carboxamide,

5-methyl-N-[6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1-phenyl-1H-pyrazole-4-carboxamide,

1-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1-(2,2,2-trifluoroethyl)-1H-pyrazole-3-carboxamide,

1-(2,2-difluoroethyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-pyrazole-3-carboxamide,

1-methyl-N-[(aS)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

N-[(aS)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1-(2,2,2-trifluoroethyl)-1H-pyrazole-3-carboxamide,

1-(2,2-difluoroethyl)-N-[(aS)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-pyrazole-3-carboxamide,

5-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1-phenyl-1H-pyrazole-4-carboxamide,

1-(2-hydroxy-2-methylpropyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1-(3,3,3-trifluoropropyl)-1H-pyrazole-3-carboxamide,

1-(cyclopropylmethyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-pyrazole-3-carboxamide,

3-cyclopropyl-1-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-pyrazole-5-carboxamide,

1-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-3-(trifluoromethyl)-1H-pyrazole-5-carboxamide,

5-cyclopropyl-1-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-pyrazole-3-carboxamide,

1-cyclopropyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-pyrazole-4-carboxamide,

5-(difluoromethoxy)-1-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-pyrazole-3-carboxamide,

1-cyclopropyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-pyrazole-3-carboxamide,

1-(2-hydroxy-2-methylpropyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-pyrazole-3-carboxamide,

6-fluoro-1-(2-hydroxy-2-methylpropyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

1-(2,2-difluoroethyl)-3-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-pyrazole-4-carboxamide,

4-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2-(piperidin-1-yl)-1,3-thiazole-5-carboxamide,

4-methyl-2-(morpholin-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1,3-thiazole-5-carboxamide,

4-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2-(pyrrolidin-1-yl)-1,3-thiazole-5-carboxamide,

2-[(3S)-3-fluoropyrrolidin-1-yl]-4-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1,3-thiazole-5-carboxamide,

2-[(3R)-3-fluoropyrrolidin-1-yl]-4-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1,3-thiazole-5-carboxamide,

2-[(3S)-3-cyanopyrrolidin-1-yl]-4-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1,3-thiazole-5-carboxamide,

2-[(3R)-3-cyanopyrrolidin-1-yl]-4-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1,3-thiazole-5-carboxamide,

rel-2-[(1S,5R)-2-azabicyclo[3.1.0]hexan-2-yl]-4-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1,3-thiazole-5-carboxamide,

2-(3,3-difluoropyrrolidin-1-yl)-4-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1,3-thiazole-5-carboxamide,

2-(cyclopropylamino)-4-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1,3-thiazole-5-carboxamide,

4-(aR)-{6-[(5-phenyl-1,3,4-thiadiazol-2-yl)amino]spiro[3.3]heptan-2-yl}-1,2-dihydrophthalazin-1-one,

4-(aR)-{6-[(5-phenyl-1,3-oxazol-2-yl)amino]spiro[3.3]heptan-2-yl}-1,2-dihydrophthalazin-1-one,

4-(aR)-{6-[(phthalazin-1-yl)amino]spiro[3.3]heptan-2-yl}-1,2-dihydrophthalazin-1-one,

4-[6-(2,3-dihydro-1H-indole-1-carbonyl)spiro[3.3]heptan-2-yl]-1,2-dihydrophthalazin-1-one,

4-[6-(2,3-dihydro-1H-isoindole-2-carbonyl)spiro[3.3]heptan-2-yl]-1,2-dihydrophthalazin-1-one,

N-(5-methyl-1,3,4-thiadiazol-2-yl)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptane-2-carboxamide,

N-(5-methyl-1,2-oxazol-3-yl)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptane-2-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,3-dihydro-1H-indole-1-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,3-dihydro-1H-isoindole-2-carboxamide,

4-{6-[2-(2,3-dihydro-1H-indol-1-yl)-2-oxoethyl]spiro[3.3]heptan-2-yl}-1,2-dihydrophthalazin-1-one,

2-[(3R)-3-fluoropyrrolidin-1-yl]-5-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1,3-thiazole-4-carboxamide,

2-(3,3-difluoropyrrolidin-1-yl)-5-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1,3-thiazole-4-carboxamide,

2-[(3S)-3-cyanopyrrolidin-1-yl]-5-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1,3-thiazole-4-carboxamide,

2-[(3R)-3-cyanopyrrolidin-1-yl]-5-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1,3-thiazole-4-carboxamide,

2-[(3,3-difluorocyclobutyl)amino]-5-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1,3-thiazole-4-carboxamide,

2-[(3S)-3-fluoropyrrolidin-1-yl]-5-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1,3-thiazole-4-carboxamide,

5-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2-[(2S)-2-(trifluoromethyl)pyrrolidin-1-yl]-1,3-thiazole-4-carboxamide,

5-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2-[(2R)-2-(trifluoromethyl)pyrrolidin-1-yl]-1,3-thiazole-4-carboxamide,

1-(2-hydroxy-2-methylpropyl)-5-methoxy-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

1-(2-hydroxy-2-methylpropyl)-6-methoxy-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

6-methoxy-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

5-methoxy-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

5-fluoro-1-(2-hydroxy-2-methylpropyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

1-(2-hydroxy-2-methylpropyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-carboxamide,

6-(2-hydroxy-2-methylpropoxy)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[2-(morpholin-4-yl)ethoxy]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

2-(morpholin-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1,3-thiazole-5-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2-(pyrrolidin-1-yl)-1,3-thiazole-5-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1,2-benzoxazole-3-carboxamide,

1-(2-hydroxy-2-methylpropyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indole-3-carboxamide,

5-[2-(morpholin-4-yl)ethoxy]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

5-(2-hydroxy-3-methoxypropoxy)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(morpholin-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

5-(2-hydroxyethoxy)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,1-benzoxazole-3-carboxamide,

6-(difluoromethoxy)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(2,2-difluoroethoxy)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-[2-(1H-pyrazol-1-yl)ethoxy]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(4,4-difluoropiperidin-1-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-[2-(pyrrolidin-1-yl)ethoxy]pyrazolo[1,5-a]pyridine-3-carboxamide,

5-(morpholin-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

5-(1-methyl-1H-pyrazol-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(4-methylpiperazin-1-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-(pyrrolidin-1-yl)pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[(3R)-3-fluoropyrrolidin-1-yl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[(3S)-3-fluoropyrrolidin-1-yl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(3,3-difluoropyrrolidin-1-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(3-fluoroazetidin-1-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(3,3-difluoroazetidin-1-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

N-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro [3.3]heptan-2-yl)benzo[d] imidazo[2,1-b]thiazole-2-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[2,1-b][1,3]thiazole-6-carboxamide,

2-ethyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[2,1-b][1,3,4]thiadiazole-6-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-b]pyridazine-3-carboxamide,

7-cyclopropyl-6-(2-hydroxy-2-methylpropoxy)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-[3,3,3-trifluoro-2-hydroxy-2-(trifluoromethyl)propoxy]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(benzyloxy)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

1-(2,2-difluoroethyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-pyrazole-5-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1-(3,3,3-trifluoropropyl)-1H-pyrazole-5-carboxamide,

1-[(4-methoxyphenyl)methyl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-pyrazole-4-carboxamide,

1-(cyclopropylmethyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-pyrazole-5-carboxamide,

1-(oxan-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-pyrazole-5-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-(oxolan-3-yloxy)pyrazolo[1,5-a]pyridine-3-carboxamide,

tert-butyl N-[2-(4-{[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]carbamoyl}-1H-pyrazol-1-yl)ethyl]carbamate,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-(3,3,3-trifluoro-2-hydroxypropoxy)pyrazolo[1,5-a]pyridine-3-carboxamide,

1-(3-methoxyphenyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-pyrazole-4-carboxamide,

1-benzyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-pyrazole-4-carboxamide,

6-(2-hydroxy-2-methylpropoxy)-3-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3,7-dicarboxamide,

7-cyano-6-hydroxy-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(2-hydroxy-2-methylpropoxy)-7-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(2-hydroxy-2-methylpropoxy)-7-(methoxymethyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

5-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1-phenyl-1H-1,2,3-triazole-4-carboxamide,

1-(4-methoxyphenyl)-5-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-1,2,3-triazole-4-carboxamide,

1-(3-methoxyphenyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-1,2,3-triazole-4-carboxamide,

1-(2-methoxyphenyl)-5-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-1,2,3-triazole-4-carboxamide,

5-(4-fluorophenyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1,2,4-oxadiazole-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-(3,3,3-trifluoro-2-hydroxypropoxy)pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-(3,3,3-trifluoro-2-hydroxypropoxy)pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-(oxolan-3-yloxy)pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-(oxolan-3-yloxy)pyrazolo[1,5-a]pyridine-3-carboxamide,

7-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

3-methoxy-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-2-carboxamide,

6-(benzyloxy)-7-cyclopropyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(benzyloxy)-7-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(benzyloxy)-7-cyano-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

7-cyclopropyl-6-hydroxy-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

1-(2-methoxyphenyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-1,2,3-triazole-4-carboxamide,

6-(benzyloxy)-7-[(dimethylamino)methyl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[(1,3-difluoropropan-2-yl)oxy]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[(1,1-dioxo-1λ^6-thian-4-yl)oxy]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-(3,3,3-trifluoropropoxy)pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[(4,4-difluorocyclohexyl)oxy]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(oxan-4-yloxy)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

methyl 3-[(3-{[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]carbamoyl}pyrazolo[1,5-a]pyridin-6-yl)oxy]azetidine-1-carboxylate,

6-hydroxy-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(3,3-difluorocyclobutoxy)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-[2-(2,2,2-trifluoroethoxy)ethoxy]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[(5-cyclopropyl-1,3,4-thiadiazol-2-yl)methoxy]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(benzyloxy)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-7-(trifluoromethyl)pyrazolo[1,5-a]pyridine-3-carboxamide,

6-cyclopropyl-1-(2-hydroxy-2-methylpropyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

1-(2-hydroxy-2-methylpropyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-phenyl-1H-indazole-3-carboxamide,

6-(4-chlorophenyl)-1-(2-hydroxy-2-methylpropyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

1-(2-hydroxy-2-methylpropyl)-6-(1-methyl-1H-pyrazol-3-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

1-(2-hydroxy-2-methylpropyl)-6-(1-methyl-1H-pyrazol-5-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

1-(2-hydroxy-2-methylpropyl)-6-(1-methyl-1H-pyrazol-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

1-(2-hydroxy-2-methylpropyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-[(E)-2-phenylethenyl]-1H-indazole-3-carboxamide,

6-[(E)-2-cyclopropylethenyl]-1-(2-hydroxy-2-methylpropyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

1-(2-hydroxy-2-methylpropyl)-6-(6-methoxypyridin-2-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

6-[(Z)-2-cyclopropylethenyl]-1-(2-hydroxy-2-methylpropyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

6-bromo-1-(2-hydroxy-2-methylpropyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

1-(2-hydroxy-2-methylpropyl)-6-(4-methoxyphenyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

1-(2-hydroxy-2-methylpropyl)-6-(1-methyl-1H-1,2,3-triazol-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

6-(dimethyl-1,2-oxazol-4-yl)-1-(2-hydroxy-2-methylpropyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

6-(3-chlorophenyl)-1-(2-hydroxy-2-methylpropyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

1-(2-hydroxy-2-methylpropyl)-6-(2-methoxyphenyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

1-(2-hydroxy-2-methylpropyl)-6-(3-methoxyphenyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

6-(2,6-difluorophenyl)-1-(2-hydroxy-2-methylpropyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

6-(2-cyanophenyl)-1-(2-hydroxy-2-methylpropyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

1-(2-hydroxy-2-methylpropyl)-6-(1,2-oxazol-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

N-[6-fluoro-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1-(2-hydroxy-2-methylpropyl)-1H-indazole-3-carboxamide,

6-fluoro-N-[6-fluoro-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1-(2-hydroxy-2-methylpropyl)-1H-indazole-3-carboxamide,

N-[6-fluoro-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-(2-oxopyrrolidin-1-yl)pyrazolo[1,5-a]pyridine-3-carboxamide,

6-cyclopropyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[1-(difluoromethyl)-1H-pyrazol-4-yl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-cyano-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(2-oxo-1,2-dihydropyridin-1-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(1-methyl-1H-pyrazol-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-{1-[(2S)-3,3,3-trifluoro-2-hydroxypropyl]-1H-pyrazol-4-yl}pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-[3-(trifluoromethyl)-1H-pyrazol-4-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-(1,3-thiazol-2-yl)pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-(1H-pyrazol-4-yl)pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(dimethyl-1H-1,2,3-triazol-5-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(1H-imidazol-1-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-(1H-pyrazol-1-yl)pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-(1H-1,2,4-triazol-1-yl)pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(2-methoxyethoxy)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(4-oxo-1,4-dihydropyridin-1-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(2-hydroxyethoxy)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[2-(3-fluoroazetidin-1-yl)ethoxy]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[2-(dimethylamino)ethoxy]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[2-(4-hydroxy-3,3-dimethylpiperidin-1-yl)ethoxy]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[2-(3,3-difluoropyrrolidin-1-yl)ethoxy]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[2-(azetidin-1-yl)ethoxy]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[2-(2,2-dimethylmorpholin-4-yl)ethoxy]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[2-(4-methylpiperazin-1-yl)ethoxy]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-{2-[(3R)-3-fluoropyrrolidin-1-yl]ethoxy}-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-{2-[(3S)-3-fluoropyrrolidin-1-yl]ethoxy}-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[3-(morpholin-4-yl)propyl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-[3-(pyrrolidin-1-yl)propyl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[3-(dimethylamino)propyl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[3-(cyclopropylamino)propyl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(3-hydroxypropyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[3-(4,4-difluoropiperidin-1-yl)propyl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[3-(3,3-difluoropyrrolidin-1-yl)propyl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(3-hydroxy-3-methylbutyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-[4,4,4-trifluoro-3-hydroxy-3-(trifluoromethyl)butyl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(morpholin-4-ylmethyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[(4-methylpiperazin-1-yl)methyl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-(piperidin-1-ylmethyl)pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[(dimethylamino)methyl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-benzyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[3-(morpholin-4-yl)-3-oxopropyl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-(3,3,3-trifluoropropyl)pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(2-cyanoethyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-{[2-(morpholin-4-yl)ethoxy]methyl}-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(methoxymethyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(2-methoxypyrimidin-5-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[(oxan-4-ylmethoxy)methyl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-[(prop-2-en-1-yloxy)methyl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(hydroxymethyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-acetyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(2-hydroxypropan-2-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(1,5-dimethyl-1H-pyrazol-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(1-cyclopropyl-1H-pyrazol-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[1-(cyclopropylmethyl)-1H-pyrazol-4-yl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[1-($^{2}H_{3}$)methyl-1H-pyrazol-4-yl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-[1-(propan-2-yl)-1H-pyrazol-4-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-(trimethyl-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[1-(oxan-4-yl)-1H-pyrazol-4-yl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-[1-methyl-3-(trifluoromethyl)-1H-pyrazol-4-yl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-[1-(propan-2-yl)-3-(trifluoromethyl)-1H-pyrazol-4-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-(1-*tert*-butyl-1H-pyrazol-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-[1-(oxolan-3-yl)-1H-pyrazol-4-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

1-(4-bromophenyl)-3-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]urea,

1-[4-(1-methyl-1H-pyrazol-4-yl)phenyl]-3-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]urea,

1-{4-[1-($^2H_3$)methyl-1H-pyrazol-4-yl]phenyl}-3-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]urea,

1-[4-(1-cyclopropyl-1H-pyrazol-4-yl)phenyl]-3-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]urea,

1-{4-[1-(oxan-4-yl)-1H-pyrazol-4-yl]phenyl}-3-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]urea,

1-{4-[1-methyl-3-(trifluoromethyl)-1H-pyrazol-4-yl]phenyl}-3-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]urea,

3-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1-[4-(trimethyl-1H-pyrazol-4-yl)phenyl]urea,

5-bromo-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,3-dihydro-1H-indole-1-carboxamide,

5-(1-methyl-1H-pyrazol-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,3-dihydro-1H-indole-1-carboxamide,

5-(1-cyclopropyl-1H-pyrazol-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,3-dihydro-1H-indole-1-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-5-(trimethyl-1H-pyrazol-4-yl)-2,3-dihydro-1H-indole-1-carboxamide,

5-[1-methyl-3-(trifluoromethyl)-1H-pyrazol-4-yl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,3-dihydro-1H-indole-1-carboxamide,

5-[1-($^2H_3$)methyl-1H-pyrazol-4-yl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,3-dihydro-1H-indole-1-carboxamide,

5-[1-(oxan-4-yl)-1H-pyrazol-4-yl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,3-dihydro-1H-indole-1-carboxamide,

5-[1-(cyclopropylmethyl)-1H-pyrazol-4-yl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,3-dihydro-1H-indole-1-carboxamide,

5-(1-*tert*-butyl-1H-pyrazol-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,3-dihydro-1H-indole-1-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-5-[1-(oxolan-3-yl)-1H-pyrazol-4-yl]-2,3-dihydro-1H-indole-1-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-5-[1-(propan-2-yl)-3-(trifluoromethyl)-1H-pyrazol-4-yl]-2,3-dihydro-1H-indole-1-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-5-(3,3,3-trifluoropropyl)-2,3-dihydro-1H-indole-1-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-5-(trimethyl-1H-pyrazol-4-yl)-2,3-dihydro-1H-isoindole-2-carboxamide,

5-(1-cyclopropyl-1H-pyrazol-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,3-dihydro-1H-isoindole-2-carboxamide,

5-[1-methyl-3-(trifluoromethyl)-1H-pyrazol-4-yl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,3-dihydro-1H-isoindole-2-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-5-[1-(propan-2-yl)-3-(trifluoromethyl)-1H-pyrazol-4-yl]-2,3-dihydro-1H-isoindole-2-carboxamide,

5-(1-methyl-1H-pyrazol-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,3-dihydro-1H-isoindole-2-carboxamide,

5-[1-(oxan-4-yl)-1H-pyrazol-4-yl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,3-dihydro-1H-isoindole-2-carboxamide,

5-(1-*tert*-butyl-1H-pyrazol-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,3-dihydro-1H-isoindole-2-carboxamide,

5-[1-($^{2}H_{3}$)methyl-1H-pyrazol-4-yl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,3-dihydro-1H-isoindole-2-carboxamide,

3,3-dimethyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,3-dihydro-1H-indole-1-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H,2H,3H-pyrrolo[2,3-b]pyridine-1-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-5H,6H,7H-pyrrolo[3,4-b]pyridine-6-carboxamide,

5-methoxy-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,3-dihydro-1H-indole-1-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-(trifluoromethyl)-2,3-dihydro-1H-indole-1-carboxamide,

5-(dimethylsulfamoyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,3-dihydro-1H-indole-1-carboxamide,

3-(morpholin-4-ylmethyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,3-dihydro-1H-indole-1-carboxamide,

2-(4-methylphenyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-5H,6H,7H-pyrrolo[3,4-d]pyrimidine-6-carboxamide,

5-methoxy-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,3-dihydro-1H-isoindole-2-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H,2H,3H-pyrrolo[3,4-c]pyridine-2-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1,2-dihydrospiro[indole-3,4′-piperidine]-1-carboxamide,

N,1-dimethyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

N-ethyl-1-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-3-carboxamide,

2-methyl-1-[(3-{[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]carbamoyl}pyrazolo[1,5-a]pyridin-6-yl)oxy]propan-2-yl 2-aminoacetate,

2-methyl-1-[(3-{[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]carbamoyl}pyrazolo[1,5-a]pyridin-6-yl)oxy]propan-2-yl (2S)-2-amino-3-methylbutanoate,

2-methyl-1-[(3-{[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]carbamoyl}pyrazolo[1,5-a]pyridin-6-yl)oxy]propan-2-yl (2S)-2-aminopropanoate,

6-(2-hydroxy-2-methylpropoxy)-N-[6-(1-oxo-1,2-dihydroisoquinolin-4-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

tert-butyl 3-{[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]carbamoyl}-4H,5H,6H,7H-thieno[2,3-c]pyridine-6-carboxylate,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-4H,5H,6H,7H-thieno[2,3-c]pyridine-3-carboxamide,

6-acetyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-4H,5H,6H,7H-thieno[2,3-c]pyridine-3-carboxamide,

methyl 3-{[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]carbamoyl}-4H,5H,6H,7H-thieno[2,3-c]pyridine-6-carboxylate,

6-methanesulfonyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-4H,5H,6H,7H-thieno[2,3-c]pyridine-3-carboxamide,

6-(1-methyl-1H-pyrazol-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,1-benzoxazole-3-carboxamide,

1-(2-hydroxy-2-methylpropyl)-N-(6-{4-oxo-3H,4H-pyrrolo[1,2-d][1,2,4]triazin-1-yl}spiro[3.3]heptan-2-yl)-1H-indazole-3-carboxamide,

6-(2-hydroxy-2-methylpropoxy)-N-(6-{4-oxo-3H,4H-pyrrolo[1,2-d][1,2,4]triazin-1-yl}spiro[3.3]heptan-2-yl)pyrazolo[1,5-a]pyridine-3-carboxamide,

1-methyl-N-(6-{4-oxo-3H,4H-pyrrolo[1,2-d][1,2,4]triazin-1-yl}spiro[3.3]heptan-2-yl)-1H-indazole-3-carboxamide,

6-(2-hydroxy-2-methylpropoxy)-N-(6-{8-methyl-4-oxo-3H,4H-pyrrolo[1,2-d][1,2,4]triazin-1-yl}spiro[3.3]heptan-2-yl)pyrazolo[1,5-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyrimidine-3-carboxamide,

6-[(3,5-dimethylphenyl)amino]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-b]pyridazine-3-carboxamide,

6-bromo-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,1-benzoxazole-3-carboxamide,

1-ethyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-pyrazole-5-carboxamide,

1-(difluoromethyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-pyrazole-5-carboxamide,

6-(2-hydroxy-2-methylpropoxy)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,1-benzoxazole-3-carboxamide,

1-(3-chlorophenyl)-7-oxo-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H,4H,5H,6H,7H-pyrazolo[3,4-c]pyridine-3-carboxamide,

1-(4-methoxyphenyl)-7-oxo-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H,4H,5H,6H,7H-pyrazolo[3,4-c]pyridine-3-carboxamide,

5-chloro-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1,2-benzoxazole-3-carboxamide,

6-acetamido-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1,2-benzoxazole-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,5-a]pyridine-1-carboxamide,

5-methoxy-1-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indole-2-carboxamide,

1-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indole-2-carboxamide,

7-methoxy-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indole-2-carboxamide,

5-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-4H,5H,6H,7H-[1,3]thiazolo[5,4-c]pyridine-2-carboxamide,

4-chloro-1-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indole-2-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indole-2-carboxamide,

2-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indole-3-carboxamide,

7-chloro-1-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indole-2-carboxamide,

4-chloro-7-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indole-2-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]thieno[2,3-b]pyrazine-6-carboxamide,

4-bromo-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

6-chloro-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-1,3-benzodiazole-2-carboxamide,

5-chloro-1-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indole-2-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1-(propan-2-yl)-1H-1,3-benzodiazole-5-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-1,3-benzodiazole-5-carboxamide,

2-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-1,3-benzodiazole-5-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-3H-imidazo[4,5-b]pyridine-6-carboxamide,

4-formamido-3-hydroxy-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]benzamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-pyrrolo[2,3-b]pyridine-2-carboxamide,

6-chloro-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1-benzothiophene-2-carboxamide,

6-methoxy-1-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indole-2-carboxamide,

2-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1,3-benzoxazole-6-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-6-carboxamide,

1-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-1,3-benzodiazole-5-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

5-(benzyloxy)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indole-2-carboxamide,

6-fluoro-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indole-2-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,3-dihydro-1H-indene-1-carboxamide,

7-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indole-2-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,3-dihydro-1H-isoindole-1-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-2-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]isoquinoline-3-carboxamide,

7-hydroxy-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indole-2-carboxamide,

7-chloro-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indole-2-carboxamide,

6-fluoro-7-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indole-2-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]quinoline-2-carboxamide,

4-bromo-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]benzamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-7-(trifluoromethyl)-1H-indole-2-carboxamide,

7-fluoro-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indole-2-carboxamide,

4,7-dimethoxy-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indole-2-carboxamide,

5-fluoro-7-methanesulfonyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indole-2-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-3-(1H-pyrazol-1-yl)benzamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-4-(1H-pyrazol-4-yl)benzamide,

3-[2-(morpholin-4-yl)ethoxy]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]benzamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-3-(1H-pyrazol-4-yl)benzamide,

3-(4-methyl-1,3-thiazol-2-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]benzamide,

6-methoxy-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-(trifluoromethyl)pyridine-3-carboxamide,

2-hydroxy-6-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-[2-(pyrrolidin-1-yl)ethyl]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-4-(2H-1,2,3,4-tetrazol-5-yl)benzamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-(1H-pyrazol-1-yl)pyridine-3-carboxamide,

5-chloro-6-hydroxy-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-4-(1H-1,2,4-triazol-1-yl)benzamide,

3-methoxy-4-(4-methyl-1H-imidazol-1-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]benzamide,

3-methoxy-4-(2-methyl-1,3-thiazol-5-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]benzamide,

5-methoxy-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyridine-2-carboxamide,

3-(1H-imidazol-1-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]benzamide,

3-cyano-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-4-(propan-2-yloxy)benzamide,

3-(difluoromethoxy)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]benzamide,

4-ethoxy-5-oxo-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1-(2,2,2-trifluoroethyl)-2,5-dihydro-1H-pyrrole-3-carboxamide,

6-(dimethylamino)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-4-(1H-pyrazol-3-yl)benzamide,

4-(1,3-oxazol-5-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]benzamide,

4-(1H-imidazol-1-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]benzamide,

4-(5-methyl-1,2,4-oxadiazol-3-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]benzamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-3-(1H-pyrazol-3-yl)benzamide,

8-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-2-carboxamide,

6-bromo-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-2-carboxamide,

1-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indole-3-carboxamide,

5-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2-(pyridin-4-yl)-1,3-thiazole-4-carboxamide,

1-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-6-carboxamide,

1-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indole-6-carboxamide,

1-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indole-5-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-5-(pyrrolidin-1-yl)pyridine-2-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-5-(trifluoromethyl)pyridine-2-carboxamide,

5-cyano-6-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyridine-2-carboxamide,

7-methoxy-3-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indole-2-carboxamide,

1-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indazole-5-carboxamide,

7-bromo-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-2-carboxamide,

5-bromo-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyridine-2-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-2-carboxamide,

7-(4-methylpiperazin-1-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

7-cyano-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

8-cyano-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-8-(trifluoromethyl)imidazo[1,2-a]pyridine-3-carboxamide,

8-chloro-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-7-phenylimidazo[1,2-a]pyridine-3-carboxamide,

7-(benzyloxy)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

7-methoxy-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

8-chloro-7-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

7-fluoro-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-3-(propan-2-yl)-5H,6H,7H,8H-imidazo[1,5-a]pyridine-1-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-[1,2,4]triazolo[4,3-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-(trifluoromethyl)imidazo[1,2-a]pyridine-3-carboxamide,

7-(4,4-difluoropiperidin-1-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

7-(3,3-difluoropyrrolidin-1-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

7-[(3R)-3-fluoropyrrolidin-1-yl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

7-[(3S)-3-fluoropyrrolidin-1-yl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

7-[(3R)-3-hydroxypyrrolidin-1-yl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

7-[(2-hydroxyethyl)(methyl)amino]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

7-[(2-methoxyethyl)(methyl)amino]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

7-[2-(morpholin-4-yl)ethoxy]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

7-[(2-hydroxy-2-methylpropyl)(methyl)amino]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

7-(2-hydroxy-2-methylpropoxy)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-7-[2-(pyrrolidin-1-yl)ethoxy]imidazo[1,2-a]pyridine-3-carboxamide,

1-(2-hydroxy-2-methylpropyl)-7-oxo-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H,7H-imidazo[1,2-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-7-(trifluoromethyl)imidazo[1,2-a]pyridine-3-carboxamide,

8-fluoro-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6-(trifluoromethyl)imidazo[1,2-a]pyridine-3-carboxamide,

6-fluoro-8-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

7-(difluoromethoxy)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

6-fluoro-5-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

6-fluoro-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

7-[(2-hydroxy-2-methylpropyl)amino]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

6-fluoro-7-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

6,8-difluoro-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

7-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

8-(benzyloxy)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

7-(methylsulfanyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

4-oxo-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-4H,5H,6H,7H-pyrazolo[1,5-a]pyrazine-2-carboxamide,

3-methoxy-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-4-(1H-pyrazol-4-yl)benzamide,

3-cyano-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-4-(1H-pyrazol-4-yl)benzamide,

3-methyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-4-(1H-pyrazol-4-yl)benzamide,

2-methoxy-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-4-(1H-pyrazol-4-yl)benzamide,

7-(1-methyl-1H-pyrazol-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-1H-indole-2-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-6H-isochromeno[4,3-d]pyrimidine-8-carboxamide,

3-methoxy-4-(1-methyl-1H-pyrazol-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]benzamide,

3-fluoro-4-(1-methyl-1H-pyrazol-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]benzamide,

6-(1-methyl-1H-pyrazol-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyridine-3-carboxamide,

7-acetyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

3-fluoro-4-[1-($^{2}H_3$)methyl-1H-pyrazol-4-yl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]benzamide,

4-[1-(difluoromethyl)-1H-pyrazol-4-yl]-3-fluoro-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]benzamide,

7-(2-hydroxypropan-2-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

7-(1-hydroxyethyl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

7-[(1,1-dioxo-1λ^6-thian-4-yl)oxy]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-7-(3,3,3-trifluoropropoxy)imidazo[1,2-a]pyridine-3-carboxamide,

7-[(1,3-difluoropropan-2-yl)oxy]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-7-(pyridin-2-yloxy)imidazo[1,2-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-3-(propan-2-yl)imidazo[1,5-a]pyridine-1-carboxamide,

7-(2,2-difluoroethoxy)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-7-(propan-2-yloxy)imidazo[1,2-a]pyridine-3-carboxamide,

4-(morpholin-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

7-(1-ethyl-1H-pyrazol-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

7-(1-methyl-1H-pyrazol-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-7-[1-(propan-2-yl)-1H-pyrazol-4-yl]imidazo[1,2-a]pyridine-3-carboxamide,

7-[1-($^2H_3$)methyl-1H-pyrazol-4-yl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

7-[1-(oxan-4-yl)-1H-pyrazol-4-yl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-7-[1-(propan-2-yl)-3-(trifluoromethyl)-1H-pyrazol-4-yl]imidazo[1,2-a]pyridine-3-carboxamide,

4-(1-ethyl-1H-pyrazol-4-yl)-3-fluoro-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]benzamide,

3-fluoro-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-4-[1-(propan-2-yl)-1H-pyrazol-4-yl]benzamide,

3-fluoro-4-[1-methyl-5-(trifluoromethyl)-1H-pyrazol-4-yl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]benzamide,

4-(1-cyclopropyl-1H-pyrazol-4-yl)-3-fluoro-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]benzamide,

3-fluoro-4-[1-(oxan-4-yl)-1H-pyrazol-4-yl]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]benzamide,

5-(1-methyl-1H-pyrazol-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyridine-2-carboxamide,

4-(1-methyl-1H-pyrazol-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]benzamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-7-(pyridin-3-yl)imidazo[1,2-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-7-(pyridin-3-yl)imidazo[1,2-a]pyridine-2-carboxamide,

7-(2-methyl-1,3-thiazol-5-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-2-carboxamide,

7-(2-methyl-1,3-thiazol-5-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

4-[6-(1-oxo-2,3-dihydro-1H-isoindol-2-yl)spiro[3.3]heptan-2-yl]-1,2-dihydrophthalazin-1-one,

4-{6-[(4S)-4-benzyl-2-oxoimidazolidin-1-yl]spiro[3.3]heptan-2-yl}-1,2-dihydrophthalazin-1-one,

4-{6-[(4R)-4-benzyl-2-oxoimidazolidin-1-yl]spiro[3.3]heptan-2-yl}-1,2-dihydrophthalazin-1-one,

4-{6-[(2-nitrophenyl)amino]spiro[3.3]heptan-2-yl}-1,2-dihydrophthalazin-1-one,

4-[6-(2-oxo-2,3-dihydro-1H-1,3-benzodiazol-1-yl)spiro[3.3]heptan-2-yl]-1,2-dihydrophthalazin-1-one,

4-cyclopropyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyridine-3-carboxamide,

3-fluoro-5-(1-methyl-1H-pyrazol-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyridine-2-carboxamide,

6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl 2,3-dihydro-1H-isoindole-2-carboxylate,

7-methanesulfonyl-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]pyrazolo[1,5-a]pyrazine-3-carboxamide,

5-bromo-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]-2,3-dihydro-1H-indole-2-carboxamide,

2-methyl-2-[(3-{[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]carbamoyl}pyrazolo[1,5-a]pyridin-6-yl)oxy]propanoic acid,

7-(morpholin-4-yl)-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

7-[(4,4-difluorocyclohexyl)oxy]-N-[(aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl]imidazo[1,2-a]pyridine-3-carboxamide,

4-Methyl-N-((aR)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-2-(piperidin-1-yl)thiazole-5-carboxamide,

2-(3,3-difluoropyrrolidin-1-yl)-5-methyl-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)thiazole-4-carboxamide,

1-(2-hydroxy-2-methylpropyl)-6-methoxy-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-1*H*-indazole-3-carboxamide,

6-methoxy-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

1-(2-hydroxy-2-methylpropyl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-1*H*-indole-3-carboxamide,

6-(2,2-difluoroethoxy)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(2-(1*H*-pyrazol-1-yl)ethoxy)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(4-methylpiperazin-1-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

N-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-6-(pyrrolidin-1-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-((*R*)-3-fluoropyrrolidin-1-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-((*S*)-3-fluoropyrrolidin-1-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(3,3-difluoropyrrolidin-1-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(3-fluoroazetidin-1-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(3,3-difluoroazetidin-1-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

7-cyclopropyl-6-(2-hydroxy-2-methylpropoxy)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(benzyloxy)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

N-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-6-((tetrahydrofuran-3-yl)oxy)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

N-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-6-(3,3,3-trifluoro-2-hydroxypropoxy)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(benzyloxy)-7-methyl-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(benzyloxy)-7-cyano-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-((1,3-difluoropropan-2-yl)oxy)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-((1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)oxy)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

N-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-6-(3,3,3-trifluoropropoxy)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-((4,4-difluorocyclohexyl)oxy)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

N-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-6-((tetrahydro-2*H*-pyran-4-yl)oxy)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(3,3-difluorocyclobutoxy)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

N-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-6-(2-(2,2,2-trifluoroethoxy)ethoxy)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-((5-cyclopropyl-1,3,4-thiadiazol-2-yl)methoxy)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

1-(2-hydroxy-2-methylpropyl)-6-(2-methoxyphenyl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-1*H*-indazole-3-carboxamide,

6-(2-cyanophenyl)-1-(2-hydroxy-2-methylpropyl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-1*H*-indazole-3-carboxamide,

6-cyclopropyl-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(1-(difluoromethyl)-1*H*-pyrazol-4-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(1-methyl-1*H*-pyrazol-4-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

N-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-6-(thiazol-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

N-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-6-(1*H*-pyrazol-4-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

N-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-6-(1*H*-pyrazol-1-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(2-methoxyethoxy)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(2-(4-hydroxy-3,3-dimethylpiperidin-1-yl)ethoxy)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(2-(3,3-difluoropyrrolidin-1-yl)ethoxy)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(2-(2,2-dimethylmorpholino)ethoxy)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(2-(4-methylpiperazin-1-yl)ethoxy)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(2-((*R*)-3-fluoropyrrolidin-1-yl)ethoxy)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(2-((*S*)-3-fluoropyrrolidin-1-yl)ethoxy)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(3-(3,3-difluoropyrrolidin-1-yl)propyl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(3-hydroxy-3-methylbutyl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-benzyl-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

N-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-6-(3,3,3-trifluoropropyl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-((allyloxy)methyl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(1,5-dimethyl-1*H*-pyrazol-4-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(1-cyclopropyl-1*H*-pyrazol-4-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(1-(cyclopropylmethyl)-1*H*-pyrazol-4-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(1-(($^2H_3$)methyl-1*H*-pyrazol-4-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(1-isopropyl-1*H*-pyrazol-4-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

N-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-6-(1,3,5-trimethyl-1*H*-pyrazol-4-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

N-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-6-(1-(tetrahydro-2*H*-pyran-4-yl)-1*H*-pyrazol-4-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(1-methyl-3-(trifluoromethyl)-1*H*-pyrazol-4-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(1-isopropyl-3-(trifluoromethyl)-1*H*-pyrazol-4-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

6-(1-(*tert*-butyl)-1*H*-pyrazol-4-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

N-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-6-(1-(tetrahydrofuran-3-yl)-1*H*-pyrazol-4-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

5-(1-methyl-1*H*-pyrazol-4-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)indoline-1-carboxamide,

5-(1-cyclopropyl-1*H*-pyrazol-4-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)indoline-1-carboxamide,

5-(1-($^2H_3$)methyl-1*H*-pyrazol-4-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)indoline-1-carboxamide,

2-methyl-1-((3-(((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)carbamoyl)pyrazolo[1,5-*a*]pyridin-6-yl)oxy)propan-2-yl 2-aminoacetate,

(*S*)-2-methyl-1-((3-(((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)carbamoyl)pyrazolo[1,5-*a*]pyridin-6-yl)oxy)propan-2-yl 2-amino-3-methylbutanoate,

(*S*)-2-methyl-1-((3-(((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)carbamoyl)pyrazolo[1,5-*a*]pyridin-6-yl)oxy)propan-2-yl 2-aminopropanoate,

6-(1-methyl-1*H*-pyrazol-4-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)benzo[c]isoxazole-3-carboxamide,

6-(2-hydroxy-2-methylpropoxy)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)benzo[c]isoxazole-3-carboxamide,

6-fluoro-7-methyl-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-1*H*-indole-2-carboxamide,

N-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-7-(trifluoromethyl)-1*H*-indole-2-carboxamide,

7-(4-methylpiperazin-1-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide),

N-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-7-phenylimidazo[1,2-*a*]pyridine-3-carboxamide,

7-(benzyloxy)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide,

7-methoxy-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide,

7-(4,4-difluoropiperidin-1-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide,

7-(3,3-difluoropyrrolidin-1-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide,

7-((*R*)-3-fluoropyrrolidin-1-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide,

7-((*S*)-3-fluoropyrrolidin-1-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide,

7-((2-methoxyethyl)(methyl)amino)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide,

7-(2-morpholinoethoxy)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide,

7-(2-hydroxy-2-methylpropoxy)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide,

6-fluoro-8-methyl-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide,

7-(difluoromethoxy)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide,

8-(benzyloxy)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide,

7-(methylthio)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide,

3-methoxy-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-4-(1*H*-pyrazol-4-yl)benzamide,

3-cyano-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-4-(1*H*-pyrazol-4-yl)benzamide,

3-methyl-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-4-(1*H*-pyrazol-4-yl)benzamide,

7-((1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)oxy)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide,

N-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-7-(pyridin-2-yloxy)imidazo[1,2-*a*]pyridine-3-carboxamide,

7-(2,2-difluoroethoxy)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide,

7-(1-ethyl-1*H*-pyrazol-4-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide,

7-(1-methyl-1*H*-pyrazol-4-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide,

7-(1-isopropyl-1*H*-pyrazol-4-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide,

7-(1-(methyl-d3)-1*H*-pyrazol-4-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide,

N-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-7-(1-(tetrahydro-2*H*-pyran-4-yl)-1*H*-pyrazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide,

N-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-7-(pyridin-3-yl)imidazo[1,2-*a*]pyridine-3-carboxamide,

N-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)-7-(pyridin-3-yl)imidazo[1,2-*a*]pyridine-2-carboxamide,

7-(2-methylthiazol-5-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)imidazo[1,2-*a*]pyridine-2-carboxamide,

7-(2-methylthiazol-5-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide,

4-((*aR*)-6-(1-oxoisoindolin-2-yl)spiro[3.3]heptan-2-yl)phthalazin-1(2*H*)-one,

4-((*aR*)-6-((*S*)-4-benzyl-2-oxoimidazolidin-1-yl)spiro[3.3]heptan-2-yl)phthalazin-1(2*H*)-one,

4-((*aR*)-6-((*R*)-4-benzyl-2-oxoimidazolidin-1-yl)spiro[3.3]heptan-2-yl)phthalazin-1(2*H*)-one,

4-((*aR*)-6-((2-nitrophenyl)amino)spiro[3.3]heptan-2-yl)phthalazin-1(2*H*)-one,

4-((*aR*)-6-(2-oxo-2,3-dihydro-1*H*-benzo[d]imidazol-1-yl)spiro[3.3]heptan-2-yl)phthalazin-1(2*H*)-one,

4-cyclopropyl-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)pyrazolo[1,5-*a*]pyridine-3-carboxamide,

3-fluoro-5-(1-methyl-1*H*-pyrazol-4-yl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)picolinamide,

6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl isoindoline-2-carboxylate,

7-(methylsulfonyl)-*N*-((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide, and

2-methyl-2-((3-(((*aR*)-6-(4-oxo-3,4-dihydrophthalazin-1-yl)spiro[3.3]heptan-2-yl)carbamoyl)pyrazolo[1,5-*a*]pyridin-6-yl)oxy)propanoic acid;

or a pharmaceutically acceptable salt thereof.

16. A pharmaceutical composition comprising one or more compounds according to any one of claims 1-14 and a pharmaceutically acceptable carrier or diluent.

17 A compound according to any one of claims 1-15 for use as a medicament.

18. A compound according to any one of claims 1-15 for use in the prophylaxis and/or treatment of disorders associated with aberrant Rho kinase activity

wherein said disorder is selected from the group consisting of a cardiovascular disorder, a smooth muscle related disorder, a fibrotic disease, an inflammatory disease, neuropathic disorders, oncologic disorders, and an autoimmune disorder.

19. The compound for use according to claim 18, wherein said cardiovascular disorder is selected from the group consisting of angina, atherosclerosis, stroke, cerebrovascular disease, heart failure, coronary artery disease, msyocardial infarction, peripheral vascular disease, stenosis, vasospasm, hypertension and pulmonary hypertension.