

FIG. 1




FIG. 2




FIG. 3

MODE DATA OF CODED PERIPHERAL BLOCK			CODE WORD OF MODE(i,j)		
MODE(i-1,j)	MODE(i-1,j-1)	MODE(i,j-1)	A	B	C
A	A	A	0	10	11
A	A	B			
A	B	A			
A	A	C			
A	C	A			
B	A	A			
C	A	A			
A	B	C			
A	C	B			
B	B	B	10	0	11
B	B	A			
B	A	B			
B	B	C			
B	C	B			
A	B	B			
C	B	B			
B	A	C			
B	C	A			
C	C	C	10	11	0
C	C	A			
C	A	C			
C	C	B			
C	B	C			
A	C	C			
B	C	C			
C	A	B			
C	B	A			

FIG. 4




FIG. 5




FIG. 6

A	A	A	A	A	A	A
A	A	B	B	B	A	A
A	A	B	C	C	B	B
A	B	B	C	C	B	B
A	B	B	C	C	C	B
A	C	C	C	C	C	C

	0	1	0	1	0	1	0		0		0
	0	1	0	1	1	1	1	1	1	1	0
1	0		0	1	1		0	1	1		0
1	0		0	1	1		0		0		0
1	1	1	1		0		0		0		0

A=0
B=10
C=11

[illegible]

7/14

FIG. 8




FIG. 9




FIG. 10




FIG. 11

MODE DATA		CODE WORD
MODE(i,j)	MODE(i+1,j)	
A	A	0
A	B	0110
A	C	0111110
B	A	011101
B	B	001
B	C	01111110
C	A	011110
C	B	01111111
C	C	010

11/14

FIG. 12

LINE 1	(A B)	(B B)	(A A)
LINE 2	(A B)	(C C)	(B B)
LINE 3	(B B)	(C C)	(B B)
LINE 4	(B B)	(C C)	(C B)
LINE 5	(C C)	(C C)	(C C)

FIG. 13A

LINE 1	(0110)	(001)	(0)
LINE 2	(0110)	(010)	(001)
LINE 3	(001)	(010)	(001)
LINE 4	(001)	(010)	(0111111)
LINE 5	(010)	(010)	(010)


 50bit

FIG. 13B

LINE 1	(0 10)	(10 10)	(0 0)
LINE 2	(0 10)	(11 11)	(10 10)
LINE 3	(10 10)	(11 11)	(10 10)
LINE 4	(10 10)	(11 11)	(11 10)
LINE 5	(11 11)	(11 11)	(11 11)

 56bit

FIG. 14



13/14

FIG. 15




FIG. 16

SET NO. \ APPEARANCE PROBABILITY	A	B	C
No1	70	20	10
No2	20	70	10
No3	20	10	70

FIG. 17




FIG. 18

