
What is claimed is:

1. A compound having the general formula **I**



I

or a pharmaceutically acceptable salt thereof, wherein:

R^1 is $hetAr^1CH_2$-, $hetAr^2CH_2$-, (3-6C cycloalkyl)-CH_2-, tetrahydropyranylCH_2-, benzyl which is optionally substituted with (1-4C)alkoxy, or (N-1-3C alkyl)pyridinonyl-CH_2- which is optionally substituted with one or more substituents independently selected from (1-6C)alkyl;

$hetAr^1$ is pyridyl optionally substituted with one or more substituents independently selected from (1-6C)alkyl, (1-4C)alkoxy, halogen, $hetCyc^1$, $hetCyc^1$-CH_2-, amino(2-4C)alkoxy, [di(1-3C alkyl)amino](2-4C)alkoxy, dihydroxy(3-4C)alkoxy, $hetCyc^2O$-, $hetCyc^{2a}$(1-2C)alkoxy and OH;

$hetCyc^1$ is a 6-membered heterocycle having 1-2 ring N atoms and optionally substituted with NH_2;

$hetCyc^2$ and $hetCyc^{2a}$ are independently a 5-6 membered heterocycle having 1-2 ring N atoms and optionally substituted with one or more substituents independently selected from (1-6C)alkyl, OH, and halogen;

$hetAr^2$ is a 5-membered heteroaryl ring having 2-3 ring heteroatoms independently selected from N, S and O where at least one of said heteroatoms is N, wherein said ring is optionally substituted with one or more substituents independently selected from (1-6C)alkyl, (2-4C)hydroxyalkyl, (3-4C)dihydroxyalkyl, (3-6C cycloalkyl)CH_2-, $hetCyc^3$, $hetCyc^{3a}$(1-2C)alkyl, and benzyl optionally substituted with (1-4C)alkoxy;

$hetCyc^3$ and $hetCyc^{3a}$ are independently a 6-membered heterocyclic ring having 1-2 ring N atoms and optionally substituted with a halogen;

R^2 is (2-4C)alkyl, cyclopropyl, OMe, I or Br;

R^3 is H or Cl;

R^4 is H or CN;

R^5 is H, halogen, OH, $hetAr^3$, $hetAr^4$, N-(1-3C alkyl)pyridinone, $hetAr^5$, $hetCyc^4$, $hetCyc^5C(=O)$-, $hetCyc^6$(1-4Calkyl)-, $hetCyc^7$(1-4C)alkoxy, ($hetCyc^8$)-O-, $hetCyc^9$(1-4C)alkoxy, (1-3C alkoxy)(1-4C)alkoxy, hydroxy(1-4C)alkoxy, dihydroxy(2-4C)alkoxy, difluoroamino(1-4C)alkoxy, [di(1-3C alkyl)amino](1-4C)alkoxy, [(1-4C alkoxy)carbonylamide]difluoro(1-4C)alkoxy, (1-4C alkyl)C(=O)NH(2-4C)alkylthio-, (1-4Calkyl)OC(=O)-, (1-4C alkyl)C(=O)-, hydroxy(1-4C)alkyl, [hydroxy(2-4C)alkyl)amino]-(1-4C)alkyl, [(1-4C alkoxy)(1-4C alkyl)amino](1-4C)alkyl, [di(1-4C alkyl)amino](1-4C)alkyl, R'R"NC(=O)-, 1-6Calkylthio, benzyloxy, [hydroxy(1-4C)alkoxy](1-4C)alkoxy, or [(2-4Calkenyloxy)(1-4C)alkoxy](1-4C)alkoxy;

$hetAr^3$ is a 5-membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O and S, wherein said ring is optionally substituted with one or more substituents independently selected from (1-6C)alkyl and [di(1-3C alkyl)amino]CH_2-;

$hetAr^4$ is a 6-membered heteroaryl ring having 1-2 ring N atoms and optionally substituted with one or more substituents independently selected from (1-6C)alkyl;

$hetAr^5$ is a 9-membered partially unsaturated bicyclic heterocyclic ring having 3 ring N atoms and optionally substituted with one or more substituents independently selected from (1-6C)alkyl;

$hetCyc^4$ is a 5-7 membered saturated or partially unsaturated heterocyclic ring having 1-2 ring heteroatoms selected from N and O and at least one of said heteroatoms is N, wherein said ring is optionally substituted with one or more substituents independently selected from (1-6C)alkyl, hydroxy(1-4C)alkyl, OH and oxo;

$hetCyc^5$ is a 6 membered heterocyclic ring having 1-2 ring N atoms and optionally substituted with one or more substituents independently selected from (1-6C)alkyl;

$hetCyc^6$ is a 4-6 membered heterocyclic ring having 1-2 ring N atoms and optionally substituted with one or more substituents independently selected from (1-6C)alkyl, (1-4C)alkoxy and halogen;

$hetCyc^7$ is a 4-6 membered heterocycle having 1-2 ring heteroatoms independently selected from N, O and S, wherein one of said ring nitrogen atoms is optionally oxidized to N(O) and wherein said S ring atom is optionally oxidized to SO or SO_2, wherein $hetCyc^7$ is optionally substituted with one or more substituents independently selected from (1-6C)alkyl, (1-4C)alkylOC(=O)-, (1-4C)alkoxy, OH and halogen;

$hetCyc^8$ is a 4-6 membered heterocycle having one or two ring N atoms and optionally substituted with one or more substituents independently selected from (1-6C)alkyl and OH;

hetCyc^9 is a bridged 8-membered heterocyclic ring having 2 ring atoms selected from N and O wherein at least one of said heteroatoms is N, wherein said ring is optionally substituted with (1-6C)alkyl;

R' is H or (1-4C)alkyl;

R" is (1-4C)alkyl, hetCyc^{10}-, amino(1-4C)alkyl, or [di(1-4C alkyl)amino](1-4C alkyl); and

hetCyc^{10} is a 5 membered heterocycle having a ring N atom and optionally substituted with one or more substituents independently selected from (1-6C)alkyl.

2. A compound of claim 1, wherein:

R^1 is hetAr^{1}CH$_2$-, hetAr^{2}CH$_2$-, (3-6C cycloalkyl)-CH$_2$-, tetrahydropyranylCH$_2$-, benzyl which is optionally substituted with (1-4C)alkoxy, or (N-1-3C alkyl)pyridinonyl-CH$_2$- which is optionally substituted with one or more substituents independently selected from (1-6C)alkyl;

hetAr^1 is pyridyl optionally substituted with one or more substituents independently selected from (1-6C)alkyl, (1-4C)alkoxy, halogen, hetCyc^1, hetCyc^1-CH$_2$-, amino(2-4C)alkoxy, [di(1-3C alkyl)amino](2-4C)alkoxy, dihydroxy(3-4C)alkoxy, hetCyc^{2}O- and hetCyc^{2a}(1-2C)alkoxy;

hetCyc^1 is a 6-membered heterocycle having 1-2 ring N atoms and optionally substituted with NH$_2$;

hetCyc^2 and hetCyc^{2a} are independently a 5-6 membered heterocycle having 1-2 ring N atoms and optionally substituted with one or more substituents independently selected from (1-6C)alkyl, OH, and halogen;

hetAr^2 is a 5-membered heteroaryl ring having 2-3 ring heteroatoms independently selected from N, S and O where at least one of said heteroatoms is N, wherein said ring is optionally substituted with one or more substituents independently selected from (1-6C)alkyl, (2-4C)hydroxyalkyl, (3-4C)dihydroxyalkyl, (3-6C cycloalkyl)CH$_2$-, hetCyc^3, hetCyc^{3a}(1-2C)alkyl, and benzyl optionally substituted with (1-4C)alkoxy;

hetCyc^3 and hetCyc^{3a} are independently a 6-membered heterocyclic ring having 1-2 ring N atoms and optionally substituted with a halogen;

R^2 is (2-4C)alkyl, cyclopropyl, OMe, I or Br;

R^3 is H or Cl;

R^4 is H or CN;

R^5 is H, F, OH, hetAr^3, hetAr^4, N-(1-3C alkyl)pyridinone, hetAr^5, hetCyc^4, hetCyc^{5}C(=O)-, hetCyc^6(1-4Calkyl)-, hetCyc^7(1-4C)alkoxy, (hetCyc^8)-O-, hetCyc^9(1-

4C)alkoxy, (1-3C alkoxy)(1-4C)alkoxy, hydroxy(1-4C)alkoxy, dihydroxy(2-4C)alkoxy, difluoroamino(1-4C)alkoxy, [di(1-3C alkyl)amino](1-4C)alkoxy, [(1-4C alkoxy)carbonylamide]difluoro(1-4C)alkoxy, (1-4C alkyl)C(=O)NH(2-4C)alkylthio-, (1-4Calkyl)OC(=O)-, (1-4C alkyl)C(=O)-, hydroxy(1-4C)alkyl, [hydroxy(2-4C)alkyl)amino]-(1-4C)alkyl, [(1-4C alkoxy)(1-4C alkyl)amino](1-4C)alkyl, [di(1-4C alkyl)amino](1-4C)alkyl, or R'R"NC(=O)-;

$hetAr^3$ is a 5-membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O and S, wherein said ring is optionally substituted with one or more substituents independently selected from (1-6C)alkyl and [di(1-3C alkyl)amino]CH_2-;

$hetAr^4$ is a 6-membered heteroaryl ring having 1-2 ring N atoms and optionally substituted with one or more substituents independently selected from (1-6C)alkyl;

$hetAr^5$ is a 9-membered partially unsaturated bicyclic heterocyclic ring having 3 ring N atoms and optionally substituted with one or more substituents independently selected from (1-6C)alkyl;

$hetCyc^4$ is a 5-7 membered saturated or partially unsaturated heterocyclic ring having 1-2 ring heteroatoms selected from N and O and at least one of said heteroatoms is N, wherein said ring is optionally substituted with one or more substituents independently selected from (1-6C)alkyl, hydroxy(1-4C)alkyl, OH and oxo;

$hetCyc^5$ is a 6 membered heterocyclic ring having 1-2 ring N atoms and optionally substituted with one or more substituents independently selected from (1-6C)alkyl;

$hetCyc^6$ is a 4-6 membered heterocyclic ring having 1-2 ring N atoms and optionally substituted with one or more substituents independently selected from (1-6C)alkyl, (1-4C)alkoxy and halogen;

$hetCyc^7$ is a 4-6 membered heterocycle having 1-2 ring heteroatoms independently selected from N, O and S, wherein one of said ring nitrogen atoms is optionally oxidized to N(O) and wherein said S ring atom is optionally oxidized to SO or SO_2, wherein $hetCyc^7$ is optionally substituted with one or more substituents independently selected from (1-6C)alkyl, (1-4C)alkylC(=O)O-, (1-4C)alkoxy, OH and F;

$hetCyc^8$ is a 4-6 membered heterocycle having one or two ring N atoms and optionally substituted with one or more substituents independently selected from (1-6C)alkyl and OH;

$hetCyc^9$ is a bridged 8-membered heterocyclic ring having 2 ring atoms selected from N and O wherein at least one of said heteroatoms is N, wherein said ring is optionally substituted with (1-6C)alkyl;

R' is H or (1-4C)alkyl;

R" is (1-4C)alkyl, hetCyc^{10}-, [amino(1-4C)alkyl)], or [di(1-4C alkyl)amino](1-4C alkyl); and

hetCyc^{10} is a 5 membered heterocycle having a ring N atom and optionally substituted with one or more substituents independently selected from (1-6C)alkyl.

3. A compound according to claim 1 or 2, wherein R^1 is $hetAr^1CH_2$- or $hetAr^2CH_2$-.

4. A compound according to claim 1 or 2, wherein R^1 is $hetAr^1CH_2$-.

5. A compound according to claim 1 or 2, wherein R^1 is $hetAr^2CH_2$-.

6. A compound according to claim 1 or 2, wherein R^1 is (3-6C cycloalkyl)-CH_2-, tetrahydropyranylCH_2-, or benzyl which is optionally substituted with (1-4C)alkoxy.

7. A compound according to claim 1 or 2, wherein R^1 is (N-1-3C alkyl)pyridinonyl-CH_2- optionally substituted with (1-6C)alkyl.

8. A compound according to claim 1, wherein R^5 is halogen.

9. A compound according to any of claims 1-7, wherein R^5 is selected from H, F and OH.

10. A compound according to any of claims 1-7, wherein R^5 is selected from $hetAr^3$, $hetAr^4$, N-(1-3C alkyl)pyridinone and $hetAr^5$.

11. A compound according to any of claims 1-7, wherein R^5 is selected from $hetCyc^4$, $hetCyc^5C(=O)$-, $hetCyc^6$(1-4Calkyl)-, $hetCyc^7$(1-4C)alkoxy, ($hetCyc^8$)-O- and $hetCyc^9$(1-4C)alkoxy.

12. A compound according to claim 11, wherein R^5 is selected from $hetCyc^7$(1-4C)alkoxy, ($hetCyc^8$)-O- and $hetCyc^9$(1-4C)alkoxy.

13. A compound according to claim 12, wherein R^5 is $hetCyc^7$(1-4C)alkoxy.

14. A compound according to any of claims 1-7, wherein R^5 is selected from (1-3C alkoxy)(1-4C)alkoxy, hydroxy(1-4C)alkoxyl, dihydroxy(2-4C)alkoxy, difluoroamino(1-4C)alkoxy, [di(1-3C alkyl)amino](1-4C)alkoxy, [(1-4C alkoxy)carbonylamide]difluoro(1-4C)alkoxy and (1-4C alkyl)C(=O)NH(2-4C)alkylthio-.

15. A compound according to any of claims 1-7, wherein R^5 is selected from (1-4Calkyl)OC(=O)- and (1-4C alkyl)C(=O)-.

16. A compound according to any of claims 1-7, wherein R^5 is selected from hydroxy(1-4C)alkyl, [(2-4C)hydroxyalkyl)]amino-(1-4C)alkyl, [(1-4C alkoxy)(1-4C alkyl)]amino(1-4C)alkyl and [di(1-4C alkyl)amino](1-4C)alkyl.

17. A compound according to any of claims 1-7, wherein R^5 is R'R"NC(=O)-.

18. A compound according to claim 1, wherein R^5 is (1-6C)alkylthio.

19. A compound according to claim 1, wherein R^5 is selected from benzyloxy, [hydroxy(1-4C)alkoxy](1-4C)alkoxy and [(2-4Calkenyloxy)(1-4C)alkoxy](1-4C)alkoxy.

20. A compound according to any of claims 1-19, wherein R^2 is cyclopropyl or (2-4C)alkyl.

21. A compound according to claim 20, wherein R^2 is cyclopropyl.

22. A compound according to claim 20, wherein R^2 is (2-4C)alkyl.

23. A compound according to claim 22, wherein R^2 is ethyl.

24. A compound according to any of claims 1-19, wherein R^2 is OMe, I or Br.

25. A compound according to any of claims 1-24, wherein R^3 is H.

26. A compound according to any of claims 1-24, wherein R^3 is Cl.

27. A compound according to any of claims 1-26, wherein R^4 is H.

28. A compound according to any of claims 1-26, wherein R^4 is CN.


29. A pharmaceutical composition, which comprises a compound of Formula **I** as defined in any one of claims 1-28, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable diluent or carrier.

30. A method for treating bone-related diseases, cancer, autoimmune disorders, inflammatory diseases, cardiovascular diseases or pain in a mammal, which comprises administering to said mammal a therapeutically effective amount of a compound of Formula **I** as defined in any one of claims 1 to 28, or a pharmaceutically acceptable salt thereof.

31. A compound of Formula **I** as defined in any one of claims 1 to 28, or a pharmaceutically acceptable salt thereof, for use in therapy.


32. A process for the preparation of a compound of claim 1, which comprises:

(a) coupling a corresponding compound of formula **II**



II


where Z^1 is COOH or a reactive derivative thereof with a corresponding compound of formula **III**



III


in the presence of a coupling reagent; or

(b) coupling a corresponding compound of formula **IV**



IV


with a compound of formula **III**



III

in the presence of a base; or


(c) for a compound of Formula **I** where R^5 is hetCyc^7(1-4C)alkoxy, (hetCyc^8)-O-, hetCyc^9(1-4C)alkoxy, hydroxy(1-4C)alkoxy, difluoroamino(1-4C)alkoxy, or [(1-4C alkoxy)carbonylamide]difluoro(1-4C)alkoxy, reacting a corresponding compound of formula **V**



V

where X^1 is F or Cl, with a compound having the formula R^{5a}-O- where R^{5a} is hetCyc^7(1-4C)alkyl-OH, hetCyc^8-OH, hetCyc^9(1-4C)alkyl-OH, P^1O-(1-4C)alkyl-OH, difluoroamino(1-4C)alkyl-OH or [(1-4C alkoxy)carbonylamide]difluoro(1-4C)alkyl-OH, respectively, in the presence of a base, where P^1 is a hydroxyl protecting group; or


(d) for a compound of Formula **I** where R^5 is hetCyc^4 where hetCyc^4 is a nitrogen radical, reacting a corresponding compound of formula **V-a**



V-a

with a compound having the formula hetCyc^4-H; or


(e) for a compound of Formula I where R^5 is hetAr^3 and hetAr^3 is a nitrogen radical, reacting a corresponding compound of formula V-a



V-a


with a compound having the formula hetAr^3-H in the presence of a base; or

(f) for a compound of Formula I where R^5 is a carbon linked substituent selected from hetAr^3, hetAr^4, and N-(1-3C alkyl)pyridinone, reacting a corresponding compound of formula V-b



V-b


with a compound having the formula VI



VI

where Ring E is a carbon-linked radical selected from hetAr^3-, hetAr^4-, and N-(1-3C alkyl)pyridinonyl, respectively, in the presence of a palladium catalyst and a base; or


(g) for a compound of Formula I where R^5 is hetAr^3- or hetAr^5- where hetAr^3 and hetAr^5 are carbon radicals, reacting a corresponding compound of formula V-b



V-b

with a compound having the formula hetAr^3-H or hetAr^5-H, respectively, in the presence of a palladium catalyst and a base and optionally in the presence of a ligand; or


(h) for a compound of Formula **I** where R^5 is hetCyc^{5}C(=O)-, reacting a corresponding compound having the formula **VII**




VII

with a compound having the formula hetCyc^5-H in the presence of a base; or

(i) for a compound of Formula **I** where R^5 has the structure:




reacting a corresponding compound having the formula **VIII**




VIII

where R^{5b} is



respectively, with formaldehyde in the presence of a reducing agent; or


(j) for a compound of Formula **I** where R^5 is R'R"NC(=O)-, reacting a corresponding compound of formula **IX**




IX

with a compound having the formula R'R"NH in the presence of a coupling agent; or

(k) for a compound of Formula **I** wherein R^5 is an oxadiazole substituent having the formula:




where R^g is H or Me, cyclizing a corresponding compound having the formula X



X

in the presence of trimethoxymethane or triethoxyethane, respectively; or


(l) for a compound of formula I wherein R^5 is 1,3,4-thiadiazol-2-yl, cyclizing a corresponding compound having the formula **XI**



XI

in the presence of P_2S_5; or


(m) for a compound of Formula I wherein R^5 is $hetCyc^6$(1-2Calkyl)- (where $hetCyc^6$ is a nitrogen radical), [(1-4C alkoxy)(1-4C alkyl)]amino(1-2C)alkyl, or [hydroxy(2-4C)alkyl)]amino-(1-2C)alkyl, reacting a corresponding compound of formula **XII**



XII

where n is 0 or 1 and Z is H or Me, with $hetCyc^6$-H, [(1-4C alkoxy)(1-4C alkyl)]NH_2 or [hydroxy(2-4C)alkyl)]NH_2, respectively, in the presence of a base; or


(n) for a compound of Formula **I** wherein R^1 is $hetAr^1CH_2$- wherein $hetAr^1$ is substituted with $hetCyc^1$ where $hetCyc^1$ is a nitrogen radical, reacting a compound having the formula **XIII**



XIII

with a compound having the formula $hetCyc^1$-H in the presence of a reducing agent; or


(o) for a compound of Formula **I** wherein R^2 is ethyl, coupling a corresponding compound having the formula **XIV**



XIV

with a compound having the formula $(CH_2=CH)BF_3K$ in the presence of a palladium catalyst and a base, followed by reduction of the 3-vinyl-1H-indazolyl intermediate; or


(p) for a compound of Formula **I** wherein R^1 is $hetAr^2CH_2$- and $hetAr^2$ is a pyrazolyl ring having a ring N atom substituted with a substituent selected from $hetCyc^3$(1-2Calkyl)- or (1-6C)alkyl-, reacting a corresponding compound having the formula **XV**



XV

with a compound having the formula $hetCyc^3$(1-2Calkyl)-X^2 or (1-6C)alkyl-X^2, respectively, wherein X^2 is a leaving group or atom, in the presence of a base; or


(q) for a compound of Formula **I** wherein R^1 is $hetAr^1CH_2$, wherein $hetAr^1$ is pyridyl substituted with amino(2-4C)alkoxy, [di(1-3C alkyl)amino](2-4C)alkoxy, dihydroxy(3-4C)alkoxy, $hetCyc^2O$- or $hetCyc^{2a}$(1-2C)alkoxy, reacting a corresponding compound having the formula **XVI**



XVI

with a compound having the formula amino(2-4C)-X^3, [di(1-3C alkyl)amino](2-4C)-X^3, dihydroxy(3-4C)-X^3, $hetCyc^2$-X^3, or $hetCyc^{2a}$(1-2C)-X^3, respectively, where X^3 is a leaving atom or group in the presence of a base; or


(r) for a compound of Formula **I** wherein R^1 is $hetAr^1CH_2$-, wherein $hetAr^1$ is pyridyl substituted with $-CH_2NMe_2$ or ethyl, coupling a corresponding compound having the formula **XVI-a**



XVI-a

where L^1 is a leaving group or atom, with a compound having the formula $ME_2NCH_2BF_3K$ or $(CH_2{=}CH)BF_3K$, respectively, in the presence of a palladium catalyst and a base when coupling with $(CH_2{=}CH)BF_3K$, followed by reduction of the vinyl group when compound **XVI-a** is coupled with $(CH_2{=}CH)BF_3K$; or


(s) for a compound of Formula **I** wherein R^1 is (N-1-3C alkyl)pyridinonyl-CH_2- optionally substituted with one or more substituted independently selected from (1-6C)alkyl, coupling a corresponding compound having the formula **XVI**



XVI

with (1-6C alkyl)-L^2 where L^2 is a leaving group or atom in the presence of a base; or


(t) for a compound of Formula **I** wherein R^1 is $hetAr^1CH_2$-, wherein $hetAr^1$ is pyridyl substituted with $hetCyc^{2a}$(1-2C)alkoxy, coupling a corresponding compound having the formula **XVI**



XVI

with a compound having the formula $hetCyc^{2a}(1\text{-}2C)OH$ in the presence of a coupling reagent; or


(u) for a compound of Formula **I** wherein R^1 is $hetAr^1CH_2$-, wherein $hetAr^1$ is pyridyl substituted with $hetCyc^1$- where $hetCyc^1$- is a nitrogen radical, coupling a corresponding compound having the formula **XVI-a**



XVI-a

where L^1 is a leaving group or atom, with a corresponding compound having the formula $hetCyc^1$-H in the presence of a palladium catalyst, a ligand and a base; or


(v) for a compound of Formula **I** wherein R^1 is $hetAr^1CH_2$-, wherein $hetAr^1$ is pyridyl substituted with dimethylamino(2-4C)alkoxy, reacting a compound having the formula **XVI-b**



XVI-b

where m is 1, 2 or 3, with formaldehyde in the presence of a base; or


(w) for a compound of Formula **I** wherein R^1 is $hetAr^1CH_2$-, wherein $hetAr^1$ is pyridyl substituted with $hetCyc^{2a}(1\text{-}2C)$alkoxy and $hetCyc^{2a}$ has an N-methyl substituted ring N atom, reacting a corresponding compound having the formula **XVI-c**



XVI-c

where n is 1 or 2 and Y is a $hetCyc^{2a}$ having a ring NH group, with formaldehyde in the presence of a reducing agent; or


(x) for a compound of Formula **I** wherein R^5 is $hetCyc^6CH_2$- where $hetCyc^6$ is a nitrogen radical, coupling a corresponding compound having the formula **XVII**



XVII

where L^2 is a leaving group with a compound having the formula $hetCyc^6$-H in the presence of a base; or


(y) for a compound of Formula **I** where R^5 is $hetCyc^7$(1-4C)alkoxy and $hetCyc^7$ is N-methylpiperazine-1-oxide, reacting a corresponding compound of formula **XVIII**



XVIII

where n is 0, 1, 2 or 3, with an oxidizing agent; or


(z) for a compound of Formula **I** wherein R^5 is $hetCyc^6$(1-4Calkyl)- where $hetCyc^6$ a nitrogen radical, reacting a corresponding compound having the formula **XIX**



XIX

where n is 0, 1, 2 or 3, and L^3 is a leaving group, with a corresponding compound having the formula $hetCyc^6H$ in the presence of an activating agent; or


(aa) for compound of Formula **I** where R^5 is (1-4C alkyl)C(=O)NH(2-4C)alkylthio-, coupling a corresponding compound having the formula **V**



V


where X^1 is F or Cl, with a compound having the formula (1-4C alkyl)C(=O)NH(2-4C)alkyl-SH in the presence of a base; or

(bb) for a compound of Formula **I** wherein R^5 is $CH_3C(=O)$-, coupling a corresponding compound having the formula **V-b**




V-b

with a compound having the formula



in the presence of a palladium catalyst and a ligand, followed by treatment with acid; or

(cc) for a compound of Formula **I** wherein R^5 is $HO(CH_2CH_2)$-, treating a corresponding compound having the formula **XX**



XX

with a reducing agent; and

removing any protecting groups if desired and forming a salt thereof if desired.

33. (New) A compound of claim 1, selected from:

N-(1-Benzyl-3-iodo-1*H*-indazol-4-yl)-7-(2-methoxyethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(1-Benzyl-3-ethyl-1*H*-indazol-4-yl)-7-(2-methoxyethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(1-Benzyl-3-cyclopropyl-1*H*-indazol-4-yl)-7-(2-methoxyethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(1-Benzyl-5-chloro-3-ethyl-1*H*-indazol-4-yl)-7-(2-methoxyethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-Ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((2-methoxy-6-methylpyridin-3-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-(2-(piperazin-1-yl)ethyl)-1*H*-pyrazol-3-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(1-((1-(2,3-dihydroxypropyl)-1*H*-pyrazol-5-yl)methyl)-3-ethyl-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(1-((6-(2-aminoethoxy)pyridin-2-yl)methyl)-3-ethyl-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(1-((6-(3-aminopropoxy)pyridin-2-yl)methyl)-3-ethyl-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(1-((6-(3-(dimethylamino)propoxy)pyridin-2-yl)methyl)-3-ethyl-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(piperazine-1-carbonyl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(4-methylpiperazine-1-carbonyl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-(piperazin-1-ylmethyl)pyridin-2-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methoxypyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(2-morpholinoethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

(S)-*N*-(3-ethyl-1-((6-(pyrrolidin-3-yloxy)pyridin-2-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-((3R,4R)-3-fluoropiperidin-4-yloxy)pyridin-2-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-(piperidin-4-yloxy)pyridin-2-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-(4-methoxybenzyl)-1*H*-pyrazol-4-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-(2-hydroxyethyl)-1*H*-pyrazol-4-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-((3R,4R)-3-fluoropiperidin-4-yl)-1*H*-pyrazol-4-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

Ethyl 3-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-ylcarbamoyl)imidazo[1,2-*a*]pyridine-7-carboxylate;

N-(3-ethyl-1-((6-ethylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-methyl-6-oxo-1,6-dihydropyridin-2-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-ethyl-6-oxo-1,6-dihydropyridin-2-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(1-((6-ethoxypyridin-2-yl)methyl)-3-ethyl-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(1,3,4-oxadiazol-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(5-methyl-1,3,4-oxadiazol-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(piperazin-1-ylmethyl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-((4-methylpiperazin-1-yl)methyl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-((3S,4S)-4-hydroxypyrrolidin-3-yloxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-((3R,4R)-4-hydroxypyrrolidin-3-yloxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-((3S,4S)-4-hydroxy-1-methylpyrrolidin-3-yloxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-((3R,4R)-4-hydroxy-1-methylpyrrolidin-3-yloxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-(((2R,3S)-3-hydroxypyrrolidin-2-yl)methoxy)pyridin-2-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

4-(2-(3-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-ylcarbamoyl)imidazo[1,2-*a*]pyridin-7-yloxy)ethyl)-1-methylpiperazine 1-oxide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(((2R,3S)-3-hydroxypyrrolidin-2-ylmethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-ethyl-1*H*-pyrazol-5-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-ethyl-1*H*-pyrazol-3-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-(((2R,3S)-3-hydroxy-1-methylpyrrolidin-2-yl)methoxy)pyridin-2-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(((2R,3S)-3-hydroxy-1-methylpyrrolidin-2-yl)methoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-(2-(piperazin-1-yl)ethoxy)pyridin-2-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(1,3,4-thiadiazol-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

*N*3-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-*N*7-(pyrrolidin-3-yl)imidazo[1,2-*a*]pyridine-3,7-dicarboxamide;

*N*7-(2-aminoethyl)-*N*3-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3,7-dicarboxamide;

*N*3-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-*N*7-methylimidazo[1,2-*a*]pyridine-3,7-dicarboxamide;

*N*3-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-*N*7,*N*7-dimethylimidazo[1,2-*a*]pyridine-3,7-dicarboxamide;

*N*3-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-*N*7-(1-methylpyrrolidin-3-yl)imidazo[1,2-*a*]pyridine-3,7-dicarboxamide;

N-(2-(dimethylamino)ethyl)-*N*3-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3,7-dicarboxamide;

7-(1,2-dimethyl-1*H*-imidazol-5-yl)-*N*-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(1-((1,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-ethyl-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-(2-(4-methylpiperazin-1-yl)ethoxy)pyridin-2-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(1-((1,5-dimethyl-1*H*-pyrazol-3-yl)methyl)-3-ethyl-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(1-((1,5-dimethyl-1*H*-pyrazol-3-yl)methyl)-3-ethyl-1*H*-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-methyl-1*H*-pyrazol-3-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-methyl-1*H*-pyrazol-3-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(5,6,7,8-tetrahydroimidazo[1,2-*a*]pyrazin-3-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(7-methyl-5,6,7,8-tetrahydroimidazo[1,2-*a*]pyrazin-3-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((1-ethyl-1*H*-pyrazol-3-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((1-ethyl-1*H*-pyrazol-3-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(4-isopropylpiperazin-1-yl)ethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((1-isopropyl-1*H*-pyrazol-3-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((1-isopropyl-1*H*-pyrazol-3-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(4-isopropylpiperazin-1-yl)ethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

7-chloro-N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(1-((6-(2,3-dihydroxypropoxy)pyridin-2-yl)methyl)-3-ethyl-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-(piperazin-1-yl)pyridin-2-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(1-((6-(4-aminopiperidin-1-yl)pyridin-2-yl)methyl)-3-ethyl-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-ethyl-1*H*-pyrazol-4-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(1-((1-(cyclopropylmethyl)-1*H*-pyrazol-4-yl)methyl)-3-ethyl-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

4-(2-(3-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-ylcarbamoyl)imidazo[1,2-a]pyridin-7-yloxy)ethyl)-1-methylpiperazine 1-oxide;

N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(piperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

6-cyano-*N*-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(4-isopropylpiperazin-1-yl)ethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(4-isopropylpiperazin-1-yl)ethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((1-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

7-(2-(azetidin-1-yl)ethoxy)-*N*-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

7-fluoro-N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-((1-methylpiperidin-4-yl)methoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-ethylpiperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

(R)-*N*-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(1-methylpyrrolidin-3-yloxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(1-methylpiperidin-4-yloxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(pyrrolidin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-morpholinoethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

(S)-N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(1-methylpyrrolidin-3-yloxy)imidazo[1,2-a]pyridine-3-carboxamide;

tert-butyl 2-((3-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-ylcarbamoyl)imidazo[1,2-a]pyridin-7-yloxy)methyl)morpholine-4-carboxylate;

tert-butyl 3-(3-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-ylcarbamoyl)imidazo[1,2-a]pyridin-7-yloxy)-2,2-difluoropropylcarbamate;

N-(3-ethyl-1-((1-ethyl-1H-pyrazol-3-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-isopropylpiperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(pyrrolidin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

(R)-*N*-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(3-methoxypyrrolidin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(8-methyl-3,8-diazabicyclo[3.2.1]octan-3-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

(S)-*N*-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(3-methoxypyrrolidin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-ethyl-1H-pyrazol-3-yl)methyl)-1H-indazol-4-yl)-7-(2-(pyrrolidin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(1-methylpiperidin-4-yloxy)imidazo[1,2-a]pyridine-3-carboxamide;

(S)-N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(3-fluoropyrrolidin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-thiomorpholine 1,1-dioxide ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-ethyl-1H-pyrazol-3-yl)methyl)-1H-indazol-4-yl)-7-(1-methylpiperidin-4-yloxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(8-Oxa-3-azabicyclo[3.2.1]octane)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((1-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1H-indazol-4-yl)-7-(2-(pyrrolidin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-ethyl-1H-pyrazol-3-yl)methyl)-1H-indazol-4-yl)-7-(2-morpholinoethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((1-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1H-indazol-4-yl)-7-(2-morpholinoethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

7-(2-(azetidin-1-yl)ethoxy)-N-(3-cyclopropyl-1-((1-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(piperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-hydroxyethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

7-(3-amino-2,2-difluoropropoxy)-N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

7-(azetidin-3-yloxy)-*N*-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(morpholin-2-ylmethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

(R)-*N*-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(3-fluoropyrrolidin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(piperazin-1-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-morpholinoimidazo[1,2-a]pyridine-3-carboxamide;

(R)-N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(3-hydroxypyrrolidin-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(4-(2-hydroxyethyl)piperazin-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(4-hydroxypiperidin-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

(S)-*N*-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(3-hydroxypyrrolidin-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(4-ethylpiperazin-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(3-oxopiperazin-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

7-(1,4-diazepan-1-yl)-N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-ethyl-1*H*-pyrazol-3-yl)methyl)-1*H*-indazol-4-yl)-7-(1*H*-1,2,4-triazol-1-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-ethyl-1*H*-pyrazol-3-yl)methyl)-1*H*-indazol-4-yl)-7-fluoroimidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(1H-1,2,4-triazol-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(3-methyl-1H-1,2,4-triazol-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(5-methyl-1H-1,2,4-triazol-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(3-methyl-4H-1,2,4-triazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

7-(2,3-dihydroxypropoxy)-*N*-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-ethyl-1*H*-pyrazol-3-yl)methyl)-1*H*-indazol-4-yl)-7-(1-methyl-1*H*-pyrazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-ethyl-1*H*-pyrazol-3-yl)methyl)-1*H*-indazol-4-yl)-7-(1-methyl-1*H*-pyrazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(1-((1,5-dimethyl-1*H*-pyrazol-3-yl)methyl)-3-ethyl-1*H*-indazol-4-yl)-7-(5-((dimethylamino)methyl)furan-2-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

(R)-*N*-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(3-fluoropyrrolidin-1-yl)ethyl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethyl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(3-fluoroazetidin-1-yl)ethyl)imidazo[1,2-*a*]pyridine-3-carboxamide;

7-(2-(dimethylamino)ethyl)-N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(3-methoxyazetidin-1-yl)ethyl)imidazo[1,2-*a*]pyridine-3-carboxamide;

7-((Dimethylamino)methyl)-*N*-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

7-((dimethylamino)methyl)-*N*-(3-ethyl-1-((1-ethyl-1*H*-pyrazol-3-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-iodo-1-((2-methylthiazol-5-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((5-methyl-1,3,4-thiadiazol-2-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((2-methyloxazol-4-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(pyrimidin-5-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(6-methylpyridin-3-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(3-(4-methylpiperazin-1-yl)propyl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-methoxy-1-((6-methylpyridin-3-yl)methyl)-1*H*-indazol-4-yl)-7-(2-methoxyethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-bromo-1-((6-methylpyridin-3-yl)methyl)-1*H*-indazol-4-yl)-7-(2-methoxyethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-methoxy-1-((6-methylpyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-(thiazol-2-ylmethyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-3-yl)methyl)-1*H*-indazol-4-yl)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-3-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-(thiazol-2-ylmethyl)-1*H*-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((4-methylthiazol-2-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((6-methylpyridin-3-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((2-methylthiazol-4-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((5-fluoropyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((5-fluoropyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((2-methylthiazol-4-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-ethyl-1-((2-isopropylthiazol-4-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((2-isopropylthiazol-4-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((5-fluoropyridin-2-yl)methyl)-1*H*-indazol-4-yl)-7-(2-(4-isopropylpiperazin-1-yl)ethoxy)imidazo[1,2-*a*]pyridine-3-carboxamide;

7-(2-acetamidoethylthio)-N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((5-hydroxy-6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

7-(Benzyloxy)-N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-hydroxyimidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(methylthio)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(2-(vinyloxy)ethoxy)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;


N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(2-hydroxyethoxy)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

7-bromo-*N*-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide; and

pharmaceutically acceptable salts thereof.

What is claimed is:

1. A compound having the general formula I



I

or a pharmaceutically acceptable salt thereof, wherein:

R^1 is $hetAr^1CH_2$—, $hetAr^2CH_2$—, (3-6C cycloalkyl)-CH_2—, tetrahydropyranylCH_2—, benzyl which is optionally substituted with (1-4C)alkoxy, or (N-1-3C alkyl)pyridinonyl-CH_2— which is optionally substituted with one or more substituents independently selected from (1-6C)alkyl;

$hetAr^1$ is pyridyl optionally substituted with one or more substituents independently selected from (1-6C)alkyl, (1-4C)alkoxy, halogen, $hetCyc^1$, $hetCyc^1$-CH_2—, amino(2-4C)alkoxy, [di(1-3C alkyl)amino](2-4C) alkoxy, dihydroxy(3-4C)alkoxy, $hetCyc^2O$—, $hetCyc^{2a}$ (1-2C)alkoxy and OH;

$hetCyc^1$ is a 6-membered heterocycle having 1-2 ring N atoms and optionally substituted with NH_2;

$hetCyc^2$ and $hetCyc^{2a}$ are independently a 5-6 membered heterocycle having 1-2 ring N atoms and optionally substituted with one or more substituents independently selected from (1-6C)alkyl, OH, and halogen;

$hetAr^2$ is a 5-membered heteroaryl ring having 2-3 ring heteroatoms independently selected from N, S and O where at least one of said heteroatoms is N, wherein said ring is optionally substituted with one or more substituents independently selected from (1-6C)alkyl, (2-4C) hydroxyalkyl, (3-4C)dihydroxyalkyl, (3-6C cycloalkyl) CH_2—, $hetCyc^3$, $hetCyc^{3a}$(1-2C)alkyl, and benzyl optionally substituted with (1-4C)alkoxy;

$hetCyc^3$ and $hetCyc^{3a}$ are independently a 6-membered heterocyclic ring having 1-2 ring N atoms and optionally substituted with a halogen;

R^2 is (2-4C)alkyl, cyclopropyl, OMe, I or Br;

R^3 is H or Cl;

R^4 is H or CN;

R^5 is H, halogen, OH, $hetAr^3$, $hetAr^4$, N-(1-3C alkyl)pyridinone, $hetAr^5$, $hetCyc^4$, $hetCyc^5C(=O)$—, $hetCyc^6$(1-4Calkyl)-, $hetCyc^7$(1-4C)alkoxy, ($hetCyc^8$)-O—, $hetCyc^9$(1-4C)alkoxy, (1-3C alkoxy)(1-4C)alkoxy, hydroxy(1-4C)alkoxy, dihydroxy(2-4C)alkoxy, difluoroamino(1-4C)alkoxy, [di(1-3C alkyl)amino](1-4C) alkoxy, [(1-4C alkoxy)carbonylamide]difluoro(1-4C) alkoxy, (1-4C alkyl)C(=O)NH(2-4C)alkylthio-, (1-4Calkyl)OC(=O)—, (1-4C alkyl)C(=O)—, hydroxy(1-4C)alkyl, [hydroxy(2-4C)alkyl)amino]-(1-4C)alkyl, [(1-4C alkoxy)(1-4C alkyl)amino](1-4C) alkyl, [di(1-4C alkyl)amino](1-4C)alkyl, R'R"NC (=O)—, 1-6Calkylthio, benzyloxy, [hydroxy(1-4C) alkoxy](1-4C)alkoxy, or [(2-4Calkenyloxy)(1-4C) alkoxy](1-4C)alkoxy;

$hetAr^3$ is a 5-membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O and S, wherein said ring is optionally substituted with one or more substituents independently selected from (1-6C) alkyl and [di(1-3C alkyl)amino]CH_2—;

$hetAr^4$ is a 6-membered heteroaryl ring having 1-2 ring N atoms and optionally substituted with one or more substituents independently selected from (1-6C)alkyl;

$hetAr^5$ is a 9-membered partially unsaturated bicyclic heterocyclic ring having 3 ring N atoms and optionally substituted with one or more substituents independently selected from (1-6C)alkyl;

hetCyc[4] is a 5-7 membered saturated or partially unsaturated heterocyclic ring having 1-2 ring heteroatoms selected from N and O and at least one of said heteroatoms is N, wherein said ring is optionally substituted with one or more substituents independently selected from (1-6C)alkyl, hydroxy(1-4C)alkyl, OH and oxo;

hetCyc[5] is a 6 membered heterocyclic ring having 1-2 ring N atoms and optionally substituted with one or more substituents independently selected from (1-6C)alkyl;

hetCyc[6] is a 4-6 membered heterocyclic ring having 1-2 ring N atoms and optionally substituted with one or more substituents independently selected from (1-6C) alkyl, (1-4C)alkoxy and halogen;

hetCyc[7] is a 4-6 membered heterocycle having 1-2 ring heteroatoms independently selected from N, O and S, wherein one of said ring nitrogen atoms is optionally oxidized to N(o) and wherein said S ring atom is optionally oxidized to SO or SO_2, wherein hetCyc[7] is optionally substituted with one or more substituents independently selected from (1-6C)alkyl, (1-4C)alkylOC (=O)—, (1-4C)alkoxy, OH and halogen;

hetCyc[8] is a 4-6 membered heterocycle having one or two ring N atoms and optionally substituted with one or more substituents independently selected from (1-6C) alkyl and OH;

hetCyc[9] is a bridged 8-membered heterocyclic ring having 2 ring atoms selected from N and O wherein at least one of said heteroatoms is N, wherein said ring is optionally substituted with (1-6C)alkyl;

R' is H or (1-4C)alkyl;

R" is (1-4C)alkyl, hetCyc[10]-, amino(1-4C)alkyl, or [di(1-4C alkyl)amino](1-4C alkyl); and

hetCyc[10] is a 5 membered heterocycle having a ring N atom and optionally substituted with one or more substituents independently selected from (1-6C)alkyl.

2. A compound of claim 1, wherein:

R^1 is $hetAr^1CH_2$—, $hetAr^2CH_2$—, (3-6C cycloalkyl)-CH_2—, tetrahydropyranylCH_2—, benzyl which is optionally substituted with (1-4C)alkoxy, or (N-1-3C alkyl)pyridinonyl-CH_2— which is optionally substituted with one or more substituents independently selected from (1-6C)alkyl;

$hetAr^1$ is pyridyl optionally substituted with one or more substituents independently selected from (1-6C)alkyl, (1-4C)alkoxy, halogen, $hetCyc^1$, $hetCyc^1$-CH_2—, amino(2-4C)alkoxy, [di(1-3C alkyl)amino](2-4C) alkoxy, dihydroxy(3-4C)alkoxy, $hetCyc^2O$— and $hetCyc^{2a}$(1-2C)alkoxy;

$hetCyc^1$ is a 6-membered heterocycle having 1-2 ring N atoms and optionally substituted with NH_2;

$hetCyc^2$ and $hetCyc^{2a}$ are independently a 5-6 membered heterocycle having 1-2 ring N atoms and optionally substituted with one or more substituents independently selected from (1-6C)alkyl, OH, and halogen;

$hetAr^2$ is a 5-membered heteroaryl ring having 2-3 ring heteroatoms independently selected from N, S and O where at least one of said heteroatoms is N, wherein said ring is optionally substituted with one or more substituents independently selected from (1-6C)alkyl, (2-4C) hydroxyalkyl, (3-4C)dihydroxyalkyl, (3-6C cycloalkyl) CH_2—, $hetCyc^3$, $hetCyc^{3a}$(1-2C)alkyl, and benzyl optionally substituted with (1-4C)alkoxy;

$hetCyc^3$ and $hetCyc^{3a}$ are independently a 6-membered heterocyclic ring having 1-2 ring N atoms and optionally substituted with a halogen;

R^2 is (2-4C)alkyl, cyclopropyl, OMe, I or Br;

R^3 is H or Cl;

R^4 is H or CN;

R^5 is H, F, OH, $hetAr^3$, $hetAr^4$, N-(1-3C alkyl)pyridinone, $hetAr^5$, $hetCyc^4$, $hetCyc^5C(=O)$—, $hetCyc^6$(1-4Calkyl)-, $hetCyc^7$(1-4C)alkoxy, ($hetCyc^8$)-O—, $hetCyc^9$(1-4C)alkoxy, (1-3C alkoxy)(1-4C)alkoxy, hydroxy(1-4C)alkoxy, dihydroxy(2-4C)alkoxy, difluo-

roamino(1-4C)alkoxy, [di(1-3C alkyl)amino](1-4C) alkoxy, [(1-4C alkoxy)carbonylamide]difluoro (1-4C) alkoxy, (1-4C alkyl)C(=O)NH(2-4C)alkylthio-, (1-4Calkyl)OC(=O)—, (1-4C alkyl)C(=O)—, hydroxy(1-4C)alkyl, [hydroxy(2-4C)alkyl)amino]-(1-4C)alkyl, [(1-4C alkoxy)(1-4C alkyl)amino](1-4C) alkyl, [di(1-4C alkyl)amino](1-4C)alkyl, or R'R"NC (=O)—;

$hetAr^3$ is a 5-membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O and S, wherein said ring is optionally substituted with one or more substituents independently selected from (1-6C) alkyl and [di(1-3C alkyl)amino]CH_2—;

$hetAr^4$ is a 6-membered heteroaryl ring having 1-2 ring N atoms and optionally substituted with one or more substituents independently selected from (1-6C)alkyl;

$hetAr^5$ is a 9-membered partially unsaturated bicyclic heterocyclic ring having 3 ring N atoms and optionally substituted with one or more substituents independently selected from (1-6C)alkyl;

$hetCyc^4$ is a 5-7 membered saturated or partially unsaturated heterocyclic ring having 1-2 ring heteroatoms selected from N and O and at least one of said heteroatoms is N, wherein said ring is optionally substituted with one or more substituents independently selected from (1-6C)alkyl, hydroxy(1-4C)alkyl, OH and oxo;

$hetCyc^5$ is a 6 membered heterocyclic ring having 1-2 ring N atoms and optionally substituted with one or more substituents independently selected from (1-6C)alkyl;

$hetCyc^6$ is a 4-6 membered heterocyclic ring having 1-2 ring N atoms and optionally substituted with one or more substituents independently selected from (1-6C) alkyl, (1-4C)alkoxy and halogen;

$hetCyc^7$ is a 4-6 membered heterocycle having 1-2 ring heteroatoms independently selected from N, O and S, wherein one of said ring nitrogen atoms is optionally oxidized to N(0) and wherein said S ring atom is optionally oxidized to SO or SO_2, wherein $hetCyc^7$ is optionally substituted with one or more substituents independently selected from (1-6C)alkyl, (1-4C)alkylCO (=O)—, (1-4C)alkoxy, OH and F;

hetCyc^8 is a 4-6 membered heterocycle having one or two ring N atoms and optionally substituted with one or more substituents independently selected from (1-6C) alkyl and OH;

hetCyc^9 is a bridged 8-membered heterocyclic ring having 2 ring atoms selected from N and O wherein at least one of said heteroatoms is N, wherein said ring is optionally substituted with (1-6C)alkyl;

R' is H or (1-4C)alkyl;

R" is (1-4C)alkyl, hetCyc^{10}-, [amino(1-4C)alkyl)], or [di (1-4C alkyl)amino](1-4C alkyl); and

hetCyc^{10} is a 5 membered heterocycle having a ring N atom and optionally substituted with one or more substituents independently selected from (1-6C)alkyl.

3. A compound according to claim 1, wherein R^1 is hetAr^{1}CH$_2$— or hetAr^{2}CH$_2$—.

4. A compound according to claim 1, wherein R^1 is hetAr^{1}CH$_2$—.

5. A compound according to claim 1, wherein R^1 is hetAr^{2}CH$_2$—.

6. A compound according to claim 1, wherein R^1 is (3-6C cycloalkyl)-CH$_2$—, tetrahydropyranylCH$_2$—, or benzyl which is optionally substituted with (1-4C)alkoxy.

7. A compound according to claim 1, wherein R^1 is (N-1-3C alkyl)pyridinonyl-CH$_2$— optionally substituted with (1-6C)alkyl.

8. A compound according to claim 1, wherein R^5 is halogen.

9. A compound according to claim 1, wherein R^5 is selected from H, F and OH.

10. A compound according to a claim 1, wherein R^5 is selected from hetAr^3, hetAr^4, N-(1-3C alkyl)pyridinone and hetAr^5.

11. A compound according to claim 1, wherein R^5 is selected from hetCyc^4, hetCyc^{5}C(=O)—, hetCyc^6(1-4Calkyl)-, hetCyc^7(1-4C)alkoxy, (hetCyc^8)-O— and hetCyc^9(1-4C)alkoxy.

12. A compound according to claim 11, wherein R^5 is selected from hetCyc^7(1-4C)alkoxy, (hetCyc^8)-O— and hetCyc^9(1-4C)alkoxy.

13. A compound according to claim 12, wherein R^5 is hetCyc^7(1-4C)alkoxy.

14. A compound according to claim 1, wherein R^5 is selected from (1-3C alkoxy)(1-4C)alkoxy, hydroxy(1-4C) alkoxyl, dihydroxy(2-4C)alkoxy, difluoroamino(1-4C) alkoxy, [di(1-3C alkyl)amino](1-4C)alkoxy, [(1-4C alkoxy) carbonylamide]difluoro(1-4C)alkoxy and (1-4C alkyl)C (=O)NH(2-4C)alkylthio-.

15. A compound according to a claim 1, wherein R^5 is selected from (1-4Calkyl)OC(=O)— and (1-4C alkyl)C (=O)—.

16. A compound according to claim 1, wherein R^5 is selected from hydroxy(1-4C)alkyl, [(2-4C)hydroxyalkyl)] amino-(1-4C)alkyl, [(1-4C alkoxy)(1-4C alkyl)]amino(1-4C)alkyl and [di(1-4C alkyl)amino](1-4C)alkyl.

17. A compound according to claim 1, wherein R^5 is R'R"NC(=O)—.

18. A compound according to claim 1, wherein R^5 is (1-6C) alkylthio.

19. A compound according to claim 1, wherein R^5 is selected from benzyloxy, [hydroxy(1-4C)alkoxy](1-4C) alkoxy and [(2-4Calkenyloxy)(1-4C)alkoxy](1-4C)alkoxy.

20. A compound according to claim 1, wherein R^2 is cyclopropyl or (2-4C)alkyl.

21. A compound according to claim 20, wherein R^2 is cyclopropyl.

22. A compound according to claim 20, wherein R^2 is (2-4C)alkyl.

23. A compound according to claim 22, wherein R^2 is ethyl.

24. A compound according to claim 1, wherein R^2 is OMe, I or Br.

25. A compound according to claim 1, wherein R^3 is H.

26. A compound according to claim 1, wherein R^3 is Cl.

27. A compound according to claim 1, wherein R^4 is H.

28. A compound according to claim 1, wherein R^4 is CN.

29. A pharmaceutical composition, which comprises a compound of Formula I as defined in claim 1, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable diluent or carrier.

30. A compound of Formula I as defined in claim 1, or a pharmaceutically acceptable salt thereof, for use in therapy.

31. A compound of claim 1, selected from:

N-(1-Benzyl-3-iodo-1H-indazol-4-yl)-7-(2-methoxyethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(1-Benzyl-3-ethyl-1H-indazol-4-yl)-7-(2-methoxyethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(1-Benzyl-3-cyclopropyl-1H-indazol-4-yl)-7-(2-methoxyethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(1-Benzyl-5-chloro-3-ethyl-1H-indazol-4-yl)-7-(2-methoxyethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-Ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((2-methoxy-6-methylpyridin-3-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-(2-(piperazin-1-yl)ethyl)-1H-pyrazol-3-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(1-((1-(2,3-dihydroxypropyl)-1H-pyrazol-5-yl)methyl)-3-ethyl-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(1-((6-(2-aminoethoxy)pyridin-2-yl)methyl)-3-ethyl-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(1-((6-(3-aminopropoxy)pyridin-2-yl)methyl)-3-ethyl-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(1-((6-(3-(dimethylamino)propoxy)pyridin-2-yl)methyl)-3-ethyl-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(piperazine-1-carbonyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(4-methylpiperazine-1-carbonyl)imidazo [1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-(piperazin-1-ylmethyl)pyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methoxypyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-morpholinoethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

(S)—N-(3-ethyl-1-((6-(pyrrolidin-3-yloxy)pyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-((3R,4R)-3-fluoropiperidin-4-yloxy)pyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-(piperidin-4-yloxy)pyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-(4-methoxybenzyl)-1H-pyrazol-4-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-(2-hydroxyethyl)-1H-pyrazol-4-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-((3R,4R)-3-fluoropiperidin-4-yl)-1H-pyrazol-4-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

Ethyl 3-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-ylcarbamoyl)imidazo[1,2-a]pyridine-7-carboxylate;

N-(3-ethyl-1-((6-ethylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-methyl-6-oxo-1,6-dihydropyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-ethyl-6-oxo-1,6-dihydropyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(1-((6-ethoxypyridin-2-yl)methyl)-3-ethyl-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(1,3,4-oxadiazol-2-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(5-methyl-1,3,4-oxadiazol-2-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(piperazin-1-ylmethyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-((4-methylpiperazin-1-yl)methyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-((3S,4S)-4-hydroxypyrrolidin-3-yloxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-((3R,4R)-4-hydroxypyrrolidin-3-yloxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-((3S,4S)-4-hydroxy-1-methylpyrrolidin-3-yloxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-((3R,4R)-4-hydroxy-1-methylpyrrolidin-3-yloxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-(((2R,3S)-3-hydroxypyrrolidin-2-yl)methoxy)pyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

4-(2-(3-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-ylcarbamoyl)imidazo[1,2-a]pyridin-7-yloxy)ethyl)-1-methylpiperazine 1-oxide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(((2R,3S)-3-hydroxypyrrolidin-2-ylmethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-ethyl-1H-pyrazol-5-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-ethyl-1H-pyrazol-3-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-(((2R,3S)-3-hydroxy-1-methylpyrrolidin-2-yl)methoxy)pyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(((2R,3S)-3-hydroxy-1-methylpyrrolidin-2-yl)methoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-(2-(piperazin-1-yl)ethoxy)pyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(1,3,4-thiadiazol-2-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N3-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-N7-(pyrrolidin-3-yl)imidazo[1,2-a]pyridine-3,7-dicarboxamide;

N7-(2-aminoethyl)-N3-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3,7-dicarboxamide;

N3-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-N7-methylimidazo[1,2-a]pyridine-3,7-dicarboxamide;

N3-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-N7,N7-dimethylimidazo[1,2-a]pyridine-3,7-dicarboxamide;

N3-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-N7-(1-methylpyrrolidin-3-yl)imidazo[1,2-a]pyridine-3,7-dicarboxamide;

N-(2-(dimethylamino)ethyl)-N3-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3,7-dicarboxamide;

7-(1,2-dimethyl-1H-imidazol-5-yl)-N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(1((1,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-ethyl-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-(2-(4-methylpiperazin-1-yl)ethoxy)pyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(1-((1,5-dimethyl-1H-pyrazol-3-yl)methyl)-3-ethyl-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(1-((1,5-dimethyl-1H-pyrazol-3-yl)methyl)-3-ethyl-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl) ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-methyl-1H-pyrazol-3-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-methyl-1H-pyrazol-3-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(5,6,7,8-tetrahydroimidazo[1,2-a]pyrazin-3-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(7-methyl-5,6,7,8-tetrahydroimidazo[1,2-a]pyrazin-3-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((1-ethyl-1H-pyrazol-3-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl) ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((1-ethyl-1H-pyrazol-3-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-isopropylpiperazin-1-yl) ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((1-isopropyl-1H-pyrazol-3-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl) ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((1-isopropyl-1H-pyrazol-3-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-isopropylpiperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy) imidazo[1,2-a]pyridine-3-carboxamide;

7-chloro-N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(1-((6-(2,3-dihydroxypropoxy)pyridin-2-yl)methyl)-3-ethyl-1H-indazol-4-yl)imidazo[1,2-d]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-(piperazin-1-yl)pyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-d]pyridine-3-carboxamide;

N-(1-((6-(4-aminopiperidin-1-yl)pyridin-2-yl)methyl)-3-ethyl-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-ethyl-1H-pyrazol-4-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(1-((1-(cyclopropylmethyl)-1H-pyrazol-4-yl)methyl)-3-ethyl-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

4-(2-(3-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-ylcarbamoyl)imidazo[1,2-a]pyridin-7-yloxy)ethyl)-1-methylpiperazine 1-oxide;

N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(piperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

6-cyano-N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-isopropylpiperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-isopropylpiperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((1-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

7-(2-(azetidin-1-yl)ethoxy)-N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

7-fluoro-N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-((1-methylpiperidin-4-yl)methoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-ethylpiperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

(R)—N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(1-methylpyrrolidin-3-yloxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(1-methylpiperidin-4-yloxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(pyrrolidin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-morpholinoethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

(S)—N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(1-methylpyrrolidin-3-yloxy)imidazo[1,2-a]pyridine-3-carboxamide;

tert-butyl 2-((3-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-ylcarbamoyl)imidazo[1,2-a]pyridin-7-yloxy)methyl)morpholine-4-carboxylate;

tert-butyl 3-(3-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-ylcarbamoyl)imidazo[1,2-a]pyridin-7-yloxy)-2,2-difluoropropylcarbamate;

N-(3-ethyl-1-((1-ethyl-1H-pyrazol-3-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-isopropylpiperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(pyrrolidin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

(R)—N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(3-methoxypyrrolidin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(8-methyl-3,8-diazabicyclo[3.2.1]octan-3-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

(S)—N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(3-methoxypyrrolidin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-ethyl-1H-pyrazol-3-yl)methyl)-1H-indazol-4-yl)-7-(2-(pyrrolidin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(1-methylpiperidin-4-yloxy)imidazo[1,2-a]pyridine-3-carboxamide;

(S)—N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(3-fluoropyrrolidin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-thiomorpholine 1,1-dioxide ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-ethyl-1H-pyrazol-3-yl)methyl)-1H-indazol-4-yl)-7-(1-methylpiperidin-4-yloxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(8-Oxa-3-azabicyclo[3.2.1]octane) ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((1-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1H-indazol-4-yl)-7-(2-(pyrrolidin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-ethyl-1H-pyrazol-3-yl)methyl)-1H-indazol-4-yl)-7-(2-morpholinoethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((1-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1H-indazol-4-yl)-7-(2-morpholinoethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

7-(2-(azetidin-1-yl)ethoxy)-N-(3-cyclopropyl-1-((1-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(piperazin-1-yl)ethoxy)imidazo[1,2-a] pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-hydroxyethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

7-(3-amino-2,2-difluoropropoxy)-N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

7-(azetidin-3-yloxy)-N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(morpholin-2-ylmethoxy)imidazo[1,2-a] pyridine-3-carboxamide;

(R)—N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(3-fluoropyrrolidin-1-yl)ethoxy) imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(piperazin-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-morpholinoimidazo[1,2-a]pyridine-3-carboxamide;

(R)—N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(3-hydroxypyrrolidin-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(4-(2-hydroxyethyl)piperazin-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(4-hydroxypiperidin-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

(S)—N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(3-hydroxypyrrolidin-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(4-ethylpiperazin-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(3-oxopiperazin-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

7-(1,4-diazepan-1-yl)-N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-ethyl-1H-pyrazol-3-yl)methyl)-1H-indazol-4-yl)-7-(1H-1,2,4-triazol-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-ethyl-1H-pyrazol-3-yl)methyl)-1H-indazol-4-yl)-7-fluoroimidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(1H-1,2,4-triazol-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(3-methyl-1H-1,2,4-triazol-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(5-methyl-1H-1,2,4-triazol-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

7-(2,3-dihydroxypropoxy)-N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-ethyl-1H-pyrazol-3-yl)methyl)-1H-indazol-4-yl)-7-(1-methyl-1H-pyrazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((1-ethyl-1H-pyrazol-3-yl)methyl)-1H-indazol-4-yl)-7-(1-methyl-1H-pyrazol-4-yl)imidazo [1,2-a]pyridine-3-carboxamide;

N-(1-((1,5-dimethyl-1H-pyrazol-3-yl)methyl)-3-ethyl-1H-indazol-4-yl)-7-(5-((dimethylamino)methyl)furan-2-yl)imidazo[1,2-a]pyridine-3-carboxamide;

(R)—N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(3-fluoropyrrolidin-1-yl)ethyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethyl)imidazo [1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(3-fluoroazetidin-1-yl)ethyl)imidazo[1, 2-a]pyridine-3-carboxamide;

7-(2-(dimethylamino)ethyl)-N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(3-methoxyazetidin-1-yl)ethyl)imidazo [1,2-a]pyridine-3-carboxamide;

7-((Dimethylamino)methyl)-N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

7-((dimethylamino)methyl)-N-(3-ethyl-1-((1-ethyl-1H-pyrazol-3-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a] pyridine-3-carboxamide;

N-(3-iodo-1-((2-methylthiazol-5-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1, 2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((5-methyl-1,3,4-thiadiazol-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl) ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((2-methyloxazol-4-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy) imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(pyrimidin-5-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(6-methylpyridin-3-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(3-(4-methylpiperazin-1-yl)propyl)imidazo [1,2-a]pyridine-3-carboxamide;

N-(3-methoxy-1-((6-methylpyridin-3-yl)methyl)-1H-indazol-4-yl)-7-(2-methoxyethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-bromo-1-((6-methylpyridin-3-yl)methyl)-1H-indazol-4-yl)-7-(2-methoxyethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-methoxy-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-(thiazol-2-ylmethyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-3-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((6-methylpyridin-3-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-(thiazol-2-ylmethyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((4-methylthiazol-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((6-methylpyridin-3-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy) imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((2-methylthiazol-4-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((5-fluoropyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((5-fluoropyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy) imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((2-methylthiazol-4-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy) imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-ethyl-1-((2-isopropylthiazol-4-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1((2-isopropylthiazol-4-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl) ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((5-fluoropyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-isopropylpiperazin-1-yl)ethoxy) imidazo[1,2-a]pyridine-3-carboxamide;

7-(2-acetamidoethylthio)-N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((5-hydroxy-6-methylpyridin-2-yl) methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

7-(Benzyloxy)-N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-hydroxyimidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(methylthio)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(2-(vinyloxy)ethoxy)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(2-hydroxyethoxy)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

7-bromo-N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide; and

pharmaceutically acceptable salts thereof.

32. A compound of claim **31**, which is N-(3-ethyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide, or a pharmaceutically acceptable salt thereof.

33. A compound according to claim **31**, which is N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide, or a pharmaceutically acceptable salt thereof.

34. A compound according to claim **31**, which is 4-(2-(3-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-ylcarbamoyl)imidazo[1,2-a]pyridin-7-yloxy)ethyl)-1-methylpiperazine 1-oxide, or a pharmaceutically acceptable salt thereof.

35. A compound according to claim **31**, which is N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(piperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide, or a pharmaceutically acceptable salt thereof.

36. A compound according to claim **31**, which is N-(3-cyclopropyl-1-((6-methylpyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-isopropylpiperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide, or a pharmaceutically acceptable salt thereof.

37. A compound according to claim **31**, which is N-(3-ethyl-1-((5-fluoropyridin-2-yl)methyl)-1H-indazol-4-yl)-7-(2-(4-methylpiperazin-1-yl)ethoxy)imidazo[1,2-a]pyridine-3-carboxamide, or a pharmaceutically acceptable salt thereof.

38. A compound according to claim **4**, wherein R^5 is het-Cyc^7(1-4C)alkoxy.

39. A compound according to claim **38**, wherein R^2 is cyclopropyl.

40. A compound according to claim **39**, wherein R^3 is hydrogen.

41. A compound according to claim **40**, wherein R^4 is hydrogen.