

10

12 12

9.	PHYSICAL AND CHEMICAL PROPERTIES
<p>Physical Form: Liquid Color: Colorless Odor: Sharp vinegar Specific Gravity (water = 1): 1.068 Vapor Pressure at 20°C (68°F): 24 mbar (18 mm Hg) Vapor Density (Air = 1): 0.6 Volatile Fraction by Weight: 100 % Boiling Point: 100°C (212°F) Solubility in Water: Complete pH: < 1.0 Flash Point: None, emission of combustable vapor is possible</p>	

12

FIG. 1a

14

4. First Aid Measures	
Symptoms and effects	May cause alcohol intolerance.
First aid	
General	Do not drink alcohol after exposure. Always seek medical advice in case of significant exposure Wash immediately with soap and water. Rinse thoroughly with plenty of water. Eyelids should be held away from eyeball to ensure thorough rinsing. Seek medical advice if irritation develops. Rinse mouth, give water to drink. No specific recommendations.
Inhalation	
Skin	
Eye	
Ingestion	
Advice to physician	

16

FIG. 1b





FIG. 2

**FIG. 3**




FIG. 4

10

9. PHYSICAL AND CHEMICAL PROPERTIES	
Physical Form:	Liquid
Color:	Colorless
Odor:	Sharp vinegar
Specific Gravity (water = 1):	1.068
Vapor Pressure at 20°C (68°F):	24 mbar (18 mm Hg)
Vapor Density (Air = 1):	0.6
Volatile Fraction by Weight:	100 %
Boiling Point:	100°C (212°F)
Solubility in Water:	Complete
pH:	< 1.0
Flash Point:	None, emission of combustible vapor is possible

12


FIG. 5a

14



4. First Aid Measures	
Symptoms and effects	May cause alcohol intolerance.
First aid	
General	Do not drink alcohol after exposure.
Inhalation	Always seek medical advice in case of significant exposure.
Skin	Wash immediately with soap and water.
Eye	Rinse thoroughly with plenty of water. Eyelids should be held away from eyeball to ensure thorough rinsing. Seek medical advice if irritation develops.
Ingestion	Rinse mouth, give water to drink.
Advice to physician	No specific recommendations.

16



FIG. 5b




----- V.S. -----

**FIG. 6a**

----- V.S. -----

**FIG. 6b**

----- V.S. -----

**FIG. 6c**




FIG. 6d




FIG. 6e




FIG. 6f




FIG. 7




FIG. 8a




FIG. 8b

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical Form: Liquid

Color: Colorless

Odor: Sharp vinegar

Specific Gravity (water = 1): 1.068

Vapor Pressure at 20°C (68°F): 24 mbar (18 mm Hg)

Vapor Density (Air = 1): 0.6

Volatile Fraction by Weight: 100 %

Boiling Point: 100°C (212°F)

Solubility in Water: Complete

pH: < 1.0

Flash Point: None, emission of combustible vapor is possible

10. STABILITY AND REACTIVITY

Stability: Stable

Incompatibility: Material can react with metals, bases, strong oxidizing agents, amines.

Hazardous Polymerization: Will not occur

11. TOXICOLOGICAL INFORMATION

Effects of Exposure:

General:

Contains Acetic acid. Acute overexposure to extremely high airborne concentrations of respiratory irritants has been associated with development of an asthma-like reactive airways syndrome (RAAS) in susceptible individuals. Extremely high airborne concentrations are not generated during normal conditions of use but may occur following a spill.

FIG. 9

Attribute Block	Value Block
Section title 1	9. PHYSICAL AND CHEMICAL PROPERTIES
Section title 2	10. STABILITY AND REACTIVITY
Section title 3	11. TOXICOLOGICAL INFORMATION
9. PHYSICAL AND CHEMICAL PROPERTIES	Physical Form
9. PHYSICAL AND CHEMICAL PROPERTIES	Color
9. PHYSICAL AND CHEMICAL PROPERTIES	Odor
9. PHYSICAL AND CHEMICAL PROPERTIES	Specific gravity (water=1)
9. PHYSICAL AND CHEMICAL PROPERTIES	Vapor Pressure at 20°C (68°F)
9. PHYSICAL AND CHEMICAL PROPERTIES	Vapor Density (Air=1)
9. PHYSICAL AND CHEMICAL PROPERTIES	Volatile Fraction by Weight
9. PHYSICAL AND CHEMICAL PROPERTIES	Boiling Point
9. PHYSICAL AND CHEMICAL PROPERTIES	pH
9. PHYSICAL AND CHEMICAL PROPERTIES	Flash Point
Physical Form	Liquid
Color	Colorless
Odor	Sharp vinegar
Specific gravity (water=1)	1.068
Vapor Pressure at 20°C (68°F)	24 mbar (18 mm Hg)
Vapor Density (Air=1)	0.6
Volatile Fraction by Weight	100%
Boiling Point	100°C (212°F)
pH	< 1.0
Flash Point	None, emission of combustible vapor is possible
10. STABILITY AND REACTIVITY	Stability
10. STABILITY AND REACTIVITY	Incompatibility
10. STABILITY AND REACTIVITY	Hazardous Polymerization
Stability	Stable
Incompatibility	Material can react with metals, bases, strong oxidizing agents, amines
Hazardous Polymerization	Will not occur
11. TOXICOLOGICAL INFORMATION	Effects of Exposure
Effects of Exposure	General:
General	Contains Acetic acid. Acute overexposure to extremely high airborne concentrations of respiratory irritants has been associated with development of an asthma-like reactive airways syndrome (RADS) in susceptible individuals. Extremely high airborne concentrations are not generated during normal conditions of use but may occur following a spill.

FIG. 10

2. COMPOSITION/INFORMATION ON INGREDIENTS				
This product is to be considered as a preparation in conformance to EC directives.				
Information on hazardous ingredients				
Chemical description				
Sodium dimethylhydrazinecarbamate				
Composition / information on ingredients				
Number	EWG	CAS number	Chemical name	Risk phrases
1	approx. 10	123-44-1	Sodium dimethylhydrazinecarbamate	
Number	EC number	Annex I number	Symbol(s)	
1	201-878-7		H	R302
Other information				
Balance: Water				
3. HAZARDS IDENTIFICATION				
Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.				
4. FIRST AID MEASURES				
Symptoms and effects				
May cause alcohol intolerance.				
First aid				
General				
Do not drink alcohol after exposure.				
Inhalation				
Always seek medical advice in case of significant exposure.				
Skin				
Wash immediately with soap and water.				
Eye				
Rinse thoroughly with plenty of water. Eyelids should be held away from the eyeball to ensure thorough rinsing. Seek medical advice if irritation develops.				
Ingestion				
Rinse mouth, give water to drink.				
Advice to physician				
No specific recommendations.				
5. FIRE FIGHTING MEASURES				
Extinguishing media				
waterspray, water mist, foam, dry chemical powder.				
Unsuitable extinguishing media				
none known				
Special exposure hazards				
none known				
Hazardous decomposition/combustion products				
Emits toxic fumes under fire conditions: hydrogen cyanide (HCN), sulphur dioxide (SO ₂), nitrous gases (NO _x).				
Protective equipment				
Wear self contained breathing apparatus.				
Other information				
Do not allow run-off from fire fighting to enter drains or water courses.				

FIG. 11

Attribute Block	Value Block
Section title 1	2. COMPOSITION/INFORMATION ON INGREDIENTS
Section title 2	3. HAZARDS IDENTIFICATION
Section title 3	4. FIRST AID MEASURES
Section title 4	5. FIRE-FIGHTING MEASURES
2. COMPOSITION/INFORMATION ON INGREDIENTS	This product is to be considered as a preparation in conformance to EC directives.
2. COMPOSITION/INFORMATION ON INGREDIENTS	Information on hazardous ingredients
2. COMPOSITION/INFORMATION ON INGREDIENTS	Chemical description
2. COMPOSITION/INFORMATION ON INGREDIENTS	Composition / information on ingredients
Chemical description	Sodium dimethyldithiocarbamate
Composition / information on ingredients	Number
Composition / information on ingredients	% w/w
Composition / information on ingredients	CAS-number
Composition / information on ingredients	Chemical name
Composition / information on ingredients	Number
Composition / information on ingredients	EC-number
Composition / information on ingredients	Annex-1 number
Composition / information on ingredients	Symbol(s)
Composition / information on ingredients	Risk-phrase(s)
Number	1
% w/w	approx. 40
CAS-number	128-04-1
Chemical name	Sodium dimethyldithiocarbamate
Number	1
EC-number	204-876-7
Symbol(s)	N
Risk-phrase(s)	R50/53
3. HAZARDS IDENTIFICATION	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
4. FIRST AID MEASURES	Symptoms and effects
4. FIRST AID MEASURES	First aid
4. FIRST AID MEASURES	Advice to physician
Symptoms and effects	May cause alcohol intolerance.
First aid	General
First aid	Inhalation
First aid	Skin
First aid	Eye
First aid	Ingestion
General	Do not drink alcohol after exposure.
Inhalation	Always seek medical advice in case of significant exposure
Skin	Wash immediately with soap and water.
Eye	Rinse thoroughly with plenty of water. Eyelids should be held away from the eyeball to ensure thorough rinsing. Seek medical advice if irritation develops.
Ingestion	Rinse mouth, give water to drink.
Advice to physician	No specific recommendations.
5. FIRE-FIGHTING MEASURES	Extinguishing media
5. FIRE-FIGHTING MEASURES	Unsuitable extinguishing media
5. FIRE-FIGHTING MEASURES	Special exposure hazards
5. FIRE-FIGHTING MEASURES	Hazardous decomposition/combustion products
5. FIRE-FIGHTING MEASURES	Protective equipment
5. FIRE-FIGHTING MEASURES	Other information
Extinguishing media	Waterspray, water mist, foam, dry chemical powder.
Unsuitable extinguishing media	none known.
Special exposure hazards	none known.
Hazardous decomposition/combustion products	Emits toxic fumes under fire conditions: hydrogen cyanide (HCN), sulphur dioxide (SO ₂), nitrous gases (NO _x).
Protective equipment	Wear self contained breathing apparatus.
Other information	Do not allow run-off from fire fighting to enter drains or water courses.

FIG. 12

Selected Attributes to be labeled	Labeled Values
PHYSICAL AND CHEMICAL PROPERTIES	9. PHYSICAL AND CHEMICAL PROPERTIES
STABILITY AND REACTIVITY	10. STABILITY AND REACTIVITY
TOXICOLOGICAL INFORMATION	11. TOXICOLOGICAL INFORMATION
Physical Form	Liquid
Color	Colorless
Odor	Sharp vinegar
Specific gravity	(water=1) 1.068
Boiling Point	100°C (212°F)
pH	< 1.0
Flash Point	None, emission of combustible vapor is possible
Incompatibility	Material can react with metals, bases, strong oxidizing agents, amines
Hazardous Polymerization	Will not occur
Effects of Exposure	General Contains Acetic acid. Acute overexposure to extremely high airborne concentrations of respiratory irritants has been associated with development of an asthma-like reactive airways syndrome (RADS) in susceptible individuals. Extremely high airborne concentrations are not generated during normal conditions of use but may occur following a spill.

FIG. 13




FIG. 14

170

Conditions of Flammability: Flammable liquid and vapor			
Flash point:	Method:	Autoignition temperature:	Physical state:
-117°F (-83°C)	Closed Cup	778 (420°C)	Gas
Lower Exposure Limit (%):	1.8	Upper Exposure Limit (%):	8.4
Hazardous combustion products:		Carbon monoxide, Carbon dioxide	
Sensitivity to mechanical shock:		None	
Sensitivity to static discharge:		Not Available	

FIG. 16a




FIG. 16b




FIG. 16c






FIG. 16d






FIG. 16g






FIG. 16h






FIG. 16k




FIG. 16l




FIG. 16m




FIG. 17a 252




FIG. 17b

270

Flash point:	Method:	Physical state:
-117°F (-83°C)	Closed Cup	Gas
Lower Exposure Limit (%):	1.8	Upper Exposure Limit (%): 8.4
Vapor Pressure at 70°F:	45 psi	Relative Density (Air = 1): 2.06

FIG. 18a




FIG. 18b




FIG. 18c




FIG. 19a




FIG. 19b




FIG. 19c




FIG. 19d




FIG. 19e

MATERIAL SAFETY DATA SHEET

Company Name	Seng Hin Chemical & Manufacturing Pte Ltd		
Address	2 Tase View Lane	Singapore 637657	
Phone	(65) 6951 7641	Fax	(65) 6661 1658
Contact Person	Ethel Chan		
Issue of Inventory	1 Nov 2001 (Rev. 4)	Rev. always	6 pages
Comments	<p>Ammonium Hydroxide</p> <p>THIS MSDS IS A SUMMARY OF INFORMATION AND INFORMATION PROVIDED HEREIN ARE BASED ON CURRENT KNOWLEDGE AND SHOULD BE USED AS A GUIDE ONLY. IT IS NOT A SUBSTITUTE FOR THE PRODUCT'S SAFETY DATA SHEET (SDS) OR THE PRODUCT'S SAFETY DATA SHEET (SDS) OR THE PRODUCT'S SAFETY DATA SHEET (SDS). THE USER SHOULD CONSULT THE PRODUCT'S SAFETY DATA SHEET (SDS) OR THE PRODUCT'S SAFETY DATA SHEET (SDS) OR THE PRODUCT'S SAFETY DATA SHEET (SDS) FOR THE LATEST INFORMATION ON THE PRODUCT'S SAFETY DATA SHEET (SDS) OR THE PRODUCT'S SAFETY DATA SHEET (SDS) OR THE PRODUCT'S SAFETY DATA SHEET (SDS).</p>		

SECTION 1 : PRODUCT AND COMPANY INFORMATION				
DESCRIPTION	Liquid		Product Name	Ammonium Hydroxide
OTHER NAMES	Ammonium Hydroxide		Chemical Name	NH ₄ OH
QSD - CLASS, CLAS, AND LCL	8	NOT A HAZARDOUS SUBSTANCE	MSDS No.	BQ 962500
REVISIONS/REVISIONS	UN 2072	Synonym	Ammonium Hydroxide; Aqua Ammonia	

SECTION 2 : COMPOSITION/INFORMATION ON INGREDIENTS	
Ingredient Composition	Ammonia 20-35% Water 65-80%

SECTION 3 : HAZARDS IDENTIFICATION						
Health	Fire	Reactive	Other	Degree of Hazard	GHS Coding	Other Codes
3	1	0	COR	0 = No Hazard 1 = Slight Hazard 2 = Moderate Hazard 3 = Serious Hazard 4 = Severe Hazard	Health = Red Fire = Red Reactivity = Yellow Other = White	OX = Corrosive AGD = Acid ALK = Alkali COR = Corrosive W = Irritant

FIG. 20

Atlantic Paste & Glue Co., Inc.

—MANUFACTURER OF SPECIALTY ADHESIVE PRODUCTS—

170 - 53rd Street, Brooklyn, New York 11232 - U.S.A.

Tel: (718) 452-3638 / Fax: (718) 459-0039

Out of State: (800) 458-7454

E-Mail: catchmaster@atlanticpaste.com

Web: <http://www.catchmaster.com>

MATERIAL SAFETY DATA SHEET

MSDS #11221 December 1, 2005

PAGE 1

CATCHMASTER - RETAIL

<u>MODEL NO.</u>	<u>PRODUCT DESCRIPTION</u>
912	SMALL GOLD STICK
962	LARGE GOLD STICK

PRODUCT IDENTIFICATION

CATCHMASTER tasest and/or rodent traps function by means of a permanently tacky polymeric coating.

These coatings contain the same group of resins. However, the percentage of each component varies for each formula. Therefore, the following data apply to each of the following items marketed under the trade mark names of CATCHMASTER, CAZA FACIL, GLUE LOUPE, and DEAD END.

HAZARDOUS COMPONENTS

OSHA has established no permissible exposure limits for this blend of polymers. However, no significant health and safety hazard is expected since individual components of blend have good health and safety profile.

PHYSICAL CHARACTERISTICS

Softening point: 50 - 70°C. Soling point: N/A. Volatile: N/A. Water Solubility: Negligible. Specific gravity: Greater than 0.90.

VAPOR PRESSURE:

At 20°C.: Negligible. Appearance: Light straw color. Fragrance - Cherry, Peanut Butter, Chocolate or without fragrance.

FIRE & EXPLOSION HAZARD

Flash point (closed cup) higher than 200 F. Flammable limits: LEL - N/A. UEL - N/A.

N.F.P.A. Ratings: Health - 0. (Hazard very slight)
Fire - 1. (Hazard slight)
Reactivity - 0. (Hazard Very slight)

FIRE FIGHTING

FIG. 2)

HESKEL INCHITS CORPORATION		Date of Preparation: 06/08/01	
Hazardous Waste		Page 01 of 05	

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:	Heavy Duty Anti-Seize
Item number:	51100
Product type:	Lubricant
Company Address:	Inchits Corporation 1001 Trout Brook Crossing Rocky Hill, Connecticut 06067
Medical Emergency Number:	(800) 571-5300
Fax:	(860) 571-0465

2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS Number	%	Exposure Limits
Diisilates (petroleum), hydrotreated heavy paraffinic	68121-54-7	10-20	TLV: 5 STEL: 10 mg/m ³ ACNIN TLV: 5 mg/m ³ OSHA
Petroleum lubricating oil	64743-05-0	10-20	TLV: 5 STEL: 10 mg/m ³ ACNIN TLV: 5 mg/m ³ OSHA
Mineral oils (petroleum), hydrotreated	64742-57-0	10-20	TLV: 5 STEL: 10 mg/m ³ ACNIN TLV: 5 mg/m ³ OSHA
Mineral oils (petroleum), solvent-de-waxed	64742-02-7	10-20	TLV: 5 STEL: 10 mg/m ³ ACNIN TLV: 5 mg/m ³ OSHA
Mineral oil	64742-52-2	10-20	TLV: 5 STEL: 10 mg/m ³ ACNIN TLV: 5 mg/m ³ OSHA
Graphite	7782-42-1	10-20	TLV: 2 mg/m ³ ACNIN respirable TLV: 5 mg/m ³ OSHA respirable TLV: 15 mg/m ³ OSHA total
Calcium stearate	7582-25-0	5-10	TLV: 10 mg/m ³ ACNIN TLV: 5 mg/m ³ OSHA respirable TLV: 15 mg/m ³ OSHA total
Calcium chloride	7789-75-1	10-20	TLV: 2.5 mg/m ³ ACNIN TLV: 2.5 mg/m ³ OSHA

3. HAZARD IDENTIFICATION

EMERGENCY OVERVIEW

PHYSICAL STATE: Solid. COLOR: Brown. ODS: None.

CAUTION! CONSIDERABLE SMOKE AND VAPOR.
IMMEDIATELY IRRITATION TO EYES AND SKIN.

Potential Health Effects:

Eyes: Mechanical irritant. Rubbing may cause abrasion of cornea.

FIG. 23

APIEZON[®] H GREASE

Safety Data Sheet

Issue Date: February 2005

1. Supplier/Company Identification	<table> <tr> <td data-bbox="603 779 874 808">Product Name:</td><td data-bbox="1066 779 1220 808">APIEZON H Grease</td></tr> <tr> <td data-bbox="603 808 874 837">CAS No.:</td><td data-bbox="1026 808 1220 837">8012005-1, 8012005-2</td></tr> <tr> <td data-bbox="603 837 874 866">Company Name:</td><td data-bbox="1074 837 1220 866">APIEZON INC.</td></tr> <tr> <td data-bbox="603 866 874 896">Telephone: +44 (0) 181 675 4710</td><td data-bbox="890 866 1220 896">PO Box 110, Chesham, MK36 4AN, UK. Fax: +44 (0) 181 675 4705</td></tr> </table>	Product Name:	APIEZON H Grease	CAS No.:	8012005-1, 8012005-2	Company Name:	APIEZON INC.	Telephone: +44 (0) 181 675 4710	PO Box 110, Chesham, MK36 4AN, UK. Fax: +44 (0) 181 675 4705
Product Name:	APIEZON H Grease								
CAS No.:	8012005-1, 8012005-2								
Company Name:	APIEZON INC.								
Telephone: +44 (0) 181 675 4710	PO Box 110, Chesham, MK36 4AN, UK. Fax: +44 (0) 181 675 4705								
2. Composition/Ingredients	<table> <tr> <td data-bbox="603 929 715 958">Composition:</td><td data-bbox="1050 929 1220 958">Hydrocarbon grease</td></tr> <tr> <td data-bbox="603 958 794 987">Hazardous ingredients:</td><td data-bbox="1169 958 1220 987">None</td></tr> </table>	Composition:	Hydrocarbon grease	Hazardous ingredients:	None				
Composition:	Hydrocarbon grease								
Hazardous ingredients:	None								
3. Hazards Identification	This product is not classified as hazardous.								
4. First Aid Measures	<table> <tr> <td data-bbox="603 1064 659 1093">Type:</td><td data-bbox="906 1064 1220 1093">Irritant with respect to skin and eye</td></tr> <tr> <td data-bbox="603 1093 651 1122">Eye:</td><td data-bbox="1082 1093 1220 1122">None envisaged</td></tr> <tr> <td data-bbox="603 1122 699 1151">Inhalation:</td><td data-bbox="1082 1122 1220 1151">None envisaged</td></tr> <tr> <td data-bbox="603 1151 699 1180">Ingestion:</td><td data-bbox="834 1151 1220 1180">Do not induce vomiting. Consult a doctor if needed.</td></tr> </table>	Type:	Irritant with respect to skin and eye	Eye:	None envisaged	Inhalation:	None envisaged	Ingestion:	Do not induce vomiting. Consult a doctor if needed.
Type:	Irritant with respect to skin and eye								
Eye:	None envisaged								
Inhalation:	None envisaged								
Ingestion:	Do not induce vomiting. Consult a doctor if needed.								
5. Fire Fighting Measures	<table> <tr> <td data-bbox="603 1187 842 1216">Suitable extinguishing media:</td><td data-bbox="946 1187 1220 1238">Carbon dioxide, dry powder, foam or water (e.g. foam can extinguish)</td></tr> <tr> <td data-bbox="603 1238 826 1267">Special extinguishing media:</td><td data-bbox="1169 1238 1220 1267">None</td></tr> <tr> <td data-bbox="603 1267 842 1296">Special protective equipment:</td><td data-bbox="1169 1267 1220 1296">None</td></tr> </table>	Suitable extinguishing media:	Carbon dioxide, dry powder, foam or water (e.g. foam can extinguish)	Special extinguishing media:	None	Special protective equipment:	None		
Suitable extinguishing media:	Carbon dioxide, dry powder, foam or water (e.g. foam can extinguish)								
Special extinguishing media:	None								
Special protective equipment:	None								
6. Accidental Release Measures	<table> <tr> <td data-bbox="603 1310 794 1339">Personal protection:</td><td data-bbox="1169 1310 1220 1339">None</td></tr> <tr> <td data-bbox="603 1339 842 1368">Environmental protection:</td><td data-bbox="1169 1339 1220 1368">None</td></tr> <tr> <td data-bbox="603 1368 842 1397">Containment/clean up procedures:</td><td data-bbox="866 1368 1220 1397">Spill on concrete: use 100 g/l of detergent</td></tr> </table>	Personal protection:	None	Environmental protection:	None	Containment/clean up procedures:	Spill on concrete: use 100 g/l of detergent		
Personal protection:	None								
Environmental protection:	None								
Containment/clean up procedures:	Spill on concrete: use 100 g/l of detergent								
7. Handling and Storage	<table> <tr> <td data-bbox="603 1411 699 1440">Handling:</td><td data-bbox="970 1411 1220 1440">No special precautions required</td></tr> <tr> <td data-bbox="603 1440 699 1469">Storage:</td><td data-bbox="970 1440 1220 1469">No special precautions required</td></tr> </table>	Handling:	No special precautions required	Storage:	No special precautions required				
Handling:	No special precautions required								
Storage:	No special precautions required								
8. Exposure Controls/Personal Protection	<table> <tr> <td data-bbox="603 1489 842 1518">Engineering controls/measures:</td><td data-bbox="1106 1489 1220 1518">None required</td></tr> <tr> <td data-bbox="603 1518 794 1547">Personal protection:</td><td data-bbox="834 1518 1220 1547">Wash hands after use. Avoid prolonged exposure.</td></tr> </table>	Engineering controls/measures:	None required	Personal protection:	Wash hands after use. Avoid prolonged exposure.				
Engineering controls/measures:	None required								
Personal protection:	Wash hands after use. Avoid prolonged exposure.								

FIG. 24

Acute toxic symptoms	<p>The following symptoms may occur :</p> <ul style="list-style-type: none"> *Local : skin and eyes paraesthesia which may be severe. Usually transient with resolution within 24 hours. *Systemic : dizziness, headache, lightheadedness, nausea and vomiting, epigastric pain, muscular fasciculation of limbs, unsteadiness, convulsions and coma (very high doses).
4. FIRST-AID MEASURES IN CASE OF EXPOSURE	
Instructions for physicians	<ul style="list-style-type: none"> *Symptomatic treatment after decontamination. *Local contamination: <ul style="list-style-type: none"> *Skin : apply vitamin D cream or simple talc milk. *Eye : instillation of local anesthetic drops e.g. 1% amethocaine hydrochloride eye drops. *Give analgesics as necessary. *Can cause severe pain. *Systemic poisoning : <ul style="list-style-type: none"> *Monitor function : respiratory, cardiac. *Observe specific parameters : electrocardiograph, check for pulmonary oedema in case of inhalation. *Gastric lavage. Charcoal administration. *Intratracheal intubation. Artificial respiration as necessary. *Elimination by : dialysis, haemoperfusion. *Anticonvulsant therapy : diazepam i.v. *Contraindications : 1. Anticholinergic compounds 2. Atropine *Nausea : symptomatic. *Must not be confused with organophosphorus compounds.
Inhalation	<ul style="list-style-type: none"> *Remove to fresh air. *Keep at rest. *Seek medical advice immediately.
Skin contact	<ul style="list-style-type: none"> *Carefully remove contaminated clothing. *Wash affected area with soap and water. *In case of persistent irritation, seek medical advice.
Eyes Contact	<ul style="list-style-type: none"> *Rinse immediately with clean water for at least 15 minutes and obtain medical aid.
Ingestion	<ul style="list-style-type: none"> *Wash out mouth with water. *Do not induce vomiting. *Give water to drink. *Keep patient at rest. *Obtain medical advice immediately.

FIG. 25




Fig. 26




FIG. 27