

FIG. 1




FIG. 2

CONNECTED TO MOBILE COMMUNICATION NETWORK -
IP NETWORK SERVICE CONTROL DEVICE




FIG. 3




FIG. 4




FIG. 5A




FIG. 5B




FIG. 6A




FIG. 6B




FIG. 7





FIG. 8



9/25

FIG. 9

MOBILE COMMUNICATION NETWORK - IP NETWORK GATEWAY DEVICE 10




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15

MOBILE COMMUNICATION NETWORK ORIGINAL HEADER	IP NETWORK ORIGINAL HEADER	USAGE
X-1	X-A	SUBJECT OF MAIL (SUBJECT)
X-2	X-B	TIME WHEN MAIL OR MESSAGE ARRIVED AT SERVER
X-3	X-C	SOURCE MAIL ADDRESS
X-4	X-D	DESTINATION MAIL ADDRESS
X-5	X-E	SIMULTANEOUS RECEIPT ADDRESS

FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21

CONNECTED TO MOBILE COMMUNICATION NETWORK -
IP NETWORK SERVICE CONTROL DEVICE




FIG. 22




FIG. 23




FIG. 24




FIG. 25

