




FIGURE 1




FIGURE 2




FIGURE 3

The diagram shows an XML document representing an invoice. Annotations point to specific elements and attributes:

- 400**: Points to the root element `<busObj type="Invoice" action="update">`.
- 410a**: Points to the attribute `action="update"`.
- 415**: Points to the `<header>` element.
- 410b**: Points to the `<ident>A8B226576C</ident>` element.
- 425a**: Points to the `<currency>X</currency>` element.
- 425b**: Points to the `<total>283.00</total>` element.
- 410c**: Points to the `<customer>` element.
- 410d**: Points to the `<itm013668>` element.
- 430**: A bracket grouping the `<quantity>10</quantity>`, `<qtype>pce</qtype>`, `<sgl.price>23.80</sgl.price>`, and `<pos.price>238.00</pos.price>` elements.
- 435**: A bracket grouping the `<quantity>4</quantity>`, `<qtype>pce</qtype>`, `<sgl.price>11.25</sgl.price>`, and `<pos.price>45.00</pos.price>` elements.

```

<busObj type="Invoice" action="update">
  <header>
    <ident>A8B226576C</ident>
    <currency>X</currency>
    <total>283.00</total>
    <customer id="4789990.A" name="Aéroport de Dakar">
      <a_bill street="Boulevard De General De Gaulle 1" city="Dakar" zip="10200" country="Senegal"/>
    </customer>
  </header>
  <positions>
    <item cnt="1">
      <ident>itm013668</ident>
      <quantity>10</quantity>
      <qtype>pce</qtype>
      <sgl.price>23.80</sgl.price>
      <pos.price>238.00</pos.price>
    </item>
    <item cnt="2">
      <ident>itm003445</ident>
      <quantity>4</quantity>
      <qtype>pce</qtype>
      <sgl.price>11.25</sgl.price>
      <pos.price>45.00</pos.price>
    </item>
  </positions>
</busObj>

```

FIGURE 4




FIGURE 5








FIGURE 6

**FIGURE 7****FIGURE 8**

**FIGURE 9****FIGURE 10**







FIGURE 11

**FIGURE 12****FIGURE 13**

**FIGURE 14**