


CLAIMS

1. A compound according to formula (I)



5 wherein

R_1 is selected from the group consisting of 5- and 6- membered heteroaryl, (C_1-C_6) alkyl, (C_3-C_6) cycloalkyl, (4-6)-membered heterocycloalkyl and phenyl, wherein said 5- and 6-membered heteroaryl, (C_1-C_6) alkyl, (C_3-C_6) cycloalkyl, (4-6)-membered heterocycloalkyl and phenyl is optionally substituted with one or more substituents independently

10 selected from (C_1-C_4) alkyl, (C_1-C_4) alkoxy, halogen, hydroxyl and cyano;

R_2 is selected from (C_1-C_3) alkyl and halo (C_1-C_3) alkyl;

R_3 is selected from phenyl, 5-membered heteroaryl and 6-membered heteroaryl,

15 wherein said phenyl, 5-membered heteroaryl and 6-membered heteroaryl are optionally substituted with one or more substituents independently selected from R_5 ;

R_4 is selected from hydrogen, halogen, (C_1-C_4) alkyl and halo (C_1-C_4) alkyl;

20 R_5 is selected from halogen, cyano, (C_1-C_6) alkyl, (C_3-C_6) cycloalkyl, (C_1-C_6) alkoxy, halo (C_1-C_6) alkyl, halo (C_1-C_6) alkoxy, hydroxy (C_1-C_6) alkyl, phenyl, 5-membered heteroaryl, 6-membered heteroaryl and $-S(O)_2R_a$, wherein R_a represents (C_1-C_4) alkyl;

X_1 is selected from CH, $C(R_b)$ and N, wherein R_b represents halogen, (C_1-C_4) alkyl or

25 halo (C_1-C_4) alkyl;

X_2 is selected from CH and N;

Y is selected from $-NH-$ and $-O-$;

30 m is 0 or 1; n is 0 or 1;

L represents a bond, $-O-$, $-NH-$ or $-N(R_c)-$, wherein R_c represents (C_1-C_4) alkyl; or pharmaceutically acceptable salts, hydrates or solvates thereof.

2. The compound according to claim 1, wherein R_1 is selected from the group consisting of 5- membered heteroaryl, (C_1-C_6) alkyl, (C_3-C_6) cycloalkyl and (4-6)-membered heterocycloalkyl, wherein said 5- membered heteroaryl, (C_1-C_6) alkyl, (C_3-C_6) cycloalkyl and (4-6)-membered heterocycloalkyl is optionally substituted with one or more substituents independently selected from (C_1-C_4) alkyl, (C_1-C_4) alkoxy, halogen and hydroxyl.
3. The compound according to any one of claims 1-2, wherein R_2 is (C_1-C_3) alkyl .
4. The compound according to any one of claims 1-3, wherein R_3 is phenyl which is substituted with one or more substituents independently selected from halogen, (C_1-C_6) alkyl, (C_3-C_6) cycloalkyl and phenyl .
5. The compound according to any one of claims 1-4, wherein R_4 is hydrogen.
6. The compound according to any one of claims 1-5, wherein X_1 is selected from CH and N.
7. The compound according to any one of claims 1-6, wherein X_2 is CH.
8. The compound according to any one of claims 1-7 selected from
 $N-[(3S)-1-[(3R)-5\text{-oxotetrahydrofuran-3-carbonyl}]-3\text{-piperidyl}]-5-[(1R,2S)-1-(p\text{-tolyl})-2-[(2,2,2\text{-trifluoroacetyl})\text{amino}]\text{propoxy}]\text{pyridine-2-carboxamide,}$
 $5-[(1R,2S)-1-(4\text{-cyclopropylphenyl})-2-[(2,2,2\text{-trifluoroacetyl})\text{amino}]\text{propoxy}]-N-[(3S)-1-[(3R)-5\text{-oxotetrahydrofuran-3-carbonyl}]-3\text{-piperidyl}]\text{pyridine-2-carboxamide,}$
 $5-[(1R,2S)-1-(4\text{-cyclopropylphenyl})-2-(2,2\text{-difluoropropanoylamino})\text{propoxy}]-N-[(3S)-1-[(3R)-5\text{-oxotetrahydrofuran-3-carbonyl}]-3\text{-piperidyl}]\text{pyridine-2-carboxamide,}$
 $N-[(1S,2R)-2-(4\text{-cyclopropylphenyl})-1\text{-methyl-2-}[[6-[[[(3S)-1-[(3R)-5\text{-oxotetrahydrofuran-3-carbonyl}]-3\text{-piperidyl}]\text{carbamoyl}]-3\text{-pyridyl}]\text{oxy}]\text{ethyl}]\text{isothiazole-3-carboxamide,}$
 $N-[(1S,2R)-2-(4\text{-cyclopropylphenyl})-1\text{-methyl-2-}[[6-[[[(3S)-1-[(3R)-5\text{-oxotetrahydrofuran-3-carbonyl}]-3\text{-piperidyl}]\text{carbamoyl}]-3\text{-pyridyl}]\text{oxy}]\text{ethyl}]\text{isothiazole-5-carboxamide,}$
 $N-[(1S,2R)-2-(4\text{-cyclopropylphenyl})-1\text{-methyl-2-}[[6-[[[(3S)-1-[(3R)-5\text{-oxotetrahydrofuran-3-carbonyl}]-3\text{-piperidyl}]\text{carbamoyl}]-3\text{-pyridyl}]\text{oxy}]\text{ethyl}]\text{oxazole-2-carboxamide,}$

- N-[(1S,2R)-2-(4-cyclopropylphenyl)-1-methyl-2-[[6-[(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]carbamoyl]-3-pyridyl]oxy]ethyl]thiazole-4-carboxamide,
- 5 N-[(1S,2R)-2-(4-cyclopropylphenyl)-1-methyl-2-[[6-[(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]carbamoyl]-3-pyridyl]oxy]ethyl]-3-methyl-isoxazole-5-carboxamide,
- N-[(1S,2R)-2-(4-cyclopropylphenyl)-1-methyl-2-[[6-[(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]carbamoyl]-3-pyridyl]oxy]ethyl]oxazole-5-carboxamide,
- 10 5-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(2S)-2-hydroxybutanoyl]amino]propoxy]-N-[(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]pyridine-2-carboxamide,
- 5-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(2R)-2-hydroxypropanoyl]amino]propoxy]-N-[(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]pyridine-2-carboxamide,
- 15 N-[(1S,2R)-2-(4-cyclopropylphenyl)-1-methyl-2-[[6-[(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]carbamoyl]-3-pyridyl]oxy]ethyl]isoxazole-5-carboxamide,
- 5-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(2R)-2-hydroxybutanoyl]amino]propoxy]-N-[(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]pyridine-2-carboxamide,
- 5-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(2-methoxyacetyl)amino]propoxy]-N-[(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]pyridine-2-carboxamide,
- 20 5-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(2-hydroxy-2-methyl-propanoyl)amino]propoxy]-N-[(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]pyridine-2-carboxamide,
- 5-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(3-hydroxypropanoylamino)propoxy]-N-[(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]pyridine-2-carboxamide,
- 25 5-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(1-hydroxycyclobutanecarbonyl)amino]propoxy]-N-[(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]pyridine-2-carboxamide,
- 5-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(1-hydroxycyclopropanecarbonyl)amino]propoxy]-N-[(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]pyridine-2-carboxamide,
- 30 N-[(1S,2R)-2-(4-cyclopropylphenyl)-1-methyl-2-[[6-[(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]carbamoyl]-3-pyridyl]oxy]ethyl]oxazole-4-carboxamide,
- 5-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(2S)-tetrahydrofuran-2-carbonyl]amino]propoxy]-N-[(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]pyridine-2-carboxamide,
- 35 5-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(2-hydroxyacetyl)amino]propoxy]-N-[(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]pyridine-2-carboxamide,

- 5-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(2R)-tetrahydrofuran-2-carbonyl]amino]propoxy]-N-[(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]pyridine-2-carboxamide,
 N-[(1S,2R)-2-(4-cyclopropylphenyl)-1-methyl-2-[[6-[(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]carbamoyl]-3-pyridyl]oxy]ethyl]isoxazole-3-carboxamide,
- 5 [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]benzoate,
 [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-(1,2,5-thiadiazole-3-carboxylamino)propoxy]benzoate,
- 10 [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(5-methylthiazole-2-carbonyl)amino]propoxy]benzoate,
 [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-(thiazole-5-carboxylamino)propoxy]benzoate,
- 15 [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(4-methyl-1,2,5-oxadiazole-3-carbonyl)amino]propoxy]benzoate,
 [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(5-methylthiazole-4-carbonyl)amino]propoxy]benzoate,
- 20 [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(4-methylthiazole-5-carbonyl)amino]propoxy]benzoate,
 [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(5-methyl-1,3,4-oxadiazole-2-carbonyl)amino]propoxy]benzoate,
- 25 [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(4-methylthiadiazole-5-carbonyl)amino]propoxy]benzoate,
 [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(2-methoxyacetyl)amino]propoxy]benzoate,
- 30 [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(2-methylpyrazole-3-carbonyl)amino]propoxy]benzoate,
 [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(2-methylthiazole-5-carbonyl)amino]propoxy]benzoate,
- 35 [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(2R)-tetrahydrofuran-2-carbonyl]amino]propoxy]benzoate,
 [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(3-methyltriazole-4-carbonyl)amino]propoxy]benzoate,
 [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-(1,2,4-oxadiazole-3-carboxylamino)propoxy]benzoate,

- [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(1-methylimidazole-2-carbonyl)amino]propoxy]benzoate,
- [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(3-methylisoxazole-5-carbonyl)amino]propoxy]benzoate,
- 5 [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(5-methyl-1,2,4-oxadiazole-3-carbonyl)amino]propoxy]benzoate,
- [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(1-methylimidazole-4-carbonyl)amino]propoxy]benzoate,
- [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-(isothiazole-3-carbonylamino)propoxy]benzoate,
- 10 [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(3-methylisoxazole-4-carbonyl)amino]propoxy]benzoate,
- [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-(thiazole-2-carbonylamino)propoxy]benzoate,
- 15 [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-(isothiazole-5-carbonylamino)propoxy]benzoate,
- [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(5-methylisothiazole-4-carbonyl)amino]propoxy]benzoate,
- [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-(oxazole-2-carbonylamino)propoxy]benzoate,
- 20 [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-(oxazole-5-carbonylamino)propoxy]benzoate,
- [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-(isoxazole-3-carbonylamino)propoxy]benzoate,
- 25 [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-(thiadiazole-4-carbonylamino)propoxy]benzoate,
- [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(5-methylisoxazole-3-carbonyl)amino]propoxy]benzoate,
- [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-(isoxazole-5-carbonylamino)propoxy]benzoate,
- 30 [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-(thiazole-4-carbonylamino)propoxy]benzoate,
- [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(3-methyl-1,2,4-oxadiazole-5-carbonyl)amino]propoxy]benzoate,
- 35 [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(1-methylpyrazole-3-carbonyl)amino]propoxy]benzoate,
- [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-(2,2-difluoropropanoylamino)propoxy]benzoate,

- N-[(3R)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]-5-[(1R,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carboxamide,
 N-[(3R)-1-[(3S)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]-5-[(1R,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carboxamide,
 5 N-[(3R)-1-[(2S)-5-oxotetrahydrofuran-2-carbonyl]-3-piperidyl]-5-[(1R,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carboxamide,
 N-[(3R)-1-[(2R)-5-oxotetrahydrofuran-2-carbonyl]-3-piperidyl]-5-[(1R,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carboxamide,
 N-[(3S)-1-[(3S)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]-5-[(1R,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carboxamide,
 10 N-[(3S)-1-[(2S)-5-oxotetrahydrofuran-2-carbonyl]-3-piperidyl]-5-[(1R,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carboxamide,
 N-[(3R)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]pyrrolidin-3-yl]-5-[(1R,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carboxamide,
 15 5-[(1R,2S)-1-(4-ethylphenyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]-N-[(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]pyridine-2-carboxamide,
 5-[(1R,2S)-1-(4-bromophenyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]-N-[(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]pyridine-2-carboxamide,
 N-[(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]-5-[(1R,2S)-1-(4-phenylphenyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carboxamide,
 20 N-[(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]-4-[(1R,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]benzamide,
 [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]benzoate,
 25 N-[(3S)-1-[(3S)-5-oxotetrahydrofuran-3-yl]carbamoyle]-3-piperidyl]-5-[(1R,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carboxamide,
 N-[(3S)-1-[(3R)-5-oxotetrahydrofuran-3-yl]carbamoyle]-3-piperidyl]-5-[(1R,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carboxamide,
 [(3S)-2-oxotetrahydrofuran-3-yl] (3S)-3-[[5-[(1R,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carbonyl]amino]piperidine-1-carboxylate,
 30 [(3R)-2-oxotetrahydrofuran-3-yl] (3S)-3-[[5-[(1R,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carbonyl]amino]piperidine-1-carboxylate,
 [(3S)-5-oxotetrahydrofuran-3-yl] (3S)-3-[[5-[(1R,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carbonyl]amino]piperidine-1-carboxylate ,
 35 [(34)-5-oxotetrahydrofuran-3-yl] (3S)-3-[[5-[(1R,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carbonyl]amino]piperidine-1-carboxylate,
 [(3S)-1-[(3S)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(2R)-tetrahydrofuran-2-carbonyl]amino]propoxy]benzoate,

[(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[[[(2S)-tetrahydrofuran-2-carbonyl]amino]propoxy]benzoate,

[(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[[[(2R)-tetrahydrofuran-2-carbonyl]amino]propoxy]benzoate,

5 N-[(3S)-1-[(3S)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]-5-[(1S,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carboxamide and


N-[(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl]-5-[(1S,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carboxamide

or pharmaceutically acceptable salts, hydrates or solvates thereof.

10

9. The compound according to any one of claims 1-8 wherein said compound is [(3S)-1-[(3R)-5-oxotetrahydrofuran-3-carbonyl]-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[[[(2R)-tetrahydrofuran-2-carbonyl]amino]propoxy]benzoate.

15 10. The compound according to any one of claims 1-9 of the formula



11. A compound according to any one of claims 1-10 for use in therapy.

20 12. A compound according to any one of claims 1-10 for use in the prophylaxis, treatment or amelioration of inflammatory, allergic or proliferative dermatological diseases or conditions.

25 13. The compound according to claim 12 for use in the prophylaxis, treatment or amelioration of atopic dermatitis, psoriasis or eczema.

14. The compound according to claim 13 for use in the prophylaxis, treatment or amelioration of atopic dermatitis.

30 15. A pharmaceutical composition comprising a compound according to any one of claims 1-10 together with a pharmaceutically acceptable vehicle or excipient or pharmaceutically acceptable carrier(s).

16. The pharmaceutical composition according to claim 15 together with one or more other therapeutically active compound(s).

17. A compound according to any one of claims 1-10 for use in treatment of a disease, disorder or condition, which disease, disorder or condition is responsive of modulation of the glucocorticoid receptor.

18. A compound selected from

5-[(1R,2S)-1-(p-Tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carboxylic acid,

5-[(1R,2S)-1-(4-Ethylphenyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carboxylic acid,

4-[(1R,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]benzoic acid,

5-[(1R,2S)-1-(4-bromophenyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carboxylic acid,

4-[(1R,2S)-1-(4-bromophenyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]benzoic acid and

5-[(1S,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino] propoxy]pyridine-2-carboxylic acid.

19. A compound selected from

N-[(3S)-3-piperidyl]-5-[(1R,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carboxamide,

N-[(3R)-3-piperidyl]-5-[(1R,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carboxamide,

5-[(1R,2S)-1-(4-ethylphenyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]-N-[(3S)-3-piperidyl]pyridine-2-carboxamide,

5-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]-N-[(3S)-3-piperidyl]pyridine-2-carboxamide,

5-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(2R)-tetrahydrofuran-2-

carbonyl]amino]propoxy]-N-[(3S)-3-piperidyl]pyridine-2-carboxamide,

N-[(1S,2R)-2-(4-cyclopropylphenyl)-1-methyl-2-[[6-[(3S)-3-piperidyl]carbamoyl]-3-pyridyl]oxy]ethyl]isoxazole-3-carboxamide,

5-[(1R,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]-N-[(3R)-pyrrolidin-3-yl]pyridine-2-carboxamide,

5-[(1R,2S)-1-(4-bromophenyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]-N-[(3S)-3-piperidyl]pyridine-2-carboxamide,

N-[(3S)-3-piperidyl]-4-[(1R,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]benzamide

[(3S)-3-piperidyl] 4-[(1R,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]benzoate,
 [(3S)-3-piperidyl] 4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(2S)-tetrahydrofuran-2-carbonyl]amino]propoxy]benzoate hydrochloride and
 5 tert-butyl (3S)-3-[[5-[(1S,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carbonyl]amino]piperidine-1-carboxylate.

20. A compound selected from

- 10 Tert-butyl (3S)-3-[[5-[(1R,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carbonyl]amino]piperidine-1-carboxylate,
 tert-butyl (3S)-3-[[5-[(1R,2S)-1-(4-bromophenyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carbonyl]amino]piperidine-1-carboxylate,
 tert-butyl (3S)-3-[[5-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carbonyl]amino]piperidine-1-carboxylate,
 15 tert-butyl (3S)-3-[[5-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(2R)-tetrahydrofuran-2-carbonyl]amino]propoxy]pyridine-2-carbonyl]amino]piperidine-1-carboxylate,
 tert-butyl (3S)-3-[[5-[(1R,2S)-1-(4-cyclopropylphenyl)-2-(isoxazole-3-carbonylamino)propoxy]pyridine-2-carbonyl]amino]piperidine-1-carboxylate,
 tert-butyl (3S)-3-[4-[(1R,2S)-1-(4-bromophenyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]benzoyl]oxypiperidine-1-carboxylate,
 20 tert-butyl (3S)-3-[4-[(1R,2S)-1-(4-cyclopropylphenyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]benzoyl]oxypiperidine-1-carboxylate,
 tert-butyl (3R)-3-[[5-[(1R,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carbonyl]amino]pyrrolidine-1-carboxylate,
 25 tert-butyl (3S)-3-[[4-[(1R,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]benzoyl]amino]piperidine-1-carboxylate and
 tert-butyl (3S)-3-[4-[(1R,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]benzoyl]oxypiperidine-1-carboxylate and
 tert-butyl (3S)-3-[[5-[(1S,2S)-1-(p-tolyl)-2-[(2,2,2-trifluoroacetyl)amino]propoxy]pyridine-2-carbonyl]amino]piperidine-1-carboxylate.
 30