

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶: A61K 31/42, C07D 261/14	A1	(11) International Publication Number: WO 97/29747 (43) International Publication Date: 21 August 1997 (21.08.97)
(21) International Application Number: PCT/US97/02917 (22) International Filing Date: 19 February 1997 (19.02.97) (30) Priority Data: 60/001,974 20 February 1996 (20.02.96) US 08/786,523 21 January 1997 (21.01.97) US (71) Applicant: BRISTOL-MYERS SQUIBB COMPANY [US/US]; P.O. Box 4000, Princeton, NJ 08543-4000 (US). (72) Inventors: POLNIASZEK, Richard, P.; 3 Debra Drive, Dayton, NJ 08810 (US). WANG, Xuebao; 27 Ainsworth Avenue, East Brunswick, NJ 08816 (US). DEPUE, Jeffrey, S.; 6 John Hancock Avenue, Somerville, NJ 08876 (US). PANDIT, Chennagiri, R.; 31-A Reler Lane, Somerset, NJ 08873 (US). GADAMASETTI, Kumar, G.; 62 Reed Drive, South, Princeton Junction, NJ 08550 (US). PENDRI, Yadagiri; 108 Winston Drive, Matawan, NJ 07747 (US). MARTINEZ, Ednardo, J.; 2608 Quail Ridge Drive, Plainsboro, NJ 08536 (US). (74) Agents: BABAJKO, Suzanne, E. et al.; Bristol-Myers Squibb Company, P.O. Box 4000, Princeton, NJ 08543-4000 (US).		(81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: METHODS FOR THE PREPARATION OF BIPHENYL ISOXAZOLE SULFONAMIDES (57) Abstract Methods for the preparation of biphenyl isoxazole sulfonamides and intermediates thereof. The present invention also relates to the novel intermediates prepared by these methods. The biphenyl isoxazole sulfonamides prepared by the present methods are endothelin antagonists useful, <i>inter alia</i> , for the treatment of hypertension.		