




[図1]




[図2]




[図3]




[図4]




[図5]




[図6]




[図8]




[図9]




[図10]




[図11]




[図12]




[図13]




[図14]




[図15]




[図16]




[図17]




[図18]




[図19]




[図20]




[図21]



[図22]



[図23]




[図24]


プレーヤー変数(システムパラメータ)

0	Language Code	11	Player audio mixing mode for Karaoke	22	reserved
1	Audio stream number	12	Country code for parental management	23	Player status
2	Subtitle stream number	13	Parental level	24	reserved
3	Angle number	14	Player configuration for Video	25	reserved
4	Title number	15	Player configuration for Audio	26	reserved
5	Chapter number	16	Language code for AST	27	reserved
6	Program number	17	Language code ext. for AST	28	reserved
7	Cell number	18	Language code for STST	29	reserved
8	Key name	19	Language code ext. for STST	30	reserved
9	Navigation timer	20	Player region code	31	reserved
10	Current playback time	21	reserved	32	reserved


[図25]




[図26]




[図27]




[図28]




[図29]




[図30]



[図31]



[図32]



[図33]

(a) <i>I_end</i> meaning when the video resolution is equal to or less than 1920x1080	
<i>I_end</i> value	meaning
000 _b	$I_MUX_SIZE \leq 100KB * 1$
001 _b	$100KB * 1 < I_MUX_SIZE \leq 100KB * 2$
110 _b	$100KB * 6 < I_MUX_SIZE \leq 100KB * 7$
111 _b	$100KB * 7 < I_MUX_SIZE$
(b) <i>I_end</i> meaning when the video resolution is equal to or larger than 3840x2160	
<i>I_end</i> value	meaning
000 _b	$I_MUX_SIZE \leq 192KB * 4$
001 _b	$192KB * 4 < I_MUX_SIZE \leq 192KB * 8$
110 _b	$192KB * 24 < I_MUX_SIZE \leq 192KB * 28$
111 _b	$192KB * 28 < I_MUX_SIZE$
NOTE) 192KB is the lowest common multiple of ECC size and TTS block size	

[図34]

