



(51) International Patent Classification:

A61P 25/28 (2006.01) C07K 16/18 (2006.01)
A61K 39/00 (2006.01)

(21) International Application Number:

PCT/EP2021/079543

(22) International Filing Date:

25 October 2021 (25.10.2021)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

63/105,804 26 October 2020 (26.10.2020) US

(71) Applicant: JANSSEN PHARMACEUTICA NV
[BE/BE]; Turnhoutseweg 30, 2340 Beerse (BE).

(72) Inventors: GALPERN, Wendy R.; 1125 Trenton-Harbourton Road, Titusville, New Jersey 08560 (US). TIMMERS, Maarten; Turnhoutseweg 30, 2340 Beerse (BE). JACOBS, Tom Lieven K.; Turnhoutseweg 30, 2340 Beerse (BE). NANDY, Partha; 920 Route 202 South, Raritan, New Jersey 08869 (US).

(74) Agent: DUFFIELD, Stephen et al.; Carpmaels & Ransford LLP, One Southampton Row, London, WC1B 5HA (GB).

(81) Designated States (unless otherwise indicated, for every kind of national protection available):

AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, IT, JO, JP, KE, KG, KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, WS, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available):

ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

(54) Title: METHODS OF REDUCING TAU IN HUMAN SUBJECTS




Figure 6

(57) **Abstract:** Methods are described for reducing tau in a subject. The methods involve administering to a subject an anti-tau antibody that binds to tau, in particular that bind to a phosphorylated epitope on tau. The methods may be used to reduce p217+tau in CSF, including total p217+tau and free p217+tau.

[Continued on next page]

Published:

- *with international search report (Art. 21(3))*
- *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments (Rule 48.2(h))*
- *with sequence listing part of description (Rule 5.2(a))*