
Claims

1. A compound of Formula (I)



(I),

and pharmaceutically acceptable salts or solvates thereof,

wherein:

X	is N,
Y	is NH, O or absent,
R^1	is L^1–R^4–L^2–R^5–L^3–R^6, L^1–R^4–L^2–R^5 or L^1–R^4,
$R^{2'}$, $R^{2''}$	each, independently of one another, are H, A, Hal, OH, OA, SH, CN, NH_2, NO_2, NHA, NH–L^1–Ar, NHCOA, NHCO–L^1–Ar, $NHSO_2A$, $NHSO_2$–L^1–Ar, NHCONHA or NHCONH–L^1–Ar, L^1–Ar, O- L^1–Ar, L^1–R^4,
L^1	is unbranched or branched alkylene having 1, 2, 3, 4 or 5 C atoms, which may be unsubstituted or mono- or disubstituted with Hal, OH, CN, NH_2, NH(LA), $N(LA)_2$, NO_2, COOH, N_3, ethenyl or ethynyl, and/or monosubstituted with R^4, and in which one or two CH_2 groups may be replaced by an O or S atom or by an –NH-, -N(LA)-, -CONH-, -N(LA)COO-, $-SO_2$- or -NHCO- group,
L^3	is a single bond, unbranched or branched alkylene having 1, 2, 3, 4 or 5 C atoms, which may be unsubstituted or mono- or disubstituted with Hal, OH, CN, NH_2, NH(LA), $N(LA)_2$, NO_2, COOH, N_3, ethenyl or ethynyl, and/or monosubstituted with R^4, and in which one or two CH_2 groups may be replaced by an O or S atom or by an –NH-, -N(LA)-, -CONH-, -N(LA)COO-, $-SO_2$- or -NHCO- group,
R^3	is H, A, Hal, OH, COOH, SH, NH_2, NO_2 or CN,
R^4, R^5, R^6	each, independently of one another, are Ar, or monocyclic alkyl having 3, 4, 5, 6 or 7 ring atoms, in which one or two CH_2 groups may be replaced

by an O or S atom and/or by an –NH-, -NA-, -CHA-, -CO-, -CH=N- or –CH=CH– group, and/or in which the connecting CH group may be replaced by an N atom, and which may be mono- or disubstituted by Hal or LA,

L^2 is –NHCO–, -NHCOO-, –NHCONH–, –NHCONA–, –NHCOA–, –O–, –S–, –NH–, $–NHSO_2–$, $–SO_2NH–$, –CONH–, –CONHCONH–, –NHCONHCO–, or –A-,


Ar is a mono- or bicyclic aromatic homo- or heterocycle having 0, 1, 2, 3 or 4 N, O and/or S atoms and 5, 6, 7, 8, 9, or 10 skeleton atoms, which may be unsubstituted or, independently of one another, mono-, di- or trisubstituted by Hal, A, OH, SH, OA, NH_2, NHA, NA_2, NO_2, CN, OCN, SCN, COOH, COOA, $CONH_2$, CONHA, $CONA_2$, NHCOA, NHCONHA, $NHCONH_2$, $NHSO_2A$, CHO, COA, SO_2NH_2, SO_2A and/or SO_2Hal,
and in which a ring N-atom may be substituted by an O-atom to form an N-oxide group,
and in which in the case of a bicyclic aromatic cycle on of the two rings may be partly saturated,

A is unbranched or branched linear or cyclic alkyl having 1, 2, 3, 4, 5, 6, 7 or 8 C atoms, in which one or two CH_2 groups may be replaced by an O or S atom and/or by an –NH-, -CO-, -NHCOO-, -NHCONH-. -N(LA)-, -CONH-, -NHCO- or –CH=CH– group, and in which 1-3 H atoms may be replaced by Hal, and in which one or two CH_3 groups may be replaced by OH, SH, NH_2, NH(LA), $N(LA)_2$, NHCOOH, $NHCONH_2$ or CN,


LA is unbranched or branched, linear alkyl having 1, 2, 3 or 4 C atoms,

Hal is F, Cl, Br or I.

2. Compounds according to Claim 1 which conform to Formulae (II) or (III)




(II),



(III),

and pharmaceutically acceptable salts or solvates thereof,
in which R^2 has the meaning indicated for $R^{2'}$, $R^{2''}$ of Formula (I), and R^1 and X have the meaning indicated for Formula (I).

3. Compounds according to Claim 2 which conform to Formula (II)



(II),

and pharmaceutically acceptable salts or solvates thereof,
in which R^2 has the meaning indicated for $R^{2'}$, $R^{2''}$ of Formula (I), and R^1 and X have the meaning indicated for Formula (I).

4. The compound according to Claim 1, 2 or 3, in which the residues not designated in greater detail have the meaning indicated for the Formula (I) according to Claim 1, but in which

in Subformula 1
Y is NH,

in Subformula 2
Y is O,

in Subformula 4
Y is NH,
L^1 is methylene,

in Subformula 5
Y is NH,

L^1 is methylene,

R^2 is H, methoxy, ethoxy or amino,

in Subformula 6

Y is NH,

L^1 is methylene which is unsubstituted or substituted with methyl, aminomethyl, methoxymethyl, azidomethyl or triazolylmethyl

R^2 is H, methoxy, ethoxy or amino,

in Subformula 7

Y is NH,

L^1 is methylene which is substituted with aminomethyl,

in Subformula 8

Y is NH,

L^1 is methylene which is substituted with aminomethyl,

R^2 is H, methoxy, ethoxy or amino,

in Subformula 9

Y is NH,

R^1 is L^1–R^4,

L^1 is methylene which is substituted with aminomethyl,

R^2 is H, methoxy, ethoxy or amino,

in Subformula 10

Y is NH,

R^1 is L^1–R^4–L^2–R^5 or L^1–R^4,

L^1 is methylene which is unsubstituted or substituted with aminomethyl,

R^2 is H, methoxy, ethoxy or amino,

in Subformula 11

Y is NH,

R^1 is L^1–R^4–L^2–R^5 or L^1–R^4,

L^1 is methylene,

R^2 is H, methoxy, ethoxy or amino,

in Subformula 12

Y is NH,

R^1 is L^1–R^4–L^2–R^5 or L^1–R^4,

L^1 is methylene,

R^2 is H, methoxy or amino,

in Subformula 13

Y is NH,

R^1 is L^1–R^4,

L^1 is methylene,

R^2 is H, methoxy or amino,

in Subformula 14

Y is NH,

R^1 is L^1–R^4,

L^1 is methylene,

R^4 is phenyl which is unsubstituted or monosubstituted with Hal or CF_3, or disubstituted with Hal,

R^2 is H, methoxy or amino,

in Subformula 15

Y is NH,

R^1 is L^1–R^4,

L^1 is methylene,

R^4 is phenyl which is unsubstituted or monosubstituted with Hal or CF_3, or disubstituted with Hal,

R^2 is H,

in Subformula 16

Y is NH,

R^1 is L^1–R^4–L^2–R^5,

L^1 is methylene,

R^4 is phenylene,

L^2 is NHCO or NHCONH,

R^2 is H or methoxy,

in Subformula 17

Y is NH,

R^1 is L^1–R^4–L^2–R^5,

L^1 is methylene,

R^4 is phenylene,

L^2 is NHCO or NHCONH,

R^5 is phenyl which is unsubstituted or mono- or disubstituted with Hal,

R^2 is H or methoxy,

in Subformula 18

Y is NH,

R^1 is L^1–R^4–L^2–R^5,

L^1 is methylene,

R^4 is phenylene,

L^2 is NHCO,

R^5 is phenyl which is unsubstituted or mono- or disubstituted with Hal,

R^2 is H or methoxy,

in Subformula 19

Y is NH,

R^1 is L^1–R^4–L^2–R^5,

L^1 is methylene,

R^4 is phenylene,

L^2 is NHCO or NHCONH,

R^5 is phenyl which is unsubstituted, or mono- or disubstituted with Hal,

R^2 is H,

in Subformula 20

R^1 is L^1–R^4–L^2–R^5,

R^4 is phenylene,

R^5 benzo-1,3-dioxolyl,

in Subformula 21

Y is NH,

L^1 is methylene which is unsubstituted or substituted with aminomethyl, (methyl-amino)methyl, (dimethyl-amino)methyl, methyl, ethyl, 2-hydroxyethyl, methoxymethyl, 2-(dimethyl-amino)ethyl, (ethyl-amino)methyl, 2-(methoxy)ethyl, 2-(allyl-methyl-amino)ethyl, ((tert. butyl-oxy-carbonyl)-methyl-amino)methyl, 2-(pyrrolidin-1-yl)ethyl, 2-(azetidin-1-yl)ethyl, 2-(piperidin-1-yl)ethyl or 2-(piperazin-1-yl)ethyl,

in Subformula 22

Y is NH,

L^1 is methylene which is unsubstituted or substituted with (methyl-amino)methyl, (dimethyl-amino)methyl, methyl or 2-(dimethyl-amino)ethyl,

in Subformula 23

Y is NH,

R^1 is L^1–R^4–L^2–R^5,

R^4 is phenylene,

L^2 is –NHCO-, -NH-, -$NHCH_2$-, $NHCOOCH_2$- or –NHCONH-,

in Subformula 24

Y is NH,

R^1 is L^1–R^4–L^2–R^5,

R^4 is phenylene,

L^2 is –NHCO-, -NH-, -$NHCH_2$-, $NHCOOCH_2$- or –NHCONH-,

R^5 is Ar which is unsubstituted or substituted as defined for Ar in Claim 1,

in Subformula 25

Y is NH,

R^1 is L^1–R^4–L^2–R^5,

R^4 is phenylene,

L^2 is –NHCO-, -NH-, -$NHCH_2$-, $NHCOOCH_2$- or –NHCONH-,

R^5 is phenyl, pyridyl, benzo-1,3-dioxolyl, pyrazolyl or thiazolyl, all of which are unsubstituted or substituted as defined for Ar in Claim 1,

in Subformula 26

Y is NH,

L^1 is methylene which is unsubstituted or substituted with aminomethyl, (methyl-amino)methyl, (dimethyl-amino)methyl, methyl, ethyl, 2-hydroxyethyl, methoxymethyl, 2-(dimethyl-amino)ethyl, (ethyl-amino)methyl, 2-(methoxy)ethyl, 2-(allyl-methyl-amino)ethyl, ((tert. butyl-oxy-carbonyl)-methyl-amino)methyl, 2-(pyrrolidin-1-yl)ethyl, 2-(azetidin-1-yl)ethyl, 2-(piperidin-1-yl)ethyl or 2-(piperazin-1-yl)ethyl,

R^2 is H or methoxy,

in Subformula 27

Y is NH,

L^1 is methylene which is unsubstituted or substituted with (methyl-amino)methyl, (dimethyl-amino)methyl, methyl or 2-(dimethyl-amino)ethyl,

R^2 is H or methoxy,

in Subformula 28

Y is NH,

R^1 is L^1–R^4–L^2–R^5,

R^4 is phenylene,

L^2 is –NHCO-, -NH-, -$NHCH_2$-, $NHCOOCH_2$- or –NHCONH-,

R^2 is H or methoxy,

in Subformula 29

Y is NH,

R^1 is L^1–R^4–L^2–R^5,

R^4 is phenylene,

L^2 is –NHCO-, -NH-, -$NHCH_2$-, $NHCOOCH_2$- or –NHCONH-,

R^5 is Ar which is unsubstituted or substituted as defined for Ar in Claim 1,

R^2 is H or methoxy,

in Subformula 30

Y is NH,

R^1 is L^1–R^4–L^2–R^5,

R^4 is phenylene,

L^2 is –NHCO-, -NH-, -$NHCH_2$-, $NHCOOCH_2$- or –NHCONH-,

R^5 is phenyl, pyridyl, benzo-1,3-dioxolyl, pyrazolyl or thiazolyl, all of which are unsubstituted or substituted as defined for Ar in Claim 1,

R^2 is H or methoxy,

in Subformula 31

Y is NH,

R^1 is L^1–R^4–L^2–R^5,

L^1 is methylene which is unsubstituted or substituted with (methyl-amino)methyl, (dimethyl-amino)methyl, methyl or 2-(dimethyl-amino)ethyl,

R^4 is phenylene,

L^2 is –NHCO-, -NH-, -$NHCH_2$-, $NHCOOCH_2$- or –NHCONH-,

R^5 is Ar which is unsubstituted or substituted as defined for Ar in Claim 1,

R^2 is H or methoxy,

in Subformula 32

Y is NH,

R^1 is L^1–R^4,

R^2 is L^1–Ar,

in Subformula 34

Y is NH,

R^1 is L^1–R^4,

R^4 is piperidinyl,

and pharmaceutically acceptable salts or solvates thereof.

5. The compounds according to Claim 4, Subformulae 16, 17, 18, 19, 20, 23, 24, 25, 28, 29, 30 or 31, in which R^4 is meta-phenylene, and pharmaceutically acceptable salts or solvates thereof.

6. The compound according to Claim 1, wherein the compound is selected from the group consisting of:

4-[2-Amino-1-(3,4-dichloro-phenyl)-ethylamino] quinazoline-8-carboxylic acid amide,
4-[2-Amino-1-(3-fluoro-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
4-[2-Amino-1-(3,4-dimethoxy-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
4-(2-Amino-1-p-tolyl-ethylamino)-quinazoline-8-carboxylic acid amide,

4-((S)-2-Amino-1-phenyl-ethylamino)-quinazoline-8-carboxylic acid amide,
4-[2-Amino-1-(4-methoxy-phenyl)-ethylamino] quinazoline-8-carboxylic acid amide,
6-Methoxy-4-(2-methylamino-1-phenyl-ethylamino)-quinazoline-8-carboxylic acid amide,
4-[2-Dimethylamino-1-(4-trifluoromethyl-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
4-((R)-2-Methylamino-1-phenyl-ethylamino)-quinazoline-8-carboxylic acid amide,
4-[1-(3,4-Dichloro-phenyl)-2-methylamino-ethylamino]-quinazoline-8-carboxylic acid amide,
4-((S)-2-Amino-1-phenyl-ethylamino)-6-methoxy-quinazoline-8-carboxylic acid amide,
4-{1-[3-(3,4-Difluoro-benzoylamino)-phenyl]-2-methylamino-ethylamino}-quinazoline-8-carboxylic acid amide,
4-[1-(3-Fluoro-phenyl)-2-methylamino-ethylamino]-6-methoxy-quinazoline-8-carboxylic acid amide,
4-[2-Amino-1-(3-fluoro-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
4-[2-Amino-1-(3,4-dichloro-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
4-(3,4-Dimethyl-benzylamino)-quinazoline-8-carboxylic acid amide,
4-{2-Dimethylamino-1-[3-(4-trifluoromethyl-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
4-{2-Dimethylamino-1-[3-(2-fluoro-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
4-{1-[3-(4-Bromo-benzoylamino)-phenyl]-2-methylamino-ethylamino}-quinazoline-8-carboxylic acid amide,
4-{1-[3-(4-Bromo-benzoylamino)-phenyl]-2-dimethylamino-ethylamino}-quinazoline-8-carboxylic acid amide,
4-(2-Amino-1-p-tolyl-ethylamino)-quinazoline-8-carboxylic acid amide,
4-[1-(3-Chloro-phenyl)-2-methylamino-ethylamino]-quinazoline-8-carboxylic acid amide,
4-[2-Amino-1-(4-methoxy-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
4-(2-Dimethylamino-1-{3-[(2-pyrrolidin-1-yl-pyridine-4-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-[(S)-1-(3-Fluoro-phenyl)-2-methylamino-ethylamino]-6-methoxy-quinazoline-8-carboxylic acid amide,
4-((S)-2-Amino-1-phenyl-ethylamino)-quinazoline-8-carboxylic acid amide,
4-[1-(3-Chloro-phenyl)-2-methylamino-ethylamino]-6-methoxy-quinazoline-8-carboxylic acid amide,
4-[1-(3,4-Dichloro-phenyl)-2-dimethylamino-ethylamino]-quinazoline-8-carboxylic acid

amide,
4-(2-Dimethylamino-1-{3-[(3,4,5,6-tetrahydro-2H-[1,2']bipyridinyl-4'-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-(1-{3-[(2-Chloro-pyridine-4-carbonyl)-amino]-phenyl}-2-dimethylamino-ethylamino)-quinazoline-8-carboxylic acid amide,
4-[1-(3-Benzoylamino-phenyl)-2-methylamino-ethylamino]-quinazoline-8-carboxylic acid amide,
4-{1-[3-(2,6-Difluoro-benzoylamino)-phenyl]-2-methylamino-ethylamino}-quinazoline-8-carboxylic acid amide,
4-[1-(3-Bromo-phenyl)-2-dimethylamino-ethylamino]-quinazoline-8-carboxylic acid amide,
4-[1-(3-Fluoro-phenyl)-2-methylamino-ethylamino]-quinazoline-8-carboxylic acid amide,
4-{1-[3-(3-Fluoro-4-methoxy-benzoylamino)-phenyl]-2-methylamino-ethylamino}-quinazoline-8-carboxylic acid amide,
4-{2-Dimethylamino-1-[3-(2-fluoro-4-trifluoromethyl-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
4-(2-Dimethylamino-1-{3-[(2-dimethylamino-pyridine-4-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-{1-[3-(4-Methoxy-benzoylamino)-phenyl]-2-methylamino-ethylamino}-quinazoline-8-carboxylic acid amide,
4-(2-Dimethylamino-1-{3-[(5-pyrrolidin-1-yl-pyridine-3-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-[1-(3-Chloro-phenyl)-2-dimethylamino-ethylamino]-quinazoline-8-carboxylic acid amide,
4-(4-Chloro-3-trifluoromethyl-benzylamino)-quinazoline-8-carboxylic acid amide,
4-{2-Dimethylamino-1-[3-(4-methoxy-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
4-[2-Amino-1-(3-chloro-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
5-Methoxy-4-(2-methylamino-1-phenyl-ethylamino)-quinazoline-8-carboxylic acid amide,
4-[1-(4-Methoxy-phenyl)-2-methylamino-ethylamino]-quinazoline-8-carboxylic acid amide,
4-{2-Methylamino-1-[3-(4-trifluoromethoxy-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
4-[1-(4-Chloro-phenyl)-2-dimethylamino-ethylamino]-6-methoxy-quinazoline-8-carboxylic acid amide,
4-{2-Amino-1-[3-(4-fluoro-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,

4-(3,4-Dichloro-benzylamino)-quinazoline-8-carboxylic acid amide,
4-[2-Amino-1-(3,4-dimethoxy-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
4-{1-[3-(2-Fluoro-4-methoxy-benzoylamino)-phenyl]-2-methylamino-ethylamino}-quinazoline-8-carboxylic acid amide,
4-[2-Dimethylamino-1-(3-{[2-(2-methyl-pyrrolidin-1-yl)-pyridine-4-carbonyl]-amino}-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
6-Methoxy-4-((S)-2-methylamino-1-phenyl-ethylamino)-quinazoline-8-carboxylic acid amide,
4-[1-(3-{[2-(3-Diethylamino-pyrrolidin-1-yl)-pyridine-4-carbonyl]-amino}-phenyl)-2-dimethylamino-ethylamino]-quinazoline-8-carboxylic acid amide,
4-(4-Trifluoromethyl-benzylamino)-quinazoline-8-carboxylic acid amide,
4-{2-Dimethylamino-1-[3-(3-fluoro-4-methoxy-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
4-{(R)-1-[3-(2-Fluoro-4-trifluoromethyl-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
4-((S)-2-Ethylamino-1-phenyl-ethylamino)-6-methoxy-quinazoline-8-carboxylic acid amide,
4-[(S)-2-Dimethylamino-1-(3-fluoro-phenyl)-ethylamino]-6-methoxy-quinazoline-8-carboxylic acid amide,
4-[(S)-2-Ethylamino-1-(3-fluoro-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
4-{3-(Allyl-methyl-amino)-1-[3-(4-bromo-benzoylamino)-phenyl]-propylamino}-quinazoline-8-carboxylic acid amide,
4-((R)-1-{3-[(6-Methoxy-pyridine-3-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-(1-{3-[(Benzo[1,3]dioxole-5-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-((R)-1-{3-[(5-Isopropyl-1H-pyrazole-3-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-[2-Amino-1-(3-methoxy-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
tert-butyl [2-{[8-(aminocarbonyl)quinazolin-4-yl]amino}-2-(3-nitrophenyl)ethyl]methylcarbamate,
4-[3-(2,4-Difluoro-benzoylamino)-benzylamino]-quinazoline-8-carboxylic acid amide,
4-((S)-2-Dimethylamino-1-phenyl-ethylamino)-quinazoline-8-carboxylic acid amide,
4-{1-[3-(3-Fluoro-4-methyl-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,

4-{1-[3-(4-Fluoro-3-hydroxy-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
4-(2-Methylamino-1-phenyl-ethylamino)-quinazoline-8-carboxylic acid amide,
4-{1-[3-(2,4-Difluoro-benzoylamino)-phenyl]-3-dimethylamino-propylamino}-quinazoline-8-carboxylic acid amide,
4-[3-(2,4-Dichloro-benzoylamino)-benzylamino]-quinazoline-8-carboxylic acid amide,
4-(1-{3-[(6-Methoxy-pyridine-3-carbonyl)-amino]-phenyl}-propylamino)-quinazoline-8-carboxylic acid amide,
4-{2-Methylamino-1-[3-(4-trifluoromethyl-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
4-((R)-1-{3-[(6-Methyl-pyridine-3-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-{3-Dimethylamino-1-[3-(4-trifluoromethyl-benzoylamino)-phenyl]-propylamino}-quinazoline-8-carboxylic acid amide,
4-{1-[3-(2,4-Difluoro-benzoylamino)-phenyl]-3-methoxy-propylamino}-quinazoline-8-carboxylic acid amide,
4-{[2-(dimethylamino)-1-(3-nitrophenyl)ethyl]amino}quinazoline-8-carboxamide,
4-[2-(1H-Indol-3-yl)-ethylamino]-quinazoline-8-carboxylic acid amide,
4-{3-[(5-Pyrrolidin-1-yl-pyridine-3-carbonyl)-amino]-benzylamino}-quinazoline-8-carboxylic acid amide,
6-Cyclopropylmethoxy-4-[2-dimethylamino-1-(3-fluoro-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
6-Methoxy-4-(4-trifluoromethyl-benzylamino)-quinazoline-8-carboxylic acid amide,
4-{(R)-1-[3-(3,4-Dimethyl-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
6-Benzyloxy-4-[1-(3-chloro-phenyl)-2-methylamino-ethylamino]-quinazoline-8-carboxylic acid amide,
4-{(R)-1-[3-(2-Fluoro-5-trifluoromethyl-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
4-[3-({2-[(2-Hydroxy-ethyl)-methyl-amino]-pyridine-4-carbonyl}-amino)-benzylamino]-quinazoline-8-carboxylic acid amide,
4-{1-[3-(4-Bromo-benzoylamino)-phenyl]-3-dimethylamino-propylamino}-quinazoline-8-carboxylic acid amide,
4-((R)-1-{3-[(6-Cyano-pyridine-3-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,

4-((R)-1-{3-[(5-Chloro-6-methoxy-pyridine-3-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-((R)-1-{3-[(5-tert-Butyl-2H-pyrazole-3-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-((R)-1-{3-[(2-Methoxy-pyridine-4-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-((R)-1-{3-[(Benzo[1,3]dioxole-5-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-(1-{3-[(5-tert-Butyl-2H-pyrazole-3-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-{1-[3-(4-Bromo-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
[2-(3-Benzoylamino-phenyl)-2-(8-carbamoyl-quinazolin-4-ylamino)-ethyl]-methyl-carbamic acid tert-butyl ester,
4-[2-Dimethylamino-1-(3-methoxy-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
4-{1-[3-(2,6-Difluoro-benzoylamino)-phenyl]-3-methoxy-propylamino}-quinazoline-8-carboxylic acid amide,
4-{(R)-1-[3-(4-Chloro-3-methyl-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
4-[2-Dimethylamino-1-(3-fluoro-phenyl)-ethylamino]-6-ethoxy-quinazoline-8-carboxylic acid amide,
4-((R)-1-{3-[(5,6-Dimethoxy-pyridine-3-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-((S)-2-Ethylamino-1-phenyl-ethylamino)-quinazoline-8-carboxylic acid amide,
4-[(S)-1-(3-Chloro-phenyl)-2-methylamino-ethylamino]-6-methoxy-quinazoline-8-carboxylic acid amide,
4-[(S)-1-(3-Fluoro-phenyl)-2-methylamino-ethylamino]-quinazoline-8-carboxylic acid amide,
4-[(E)-(R)-1-(2-Amino-ethyl)-2-vinyl-penta-2,4-dienylamino]-quinazoline-8-carboxylic acid amide,
6-Chloro-4-[(S)-1-(3-fluoro-phenyl)-2-methylamino-ethylamino]-quinazoline-8-carboxylic acid amide,
4-((R)-1-{3-[(2,2-Difluoro-cyclopropanecarbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide.

and pharmaceutically acceptable salts or solvates thereof.


7. A pharmaceutical composition comprising a compound according to any of claims 1 to 6, or a pharmaceutically acceptable salt or solvate thereof, together with a pharmaceutically acceptable carrier.

8. A compound of any of claims 1 to 6, or a pharmaceutically acceptable salt or solvate thereof, for use as a medicament.

9. A compound of any of claims 1 to 6, or a pharmaceutically acceptable salt or solvate thereof, for treating a disease is selected from the group consisting of cancer, inflammation, pancreatitis or kidney disease, pain, benign hyperplasia of the skin, restenosis, prostate, diseases related to vasculogenesis or angiogenesis, tumor angiogenesis, skin diseases selected from psoriasis, eczema, and sclerodema, diabetes, diabetic retinopathy, retinopathy of prematurity, age-related macular degeneration, hemangioma, glioma, melanoma and Kaposi's sarcoma.


10. Use of a compound of any of claims 1 to 6, or a pharmaceutically acceptable salt or solvate thereof, for the preparation of a medicament for the treatment of a disease selected from the group consisting of cancer, inflammation, pancreatitis or kidney disease, pain, benign hyperplasia of the skin, restenosis, prostate, diseases related to vasculogenesis or angiogenesis, tumor angiogenesis, skin diseases selected from psoriasis, eczema, and sclerodema, diabetes, diabetic retinopathy, retinopathy of prematurity, age-related macular degeneration, hemangioma, glioma, melanoma and Kaposi's sarcoma.

11. Process for the manufacture of compounds of Formula (I),
wherein X is NH and Y is NH, and all other substituents have the meaning as defined for Formula (I) in Claim 1, wherein a carboxylic acid compound of Formula (I-III)




(I-III),

is reacted with LA-OH to the corresponding carboxylic LA ester of Formula (I-II)




(I-II),

which is then reacted with H_2N-R^1 to a compound of Formula (I-I)



(I-I),


which is finally converted into the carboxylic amide of Formula I



(I).

Claims

1. A compound of Formula (I)



(I),

and pharmaceutically acceptable salts or solvates thereof,

wherein:

X	is N,
Y	is NH, O or absent,
R^1	is L^1–R^4–L^2–R^5–L^3–R^6, L^1–R^4–L^2–R^5 or L^1–R^4,
$R^{2'}$, $R^{2''}$	each, independently of one another, are H, A, Hal, OH, OA, SH, CN, NH_2, NO_2, NHA, NH–L^1–Ar, NHCOA, NHCO–L^1–Ar, $NHSO_2A$, $NHSO_2$–L^1–Ar, NHCONHA or NHCONH–L^1–Ar, L^1–Ar, O- L^1–Ar, L^1–R^4,
L^1	is unbranched or branched alkylene having 1, 2, 3, 4 or 5 C atoms, which may be unsubstituted or mono- or disubstituted with Hal, OH, CN, NH_2, NH(LA), $N(LA)_2$, NO_2, COOH, N_3, ethenyl or ethynyl, and/or monosubstituted with R^4, and in which one or two CH_2 groups may be replaced by an O or S atom or by an –NH-, -N(LA)-, -CONH-, -N(LA)COO-, -SO_2- or -NHCO- group,
L^3	is a single bond, unbranched or branched alkylene having 1, 2, 3, 4 or 5 C atoms, which may be unsubstituted or mono- or disubstituted with Hal, OH, CN, NH_2, NH(LA), $N(LA)_2$, NO_2, COOH, N_3, ethenyl or ethynyl, and/or monosubstituted with R^4, and in which one or two CH_2 groups may be replaced by an O or S atom or by an –NH-, -N(LA)-, -CONH-, -N(LA)COO-, -SO_2- or -NHCO- group,
R^3	is H, A, Hal, OH, COOH, SH, NH_2, NO_2 or CN,
R^4, R^5, R^6	each, independently of one another, are Ar, or monocyclic alkyl having 3, 4, 5, 6 or 7 ring atoms, in which one or two CH_2 groups may be replaced

by an O or S atom and/or by an –NH-, -NA-, -CHA-, -CO-, -CH=N- or –CH=CH– group, and/or in which the connecting CH group may be replaced by an N atom, and which may be mono- or disubstituted by Hal or LA,

L^2 is –NHCO–, -NHCOO-, –NHCONH–, –NHCONA–, –NHCOA–, –O–, –S–, –NH–, $–NHSO_2–$, $–SO_2NH–$, –CONH–, –CONHCONH–, –NHCONHCO–, or –A-,


Ar is a mono- or bicyclic aromatic homo- or heterocycle having 0, 1, 2, 3 or 4 N, O and/or S atoms and 5, 6, 7, 8, 9, or 10 skeleton atoms, which may be unsubstituted or, independently of one another, mono-, di- or trisubstituted by Hal, A, OH, SH, OA, NH_2, NHA, NA_2, NO_2, CN, OCN, SCN, COOH, COOA, $CONH_2$, CONHA, $CONA_2$, NHCOA, NHCONHA, $NHCONH_2$, $NHSO_2A$, CHO, COA, SO_2NH_2, SO_2A and/or SO_2Hal,
and in which a ring N-atom may be substituted by an O-atom to form an N-oxide group,
and in which in the case of a bicyclic aromatic cycle on of the two rings may be partly saturated,

A is unbranched or branched linear or cyclic alkyl having 1, 2, 3, 4, 5, 6, 7 or 8 C atoms, in which one or two CH_2 groups may be replaced by an O or S atom and/or by an –NH-, -CO-, -NHCOO-, -NHCONH-. -N(LA)-, -CONH-, -NHCO- or –CH=CH– group, and in which 1-3 H atoms may be replaced by Hal, and in which one or two CH_3 groups may be replaced by OH, SH, NH_2, NH(LA), $N(LA)_2$, $NHCOOH$, $NHCONH_2$ or CN,


LA is unbranched or branched, linear alkyl having 1, 2, 3 or 4 C atoms,

Hal is F, Cl, Br or I.

2. Compounds according to Claim 1 which conform to Formulae (II) or (III)




(II),



(III),

and pharmaceutically acceptable salts or solvates thereof,
in which R^2 has the meaning indicated for $R^{2'}$, $R^{2''}$ of Formula (I), and R^1 and X have the meaning indicated for Formula (I).

3. Compounds according to Claim 2 which conform to Formula (II)



(II),

and pharmaceutically acceptable salts or solvates thereof,
in which R^2 has the meaning indicated for $R^{2'}$, $R^{2''}$ of Formula (I), and R^1 and X have the meaning indicated for Formula (I).

4. The compound according to Claim 1, 2 or 3, in which the residues not designated in greater detail have the meaning indicated for the Formula (I) according to Claim 1, but in which

in Subformula 1
Y is NH,

in Subformula 2
Y is O,

in Subformula 4
Y is NH,
L^1 is methylene,

in Subformula 5
Y is NH,

L^1 is methylene,

R^2 is H, methoxy, ethoxy or amino,

in Subformula 6

Y is NH,

L^1 is methylene which is unsubstituted or substituted with methyl, aminomethyl, methoxymethyl, azidomethyl or triazolylmethyl

R^2 is H, methoxy, ethoxy or amino,

in Subformula 7

Y is NH,

L^1 is methylene which is substituted with aminomethyl,

in Subformula 8

Y is NH,

L^1 is methylene which is substituted with aminomethyl,

R^2 is H, methoxy, ethoxy or amino,

in Subformula 9

Y is NH,

R^1 is L^1–R^4,

L^1 is methylene which is substituted with aminomethyl,

R^2 is H, methoxy, ethoxy or amino,

in Subformula 10

Y is NH,

R^1 is L^1–R^4–L^2–R^5 or L^1–R^4,

L^1 is methylene which is unsubstituted or substituted with aminomethyl,

R^2 is H, methoxy, ethoxy or amino,

in Subformula 11

Y is NH,

R^1 is L^1–R^4–L^2–R^5 or L^1–R^4,

L^1 is methylene,

R^2 is H, methoxy, ethoxy or amino,

in Subformula 12

Y is NH,

R^1 is L^1–R^4–L^2–R^5 or L^1–R^4,

L^1 is methylene,

R^2 is H, methoxy or amino,

in Subformula 13

Y is NH,

R^1 is L^1–R^4,

L^1 is methylene,

R^2 is H, methoxy or amino,

in Subformula 14

Y is NH,

R^1 is L^1–R^4,

L^1 is methylene,

R^4 is phenyl which is unsubstituted or monosubstituted with Hal or CF_3, or disubstituted with Hal,

R^2 is H, methoxy or amino,

in Subformula 15

Y is NH,

R^1 is L^1–R^4,

L^1 is methylene,

R^4 is phenyl which is unsubstituted or monosubstituted with Hal or CF_3, or disubstituted with Hal,

R^2 is H,

in Subformula 16

Y is NH,

R^1 is L^1–R^4–L^2–R^5,

L^1 is methylene,

R^4 is phenylene,

L^2 is NHCO or NHCONH,

R^2 is H or methoxy,

in Subformula 17

Y is NH,

R^1 is L^1–R^4–L^2–R^5,

L^1 is methylene,

R^4 is phenylene,

L^2 is NHCO or NHCONH,

R^5 is phenyl which is unsubstituted or mono- or disubstituted with Hal,

R^2 is H or methoxy,

in Subformula 18

Y is NH,

R^1 is L^1–R^4–L^2–R^5,

L^1 is methylene,

R^4 is phenylene,

L^2 is NHCO,

R^5 is phenyl which is unsubstituted or mono- or disubstituted with Hal,

R^2 is H or methoxy,

in Subformula 19

Y is NH,

R^1 is L^1–R^4–L^2–R^5,

L^1 is methylene,

R^4 is phenylene,

L^2 is NHCO or NHCONH,

R^5 is phenyl which is unsubstituted, or mono- or disubstituted with Hal,

R^2 is H,

in Subformula 20

R^1 is L^1–R^4–L^2–R^5,

R^4 is phenylene,

R^5 benzo-1,3-dioxolyl,

in Subformula 21

Y is NH,

L^1 is methylene which is unsubstituted or substituted with aminomethyl, (methyl-amino)methyl, (dimethyl-amino)methyl, methyl, ethyl, 2-hydroxyethyl, methoxymethyl, 2-(dimethyl-amino)ethyl, (ethyl-amino)methyl, 2-(methoxy)ethyl, 2-(allyl-methyl-amino)ethyl, ((tert. butyl-oxy-carbonyl)-methyl-amino)methyl, 2-(pyrrolidin-1-yl)ethyl, 2-(azetidin-1-yl)ethyl, 2-(piperidin-1-yl)ethyl or 2-(piperazin-1-yl)ethyl,

in Subformula 22

Y is NH,

L^1 is methylene which is unsubstituted or substituted with (methyl-amino)methyl, (dimethyl-amino)methyl, methyl or 2-(dimethyl-amino)ethyl,

in Subformula 23

Y is NH,

R^1 is L^1–R^4–L^2–R^5,

R^4 is phenylene,

L^2 is –NHCO-, -NH-, -$NHCH_2$-, $NHCOOCH_2$- or –NHCONH-,

in Subformula 24

Y is NH,

R^1 is L^1–R^4–L^2–R^5,

R^4 is phenylene,

L^2 is –NHCO-, -NH-, -$NHCH_2$-, $NHCOOCH_2$- or –NHCONH-,

R^5 is Ar which is unsubstituted or substituted as defined for Ar in Claim 1,

in Subformula 25

Y is NH,

R^1 is L^1–R^4–L^2–R^5,

R^4 is phenylene,

L^2 is –NHCO-, -NH-, -$NHCH_2$-, $NHCOOCH_2$- or –NHCONH-,

R^5 is phenyl, pyridyl, benzo-1,3-dioxolyl, pyrazolyl or thiazolyl, all of which are unsubstituted or substituted as defined for Ar in Claim 1,

in Subformula 26

Y is NH,

L^1 is methylene which is unsubstituted or substituted with aminomethyl, (methyl-amino)methyl, (dimethyl-amino)methyl, methyl, ethyl, 2-hydroxyethyl, methoxymethyl, 2-(dimethyl-amino)ethyl, (ethyl-amino)methyl, 2-(methoxy)ethyl, 2-(allyl-methyl-amino)ethyl, ((tert. butyl-oxy-carbonyl)-methyl-amino)methyl, 2-(pyrrolidin-1-yl)ethyl, 2-(azetidin-1-yl)ethyl, 2-(piperidin-1-yl)ethyl or 2-(piperazin-1-yl)ethyl,
R^2 is H or methoxy,

in Subformula 27
Y is NH,
L^1 is methylene which is unsubstituted or substituted with (methyl-amino)methyl, (dimethyl-amino)methyl, methyl or 2-(dimethyl-amino)ethyl,
R^2 is H or methoxy,

in Subformula 28
Y is NH,
R^1 is L^1–R^4–L^2–R^5,
R^4 is phenylene,
L^2 is –NHCO-, -NH-, -$NHCH_2$-, $NHCOOCH_2$- or –NHCONH-,
R^2 is H or methoxy,

in Subformula 29
Y is NH,
R^1 is L^1–R^4–L^2–R^5,
R^4 is phenylene,
L^2 is –NHCO-, -NH-, -$NHCH_2$-, $NHCOOCH_2$- or –NHCONH-,
R^5 is Ar which is unsubstituted or substituted as defined for Ar in Claim 1,
R^2 is H or methoxy,

in Subformula 30
Y is NH,
R^1 is L^1–R^4–L^2–R^5,
R^4 is phenylene,
L^2 is –NHCO-, -NH-, -$NHCH_2$-, $NHCOOCH_2$- or –NHCONH-,
R^5 is phenyl, pyridyl, benzo-1,3-dioxolyl, pyrazolyl or thiazolyl, all of which are unsubstituted or substituted as defined for Ar in Claim 1,

R^2 is H or methoxy,

in Subformula 31

Y is NH,

R^1 is L^1–R^4–L^2–R^5,

L^1 is methylene which is unsubstituted or substituted with (methyl-amino)methyl, (dimethyl-amino)methyl, methyl or 2-(dimethyl-amino)ethyl,

R^4 is phenylene,

L^2 is –NHCO-, -NH-, -$NHCH_2$-, $NHCOOCH_2$- or –NHCONH-,

R^5 is Ar which is unsubstituted or substituted as defined for Ar in Claim 1,

R^2 is H or methoxy,

in Subformula 32

Y is NH,

R^1 is L^1–R^4,

R^2 is L^1–Ar,

in Subformula 34

Y is NH,

R^1 is L^1–R^4,

R^4 is piperidinyl,

and pharmaceutically acceptable salts or solvates thereof.

5. The compounds according to Claim 4, Subformulae 16, 17, 18, 19, 20, 23, 24, 25, 28, 29, 30 or 31, in which R^4 is meta-phenylene, and pharmaceutically acceptable salts or solvates thereof.

6. The compound according to Claim 1, wherein the compound is selected from the group consisting of:

4-[2-Amino-1-(3,4-dichloro-phenyl)-ethylamino] quinazoline-8-carboxylic acid amide,
4-[2-Amino-1-(3-fluoro-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
4-[2-Amino-1-(3,4-dimethoxy-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
4-(2-Amino-1-p-tolyl-ethylamino)-quinazoline-8-carboxylic acid amide,

4-((S)-2-Amino-1-phenyl-ethylamino)-quinazoline-8-carboxylic acid amide,
4-[2-Amino-1-(4-methoxy-phenyl)-ethylamino] quinazoline-8-carboxylic acid amide,
6-Methoxy-4-(2-methylamino-1-phenyl-ethylamino)-quinazoline-8-carboxylic acid amide,
4-[2-Dimethylamino-1-(4-trifluoromethyl-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
4-((R)-2-Methylamino-1-phenyl-ethylamino)-quinazoline-8-carboxylic acid amide,
4-[1-(3,4-Dichloro-phenyl)-2-methylamino-ethylamino]-quinazoline-8-carboxylic acid amide,
4-((S)-2-Amino-1-phenyl-ethylamino)-6-methoxy-quinazoline-8-carboxylic acid amide,
4-{1-[3-(3,4-Difluoro-benzoylamino)-phenyl]-2-methylamino-ethylamino}-quinazoline-8-carboxylic acid amide,
4-[1-(3-Fluoro-phenyl)-2-methylamino-ethylamino]-6-methoxy-quinazoline-8-carboxylic acid amide,
4-[2-Amino-1-(3-fluoro-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
4-[2-Amino-1-(3,4-dichloro-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
4-(3,4-Dimethyl-benzylamino)-quinazoline-8-carboxylic acid amide,
4-{2-Dimethylamino-1-[3-(4-trifluoromethyl-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
4-{2-Dimethylamino-1-[3-(2-fluoro-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
4-{1-[3-(4-Bromo-benzoylamino)-phenyl]-2-methylamino-ethylamino}-quinazoline-8-carboxylic acid amide,
4-{1-[3-(4-Bromo-benzoylamino)-phenyl]-2-dimethylamino-ethylamino}-quinazoline-8-carboxylic acid amide,
4-(2-Amino-1-p-tolyl-ethylamino)-quinazoline-8-carboxylic acid amide,
4-[1-(3-Chloro-phenyl)-2-methylamino-ethylamino]-quinazoline-8-carboxylic acid amide,
4-[2-Amino-1-(4-methoxy-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
4-(2-Dimethylamino-1-{3-[(2-pyrrolidin-1-yl-pyridine-4-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-[(S)-1-(3-Fluoro-phenyl)-2-methylamino-ethylamino]-6-methoxy-quinazoline-8-carboxylic acid amide,
4-((S)-2-Amino-1-phenyl-ethylamino)-quinazoline-8-carboxylic acid amide,
4-[1-(3-Chloro-phenyl)-2-methylamino-ethylamino]-6-methoxy-quinazoline-8-carboxylic acid amide,
4-[1-(3,4-Dichloro-phenyl)-2-dimethylamino-ethylamino]-quinazoline-8-carboxylic acid

amide,
4-(2-Dimethylamino-1-{3-[(3,4,5,6-tetrahydro-2H-[1,2']bipyridinyl-4'-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-(1-{3-[(2-Chloro-pyridine-4-carbonyl)-amino]-phenyl}-2-dimethylamino-ethylamino)-quinazoline-8-carboxylic acid amide,
4-[1-(3-Benzoylamino-phenyl)-2-methylamino-ethylamino]-quinazoline-8-carboxylic acid amide,
4-{1-[3-(2,6-Difluoro-benzoylamino)-phenyl]-2-methylamino-ethylamino}-quinazoline-8-carboxylic acid amide,
4-[1-(3-Bromo-phenyl)-2-dimethylamino-ethylamino]-quinazoline-8-carboxylic acid amide,
4-[1-(3-Fluoro-phenyl)-2-methylamino-ethylamino]-quinazoline-8-carboxylic acid amide,
4-{1-[3-(3-Fluoro-4-methoxy-benzoylamino)-phenyl]-2-methylamino-ethylamino}-quinazoline-8-carboxylic acid amide,
4-{2-Dimethylamino-1-[3-(2-fluoro-4-trifluoromethyl-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
4-(2-Dimethylamino-1-{3-[(2-dimethylamino-pyridine-4-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-{1-[3-(4-Methoxy-benzoylamino)-phenyl]-2-methylamino-ethylamino}-quinazoline-8-carboxylic acid amide,
4-(2-Dimethylamino-1-{3-[(5-pyrrolidin-1-yl-pyridine-3-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-[1-(3-Chloro-phenyl)-2-dimethylamino-ethylamino]-quinazoline-8-carboxylic acid amide,
4-(4-Chloro-3-trifluoromethyl-benzylamino)-quinazoline-8-carboxylic acid amide,
4-{2-Dimethylamino-1-[3-(4-methoxy-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
4-[2-Amino-1-(3-chloro-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
5-Methoxy-4-(2-methylamino-1-phenyl-ethylamino)-quinazoline-8-carboxylic acid amide,
4-[1-(4-Methoxy-phenyl)-2-methylamino-ethylamino]-quinazoline-8-carboxylic acid amide,
4-{2-Methylamino-1-[3-(4-trifluoromethoxy-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
4-[1-(4-Chloro-phenyl)-2-dimethylamino-ethylamino]-6-methoxy-quinazoline-8-carboxylic acid amide,
4-{2-Amino-1-[3-(4-fluoro-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,

4-(3,4-Dichloro-benzylamino)-quinazoline-8-carboxylic acid amide,
4-[2-Amino-1-(3,4-dimethoxy-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
4-{1-[3-(2-Fluoro-4-methoxy-benzoylamino)-phenyl]-2-methylamino-ethylamino}-quinazoline-8-carboxylic acid amide,
4-[2-Dimethylamino-1-(3-{[2-(2-methyl-pyrrolidin-1-yl)-pyridine-4-carbonyl]-amino}-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
6-Methoxy-4-((S)-2-methylamino-1-phenyl-ethylamino)-quinazoline-8-carboxylic acid amide,
4-[1-(3-{[2-(3-Diethylamino-pyrrolidin-1-yl)-pyridine-4-carbonyl]-amino}-phenyl)-2-dimethylamino-ethylamino]-quinazoline-8-carboxylic acid amide,
4-(4-Trifluoromethyl-benzylamino)-quinazoline-8-carboxylic acid amide,
4-{2-Dimethylamino-1-[3-(3-fluoro-4-methoxy-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
4-{(R)-1-[3-(2-Fluoro-4-trifluoromethyl-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
4-((S)-2-Ethylamino-1-phenyl-ethylamino)-6-methoxy-quinazoline-8-carboxylic acid amide,
4-[(S)-2-Dimethylamino-1-(3-fluoro-phenyl)-ethylamino]-6-methoxy-quinazoline-8-carboxylic acid amide,
4-[(S)-2-Ethylamino-1-(3-fluoro-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
4-{3-(Allyl-methyl-amino)-1-[3-(4-bromo-benzoylamino)-phenyl]-propylamino}-quinazoline-8-carboxylic acid amide,
4-((R)-1-{3-[(6-Methoxy-pyridine-3-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-(1-{3-[(Benzo[1,3]dioxole-5-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-((R)-1-{3-[(5-Isopropyl-1H-pyrazole-3-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-[2-Amino-1-(3-methoxy-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
tert-butyl [2-{[8-(aminocarbonyl)quinazolin-4-yl]amino}-2-(3-nitrophenyl)ethyl]methylcarbamate,
4-[3-(2,4-Difluoro-benzoylamino)-benzylamino]-quinazoline-8-carboxylic acid amide,
4-((S)-2-Dimethylamino-1-phenyl-ethylamino)-quinazoline-8-carboxylic acid amide,
4-{1-[3-(3-Fluoro-4-methyl-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,

4-{1-[3-(4-Fluoro-3-hydroxy-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
4-(2-Methylamino-1-phenyl-ethylamino)-quinazoline-8-carboxylic acid amide,
4-{1-[3-(2,4-Difluoro-benzoylamino)-phenyl]-3-dimethylamino-propylamino}-quinazoline-8-carboxylic acid amide,
4-[3-(2,4-Dichloro-benzoylamino)-benzylamino]-quinazoline-8-carboxylic acid amide,
4-(1-{3-[(6-Methoxy-pyridine-3-carbonyl)-amino]-phenyl}-propylamino)-quinazoline-8-carboxylic acid amide,
4-{2-Methylamino-1-[3-(4-trifluoromethyl-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
4-((R)-1-{3-[(6-Methyl-pyridine-3-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-{3-Dimethylamino-1-[3-(4-trifluoromethyl-benzoylamino)-phenyl]-propylamino}-quinazoline-8-carboxylic acid amide,
4-{1-[3-(2,4-Difluoro-benzoylamino)-phenyl]-3-methoxy-propylamino}-quinazoline-8-carboxylic acid amide,
4-{[2-(dimethylamino)-1-(3-nitrophenyl)ethyl]amino}quinazoline-8-carboxamide,
4-[2-(1H-Indol-3-yl)-ethylamino]-quinazoline-8-carboxylic acid amide,
4-{3-[(5-Pyrrolidin-1-yl-pyridine-3-carbonyl)-amino]-benzylamino}-quinazoline-8-carboxylic acid amide,
6-Cyclopropylmethoxy-4-[2-dimethylamino-1-(3-fluoro-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
6-Methoxy-4-(4-trifluoromethyl-benzylamino)-quinazoline-8-carboxylic acid amide,
4-{(R)-1-[3-(3,4-Dimethyl-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
6-Benzyloxy-4-[1-(3-chloro-phenyl)-2-methylamino-ethylamino]-quinazoline-8-carboxylic acid amide,
4-{(R)-1-[3-(2-Fluoro-5-trifluoromethyl-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
4-[3-({2-[(2-Hydroxy-ethyl)-methyl-amino]-pyridine-4-carbonyl}-amino)-benzylamino]-quinazoline-8-carboxylic acid amide,
4-{1-[3-(4-Bromo-benzoylamino)-phenyl]-3-dimethylamino-propylamino}-quinazoline-8-carboxylic acid amide,
4-((R)-1-{3-[(6-Cyano-pyridine-3-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,

4-((R)-1-{3-[(5-Chloro-6-methoxy-pyridine-3-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-((R)-1-{3-[(5-tert-Butyl-2H-pyrazole-3-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-((R)-1-{3-[(2-Methoxy-pyridine-4-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-((R)-1-{3-[(Benzo[1,3]dioxole-5-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-(1-{3-[(5-tert-Butyl-2H-pyrazole-3-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-{1-[3-(4-Bromo-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
[2-(3-Benzoylamino-phenyl)-2-(8-carbamoyl-quinazolin-4-ylamino)-ethyl]-methyl-carbamic acid tert-butyl ester,
4-[2-Dimethylamino-1-(3-methoxy-phenyl)-ethylamino]-quinazoline-8-carboxylic acid amide,
4-{1-[3-(2,6-Difluoro-benzoylamino)-phenyl]-3-methoxy-propylamino}-quinazoline-8-carboxylic acid amide,
4-{(R)-1-[3-(4-Chloro-3-methyl-benzoylamino)-phenyl]-ethylamino}-quinazoline-8-carboxylic acid amide,
4-[2-Dimethylamino-1-(3-fluoro-phenyl)-ethylamino]-6-ethoxy-quinazoline-8-carboxylic acid amide,
4-((R)-1-{3-[(5,6-Dimethoxy-pyridine-3-carbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide,
4-((S)-2-Ethylamino-1-phenyl-ethylamino)-quinazoline-8-carboxylic acid amide,
4-[(S)-1-(3-Chloro-phenyl)-2-methylamino-ethylamino]-6-methoxy-quinazoline-8-carboxylic acid amide,
4-[(S)-1-(3-Fluoro-phenyl)-2-methylamino-ethylamino]-quinazoline-8-carboxylic acid amide,
4-[(E)-(R)-1-(2-Amino-ethyl)-2-vinyl-penta-2,4-dienylamino]-quinazoline-8-carboxylic acid amide,
6-Chloro-4-[(S)-1-(3-fluoro-phenyl)-2-methylamino-ethylamino]-quinazoline-8-carboxylic acid amide,
4-((R)-1-{3-[(2,2-Difluoro-cyclopropanecarbonyl)-amino]-phenyl}-ethylamino)-quinazoline-8-carboxylic acid amide.


and pharmaceutically acceptable salts or solvates thereof.

7. A pharmaceutical composition comprising a compound according to any of claims 1 to 6, or a pharmaceutically acceptable salt or solvate thereof, together with a pharmaceutically acceptable carrier.

8. A compound of any of claims 1 to 6, or a pharmaceutically acceptable salt or solvate thereof, for use as a medicament.


9. Use of a compound of any of claims 1 to 6, or a pharmaceutically acceptable salt or solvate thereof, for the preparation of a medicament for the treatment of a disease selected from the group consisting of cancer, inflammation, pancreatitis or pain, benign hyperplasia of the skin, restenosis, prostate, , tumor angiogenesis, skin diseases selected from psoriasis, eczema, and sclerodema, diabetes, diabetic retinopathy, retinopathy of prematurity, age-related macular degeneration, hemangioma, glioma, melanoma and Kaposi's sarcoma.

10. Process for the manufacture of compounds of Formula (I), wherein X is NH and Y is NH, and all other substituents have the meaning as defined for Formula (I) in Claim 1, wherein a carboxylic acid compound of Formula (I-III)




(I-III),

is reacted with LA-OH to the corresponding carboxylic LA ester of Formula (I-II)




(I-II),

which is then reacted with H_2N-R^1 to a compound of Formula (I-I)



(I-I),

which is finally converted into the carboxylic amide of Formula I



(I).