




1/23






FIG. 4A




FIG. 4B




FIG. 5A




FIG. 5B




FIG. 6A




FIG. 6B




FIG. 8




FIG. 9




FIG. 10




FIG. 7

FIG. 11

4/23




FIG. 12




FIG. 13




FIG. 15




FIG. 14

5/23




FIG. 17




FIG. 16




FIG. 18

6/23




FIG. 19

7/23




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24A

10/23




FIG. 24B

11/23




FIG. 25A

12/23




FIG. 25B

13/23




FIG. 25C

14/23




FIG. 26

15/23




FIG. 27A




FIG. 27B

16/23




FIG. 28




FIG. 29




FIG. 30

17/23




FIG. 31




FIG. 32

18/23




FIG. 33




FIG. 34

19/23




FIG. 35

20/23




FIG. 36A




FIG. 36B

21/23




FIG. 36C




FIG. 37

22/23




FIG. 38

23/23

Electrostimulation Unit with Joint Stabilizing Assembly at 4 Weeks (+ or - 7 days)
(Average Hours of Use: 150),
compared to Electrostimulation Unit Alone (Farr Study) at 8 Weeks (Average Hours of Use: 430)

Treatment Group	Effect Size						
	Patient Global Assessment of Disease Activity	Assessment of Pain and Symptoms	Pain Intensity in past 48 hours	Pain and Symptoms walking on flat surface	Pain and Symptoms going up and down stairs	Pain and Symptoms while sleeping	Physician's Global Assessment of Disease Activity
Electrostimulation Unit Alone (Farr Study) (8 weeks-211 subjects-430 hrs average)	0.70	0.61	0.68	0.52	0.60	0.73	0.72
Electrostimulation Unit with Joint Stabilizing Assembly (4 weeks-33 subjects-150 hrs average)	0.67	0.89	1.03	0.83	0.99	0.60	1.12

FIG. 39