
CLAIMS

1. A compound, selected from among a compound represented by the following Chemical Formula 1, a pharmaceutically acceptable salt thereof, an isomer thereof, a hydrate thereof, or a solvate thereof:

[Chemical Formula I]



wherein,

X is an oxygen atom, a nitrogen atom, or a sulfur atom; and

Y is a radical selected from the group consisting of C_1-C_6 alkyl, C_1-C_6 haloalkyl, (C_1-C_3 alkyloxy)C_1-C_6 alkyl, (C_2-C_6 alkenyloxy)C_1-C_6 alkyl, (C_1-C_6 alkylcarbonyloxy)C_1-C_6 alkyl, (C_1-C_6 alkylsufanyl)C_1-C_6 alkyl, (arylsufanyl)C_1-C_6 alkyl, (arylsulfonyl)C_1-C_6 alkyl, (C_1-C_6 alkylamino)C_1-C_6 alkyl, [(C_1-C_6 alkyl)(C_1-C_6 alkyl)amino]C_1-C_6 alkyl, [(C_1-C_3 alkyl)(aryl)amino]C_1-C_6 alkyl, {[(C_1-C_3 alkyl)(aryl)C_1-C_3 alkyl]amino}C_1-C_6 alkyl, [(C_1-C_3 alkyl)(heteroaryl)amino]C_1-C_6 alkyl, (arylcarbonylamino)C_1-C_6 alkyl,C_2-C_6 alkenyl, C_2-C_6

alkynyl, C_2-C_6 oxoalkyl, C_3-C_8 cycloalkyl, (C_3-C_8 cycloalkyl)C_1-C_6 alkyl, (C_3-C_8 cycloalkenyl)C_1-C_6 alkyl, (C_3-C_8 heterocycloalkyl)C_1-C_6 alkyl, [(C_1-C_3 alkyl)C_3-C_8 heterocycloalkyl]C_1-C_6 alkyl, {[(aryl)C_1-C_3 alkyl]C_3-C_8 heterocycloalkyl}C_1-C_6 alkyl, [(C_1-C_6 alkyloxycarbonyl)C_3-C_8 heterocycloalkyl]C_1-C_6 alkyl, [(C_1-C_3 alkyloxycarbonyl)C_3-C_8 heterocycloalkyl]C_1-C_6 alkyl, (C_3-C_8 heterocycloalkyl)C_1-C_6 alkenyl, [(C_1-C_3 alkyl)C_3-C_8 heterocycloalkenyl]C_1-C_6 alkyl, (aryl)C_1-C_6 alkyl, [(C_1-C_3 alkyl)aryl]C_1-C_6 alkyl, [(C_1-C_3 alkyloxy)aryl]C_1-C_6 alkyl, [(aryloxy)aryl]C_1-C_6 alkyl, [(C_1-C_3 alkylsufanyl)aryl]C_1-C_6 alkyl, [(C_1-C_3 alkyloxycarbonyl)aryl]C_1-C_6 alkyl, [(aryloxycarbonyl)aryl]C_1-C_6 alkyl, (aryl)C_3-C_6 alkenyl, (heteroaryl)C_1-C_6 alkyl, [(alkyloxycarbonyl)heteroaryl]C_1-C_6 alkyl, [(C_1-C_3 alkyl)C_3-C_8 heteroaryl]C_1-C_6 alkyl, [(C_3-C_8 cycloalkyl)heteroaryl]C_1-C_6 alkyl, [(aryl)heteroaryl]C_1-C_6 alkyl, [(C_1-C_3 alkyl)heteroaryl]C_1-C_6 alkyl, {[(aryl)C_1-C_3 alkyl]heteroaryl}C_1-C_6 alkyl, (C_1-C_6 alkyloxycarbonyl)C_1-C_6 alkyl, [(C_3-C_8 heterocycloalkyl)C_1-C_6 alkyloxycarbonyl]C_1-C_6 alkyl, (C_3-C_8 heterocycloalkylcarbonyl)C_1-C_6 alkyl, [(C_1-C_3 alkyl)C_3-C_8 heterocycloalkylcarbonyl]C_1-C_6 alkyl, [(C_1-C_3 alkyl)C_3-C_8 heterocycloalkylcarbonyl]C_1-C_6 alkyl, [(C_3-C_8 cycloalkyl)oxycarbonyloxy]C_1-C_6 alkyl, [(C_3-C_8 heterocycloalkyl)oxycarbonyloxy]C_1-C_6 alkyl, (ureido)C_1-C_6 alkyl, (arylureido)C_1-C_6 alkyl, [(aryl)(C_1-C_3 alkylureido]C_1-C_6

alkyl, (C_1-C_6 alkylaminocarbonyl)C_1-C_6 alkyl, [(C_3-C_8 heterocycloalkyl)aminocarbonyl]C_1-C_6 alkyl, {[(C_1-C_3 alkyl)C_3-C_8 heterocycloalkyl]aminocarbonyl}C_1-C_6 alkyl, [(C_1-C_3 alkyl)(C_1-C_3 alkyloxy)aminocarbonyl]C_1-C_6 alkyl and (oxoC_3-C_8 heterocycloalkyl)C_1-C_6 alkyl,

with a proviso that the C_1-C_6 alkyl radical, the C_2-C_6 alkenyl radical, the C_2-C_6 alkynyl radical, the C_2-C_6 oxoalkyl radical, the C_3-C_8 cycloalkyl radical, the C_3-C_8 cycloalkenyl radical, the C_3-C_8 heterocycloalkenyl radical, the aryl radical or the heteroaryl radical may be substituted with at least one substituent selected from the group consisting of C_1-C_3 alkyl, fluoro, chloro, bromo, hydroxy, oxo, nitro, and cyano.

2. The compound, pharmaceutically acceptable salt, isomer, hydrate, or solvate of claim 2, wherein the compound is selected from the group consisting of:

1) methyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

2) ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

3) 3-methylbutyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

4) hexyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

5) 2-bromoethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-

dihydroquinolin-4-yl)propionate;

6) 2-hydroxyethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

7) methoxymethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

8) 2-methoxyethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

9) 2-vinyloxyethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

10) 2-acetoxyethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

11) 2-methylsulfanylethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

12) 2-phenylsulfanylethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

13) 2-methylaminoethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

14) 2-dimethylaminoethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

15) 2-dimethylamino-1-methyl-ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

16) 2-diethylaminoethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

17) 2-diisopropylaminoethyl 2-(4-chlorobenzoylamino)-3-

(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

18) 3-dimethylaminopropyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

19) 2-(methyl phenyl amino)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

20) 2-(benzyl ethyl amino)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

21) 2-(benzoxazol-2-ylmethyl amino)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

22) 2-benzoylaminoethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

23) allyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

24) but-2-enyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

25) 3-methylbut-2-enyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

26) 3-prop-2-ynyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate

27) 2-oxopropyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

28) 2-oxobutyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

29) cyclopentyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

30) cyclohexyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

31) cyclomethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

32) cyclobutylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

33) cyclohexylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

34) cyclopent-3-enylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

35) oxiranylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

36) 3-methyloxetan-3-ylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

37) 2-(1-methylpyrrolidin-2-yl)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

38) 2-pyrrolidin-1-yl-ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

39) tetrahydrofuran-2-ylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

40) [1,3]dioxolan-2-ylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

41) 2-[1,3]-dioxolan-2-ylethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

42) 1-methylpiperidin-2-ylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

43) 1-methylpiperidin-3-ylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

44) 2-piperidin-1-ylethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

45) tetrahydropyran 2 ylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

46) 2-[1,3]dioxan-2-ylethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

47) 2-morpholin-4-ylethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

48) 3-morpholin-4-ylpropyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

49) 4-morpholin-4-ylbutyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

50) 6-morpholin-4-ylhexyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

51) (4-methylpiperazin-1-yl)methyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

52) 2-(4-benzylpiperazin-1-yl)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

53) 4-[4-(3-chlorophenyl)piperazin-1-yl]butyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

54) (4-*tert*-butyloxycarbonylpiperazin-1-yl)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

55) 2-azepan-1-ylethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

56) 2-(2-oxopyrrolidin-1-yl)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

57) (2-oxooxazolidin-5-yl)methyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

58) 4-morpholin-4-yl-*cis*-but-2-enyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

59) 4-morpholin-4-yl-*trans*-but-2-enyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

60) 5-methyl-2-oxo-[1,3]dioxol-4-ylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-

yl)propionate;

61) benzyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

62) phenethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

63) 2-methylbenzyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

64) 3-methylbenzyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

65) 3,4-dimethylbenzyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

66) 3,5-dimethylbenzyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

67) 3-fluorobenzyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

68) 2,5-difluorobenzyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

69) 3-cyanobenzyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

70) 3-nitrobenzyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

71) 4-methoxybenzyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

72) 3-phenoxybenzyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

73) 4-methylsulfanylbenzyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

74) (4-methyloxycarbonyl)benzyl 4-[2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

75) (3-phenyloxycarbonyl)benzyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

76) naphthalen-2-ylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

77) anthracen-9-ylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

78) 2-pyrrol-1-ylethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

79) (2-ethoxycarbonyl)furan-4-ylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

80) 2-thiophen-2-ylethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

81) 2-thiophen-3-ylethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

82) 2-imidazol-1-ylethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

83) 5-cyclopropyl-2-methyl-2H-pyrazol-3-ylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

84) 3,5-dimethylisoxazol-4-ylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

85) 2-(5-methyl-4-phenyloxazol-2-yl)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

86) 2-methylthiazol-4-ylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

87) 2-(4-methylthiazol-5-yl)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

88) pyrimidin-2-ylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

89) pyrimidin-3-ylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

90) pyrimidin-4-ylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

91) 2-(pyrimidin-2-yl)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

92) quinolin-2-ylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

93) quinolin-3-ylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

94) 2-(1-methyl-1H-indol-3-yl)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-

yl)propionate;

95) benzothiazol-2-ylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

96) 2,3-dihydrobenzo[1,4]dioxin-2-ylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

97) carbazol-9-ylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

98) methylcarbamoylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

99) 2-(4-methylpiperazin-1-yl)-2-oxoethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

100) 1-(4-methylpiperazine-1-carbonyl)propyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

101) 2-morpholin-4-yl-2-oxoethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

102) (methoxymethylcarbamoyl)methyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

103) 2-ethoxycarbonylethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

104) 2-ethoxycarbonylethyl 2-(4-chlorobenzoylamino)-3-(2-

oxo-1,2-dihydroquinolin-4-yl)propionate;

105) 2-morpholin-4-yl-ethoxycarbonylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

106) 2-morpholin-4-ylethyl 2-[2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionyloxy]butyrate;

107) 2-(1,3-dioxo-1,3-dihydroisoindol-2-yl)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

108) cyclohexyloxycarbonyloxymethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

109) 2-morpholin-4-yl-ethoxycarbonyloxymethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

110) 2-ureidoethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

111) 2-(3-phenyl-ureido)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

112) 2-(3-benzyl-ureido)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

113) 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionic acid;

114) *S*-methyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

115) *S*-ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

116) *S*-propyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

117) *S*-butyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

118) *S*-(3-methylbutyl)2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

119) *S*-hexyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

120) *S*-(2-dimethylamino)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

121) *S*-(2-diethylamino)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

122) *S*-(2-diisopropylamino)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

123) *S*-(2-dimethylamino)propyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

124) *S*-(2-benzoylamino)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate oxalate;

125) *S*-methoxymethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

126) *S*-(2-benzoyloxy)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

127) *S*-(2-methylsufanyl)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

128) *S*-(2-phenylsufanyl)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

129) *S*-(2-benzenesulfonyl)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

130) *S*-(2-oxobutyl) 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

131) *S*-(2-ureido)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

132) N,N-dimethyl S-[2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)]thiocarbamate;

133) *S*-allyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

134) *S*-but-2-enyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

135) *S*-prop-2-ynyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

136) *S*-cyclopentyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

137) *S*-cyclohexyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

138) *S*-cyclopropylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

139) *S*-cyclobutylmethyl 2-(4-chlorobenzoylamino)-3-(2-

oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

140) *S*-cyclohexylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

141) *S*-(cyclopent-3-enyl)methyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

142) *S*-oxiranylmethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

143) *S*-(tetrahydrofuran-2-yl)methyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

144) *S*-(2-pyrrolidin-1-yl)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

145) *S*-[2-(1-methylpyrrolidin-2-yl)]ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

146) *S*-([1,3]dioxolan-2-yl)methyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

147) *S*-(2-[1,3]dioxolan-2-yl)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

148) *S*-(2-piperidin-1-yl)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

149) *S*-(1-methylpiperidin-2-yl)methyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-

yl)thiopropionate;

150) *S*-{4-[4-(4-chlorophenyl)piperazin-1-yl]-butyl} 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

151) *S*-(2-morpholin-4-yl)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

152) *S*-(tetrahydropyran 2 yl)methyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

153) *S*-(2-[1,3]-dioxan-2-yl)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

154) *S*-(2-azepan-1-yl)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

155) *S*-(5-methyl-2-oxo-[1,3]dioxol-4-yl)methyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

156) *S*-benzyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

157) *S*-phenethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

158) *S*-(2-methylbenzyl) 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

159) *S*-(3-methylbenzyl) 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

160) *S*-(3,4-dimethylbenzyl) 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

161) *S*-(4-fluorobenzyl) 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

162) *S*-(2,5-difluorobenzyl) 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

163) *S*-(3-chlorobenzyl) 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

164) *S*-(3,5-dibromobenzyl) 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

165) *S*-(3-cyanobenzyl) 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

166) *S*-(4-cyanobenzyl) 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

167) *S*-(3-methoxybenzyl) 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

168) *S*-(4-methoxybenzyl) 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

169) *S*-(3-phenoxybenzyl) 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

170) *S*-(3-methoxycarbonyl)benzyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

171) *S*-(3-phenyloxycarbonyl)benzyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-

yl)propionate;

172) *S*-[2-(4-methylthiazol-5yl)ethyl] 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

173) *S*-(pyrimidin-2-yl)methyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

174) *S*-(pyrimidin-3-yl)methyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

175) *S*-(3-phenylallyl)2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

176) *S*-ethoxy-3-oxopropyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

177) ethyl [2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionylamino]acetate;

178) [2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionylamino]acetic acid;

179) ethyl 4-[2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionylamino]butyrate;

180) ethyl 2-[2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionylamino]-4-methyl pentanoate;

181) ethyl 2-[2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionylamino]-3-phenyl propionate;

182) ethyl 2-[2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionylamino]-3-(1H-indol-3-yl)propionate;

183) diethyl 2-[2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionylamino]pentane-1,5-dioate;

184) diethyl 2-[2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionylamino]pentane-1,5-dioic acid;

185) 4-chloro-N-[1-[2-(3H-imidazol--4-yl)ethylcarbamoyl]-2-(2-oxo-1,2-dihydroquinolin-4-yl)ethyl]benzamide;

186) 4-chloro-N-[2-(2-oxo-1,2-dihydroquinolin-4-yl)-1-(2-pyrrolidin-1-yl-ethylcarbamoyl)ethyl]benzamide; and

187) 4-chloro-N-[1-(2-morpholin-4-yl-ethylcarbamoyl)-2-(2-oxo-1,2-dihydroquinolin-4-yl)ethyl]benzamide.

3. The compound of claim 1 or 2, wherein the salt is an acid addition salt formed with a pharmaceutically acceptable free acid.


4. The compound of claim 3, wherein the free acid is an organic acid or an inorganic acid.

5. The compound of claim 4, wherein the organic acid is selected from the group consisting of citric acid, acetic acid, lactic acid, tartaric acid, maleic acid, fumaric acid, formic acid, propionic acid, oxalic acid, trifluoroacetic acid, benzoic acid, gluconic acid, methanesulfonic acid, glycolic acid, succinic acid, 4-toluenesulfonic acid, camphorsulfonic acid, glutamic acid, asparatic acid, salicylic

acid, malonic acid, malic acid, and benzosulfonic acid, and the inorganic acid is selected from the group consisting of hydrochloric acid, bromic acid, sulfuric acid, and phosphoric acid.

6. A method for preparing the compound represented by Chemical Formula I of claim 1, comprising reacting a compound represented by the following Chemical Formula II with a compound represented by the following Chemical Formula III:

[Chemical Formula II]



[Chemical Formula III]

Y-Z

wherein,

X and Y are as defined in claim 1, and Z is hydroxy, amino, amine, halogen or a leaving group.

7. The method of claim 6, wherein Z is hydroxy, $-NH_2$, Cl, Br, alkylsulfonyl, or arylsulfonyl.

8. A pharmaceutical composition for prophylaxis or

therapy of a disease, comprising the compound of claim 1 or 2 as an active ingredient, said disease being selected from among gastric ulcer, acute gastritis, chronic gastritis, xerophthalmia, cancer, osteoarthritis, rheumatoid arthritis, hyperlipidemia, hypertriglyceridemia, diabetes, irritable bowel syndrome, and obesity.


9. A method for preventing or treating a disease, comprising administering the compound of claim 1 or 2 to a subject in need thereof, said disease being selected from among gastric ulcer, acute gastritis, chronic gastritis, xerophthalmia, cancer, osteoarthritis, rheumatoid arthritis, hyperlipidemia, hypertriglyceridemia, diabetes, irritable bowel syndrome, and obesity.

10. Use of the compound of claim 1 or 2 in preventing or treating a disease, said disese being selected from among gastric ulcer, acute gastritis, chronic gastritis, xerophthalmia, cancer, osteoarthritis, rheumatoid arthritis, hyperlipidemia, hypertriglyceridemia, diabetes, irritable bowel syndrome, and obesity.

CLAIMS:

1. A compound, selected from among a compound represented by the following Chemical Formula 1, a pharmaceutically acceptable salt thereof, an optical isomer thereof, a hydrate thereof, or a solvate thereof:

[Chemical Formula I]



wherein,

X is an oxygen atom, a nitrogen atom, or a sulfur atom; and

Y is a radical selected from the group consisting of C_1-C_6 alkyl, C_1-C_6 haloalkyl, (C_1-C_3 alkyloxy)C_1-C_6 alkyl, (C_2-C_6 alkenyloxy)C_1-C_6 alkyl, (C_1-C_6 alkylcarbonyloxy)C_1-C_6 alkyl, (C_1-C_6 alkylsufanyl)C_1-C_6 alkyl, (arylsufanyl)C_1-C_6 alkyl, (arylsulfonyl)C_1-C_6 alkyl, (C_1-C_6 alkylamino)C_1-C_6 alkyl, [(C_1-C_6 alkyl)(C_1-C_6 alkyl)amino]C_1-C_6 alkyl, [(C_1-C_3 alkyl)(aryl)amino]C_1-C_6 alkyl, {[(C_1-C_3 alkyl)(aryl)C_1-C_3 alkyl]amino}C_1-C_6 alkyl, [(C_1-C_3 alkyl)(heteroaryl)amino]C_1-C_6 alkyl, (arylcarbonylamino)C_1-C_6 alkyl,C_2-C_6 alkenyl, C_2-C_6 alkynyl, C_2-C_6 oxoalkyl, C_3-C_8 cycloalkyl, (C_3-C_8 cycloalkyl)C_1-C_6 alkyl, (C_3-C_8 cycloalkenyl)C_1-C_6 alkyl, (C_3-C_8 heterocycloalkyl)C_1-C_6 alkyl, [(C_1-C_3 alkyl)C_3-C_8 heterocycloalkyl]C_1-C_6 alkyl, {[(aryl)C_1-C_3 alkyl]C_3-C_8 heterocycloalkyl}C_1-C_6 alkyl, [(C_1-C_6 alkyloxycarbonyl)C_3-C_8 heterocycloalkyl]C_1-C_6 alkyl, [(C_1-C_3 alkyloxycarbonyl)C_3-C_8 heterocycloalkyl]C_1-C_6 alkyl, (C_3-C_8 heterocycloalkyl)C_1-C_6 alkenyl, [(C_1-C_3 alkyl)C_3-C_8 heterocycloalkenyl]C_1-C_6 alkyl, (aryl)C_1-C_6 alkyl, [(C_1-C_3 alkyl)aryl]C_1-C_6 alkyl, [(C_1-C_3 alkyloxy)aryl]C_1-C_6 alkyl, [(aryloxy)aryl]C_1-C_6 alkyl, [(C_1-C_3 alkylsufanyl)aryl]C_1-C_6 alkyl, [(C_1-C_3 alkyloxycarbonyl)aryl]C_1-C_6 alkyl, [(aryloxycarbonyl)aryl]C_1-C_6 alkyl, (aryl)C_3-C_6 alkenyl, (heteroaryl)C_1-C_6 alkyl, [(alkyloxycarbonyl)heteroaryl]C_1-C_6 alkyl, [(C_1-C_3

o

alkyl)C_3-C_8 heteroaryl]C_1-C_6 alkyl, [(C_3-C_8 cycloalkyl)heteroaryl]C_1-C_6 alkyl, [(aryl)heteroaryl]C_1-C_6 alkyl, [(C_1-C_3 alkyl)heteroaryl]C_1-C_6 alkyl, {[(aryl)C_1-C_3 alkyl]heteroaryl}C_1-C_6 alkyl, (C_1-C_6 alkyloxycarbonyl)C_1-C_6 alkyl, [(C_3-C_8 heterocycloalkyl)C_1-C_6 alkyloxycarbonyl]C_1-C_6 alkyl, (C_3-C_8 heterocycloalkylcarbonyl)C_1-C_6 alkyl, [(C_1-C_3 alkyl)C_3-C_8 heterocycloalkylcarbonyl]C_1-C_6 alkyl, [(C_1-C_3 alkyl)C_3-C_8 heterocycloalkylcarbonyl]C_1-C_6 alkyl, [(C_3-C_8 cycloalkyl)oxycarbonyloxy]C_1-C_6 alkyl, [(C_3-C_8 heterocycloalkyl)oxycarbonyloxy]C_1-C_6 alkyl, (ureido)C_1-C_6 alkyl, (arylureido)C_1-C_6 alkyl, [(aryl)(C_1-C_3 alkylureido]C_1-C_6 alkyl, (C_1-C_6 alkylaminocarbonyl)C_1-C_6 alkyl, [(C_3-C_8 heterocycloalkyl)aminocarbonyl]C_1-C_6 alkyl, {[(C_1-C_3 alkyl)C_3-C_8 heterocycloalkyl]aminocarbonyl}C_1-C_6 alkyl, [(C_1-C_3 alkyl)(C_1-C_3 alkyloxy)aminocarbonyl]C_1-C_6 alkyl and (oxoC_3-C_8 heterocycloalkyl)C_1-C_6 alkyl,

with a proviso that the C_1-C_6 alkyl radical, the C_2-C_6 alkenyl radical, the C_2-C_6 alkynyl radical, the C_2-C_6 oxoalkyl radical, the C_3-C_8 cycloalkyl radical, the C_3-C_8 cycloalkenyl radical, the C_3-C_8 heterocycloalkenyl radical, the aryl radical or the heteroaryl radical may be substituted with at least one substituent selected from the group consisting of C_1-C_3 alkyl, fluoro, chloro, bromo, hydroxy, oxo, nitro, and cyano, wherein the compound is selected from the group consisting of:

11) 2-methylsulfanylethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4yl)propionate;

13) 2-methylaminoethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

14) 2-dimethylaminoethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4yl)propionate;

15) 2-dimethylamino-1-methyl-ethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4yl)propionate;

16) 2-diethylaminoethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4yl)propionate;

19) 2-(methylphenylamino)ethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4yl)propionate;

21) 2-(benzoxazol-2-ylmethylamino)ethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4yl)propionate;

31) cyclomethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

36) 3-methyloxetan-3-ylmethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

38) 2-pyrrolidin-1-yl-ethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4yl)propionate;

40) [1,3]dioxolan-2-ylmethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4yl)propionate;

44) 2-piperidin-1-ylethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4yl)propionate;

47) 2-morpholin-4-ylethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

48) 3-morpholin-4-ylpropyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

50) 6-morpholin-4-ylhexyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

51) (4-methylpiperazin-1-yl)methyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4yl)propionate;

55) 2-azepan-1-ylethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

58) 4-morpholin-4-yl-*cis*-but-2-enyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4yl)propionate;

78) 2-pyrrol-1-ylethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

82) 2-imidazol-1-ylethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

83) 5-cyclopropyl-2-methyl-2H-pyrazol-3-ylmethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2dihydroquinolin-4-yl)propionate;

86) 2-methylthiazol-4-ylmethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

90) pyrimidin-4-ylmethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

94) 2-(1-methyl-1H-indol-3-yl)ethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4yl)propionate;

95) benzothiazol-2-ylmethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

99) 2-(4-methylpiperazin-1-yl)-2-oxoethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4yl)propionate;

100) 1-(4-methylpiperazine-1-carbonyl)propyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

102) (methoxymethylcarbamoyl)methyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4yl)propionate;

103) 2-ethoxycarbonylethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

105) 2-morpholin-4-yl-ethoxycarbonylmethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

106) 2-morpholin-4-ylethyl2-[2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4yl)propionyloxy]butyrate;

108) cyclohexyloxycarbonyloxymethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4yl)propionate;

109) 2-morpholin-4-yl-ethoxycarbonyloxymethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2dihydroquinolin-4-yl)propionate;

110) 2-ureidoethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

o

115) *S*-ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

120) *S*-(2-dimethylamino)ethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4yl)thiopropionate;

121) *S*-(2-diethylamino)ethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

125) *S*-methoxymethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4yl)thiopropionate;

130) *S*-(2-oxobutyl)2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

144) *S*-(2-pyrrolidin-1-yl)ethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4yl)thiopropionate;

151) *S*-(2-morpholin-4-yl)ethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)propionate;

153) *S*-(2-[1,3]-dioxan-2-yl)ethyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4yl)thiopropionate;

154) *S*-(2-azepan-1-yl)ethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

155) *S*-(5-methyl-2-oxo-[1,3]dioxol-4-yl)methyl2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

157) *S*-phenethyl 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

161) *S*-(4-fluorobenzyl) 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate;

168) *S*-(4-methoxybenzyl) 2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate; and

175) *S*-(3-phenylallyl)2-(4-chlorobenzoylamino)-3-(2-oxo-1,2-dihydroquinolin-4-yl)thiopropionate.


2. The compound of claim 1, wherein the salt is an acid addition salt formed with a pharmaceutically acceptable free acid.

3. The compound of claim 2, wherein the free acid is an organic acid or an inorganic acid.

4. The compound of claim 3, wherein the organic acid is selected from the group consisting of citric acid, acetic acid, lactic acid, tartaric acid, maleic acid, fumaric acid, formic acid, propionic acid, oxalic acid, trifluoroacetic acid, benzoic acid, gluconic acid, methanesulfonic acid, glycolic acid, succinic acid, 4-toluenesulfonic acid, camphorsulfonic acid, glutamic acid, asparatic acid, salicylic acid, malonic acid, malic acid, and benzosulfonic acid, and the inorganic acid is selected from the group consisting of hydrochloric acid, bromic acid, sulfuric acid, and phosphoric acid.

5. A method for preparing the compound represented by Chemical Formula I of claim 1, comprising reacting a compound represented by the following Chemical Formula II with a compound represented by the following Chemical Formula III:

[Chemical Formula II]



[Chemical Formula III]

Y-Z

wherein,

X and Y are as defined in claim 1, and Z is hydroxy, amino, amine, halogen or a leaving group.

6. The method of claim 5, wherein Z is hydroxy, -NH_2, Cl, Br, alkylsulfonyl, or arylsulfonyl.

7. A pharmaceutical composition for prophylaxis or therapy of a disease, comprising the compound of claim 1 as an active ingredient, said disease being selected from among gastric ulcer, acute gastritis, chronic gastritis, xerophthalmia, cancer, osteoarthritis, rheumatoid arthritis, hyperlipidemia, hypertriglyceridemia, diabetes, irritable bowel syndrome, and obesity.

8. Use of the compound of claim 1 in preventing or treating a disease, said disease being selected from among gastric ulcer, acute gastritis, chronic gastritis, xerophthalmia, cancer, osteoarthritis, rheumatoid arthritis, hyperlipidemia, hypertriglyceridemia, diabetes, irritable bowel syndrome, and obesity.

o