




FIG. 1A




FIG. 1B

FIG. 1C




FIG. 2




FIG. 3A




FIG. 3B





FIG. 4A

**FIG. 4B**




FIG. 5A




FIG. 5B




FIG. 5C

FIG. 5D





FIG. 5E

FIG. 5F



600a

600b


BATCH 1 (AGED IN APPROX. 3 WEEKS) ; BATCH 2 (AGED IN APPROX 7 MONTHS)




FIG. 6A


FIG. 6B

NEW SYNTHESIS (AGED IN APPROX. 3 WEEKS)




OLD SYNTHESIS (AGED IN APPROX. 7 MONTHS)






Green line (IN) and yellow line (IS) are new synthesis and show similar SOD activity (complete inhibition) to old synthesis (all other but negative control).

FIG. 9

**FIG. 10**

PRIOR ART

**FIG. 11**

1202	1204	1206	1208	1210	1212
Volume Aging (ml)	Diameter (in)	Area (in ²)	in ² per ml	Weeks Of Aging	w/o form factor
50		1.6900	0.03380	12	12
250	2.5	4.9063	0.01963	17	60
500	3.25	8.2916	0.01658	18	120
1000	4	12.5600	0.01256	20	240
7500	8.25	53.4291	0.00712	21	1200

FIG. 12





FIG. 13B

FIG. 13C

FIG. 13D




FIG. 13E

FIG. 13F

FIG. 13G





FIG. 13H

FIG. 13I

FIG. 13J

**FIG. 14A**




FIG. 14B






FIG. 15

**FIG. 16****FIG. 17**




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25A




FIG. 25B




FIG. 26A




FIG. 26B





FIG. 26C






FIG. 28A




FIG. 28B




FIG. 29




FIG. 30




FIG. 31