


CLAIMS:

1. A compound of Formula (I)



Formula (I)

wherein

R₁ is selected from the group consisting of

- i) naphthalen-1-yl, optionally substituted with a fluoro or amino substituent; and
- ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from deuterium, methyl, ethyl, propyl, isopropyl, trifluoromethyl, , cyclopropyl, methoxymethyl, difluoromethyl, 1,1-difluoroethyl, hydroxymethyl, 1-hydroxyethyl, 1-ethoxyethyl, hydroxy, methoxy, ethoxy, fluoro, chloro, bromo, methylthio, cyano, amino, methylamino, dimethylamino, 4-oxotetrahydrofuran-2-yl, 5-oxopyrrolidin-2-yl, 1,4-dioxanyl, aminocarbonyl, methylcarbonyl, methylaminocarbonyl, oxo, 1-(t-butoxycarbonyl)azetidin-2-yl, N-(methyl)formamidomethyl, tetrahydrofuran-2-yl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidinyl, azetidin-3-yl, or azetidin-2-yl;

R₂ is selected from the group consisting of C₁₋₄alkyl, 1-methoxy-ethyl, difluoromethyl, fluoro, chloro, bromo, cyano, and trifluoromethyl;

G₁ is N or C(R₄);

G₂ is N or C(R₃); such that only one of G₁ and G₂ are N in any instance;

R₃ is independently selected from the group consisting of trifluoromethyl, cyano, C₁₋₄alkyl, fluoro, chloro, bromo, methylcarbonyl, methylthio, methylsulfinyl, and methanesulfonyl; or, when G₁ is N, R₃ is further selected from C₁₋₄alkoxycarbonyl;

R₄ is selected from the group consisting of

- i) hydrogen, when G₂ is N;
- ii) C₁₋₄alkoxy;
- iii) cyano;
- iv) cyclopropyloxy;
- v) a heteroaryl selected from the group consisting of triazolyl, oxazolyl, isoxazolyl, pyrazolyl, pyrrolyl, thiazolyl, tetrazolyl, oxadiazolyl, imidazolyl, 2-amino-pyrimidin-4-yl, 2H-[1,2,3]triazolo[4,5-c]pyridin-2-yl, 2H-[1,2,3]triazolo[4,5-b]pyridin-2-yl, 3H-[1,2,3]triazolo[4,5-b]pyridin-3-yl, 1H-[1,2,3]triazolo[4,5-c]pyridin-1-yl, wherein the heteroaryl is optionally substituted with one or two substituents independently selected from oxo, C₁₋₄alkyl, carboxy, methoxycarbonyl, aminocarbonyl, hydroxymethyl, aminomethyl, (dimethylamino)methyl, amino, methoxymethyl, trifluoromethyl, amino(C₂₋₄alkyl)amino, or cyano;
- vi) 1-methyl-piperidin-4-yloxy;
- vii) 4-methyl-piperazin-1-ylcarbonyl;
- viii) (4-aminobutyl)aminocarbonyl;
- ix) (4-amino)butoxy;
- x) 4-(4-aminobutyl)-piperazin-1-ylcarbonyl;
- xi) methoxycarbonyl;
- xii) 5-chloro-6-(methoxycarbonyl)pyridin-3-ylaminocarbonyl;
- xiii) 1,1-dioxo-isothiazolidin-2-yl;
- xiv) 3-methyl-2-oxo-2,3-dihydro-1H-imidazol-1-yl;
- xv) 2-oxopyrrolidin-1-yl;
- xvi) (*E*)-(4-aminobut-1-en-1-yl-aminocarbonyl);
- xvii) difluoromethoxy; and
- xviii) morpholin-4-ylcarbonyl;

R₅ is independently selected from the group consisting of hydrogen, chloro, fluoro, bromo, methoxy, methylsulfonyl, cyano, C₁₋₄alkyl, ethynyl, morpholin-4-yl,

trifluoromethyl, hydroxyethyl, methylcarbonyl, methylsulfinyl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, azetidin-2-yl, methylthio, and 1,1-difluoroethyl;

or R₄ and R₅ may be taken together to form 8-chloro-4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 8-chloro-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 2-methyl-1-oxo-1,2,3,4-tetrahydroisoquinolin-7-yl, 4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 1-methyl-1*H*-pyrazolo[3,4-*b*]pyridin-5-yl, 1*H*-pyrazolo[3,4-*b*]pyridin-5-yl, 2,3-dihydro-[1,4]dioxino[2,3-*b*]pyridin-5-yl, 1,3-dioxolo[4,5]pyridine-5-yl, 1-oxo-1,3-dihydroisobenzofuran-5-yl, 2,2-dimethylbenzo[*d*][1,3]dioxol-5-yl, 2,3-dihydrobenzo[*b*][1,4]dioxin-6-yl, 1-oxoisindolin-5-yl, or 2-methyl-1-oxoisindolin-5-yl, 1*H*-indazol-5-yl;

R₆ is hydrogen, C₁₋₄alkyl, fluoro, 2-methoxy-ethoxy, chloro, cyano, or trifluoromethyl;

R₇ is hydrogen or fluoro;

provided that a compound of Formula (I) is other than

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 2*H*-1,2,3-triazol-2-yl, G₂ is N, and R₅ is hydrogen;

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1*H*-imidazol-1-yl, G₂ is N, and R₅ is chloro;

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1*H*-1,2,3-triazol-1-yl, G₂ is N, and R₅ is hydrogen; and

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is hydrogen, G₂ is N, and R₅ is fluoro;

or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof;


wherein the following compounds are disclaimed:

N-(2-chloro-3-pyridinyl)-5-methyl-1-(2-quinolinyl)- 1*H*-pyrazole-4-carboxamide;

N-(3-chloro-4-methoxyphenyl)-5-methyl-1-(2-quinolinyl)- 1H-pyrazole-4-carboxamide; and

5-methyl-N-3-pyridinyl-1-(2-quinolinyl)- 1H-pyrazole-4-carboxamide.

2. A pharmaceutical composition comprising a compound of Formula (I) and at least one of a pharmaceutically acceptable carrier, a pharmaceutically acceptable excipient, and a pharmaceutically acceptable diluent



Formula (I)

wherein

R₁ is selected from the group consisting of

- i) naphthalen-1-yl, optionally substituted with a fluoro or amino substituent; and
- ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from deuterium, methyl, ethyl, propyl, isopropyl, trifluoromethyl, , cyclopropyl, methoxymethyl, difluoromethyl, 1,1-difluoroethyl, hydroxymethyl, 1-hydroxyethyl, 1-ethoxyethyl, hydroxy, methoxy, ethoxy, fluoro, chloro, bromo, methylthio, cyano, amino, methylamino, dimethylamino, 4-oxotetrahydrofuran-2-yl, 5-oxopyrrolidin-2-yl, 1,4-dioxanyl, aminocarbonyl, methylcarbonyl, methylaminocarbonyl, oxo, 1-(t-butoxycarbonyl)azetidin-2-yl, N-(methyl)formamidomethyl, tetrahydrofuran-2-yl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, or azetidin-2-yl;

R₂ is selected from the group consisting of C₁₋₄alkyl, 1-methoxy-ethyl, difluoromethyl, fluoro, chloro, bromo, cyano, and trifluoromethyl;

G₁ is N or C(R₄);

G₂ is N or C(R₃); such that only one of G₁ and G₂ are N in any instance;

R₃ is independently selected from the group consisting of trifluoromethyl, cyano, C₁₋₄alkyl, fluoro, chloro, bromo, methylcarbonyl, methylthio, methylsulfinyl, and methanesulfonyl; or, when G₁ is N, R₃ is further selected from C₁₋₄alkoxycarbonyl;

R₄ is selected from the group consisting of

- i) hydrogen, when G₂ is N;
- ii) C₁₋₄alkoxy;
- iii) cyano;
- iv) cyclopropyloxy;
- v) a heteroaryl selected from the group consisting of triazolyl, oxazolyl, isoxazolyl, pyrazolyl, pyrrolyl, thiazolyl, tetrazolyl, oxadiazolyl, imidazolyl, 2-amino-pyrimidin-4-yl, 2H-[1,2,3]triazolo[4,5-c]pyridin-2-yl, 2H-[1,2,3]triazolo[4,5-b]pyridin-2-yl, 3H-[1,2,3]triazolo[4,5-b]pyridin-3-yl, 1H-[1,2,3]triazolo[4,5-c]pyridin-1-yl, wherein the heteroaryl is optionally substituted with one or two substituents independently selected from oxo, C₁₋₄alkyl, carboxy, methoxycarbonyl, aminocarbonyl, hydroxymethyl, aminomethyl, (dimethylamino)methyl, amino, methoxymethyl, trifluoromethyl, amino(C₂₋₄alkyl)amino, or cyano;
- vi) 1-methyl-piperidin-4-yloxy;
- vii) 4-methyl-piperazin-1-ylcarbonyl;
- viii) (4-aminobutyl)aminocarbonyl;
- ix) (4-amino)butoxy;
- x) 4-(4-aminobutyl)-piperazin-1-ylcarbonyl;
- xi) methoxycarbonyl;
- xii) 5-chloro-6-(methoxycarbonyl)pyridin-3-ylaminocarbonyl;
- xiii) 1,1-dioxo-isothiazolidin-2-yl;
- xiv) 3-methyl-2-oxo-2,3-dihydro-1H-imidazol-1-yl;
- xv) 2-oxopyrrolidin-1-yl;
- xvi) (*E*)-(4-aminobut-1-en-1-yl-aminocarbonyl);
- xvii) difluoromethoxy; and

xviii) morpholin-4-ylcarbonyl;

R₅ is independently selected from the group consisting of hydrogen, chloro, fluoro, bromo, methoxy, methylsulfonyl, cyano, C₁₋₄alkyl, ethynyl, morpholin-4-yl, trifluoromethyl, hydroxyethyl, methylcarbonyl, methylsulfinyl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, azetidin-2-yl, methylthio, and 1,1-difluoroethyl;

or R₄ and R₅ may be taken together to form 8-chloro-4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 8-chloro-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 2-methyl-1-oxo-1,2,3,4-tetrahydroisoquinolin-7-yl, 4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 1-methyl-1*H*-pyrazolo[3,4-*b*]pyridin-5-yl, 1*H*-pyrazolo[3,4-*b*]pyridin-5-yl, 2,3-dihydro-[1,4]dioxino[2,3-*b*]pyridin-5-yl, 1,3-dioxolo[4,5]pyridine-5-yl, 1-oxo-1,3-dihydroisobenzofuran-5-yl, 2,2-dimethylbenzo[*d*][1,3]dioxol-5-yl, 2,3-dihydrobenzo[*b*][1,4]dioxin-6-yl, 1-oxoisindolin-5-yl, or 2-methyl-1-oxoisindolin-5-yl, 1*H*-indazol-5-yl;

R₆ is hydrogen, C₁₋₄alkyl, fluoro, 2-methoxy-ethoxy, chloro, cyano, or trifluoromethyl;

R₇ is hydrogen or fluoro;

provided that a compound of Formula (I) is other than

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 2*H*-1,2,3-triazol-2-yl, G₂ is N, and R₅ is hydrogen;


a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1*H*-imidazol-1-yl, G₂ is N, and R₅ is chloro;

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1*H*-1,2,3-triazol-1-yl, G₂ is N, and R₅ is hydrogen; and

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is hydrogen, G₂ is N, and R₅ is fluoro;

or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof.

3. A compound of Formula (I) for use in treating a disease, syndrome, condition, or disorder, wherein said disease, syndrome, condition, or disorder is affected by the inhibition of MALT1



Formula (I)

wherein

R₁ is selected from the group consisting of

- i) naphthalen-1-yl, optionally substituted with a fluoro or amino substituent; and
- ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from deuterium, methyl, ethyl, propyl, isopropyl, trifluoromethyl, , cyclopropyl, methoxymethyl, difluoromethyl, 1,1-difluoroethyl, hydroxymethyl, 1-hydroxyethyl, 1-ethoxyethyl, hydroxy, methoxy, ethoxy, fluoro, chloro, bromo, methylthio, cyano, amino, methylamino, dimethylamino, 4-oxotetrahydrofuran-2-yl, 5-oxopyrrolidin-2-yl, 1,4-dioxanyl, aminocarbonyl, methylcarbonyl, methylaminocarbonyl, oxo, 1-(t-butoxycarbonyl)azetidin-2-yl, N-(methyl)formamidomethyl, tetrahydrofuran-2-yl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidinyl, azetidin-3-yl, or azetidin-2-yl;

R₂ is selected from the group consisting of C₁₋₄alkyl, 1-methoxy-ethyl, difluoromethyl, fluoro, chloro, bromo, cyano, and trifluoromethyl;

G₁ is N or C(R₄);

G₂ is N or C(R₃); such that only one of G₁ and G₂ are N in any instance;

R₃ is independently selected from the group consisting of trifluoromethyl, cyano, C₁₋₄alkyl, fluoro, chloro, bromo, methylcarbonyl, methylthio, methylsulfinyl, and methanesulfonyl; or, when G₁ is N, R₃ is further selected from C₁₋₄alkoxycarbonyl;

R₄ is selected from the group consisting of

- i) hydrogen, when G₂ is N;
- ii) C₁₋₄alkoxy;
- iii) cyano;
- iv) cyclopropyloxy;
- v) a heteroaryl selected from the group consisting of triazolyl, oxazolyl, isoxazolyl, pyrazolyl, pyrrolyl, thiazolyl, tetrazolyl, oxadiazolyl, imidazolyl, 2-amino-pyrimidin-4-yl, 2H-[1,2,3]triazolo[4,5-c]pyridin-2-yl, 2H-[1,2,3]triazolo[4,5-b]pyridin-2-yl, 3H-[1,2,3]triazolo[4,5-b]pyridin-3-yl, 1H-[1,2,3]triazolo[4,5-c]pyridin-1-yl, wherein the heteroaryl is optionally substituted with one or two substituents independently selected from oxo, C₁₋₄alkyl, carboxy, methoxycarbonyl, aminocarbonyl, hydroxymethyl, aminomethyl, (dimethylamino)methyl, amino, methoxymethyl, trifluoromethyl, amino(C₂₋₄alkyl)amino, or cyano;
- vi) 1-methyl-piperidin-4-yloxy;
- vii) 4-methyl-piperazin-1-ylcarbonyl;
- viii) (4-aminobutyl)aminocarbonyl;
- ix) (4-amino)butoxy;
- x) 4-(4-aminobutyl)-piperazin-1-ylcarbonyl;
- xi) methoxycarbonyl;
- xii) 5-chloro-6-(methoxycarbonyl)pyridin-3-ylaminocarbonyl;
- xiii) 1,1-dioxo-isothiazolidin-2-yl;
- xiv) 3-methyl-2-oxo-2,3-dihydro-1H-imidazol-1-yl;
- xv) 2-oxopyrrolidin-1-yl;
- xvi) (*E*)-(4-aminobut-1-en-1-yl)-aminocarbonyl;
- xvii) difluoromethoxy; and
- xviii) morpholin-4-ylcarbonyl;

R₅ is independently selected from the group consisting of hydrogen, chloro, fluoro, bromo, methoxy, methylsulfonyl, cyano, C₁₋₄alkyl, ethynyl, morpholin-4-yl,

trifluoromethyl, hydroxyethyl, methylcarbonyl, methylsulfinyl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, azetidin-2-yl, methylthio, and 1,1-difluoroethyl;

or R₄ and R₅ may be taken together to form 8-chloro-4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 8-chloro-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 2-methyl-1-oxo-1,2,3,4-tetrahydroisoquinolin-7-yl, 4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 1-methyl-1*H*-pyrazolo[3,4-*b*]pyridin-5-yl, 1*H*-pyrazolo[3,4-*b*]pyridin-5-yl, 2,3-dihydro-[1,4]dioxino[2,3-*b*]pyridin-5-yl, 1,3-dioxolo[4,5]pyridine-5-yl, 1-oxo-1,3-dihydroisobenzofuran-5-yl, 2,2-dimethylbenzo[*d*][1,3]dioxol-5-yl, 2,3-dihydrobenzo[*b*][1,4]dioxin-6-yl, 1-oxoisindolin-5-yl, or 2-methyl-1-oxoisindolin-5-yl, 1*H*-indazol-5-yl;

R₆ is hydrogen, C₁₋₄alkyl, fluoro, 2-methoxy-ethoxy, chloro, cyano, or trifluoromethyl;

R₇ is hydrogen or fluoro;

provided that a compound of Formula (I) is other than

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 2*H*-1,2,3-triazol-2-yl, G₂ is N, and R₅ is hydrogen;

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1*H*-imidazol-1-yl, G₂ is N, and R₅ is chloro;


a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1*H*-1,2,3-triazol-1-yl, G₂ is N, and R₅ is hydrogen; and

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is hydrogen, G₂ is N, and R₅ is fluoro;

or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof.

4. A compound of Formula (I) for use in treating a disorder selected from the group consisting of diffuse large B-cell lymphoma (DLBCL), mantle cell lymphoma (MCL),

follicular lymphoma (FL), and mucosa-associated lymphoid tissue (MALT) lymphoma rheumatoid arthritis (RA), psoritic arthritis (PsA), psoriasis (Pso), ulcerative colitis (UC), Crohn's disease, systemic lupus erythematosus (SLE), asthma, and chronic obstructive pulmonary disease (COPD)



Formula (I)

wherein

R₁ is selected from the group consisting of

- i) naphthalen-1-yl, optionally substituted with a fluoro or amino substituent; and
- ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from deuterium, methyl, ethyl, propyl, isopropyl, trifluoromethyl, , cyclopropyl, methoxymethyl, difluoromethyl, 1,1-difluoroethyl, hydroxymethyl, 1-hydroxyethyl, 1-ethoxyethyl, hydroxy, methoxy, ethoxy, fluoro, chloro, bromo, methylthio, cyano, amino, methylamino, dimethylamino, 4-oxotetrahydrofuran-2-yl, 5-oxopyrrolidin-2-yl, 1,4-dioxanyl, aminocarbonyl, methylcarbonyl, methylaminocarbonyl, oxo, 1-(t-butoxycarbonyl)azetidin-2-yl, N-(methyl)formamidomethyl, tetrahydrofuran-2-yl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidinyl, azetidin-3-yl, or azetidin-2-yl;

R₂ is selected from the group consisting of C₁₋₄alkyl, 1-methoxy-ethyl, difluoromethyl, fluoro, chloro, bromo, cyano, and trifluoromethyl;

G₁ is N or C(R₄);

G₂ is N or C(R₃); such that only one of G₁ and G₂ are N in any instance;

R₃ is independently selected from the group consisting of trifluoromethyl, cyano, C₁₋₄alkyl, fluoro, chloro, bromo, methylcarbonyl, methylthio, methylsulfinyl, and methanesulfonyl; or, when G₁ is N, R₃ is further selected from C₁₋₄alkoxycarbonyl;

R₄ is selected from the group consisting of

- i) hydrogen, when G₂ is N;
- ii) C₁₋₄alkoxy;
- iii) cyano;
- iv) cyclopropyloxy;
- v) a heteroaryl selected from the group consisting of triazolyl, oxazolyl, isoxazolyl, pyrazolyl, pyrrolyl, thiazolyl, tetrazolyl, oxadiazolyl, imidazolyl, 2-amino-pyrimidin-4-yl, 2H-[1,2,3]triazolo[4,5-c]pyridin-2-yl, 2H-[1,2,3]triazolo[4,5-b]pyridin-2-yl, 3H-[1,2,3]triazolo[4,5-b]pyridin-3-yl, 1H-[1,2,3]triazolo[4,5-c]pyridin-1-yl, wherein the heteroaryl is optionally substituted with one or two substituents independently selected from oxo, C₁₋₄alkyl, carboxy, methoxycarbonyl, aminocarbonyl, hydroxymethyl, aminomethyl, (dimethylamino)methyl, amino, methoxymethyl, trifluoromethyl, amino(C₂₋₄alkyl)amino, or cyano;
- vi) 1-methyl-piperidin-4-yloxy;
- vii) 4-methyl-piperazin-1-ylcarbonyl;
- viii) (4-aminobutyl)aminocarbonyl;
- ix) (4-amino)butoxy;
- x) 4-(4-aminobutyl)-piperazin-1-ylcarbonyl;
- xi) methoxycarbonyl;
- xii) 5-chloro-6-(methoxycarbonyl)pyridin-3-ylaminocarbonyl;
- xiii) 1,1-dioxo-isothiazolidin-2-yl;
- xiv) 3-methyl-2-oxo-2,3-dihydro-1H-imidazol-1-yl;
- xv) 2-oxopyrrolidin-1-yl;
- xvi) (*E*)- (4-aminobut-1-en-1-yl-aminocarbonyl);
- xvii) difluoromethoxy; and
- xviii) morpholin-4-ylcarbonyl;

R₅ is independently selected from the group consisting of hydrogen, chloro, fluoro, bromo, methoxy, methylsulfonyl, cyano, C₁₋₄alkyl, ethynyl, morpholin-4-yl,

trifluoromethyl, hydroxyethyl, methylcarbonyl, methylsulfinyl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, azetidin-2-yl, methylthio, and 1,1-difluoroethyl;

or R₄ and R₅ may be taken together to form 8-chloro-4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 8-chloro-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 2-methyl-1-oxo-1,2,3,4-tetrahydroisoquinolin-7-yl, 4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 1-methyl-1*H*-pyrazolo[3,4-*b*]pyridin-5-yl, 1*H*-pyrazolo[3,4-*b*]pyridin-5-yl, 2,3-dihydro-[1,4]dioxino[2,3-*b*]pyridin-5-yl, 1,3-dioxolo[4,5]pyridine-5-yl, 1-oxo-1,3-dihydroisobenzofuran-5-yl, 2,2-dimethylbenzo[*d*][1,3]dioxol-5-yl, 2,3-dihydrobenzo[*b*][1,4]dioxin-6-yl, 1-oxoisindolin-5-yl, or 2-methyl-1-oxoisindolin-5-yl, 1*H*-indazol-5-yl;

R₆ is hydrogen, C₁₋₄alkyl, fluoro, 2-methoxy-ethoxy, chloro, cyano, or trifluoromethyl;

R₇ is hydrogen or fluoro;

provided that a compound of Formula (I) is other than

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 2*H*-1,2,3-triazol-2-yl, G₂ is N, and R₅ is hydrogen;

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1*H*-imidazol-1-yl, G₂ is N, and R₅ is chloro;

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1*H*-1,2,3-triazol-1-yl, G₂ is N, and R₅ is hydrogen; and

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is hydrogen, G₂ is N, and R₅ is fluoro;

or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof.

5. A compound selected from the group consisting of:

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-1*H*-pyrazole-4-carboxamide;
N-(2-methyl-1-oxo-1,2-dihydroisoquinolin-7-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-(4-methylpiperazin-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
 2-cyano-4-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamido)benzoic acid;
N-(2-morpholinopyridin-4-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(2-methoxypyridin-4-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(6-methyl-5-(trifluoromethyl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
 1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-*N*-(pyridin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(2-cyclopropylpyridin-4-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
 3-chloro-*N,N*-dimethyl-5-(1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamido)picolinamide;
 3-chloro-*N*-methyl-5-(1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamido)picolinamide;
 1-(1-aminoisoquinolin-4-yl)-*N*-(6-methyl-5-(trifluoromethyl)pyridin-3-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

or a solvate or pharmaceutically acceptable salt form thereof.

6. The compound according to claim 1, wherein R₁ is selected from the group consisting of
- i) naphthalen-1-yl, optionally substituted with an amino or fluoro substituent;
and
 - ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from deuterium, methyl, ethyl, propyl, isopropyl, trifluoromethyl, methoxymethyl, difluoromethyl, 1,1-difluoroethyl, hydroxymethyl, 1-hydroxyethyl, hydroxy, methoxy, fluoro, chloro, bromo, cyano, amino, methylamino, 4-oxotetrahydrofuran-2-yl, 5-oxopyrrolidin-2-yl, 1,4-dioxanyl, aminocarbonyl, methylaminocarbonyl, oxo, N-(methyl)formamidomethyl, tetrahydrofuran-2-yl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, or azetidin-2-yl.
7. The compound according to claim 1, wherein R₁ is selected from the group consisting of
- i) naphthalen-1-yl, optionally substituted with an amino or fluoro substituent;
and
 - ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from deuterium, methyl, difluoromethyl, hydroxymethyl, 1-hydroxyethyl, hydroxy, fluoro, cyano, amino, aminocarbonyl, methylaminocarbonyl, oxo, tetrahydrofuran-2-yl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, or azetidin-2-yl.
8. The compound according to claim 1, wherein R₁ is selected from the group consisting of
- i) naphthalen-1-yl, optionally substituted with an amino or fluoro substituent;
and
 - ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one

heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from hydroxymethyl, 1-hydroxyethyl, hydroxy, fluoro, cyano, amino, or oxo.

9. The compound according to claim 1, wherein R₁ is selected from the group consisting of

- i) naphthalen-1-yl, 4-amino-naphthalen-1-yl, 4-fluoronaphthalen-1-yl, or 5-fluoronaphthalen-1-yl;
- and
- ii) a heteroaryl selected from the group consisting of isoquinolin-1-yl, isoquinolin-4-yl, isoquinolin-5-yl, isoquinolin-8-yl, quinolin-7-yl, cinnolin-4-yl, imidazo[1,2-a]pyrazin-8-yl, phthalazin-1-yl, naphthyridin-5-yl, thieno[3,2-c]pyridin-4-yl, furo[3,2-c]pyridin-4-yl, furo[2,3-c]pyridin-7-yl, quinoxalin-5-yl, 1*H*-indazolyl, furo[3,2-b]pyridin-7-yl, pyrazolo[1,5-a]pyrazin-4-yl, quinolin-4-yl, quinolin-5-yl, 1-aminoisoquinolin-4-yl, 1-oxo-1,2-dihydroisoquinolin-5-yl, benzo[d]thiazol-7-yl, 1-hydroxyisoquinolin-5-yl, benzo[d][1,2,3]thiadiazol-7-yl, thieno[2,3-c]pyridin-4-yl, pyrazolo[1,5-a]pyridin-4-yl, thieno[3,2-b]pyridin-7-yl, 2-oxo-1,2-dihydroquinolin-4-yl, 1-amino-8-fluoroisoquinolin-4-yl, 8-fluoroisoquinolin-4-yl, 1-cyanoisoquinolin-5-yl, pyrrolo[2,1-f][1,2,4]triazin-4-yl, 7-(1-hydroxyethyl)thieno[2,3-c]pyridin-4-yl, thieno[2,3-d]pyrimidin-4-yl, thieno[2,3-c]pyridin-7-yl, 1,7-naphthyridin-5-yl, pyrrolo[1,2-a]pyrazin-1-yl, imidazo[1,2-a]pyridin-5-yl, 1-aminocarbonyl-isoquinolin-4-yl, benzo[d]thiazol-4-yl, 8-fluoro-1-hydroxyisoquinolin-4-yl, thieno[3,2-d]pyrimidin-4-yl, 8-fluoroimidazo[1,2-a]pyridin-5-yl, 3-methylimidazo[1,2-a]pyridin-5-yl, 1-oxo-quinolin-4-yl, 8-aminoquinolin-5-yl, benzo[d]oxazol-4-yl, 3-methylthieno[3,2-b]pyridin-7-yl, 1-(hydroxymethyl)isoquinolin-4-yl, (3*R*-hydroxypyrrolidin-1-yl)isoquinolin-4-yl, (1-hydroxyethyl)isoquinolin-4-yl, 2-(difluoromethyl)quinolin-4-yl, 8-fluoroquinolin-5-yl, 1-hydroxyisoquinolin-4-yl, 1-(tetrahydrofuran-2-yl)isoquinolin-4-yl, 7-(difluoromethyl)thieno[2,3-c]pyridin-4-yl, 1-(1-hydroxyethyl)isoquinolin-4-yl, 1-cyanoisoquinolin-4-yl, 1-(1*R*)-hydroxyethyl)isoquinolin-4-yl, quinazolin-4-yl, 2-methylimidazo[1,2-a]pyridin-3-yl, thiazolo[5,4-d]pyrimidin-7-yl, 6-*N*-oxido-thieno[2,3-c]pyridin-4-yl, imidazo[1,2-a]pyridin-3-yl, furo[2,3-d]pyrimidin-4-yl, 2-fluoroquinolin-

5-yl, benzo[d]isothiazol-3-yl, 7-methylpyrazolo[1,5-a]pyridin-4-yl, 1-(hydroxyethyl)quinolin-4-yl, 1-(methoxymethyl)isoquinolin-4-yl, 1-fluoroisoquinolin-4-yl, 1-(difluoromethyl)isoquinolin-4-yl, 8-fluoroquinolin-4-yl, 1-(tetrahydrofuran-2(*R*))-yl)isoquinolin-4-yl, 2-amino-[1,2,4]triazolo[1,5-a]pyridin-5-yl, 1-(4-oxotetrahydrofuran-2-yl)isoquinolin-4-yl, 2-(aminocarbonyl)quinolin-4-yl, 1H-indazol-7-yl, 1-(1,4-dioxan-2-yl)isoquinolin-4-yl, 2-methylimidazo[1,2-a]pyridin-5-yl, 1-chloroisoquinolin-4-yl, 2-cyanoquinolin-4-yl, 8-fluoro-1-(methylamino)isoquinolin-4-yl, benzo[d]isoxazol-3-yl, 2-aminobenzo[d]thiazol-7-yl, 1,7-naphthyridin-4-yl, imidazo[1,2-a]pyrazin-5-yl, (N-(methyl)formamido)methyl)isoquinolin-4-yl, [1,2,4]triazolo[1,5-a]pyridin-5-yl, 2-methylbenzo[d]oxazol-7-yl, 1,5-naphthyridin-4-yl, 5-oxopyrrolidin-2-ylisoquinolin-4-yl, 1-methyl-1H-indazol-3-yl, 1-(1,1-difluoroethyl)isoquinolin-4-yl, 1-(1(^xS)-hydroxyethyl)isoquinolin-4-yl, 1-(methylamino)isoquinolin-4-yl, 4-fluoroisoquinolin-1-yl, 1H-pyrazolo[4,3-b]pyridin-7-yl, 5-fluoroquinolin-8-yl, 6-fluoroimidazo[1,2-a]pyridin-5-yl, 2-methylfuro[3,2-b]pyridin-7-yl, 8-(difluoromethyl)quinolin-5-yl, 1-(4-oxotetrahydrofuran-2(*R*))-yl)isoquinolin-4-yl, 1-(dimethylamino)isoquinolin-4-yl, 1-methyl-1H-pyrazolo[3,4-c]pyridin-7-yl, 2-methyl-[1,2,4]triazolo[1,5-a]pyridin-5-yl, 2-methoxyquinolin-4-yl, imidazo[1,2-a]pyrimidin-5-yl, 2-(difluoromethyl)thieno[2,3-c]pyridin-4-yl, 1-(1-ethoxyethyl)isoquinolin-4-yl, 2-(azetidin-2-yl)quinolin-4-yl, 2-methylbenzo[d]thiazol-7-yl, 2-acetylquinolin-4-yl, 1-(methylthio)isoquinolin-4-yl, 2-aminoquinolin-5-yl, 1-methoxyisoquinolin-5-yl, imidazo[1,2-b]pyridazin-6-yl, 1-(pyrrolidin-2-yl)isoquinolin-4-yl, 4-(difluoromethyl)quinolin-5-yl, 1-acetylisoquinolin-5-yl, 1-(azetidin-2-yl)isoquinolin-4-yl, 1-ethoxyisoquinolin-4-yl, 1-methyl-1H-pyrazolo[3,4-b]pyridin-4-yl, 1-aminoisoquinolin-5-yl, 1-methyl-1H-indazol-4-yl, 2-aminoquinolin-4-yl, 2-oxo-1,2-dihydroquinolin-5-yl, 1-(azetidin-3-yl)isoquinolin-4-yl, 2-methylthieno[3,2-b]pyridin-7-yl, benzo[d][1,2,3]thiadiazol-4-yl, 1-(1(*S*))-hydroxyethyl)isoquinolin-5-yl, imidazo[1,2-a]pyridin-8-yl, 2-methyl-1-oxo-1,2-dihydroisoquinolin-5-yl, 2-(tetrahydrofuran-2-yl)quinolin-5-yl, , 1-(1(*R*))-hydroxyethyl)isoquinolin-5-yl, 1,6-naphthyridin-4-yl, 1H-pyrazolo[3,4-d]pyrimidin-4-yl, 2-aminocarbonyl-quinolin-5-yl, 2-chloroquinolin-5-yl, 2-chloroquinolin-4-yl, 2-cyanoquinolin-

5-yl, 2-methoxyquinolin-5-yl, 2-methylbenzo[d]oxazol-4-yl, 2-(difluoromethyl)quinolin-5-yl, 2-(azetidin-2-yl)quinolin-5-yl, 1-(azetidin-2-yl)isoquinolin-5-yl, 1,5-bis(tetrahydrofuran-2-yl)isoquinolin-4-yl, 1-oxo-1,2-dihydroisoquinolin-4-yl, 2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl, 1-(3-hydroxyazetidin-1-yl)isoquinolin-4-yl, 8-fluoro-1-(3-hydroxyazetidin-1-yl)isoquinolin-4-yl, (R)-8-fluoro-1-(3-hydroxypyrrolidin-1-yl)isoquinolin-4-yl, (S)-8-fluoro-1-(3-hydroxypyrrolidin-1-yl)isoquinolin-4-yl, 3-hydroxyazetidin-1-ylthieno[2,3-c]pyridin-4-yl, 8-(3-hydroxyazetidin-1-yl)imidazo[1,2-a]pyridin-5-yl, 7-(3-hydroxyazetidin-1-yl)pyrazolo[1,5-a]pyridin-4-yl, 1-(3-hydroxyazetidin-1-yl)isoquinolin-5-yl, and 1-(1-t-butoxycarbonylazetidin-2-yl)isoquinolin-5-yl.

10. The compound according to claim 1, wherein R₂ is independently selected from the group consisting of methyl, isopropyl, cyano, bromo, chloro, and trifluoromethyl.
11. The compound according to claim 10, wherein R₂ is trifluoromethyl.
12. The compound according to claim 1, wherein R₃ is independently selected from the group consisting of trifluoromethyl, cyano, methylcarbonyl, methylthio, methylsulfinyl, methanesulfonyl, and chloro; or, when G₁ is N, R₃ is further selected from C₁₋₄alkoxycarbonyl.
13. The compound according to claim 1, wherein R₃ is independently selected from the group consisting of trifluoromethyl, cyano, and chloro.
14. The compound according to claim 1, wherein G₂ is N.
15. The compound according to claim 1, wherein R₅ is hydrogen, chloro, fluoro, bromo, cyano, methyl, ethyl, or trifluoromethyl; or, R₄ and R₅ may be taken together to form 8-chloro-4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl or 8-chloro-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl.
16. The compound according to claim 15, wherein R₅ is hydrogen, chloro, or cyano.

17. The compound according to claim 1, wherein R₆ is hydrogen or methyl.
18. The compound according to claim 1, wherein R₇ is hydrogen.
19. The compound according to claim 1, wherein:
 - R₁ is selected from the group consisting of
 - i) naphthalen-1-yl, 4-fluoronaphthalen-1-yl, 5-fluoronaphthalen-1-yl, or 4-aminonaphthalen-1-yl;
 - and
 - ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from deuterium, methyl, ethyl, propyl, isopropyl, trifluoromethyl, methoxymethyl, difluoromethyl, 1,1-difluoroethyl, hydroxymethyl, 1-hydroxyethyl, hydroxy, methoxy, fluoro, chloro, bromo, cyano, amino, methylamino, 4-oxotetrahydrofuran-2-yl, 5-oxopyrrolidin-2-yl, 1,4-dioxanyl, aminocarbonyl, methylaminocarbonyl, oxo, N-(methyl)formamidomethyl, tetrahydrofuran-2-yl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, or azetidin-2-yl;
 - R₂ is independently selected from the group consisting of methyl, isopropyl, cyano, bromo, chloro, and trifluoromethyl;
 - G₁ is N or C(R₄);
 - G₂ is N or C(R₃); such that only one of G₁ and G₂ is N in any instance;
 - R₃ is independently selected from the group consisting of trifluoromethyl, cyano, methylcarbonyl, methylthio, methylsulfinyl, methanesulfonyl, and chloro; or, when G₁ is N, R₃ is further selected from C₁₋₄alkoxycarbonyl;
 - R₄ is independently selected from the group consisting of
 - i) hydrogen, when G₂ is N;
 - ii) C₁₋₄alkoxy;

- iii) cyano;
- iv) cyclopropyloxy;
- v) carboxy;
- vi) a heteroaryl selected from the group consisting of triazolyl, oxazolyl, pyrazolyl, thiazolyl, oxadiazolyl, imidazolyl, and 2-amino-pyrimidin-4-yl, wherein the heteroaryl is optionally substituted with one or two substituents independently selected from the group consisting of C₁₋₄alkyl, carboxy, methoxycarbonyl, hydroxymethyl, aminocarbonyl, (dimethylamino)methyl, amino, methoxymethyl, trifluoromethyl, amino(C₂₋₄alkyl)amino, and cyano;
- vii) 1-methyl-piperidin-4-yloxy;
- viii) 4-methyl-piperazin-1-ylcarbonyl;
- ix) (4-aminobutyl)aminocarbonyl;
- x) (4-amino)butoxy;
- xi) methoxycarbonyl;
- xii) 5-chloro-6-(methoxycarbonyl)pyridin-3-ylaminocarbonyl;
- xiii) 1,1-dioxo-isothiazolidin-2-yl;
and
- xiv) morpholin-4-ylcarbonyl;

R₅ is hydrogen, chloro, fluoro, bromo, cyano, methyl, ethyl, or trifluoromethyl;
or, R₄ and R₅ may be taken together to form 8-chloro-4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl or 8-chloro-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl;

R₆ is hydrogen or methyl;

R₇ is hydrogen;

provided that a compound of Formula (I) is other than
a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄)
wherein R₄ is 2*H*-1,2,3-triazol-2-yl, G₂ is N, and R₅ is hydrogen;
a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄)
wherein R₄ is 1*H*-imidazol-1-yl, G₂ is N, and R₅ is chloro;

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1*H*-1,2,3-triazol-1-yl, G₂ is N, and R₅ is hydrogen; and

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is hydrogen, G₂ is N, and R₅ is fluoro;

or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof;

wherein the following compounds are disclaimed:

N-(3-chloro-4-methoxyphenyl)-5-methyl-1-(2-quinolinyl)- 1*H*-pyrazole-4-carboxamide; and

5-methyl-N-3-pyridinyl-1-(2-quinolinyl)- 1*H*-pyrazole-4-carboxamide.

20. The compound according to claim 1, wherein:

R₁ is selected from the group consisting of

- i) naphthalen-1-yl, optionally substituted with an amino or fluoro substituent; and
- ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from deuterium, methyl, difluoromethyl, hydroxymethyl, 1-hydroxyethyl, hydroxy, fluoro, cyano, amino, aminocarbonyl, methylaminocarbonyl, oxo, tetrahydrofuran-2-yl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, or azetidin-2-yl;

R₂ is selected from the group consisting of methyl, isopropyl, cyano, and trifluoromethyl;

G₁ is N or C(R₄);

G₂ is N or C(R₃); such that only one of G₁ and G₂ is N in any instance;

R₃ is independently selected from the group consisting of trifluoromethyl, cyano, and chloro;

R₄ is independently selected from the group consisting of

- i) hydrogen when G₂ is N;
- ii) C₁₋₄alkoxy;
- iii) cyano;
- iv) cyclopropyloxy;
- v) a heteroaryl selected from the group consisting of triazolyl, oxazolyl, pyrazolyl, thiazolyl, oxadiazolyl, and imidazolyl, wherein the heteroaryl is optionally substituted with one or two substituents independently selected from the group consisting of methyl, carboxy, methoxycarbonyl, hydroxymethyl, aminocarbonyl, (dimethylamino)methyl, and amino, methoxymethyl;
- vi) (4-amino)butoxy;
- vii) methoxycarbonyl;
- viii) 5-chloro-6-(methoxycarbonyl)pyridin-3-ylaminocarbonyl;
- and
- ix) 1,1-dioxo-isothiazolidin-2-yl;

R₅ is hydrogen, chloro, bromo, or cyano;

R₆ is hydrogen or methyl;

R₇ is hydrogen;

provided that a compound of Formula (I) is other than

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 2*H*-1,2,3-triazol-2-yl, G₂ is N, and R₅ is hydrogen;

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1*H*-imidazol-1-yl, G₂ is N, and R₅ is chloro;

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1*H*-1,2,3-triazol-1-yl, G₂ is N, and R₅ is hydrogen; and

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is hydrogen, G₂ is N, and R₅ is fluoro;

or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof;

wherein the following compounds are disclaimed:

N-(3-chloro-4-methoxyphenyl)-5-methyl-1-(2-quinolinyl)- 1H-pyrazole-4-carboxamide; and

5-methyl-N-3-pyridinyl-1-(2-quinolinyl)- 1H-pyrazole-4-carboxamide.

21. The compound according to claim 1, wherein:

R₁ is selected from the group consisting of

- i) naphthalen-1-yl, optionally substituted with an amino or fluoro substituent; and
- ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from hydroxymethyl, 1-hydroxyethyl, hydroxy, fluoro, cyano, amino, oxo, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, or azetidin-2-yl;

R₂ is selected from the group consisting of methyl, isopropyl, cyano, and trifluoromethyl;

G₁ is N or C(R₄);

G₂ is N or C(R₃); such that only one of G₁ and G₂ is N in any instance;

R₃ is independently selected from the group consisting of trifluoromethyl, cyano, and chloro;

R₄ is selected from the group consisting of

- i) methoxy;

- ii) a heteroaryl selected from the group consisting of 2H-1,2,3-triazol-2-yl, 4-carboxy-2H-1,2,3-triazol-2-yl, 4-(hydroxymethyl)-2H-1,2,3-triazol-2-yl, 4-methyl-2H-1,2,3-triazol-2-yl, oxazol-2-yl, 4-amino-2H-1,2,3-triazol-2-yl, 4-(hydroxymethyl)-1H-pyrazol-1-yl, 4-((dimethylamino)methyl)-2H-1,2,3-triazol-2-yl, 4-methoxycarbonyl-2H-1,2,3-triazol-2-yl, 4-aminocarbonyl-2H-1,2,3-triazol-2-yl, 1-methyl-1H-pyrazol-3-yl, 1,3,4-oxadiazol-2-yl, 2-methyl-2H-tetrazol-5-yl, 5-amino-1-methyl-1H-pyrazol-3-yl, 4-(hydroxymethyl)-1H-pyrazol-1-yl, 4-cyano-2H-1,2,3-triazol-2-yl, 5-amino-1H-1,2,3-triazol-1-yl, 2H-1,2,3-triazol-4-yl, 2H-tetrazol-5-yl, 4-(aminomethyl)-1H-pyrazol-1-yl, 4-(methoxymethyl)-2H-1,2,3-triazol-2-yl, 2-methyl-2H-tetrazol-5-yl, and 4-methyl-1H-1,2,3-triazol-1-yl;
and
- iii) methoxycarbonyl;

R₅ is hydrogen, chloro, or cyano;

R₆ is hydrogen or methyl;

R₇ is hydrogen;

provided that a compound of Formula (I) is other than a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 2H-1,2,3-triazol-2-yl, G₂ is N, and R₅ is hydrogen;

or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof;

wherein the following compound is disclaimed:

N-(3-chloro-4-methoxyphenyl)-5-methyl-1-(2-quinolinyl)-1H-pyrazole-4-carboxamide.

22. The compound according to claim 1, wherein:

R₁ is independently selected from the group consisting of

- i) naphthalen-1-yl, 4-amino-naphthalen-1-yl, 4-fluoronaphthalen-1-yl, or 5-fluoronaphthalen-1-yl;
and
- ii) a heteroaryl selected from the group consisting of isoquinolin-1-yl, isoquinolin-4-yl, isoquinolin-5-yl, isoquinolin-8-yl, quinolin-7-yl, cinnolin-4-yl, imidazo[1,2-a]pyrazin-8-yl, phthalazin-1-yl, naphthyridin-5-yl, thieno[3,2-c]pyridin-4-yl, furo[3,2-c]pyridin-4-yl, furo[2,3-c]pyridin-7-yl, quinoxalin-5-yl, 1*H*-indazolyl, furo[3,2-b]pyridin-7-yl, pyrazolo[1,5-a]pyrazin-4-yl, quinolin-4-yl, quinolin-5-yl, 1-aminoisoquinolin-4-yl, 1-oxo-1,2-dihydroisoquinolin-5-yl, benzo[d]thiazol-7-yl, 1-hydroxyisoquinolin-5-yl, benzo[d][1,2,3]thiadiazol-7-yl, thieno[2,3-c]pyridin-4-yl, pyrazolo[1,5-a]pyridin-4-yl, thieno[3,2-b]pyridin-7-yl, 2-oxo-1,2-dihydroquinolin-4-yl, 1-amino-8-fluoroisoquinolin-4-yl, 8-fluoroisoquinolin-4-yl, 1-cyanoisoquinolin-5-yl, pyrrolo[2,1-f][1,2,4]triazin-4-yl, 7-(1-hydroxyethyl)thieno[2,3-c]pyridin-4-yl, thieno[2,3-d]pyrimidin-4-yl, thieno[2,3-c]pyridin-7-yl, 1,7-naphthyridin-5-yl, pyrrolo[1,2-a]pyrazin-1-yl, imidazo[1,2-a]pyridin-5-yl, 1-aminocarbonyl-isoquinolin-4-yl, benzo[d]thiazol-4-yl, 8-fluoro-1-hydroxyisoquinolin-4-yl, thieno[3,2-d]pyrimidin-4-yl, 8-fluoroimidazo[1,2-a]pyridin-5-yl, 3-methylimidazo[1,2-a]pyridin-5-yl, 1-oxo-quinolin-4-yl, 8-aminoquinolin-5-yl, benzo[d]oxazol-4-yl, 3-methylthieno[3,2-b]pyridin-7-yl, 1-(hydroxymethyl)isoquinolin-4-yl, (3*R*-hydroxypyrrolidin-1-yl)isoquinolin-4-yl, (1-hydroxyethyl)isoquinolin-4-yl, 2-(difluoromethyl)quinolin-4-yl, 8-fluoroquinolin-5-yl, 1-hydroxyisoquinolin-4-yl, 1-(tetrahydrofuran-2-yl)isoquinolin-4-yl, 7-(difluoromethyl)thieno[2,3-c]pyridin-4-yl, 1-(1-hydroxyethyl)isoquinolin-4-yl, 1-cyanoisoquinolin-4-yl, 1-(1(*R*)-hydroxyethyl)isoquinolin-4-yl, quinazolin-4-yl, 2-methylimidazo[1,2-a]pyridin-3-yl, thiazolo[5,4-d]pyrimidin-7-yl, 6-*N*-oxido-thieno[2,3-c]pyridin-4-yl, imidazo[1,2-a]pyridin-3-yl, furo[2,3-d]pyrimidin-4-yl, 2-fluoroquinolin-5-yl, benzo[d]isothiazol-3-yl, 7-methylpyrazolo[1,5-a]pyridin-4-yl, 1-(hydroxyethyl)quinolin-4-yl, 1-(methoxymethyl)isoquinolin-4-yl, 1-fluoroisoquinolin-4-yl, 1-(difluoromethyl)isoquinolin-4-yl, 8-fluoroquinolin-4-yl, 8-fluoroquinolin-5-yl, 1-(tetrahydrofuran-2(*R*)-yl)isoquinolin-4-yl, 2-amino-[1,2,4]triazolo[1,5-a]pyridin-5-yl, 1-(4-oxotetrahydrofuran-2-yl)isoquinolin-4-yl, 2-(aminocarbonyl)quinolin-4-yl, 1*H*-indazol-7-yl, 1-(1,4-

dioxan-2-yl)isoquinolin-4-yl, 2-methylimidazo[1,2-a]pyridin-5-yl, 1-
 chloroisoquinolin-4-yl, 2-cyanoquinolin-4-yl, 8-fluoro-1-
 (methylamino)isoquinolin-4-yl, benzo[d]isoxazol-3-yl, 2-
 aminobenzo[d]thiazol-7-yl, 1,7-naphthyridin-4-yl, imidazo[1,2-a]pyrazin-5-yl,
 (N-(methyl)formamido)methyl)isoquinolin-4-yl, [1,2,4]triazolo[1,5-a]pyridin-
 5-yl, 2-methylbenzo[d]oxazol-7-yl, 1,5-naphthyridin-4-yl, 5-oxopyrrolidin-2-
 ylisoquinolin-4-yl, 1-methyl-1H-indazol-3-yl, 1-(1,1-
 difluoroethyl)isoquinolin-4-yl, 1-(1-^S-hydroxyethyl)isoquinolin-4-yl, 1-
 (methylamino)isoquinolin-4-yl, 4-fluoroisoquinolin-1-yl, 1H-pyrazolo[4,3-
 b]pyridin-7-yl, 5-fluoroquinolin-8-yl, 6-fluoroimidazo[1,2-a]pyridin-5-yl, 2-
 methylfuro[3,2-b]pyridin-7-yl, 8-(difluoromethyl)quinolin-5-yl, 1-(4-
 oxotetrahydrofuran-2R-yl)isoquinolin-4-yl, 1-(dimethylamino)isoquinolin-4-
 yl, 1-methyl-1H-pyrazolo[3,4-c]pyridin-7-yl, 2-methyl-[1,2,4]triazolo[1,5-
 a]pyridin-5-yl, 2-methoxyquinolin-4-yl, imidazo[1,2-a]pyrimidin-5-yl, 2-
 (difluoromethyl)thieno[2,3-c]pyridin-4-yl, 1-(1-ethoxyethyl)isoquinolin-4-yl,
 2-(azetidin-2-yl)quinolin-4-yl, 2-methylbenzo[d]thiazol-7-yl, 2-acetylquinolin-
 4-yl, 1-(methylthio)isoquinolin-4-yl, 2-aminoquinolin-5-yl, 1-
 methoxyisoquinolin-5-yl, imidazo[1,2-b]pyridazin-6-yl, 1-(pyrrolidin-2-
 yl)isoquinolin-4-yl, 4-(difluoromethyl)quinolin-5-yl, 1-acetylisoquinolin-5-yl,
 1-(azetidin-2-yl)isoquinolin-4-yl, 1-ethoxyisoquinolin-4-yl, 1-methyl-1H-
 pyrazolo[3,4-b]pyridin-4-yl, 1-aminoisoquinolin-5-yl, 1-methyl-1H-indazol-4-
 yl, 2-aminoquinolin-4-yl, 2-oxo-1,2-dihydroquinolin-5-yl, 1-(azetidin-3-
 yl)isoquinolin-4-yl, 2-methylthieno[3,2-b]pyridin-7-yl,
 benzo[d][1,2,3]thiadiazol-4-yl, 1-(1S)-hydroxyethyl)isoquinolin-5-yl,
 imidazo[1,2-a]pyridin-8-yl, 2-methyl-1-oxo-1,2-dihydroisoquinolin-5-yl, 2-
 (tetrahydrofuran-2-yl)quinolin-5-yl, 1-(1R)-hydroxyethyl)isoquinolin-5-yl,
 1,6-naphthyridin-4-yl, 1H-pyrazolo[3,4-d]pyrimidin-4-yl, 2-aminocarbonyl-
 quinolin-5-yl, 2-chloroquinolin-5-yl, 2-chloroquinolin-4-yl, 2-cyanoquinolin-
 5-yl, 2-methoxyquinolin-5-yl, 2-methylbenzo[d]oxazol-4-yl, 2-
 (difluoromethyl)quinolin-5-yl, 2-(azetidin-2-yl)quinolin-5-yl, 1-(azetidin-2-
 yl)isoquinolin-5-yl, 1,5-bis(tetrahydrofuran-2-yl)isoquinolin-4-yl, 1-oxo-1,2-
 dihydroisoquinolin-4-yl, 2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl, 1-(3-
 hydroxyazetidin-1-yl)isoquinolin-4-yl, 8-fluoro-1-(3-hydroxyazetidin-1-
 yl)isoquinolin-4-yl, (R)-8-fluoro-1-(3-hydroxypyrrolidin-1-yl)isoquinolin-4-

yl, (S)-8-fluoro-1-(3-hydroxypyrrolidin-1-yl)isoquinolin-4-yl, 3-hydroxyazetidin-1-ylthieno[2,3-c]pyridin-4-yl, 8-(3-hydroxyazetidin-1-yl)imidazo[1,2-a]pyridin-5-yl, 7-(3-hydroxyazetidin-1-yl)pyrazolo[1,5-a]pyridin-4-yl, 1-(3-hydroxyazetidin-1-yl)isoquinolin-5-yl, and 1-(1-t-butoxycarbonylazetidin-2-yl)isoquinolin-5-yl;

R₂ is trifluoromethyl;

G₁ is N or C(R₄);

G₂ is N or C(R₃); such that only one of G₁ and G₂ is N in any instance;

R₃ is independently selected from the group consisting of trifluoromethyl, cyano, and chloro;

R₄ is independently selected from the group consisting of 2H-1,2,3-triazol-2-yl, 4-carboxy-2H-1,2,3-triazol-2-yl, 4-(hydroxymethyl)-2H-1,2,3-triazol-2-yl, 4-methyl-2H-1,2,3-triazol-2-yl, oxazol-2-yl, 1H-imidazol-2-yl, 4-amino-2H-1,2,3-triazol-2-yl, 4-(hydroxymethyl)-1H-pyrazol-1-yl, 4-((dimethylamino)methyl)-2H-1,2,3-triazol-2-yl, 4-methoxycarbonyl-2H-1,2,3-triazol-2-yl, 4-aminocarbonyl-2H-1,2,3-triazol-2-yl, 1-methyl-1H-pyrazol-3-yl, and 1,3,4-oxadiazol-2-yl;

R₅ is hydrogen, chloro, bromo, or cyano;

R₆ is hydrogen or methyl;

R₇ is hydrogen;

provided that a compound of Formula (I) is other than a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 2H-1,2,3-triazol-2-yl, G₂ is N, and R₅ is hydrogen;

or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof.

23. The compound according to claim 1, wherein the compound is selected from the group consisting of:

N-(2-cyanopyridin-4-yl)-1-(naphthalen-1-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(naphthalen-1-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

1-(naphthalen-1-yl)-5-(trifluoromethyl)-*N*-(2-(trifluoromethyl)pyridin-4-yl)-1*H*-pyrazole-4-carboxamide;

1-(naphthalen-1-yl)-5-(trifluoromethyl)-*N*-(5-(trifluoromethyl)pyridin-3-yl)-1*H*-pyrazole-4-carboxamide;

N-(5-cyanopyridin-3-yl)-1-(naphthalen-1-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

1-(quinolin-5-yl)-5-(trifluoromethyl)-*N*-(2-(trifluoromethyl)pyridin-4-yl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-methoxypyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(3-methylisoquinolin-1-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(3-chloro-4-methoxyphenyl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(3-chloro-4-(2*H*-1,2,3-triazol-2-yl)phenyl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(3-chloro-4-(1*H*-pyrazol-1-yl)phenyl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(6-cyano-5-(trifluoromethyl)pyridin-3-yl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(4-(2-aminopyrimidin-4-yl)-3-chlorophenyl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(1*H*-pyrazol-1-yl)pyridin-3-yl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-isobutyl-1-(quinolin-5-yl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-ethyl-1-(quinolin-5-yl)-1*H*-pyrazole-4-carboxamide;

N-(3-chloro-4-(1*H*-1,2,3-triazol-1-yl)phenyl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(1,1-dioxidoisothiazolidin-2-yl)pyridin-3-yl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(1-methyl-1*H*-pyrazol-3-yl)pyridin-3-yl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(oxazol-2-yl)pyridin-3-yl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-methoxypyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-cyano-6-methoxypyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(3-fluoroquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-isopropyl-1-(quinolin-5-yl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(6-methylquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-methylquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(3-chloro-4-(3-methyl-1*H*-1,2,4-triazol-1-yl)phenyl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(3-methyl-1*H*-1,2,4-triazol-1-yl)pyridin-3-yl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(3-chloro-4-(5-methyl-1*H*-1,2,4-triazol-1-yl)phenyl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(4-methylisoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
 1-(benzofuran-4-yl)-*N*-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(1-methoxyethyl)-1-(quinolin-5-yl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(6-methylisoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(3-chloro-4-(2*H*-1,2,3-triazol-2-yl)phenyl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-methyl-1-(quinolin-5-yl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(6-cyano-5-fluoropyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(1,1-dioxidoisothiazolidin-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(3-chloro-4-(1*H*-1,2,3-triazol-1-yl)phenyl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
 methyl 3-chloro-5-(3-chloro-5-(1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamido)picolinamido)picolinate;
N-(5-chloro-6-((1-methylpiperidin-4-yl)oxy)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(1*H*-pyrazol-1-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(4-methylpiperazine-1-carbonyl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(6-cyano-5-(trifluoromethyl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(oxazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(3-chloro-4-(5-methyl-1*H*-1,2,4-triazol-1-yl)phenyl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(1-methyl-1*H*-pyrazol-3-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(3-methyl-1*H*-1,2,4-triazol-1-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(5-methyl-1*H*-1,2,4-triazol-1-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(3-chloro-4-(3-methyl-1*H*-1,2,4-triazol-1-yl)phenyl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(difluoromethyl)-1-(isoquinolin-1-yl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-1-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(4-(2-aminopyrimidin-4-yl)-3-chlorophenyl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(3-cyano-4-(2*H*-1,2,3-triazol-2-yl)phenyl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-fluoro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(3-cyano-4-(1*H*-1,2,3-triazol-1-yl)phenyl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(thiazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-methyl-1-(quinolin-4-yl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(3-methylquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methylisoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(6-fluoroquinolin-7-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1*H*-indazol-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(1,3,4-oxadiazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(1*H*-imidazol-1-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(4-aminobutyl)-3-chloro-5-(1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamido)picolinamide;
1-(isoquinolin-4-yl)-*N*-(2-methyl-6-(trifluoromethyl)pyridin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
methyl 6-chloro-4-(1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamido)picolinate;
methyl 4-(1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamido)picolinate
N-(2-cyanopyridin-4-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-(1-methyl-1*H*-pyrazol-3-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-cyclopropoxypyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-((1-methylpiperidin-4-yl)oxy)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-ethoxypyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyanopyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(6-(4-aminobutoxy)-5-cyanopyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-methoxypyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-cyano-6-(1*H*-1,2,4-triazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(8-chloro-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-cyclopropoxy-pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-(1-methyl-1*H*-pyrazol-3-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[3,2-*c*]pyridin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(oxazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
1-(cinnolin-4-yl)-*N*-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(furo[3,2-*c*]pyridin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(8-chloro-4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-(4-methylpiperazine-1-carbonyl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(8-chloro-4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(1-methyl-1*H*-imidazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(furo[2,3-*c*]pyridin-7-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1,6-naphthyridin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(6-(4-(4-aminobutyl)piperazine-1-carbonyl)-5-cyanopyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(phthalazin-1-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-*a*]pyrazin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(1*H*-imidazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinoxalin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(2-methyl-1-oxo-1,2,3,4-tetrahydroisoquinolin-7-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

tert-butyl 2-(5-(4-((5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1*H*-pyrazol-1-yl)isoquinolin-1-yl)azetidine-1-carboxylate;

N-(3-(methylsulfonyl)-4-(1*H*-1,2,3-triazol-1-yl)phenyl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

1-(1,5-bis(tetrahydrofuran-2-yl)isoquinolin-4-yl)-*N*-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

1-(1-(azetidin-2-yl)isoquinolin-5-yl)-*N*-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(3-(methylsulfonyl)-4-(2*H*-1,2,3-triazol-2-yl)phenyl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

1-(2-(azetidin-2-yl)quinolin-5-yl)-*N*-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

1-(benzo[*d*]thiazol-4-yl)-*N*-(2,5-dimethyl-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-methyl-6-(3-methyl-2-oxo-2,3-dihydro-1*H*-imidazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(2,5-diethyl-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-*a*]pyridin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-(difluoromethyl)quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylbenzo[*d*]oxazol-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methoxyquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

1-(1-aminoisoquinolin-5-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-cyanoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(2-methylimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;
 1-(2-chloroquinolin-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-chloroquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-(tetrahydrofuran-2-yl)quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 5-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)quinoline-2-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1H-pyrazolo[3,4-d]pyrimidin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1,6-naphthyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*R)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(1-hydroxyethyl)isoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d]thiazol-4-yl)-N-(5-cyano-2-methyl-4-(2H-1,2,3-triazol-2-yl)phenyl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*R)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-(tetrahydrofuran-2-yl)quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2-oxopyrrolidin-1-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(1-methyl-1H-pyrazolo[3,4-b]pyridin-5-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methyl-1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(5-cyano-1H-1,2,3-triazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 2-(2-chloro-4-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)phenyl)-2H-1,2,3-triazole-4-carboxylic acid;

N-(1H-pyrazolo[3,4-b]pyridin-5-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-a]pyridin-8-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*S)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(1-hydroxyethyl)isoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(2-methylpyridin-4-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d][1,2,3]thiadiazol-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylthieno[3,2-b]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-(azetidin-3-yl)isoquinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,5-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-1H-1,2,3-triazole-4-carboxylic acid;
 N-(5-methoxy-6-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-oxo-1,2-dihydroquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(4-aminobutyl)-3-cyano-5-(1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)picolinamide;
 N-(4-(4-(aminomethyl)-1H-pyrazol-1-yl)-3-methylphenyl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(2-aminoquinolin-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methyl-1H-indazol-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-5-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-methyl-6-(1-methyl-1H-tetrazol-5-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methyl-1H-pyrazolo[3,4-b]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-ethoxyisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-(azetidin-2-yl)isoquinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(2-aminoquinolin-5-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-acetylisquinolin-5-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(4-(difluoromethyl)quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(pyrrolidin-2-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(difluoromethoxy)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-b]pyridazin-6-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(2,5-dimethyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methoxyisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(2-aminoquinolin-5-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 2-(2-chloro-4-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)phenyl)-2H-1,2,3-triazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(methylthio)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-fluoro-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylbenzo[d]thiazol-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-1H-1,2,3-triazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-cyano-1-(quinolin-5-yl)-1H-pyrazole-4-carboxamide;
 1-(7-methylpyrazolo[1,5-a]pyridin-4-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;
 N-(6-(2H-[1,2,3]triazolo[4,5-c]pyridin-2-yl)-5-chloropyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(2-acetylquinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylbenzo[d]thiazol-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(5-(aminomethyl)-1H-1,2,3-triazol-1-yl)-5-chloropyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(2-(azetidin-2-yl)quinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(1-ethoxyethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 methyl 1-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-1H-1,2,3-triazole-4-carboxylate
 1-(imidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-ethyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-(difluoromethyl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-a]pyrimidin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-methoxy-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methoxyquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-chloro-2-methyl-6-(1H-pyrazol-1-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(2,5-dimethyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(benzo[d]thiazol-4-yl)-N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(5-(methoxymethyl)-1H-1,2,3-triazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(2H-[1,2,3]triazolo[4,5-b]pyridin-2-yl)-5-chloropyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methyl-[1,2,4]triazolo[1,5-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 3-(3-cyano-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-1-methyl-1H-pyrazole-5-carboxylic acid;
 1-(benzo[d]thiazol-4-yl)-N-(5-cyano-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-2-methyl-6-(1-methyl-1H-pyrazol-3-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(3H-[1,2,3]triazolo[4,5-b]pyridin-3-yl)-5-chloropyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 methyl 2-(2-chloro-4-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)phenyl)-2H-1,2,3-triazole-4-carboxylate;
 N-(5-cyano-6-(2-methyl-2H-1,2,3-triazol-4-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(3-chloro-4-(5-oxo-4,5-dihydro-1H-1,2,4-triazol-3-yl)phenyl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 methyl 3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)picolinate;
 N-(6-(1H-[1,2,3]triazolo[4,5-c]pyridin-1-yl)-5-chloropyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyanopyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methyl-1H-pyrazolo[3,4-c]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-2-methyl-6-(1H-pyrazol-1-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(dimethylamino)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-(difluoromethyl)quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*R)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(4-oxotetrahydrofuran-2-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylfuro[3,2-b]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(difluoromethyl)isoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methyl-1H-indazol-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(6-fluoroimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(5-fluoroquinolin-8-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1H-pyrazolo[4,3-b]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(4-fluoroisoquinolin-1-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 5-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)isoquinoline-1-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(methylamino)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*S)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(1-hydroxyethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(1,1-difluoroethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 5-chloro-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-2-methyl-4-(2H-1,2,3-triazol-2-yl)phenyl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methoxyisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*S)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(4-oxotetrahydrofuran-2-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

(*S)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(tetrahydrofuran-2-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methyl-1H-pyrazolo[3,4-b]pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methyl-1H-indazol-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(5-oxopyrrolidin-2-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

methyl 3-(3-cyano-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-1-methyl-1H-pyrazole-5-carboxylate;

N-(5-cyano-6-(1-methyl-1H-pyrazol-3-yl)pyridin-3-yl)-1-(8-fluoroquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1,5-naphthyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(5-((dimethylamino)methyl)-1H-1,2,3-triazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylbenzo[d]oxazol-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(6-(4-(aminomethyl)-2H-1,2,3-triazol-2-yl)-5-chloropyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(1-methyl-1H-pyrazol-3-yl)pyridin-3-yl)-1-(8-fluoroquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(1-aminoisoquinolin-4-yl)-N-(5-cyano-2-methyl-4-(2H-1,2,3-triazol-2-yl)phenyl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-chloro-2-fluoro-4-(2H-1,2,3-triazol-2-yl)phenyl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-([1,2,4]triazolo[1,5-a]pyridin-5-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-((N-methylformamido)methyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-a]pyrazin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1,7-naphthyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(1H-pyrazol-1-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-fluoroquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(2-aminobenzo[d]thiazol-7-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isothiazolo[5,4-b]pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(1H-pyrrol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methoxyisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(2-aminobenzo[d]thiazol-7-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(6-(1H-1,2,3-triazol-1-yl)-5-(trifluoromethyl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(benzo[d]isoxazol-3-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoro-1-(methylamino)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

5-bromo-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-cyanoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-chloroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(pyrazolo[1,5-a]pyridin-4-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-N-(5-(trifluoromethyl)pyridin-3-yl)-1H-pyrazole-4-carboxamide;
 1-(1-(1,4-dioxan-2-yl)isoquinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1H-indazol-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbonyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)quinoline-2-carboxamide;
 N-(5-chloro-6-(5-(hydroxymethyl)-1H-1,2,3-triazol-1-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(4-oxotetrahydrofuran-2-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(4-amino-2H-1,2,3-triazol-2-yl)-5-chloropyridin-3-yl)-1-(benzo[d]thiazol-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(2-amino-[1,2,4]triazolo[1,5-a]pyridin-5-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*R)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(tetrahydrofuran-2-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-bromo-6-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(oxazol-2-yl)pyridin-3-yl)-1-(8-fluoroquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-methoxypyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(difluoromethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(methoxymethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-(1-hydroxyethyl)quinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-methylpyrazolo[1,5-a]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-2-fluoro-4-(2H-1,2,3-triazol-2-yl)phenyl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d]isothiazol-3-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-fluoroquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(furo[2,3-d]pyrimidin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-a]pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)thieno[2,3-c]pyridine 6-oxide;
 1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-chloro-6-(1-methyl-1H-pyrazol-3-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thiazolo[5,4-d]pyrimidin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylimidazo[1,2-a]pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-methoxypyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(1-methyl-1H-pyrazol-3-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinazolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*R)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(1-hydroxyethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-cyanoisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-fluoro-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(1-hydroxyethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-2-methyl-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-methyl-1H-1,2,3-triazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-methyl-6-(2-methyl-2H-tetrazol-5-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(difluoromethyl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(tetrahydrofuran-2-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-(methoxymethyl)-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(4-(4-(aminomethyl)-1H-pyrazol-1-yl)-3-chlorophenyl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-cyano-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d]thiazol-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-hydroxyisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-tetrazol-5-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-(difluoromethyl)quinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoro-1-(methylamino)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-4-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-fluoro-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methyl-2-oxo-1,2-dihydroquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*R)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(3-hydroxypyrrolidin-1-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(hydroxymethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(3-methylthieno[3,2-b]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d]oxazol-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(4-fluoronaphthalen-1-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(3-chloro-4-(4-(hydroxymethyl)-1H-pyrazol-1-yl)phenyl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(8-aminoquinolin-5-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbonyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)quinoline 1-oxide;
 N-(5-cyano-6-(4-(hydroxymethyl)-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

methyl 2-cyano-4-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)benzoate;
 N-(6-(5-amino-1H-1,2,3-triazol-1-yl)-5-chloropyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-cyano-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-cyano-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(5-amino-1-methyl-1H-pyrazol-3-yl)-5-cyanopyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-(hydroxymethyl)-1H-pyrazol-1-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(3-methylimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(5-amino-1-methyl-1H-pyrazol-3-yl)-5-chloropyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[3,2-d]pyrimidin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoro-1-hydroxyisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d]thiazol-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrrolo[1,2-a]pyrazin-1-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(2H-1,2,3-triazol-2-yl)-5-(trifluoromethyl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbonyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)isoquinoline-1-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrrolo[1,2-a]pyrazin-1-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2-methyl-2H-tetrazol-5-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1,7-naphthyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 2-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-2H-1,2,3-triazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrazolo[1,5-a]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-c]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-d]pyrimidin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(1,3,4-oxadiazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrazolo[1,5-a]pyrazin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(1-hydroxyethyl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrrolo[2,1-f][1,2,4]triazin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(1-methyl-1H-pyrazol-3-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 methyl-2-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-2H-1,2,3-triazole-4-carboxylate;
 N-(5-chloro-6-(4-((dimethylamino)methyl)-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-bromo-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-cyanoisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-(hydroxymethyl)-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-(hydroxymethyl)-1H-pyrazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrazolo[1,5-a]pyrazin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(4-amino-2H-1,2,3-triazol-2-yl)-5-chloropyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(4-amino-2H-1,2,3-triazol-2-yl)-5-chloropyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-amino-8-fluoroisoquinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(3-cyano-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-oxo-1,2-dihydroquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(4-aminonaphthalen-1-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(1-aminoisoquinolin-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(4-fluoro-2-methoxyphenyl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-Dquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-D-quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(3-chloro-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[3,2-b]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-bromo-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrazolo[1,5-a]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(oxazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-b]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(4-methyl-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(5-fluoronaphthalen-1-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-hydroxyisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d]thiazol-7-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-(hydroxymethyl)-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d]thiazol-7-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-amino-8-fluoroisoquinolin-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 2-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-2H-1,2,3-triazole-4-carboxylic acid;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(furo[3,2-b]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbonyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)thieno[2,3-c]pyridine-7-carboxamide;
 1-(7-(3-hydroxyazetidin-1-yl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-bromo-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(4-methyl-1H-1,2,3-triazol-1-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-5-(trifluoromethyl)-N-(5-(trifluoromethyl)pyridin-3-yl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-2-methyl-6-(4-methyl-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-ethynyl-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(4-methyl-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*R)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(3-hydroxypyrrolidin-1-yl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-chlorothieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*S)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(3-hydroxypyrrolidin-1-yl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-cyanothieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(3-hydroxyazetidin-1-yl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 4-(4-((5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)thieno[2,3-c]pyridine-7-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-cyclopropylthieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-methylthieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-cyanothieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)-N-methylthieno[2,3-c]pyridine-7-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(3-hydroxyazetidin-1-yl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-chlorothieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(2-cyanopyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloropyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;

1-(8-fluoroimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;

N-(6-cyano-5-(trifluoromethyl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

methyl 3-chloro-5-(1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)picolinate;

1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;

N-(2-cyanopyridin-4-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(2-(2-methoxyethoxy)-5-(trifluoromethyl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-oxo-1,2-dihydroquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

(*S)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-(tetrahydrofuran-2-yl)quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

or an enantiomer, solvate or pharmaceutically acceptable salt form thereof.

24. The compound of claim 23, wherein the compound is selected from the group consisting of:

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(naphthalen-1-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(benzofuran-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(3-chloro-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(oxazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[3,2-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(oxazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(furo[3,2-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(furo[2,3-c]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

methyl 2-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-2H-1,2,3-triazole-4-carboxylate;

2-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-2H-1,2,3-triazole-4-carboxylic acid;

1-(1-amino-8-fluoroisoquinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(1-amino-8-fluoroisoquinolin-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(benzo[d]thiazol-7-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(4-(hydroxymethyl)-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-hydroxyisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(5-fluoronaphthalen-1-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-methyl-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-b]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(oxazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[3,2-b]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(3-chloro-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-D-quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-Dquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(4-aminonaphthalen-1-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(3-cyano-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(4-amino-2H-1,2,3-triazol-2-yl)-5-chloropyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-(hydroxymethyl)-1H-pyrazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-(hydroxymethyl)-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-((dimethylamino)methyl)-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-bromo-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrrolo[2,1-f][1,2,4]triazin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrazolo[1,5-a]pyrazin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-d]pyrimidin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-c]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 2-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-2H-1,2,3-triazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1,7-naphthyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrrolo[1,2-a]pyrazin-1-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2-methyl-2H-tetrazol-5-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(furo[3,2-b]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(4-fluoro-2-methoxyphenyl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;


1-(benzo[d]thiazol-7-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(4-amino-2H-1,2,3-triazol-2-yl)-5-chloropyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(1-methyl-1H-pyrazol-3-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-bromo-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(1,3,4-oxadiazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrazolo[1,5-a]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrazolo[1,5-a]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(3-chloroimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-2-methyl-6-(4-methyl-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-bromo-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 methyl 3-chloro-5-(1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)picolinate;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-oxo-1,2-dihydroquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(4-methyl-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(1-hydroxyethyl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)isoquinoline-1-carboxamide;
 4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)thieno[2,3-c]pyridine-7-carboxamide;
 4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)-N-methylthieno[2,3-c]pyridine-7-carboxamide;
 4-(4-((5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)thieno[2,3-c]pyridine-7-carboxamide;
 5-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)isoquinoline 2-oxide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-cyanoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-cyanoisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methyl-2-oxo-1,2-dihydroquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methoxyquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methoxyisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-ethoxyisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-chlorothieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (R)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(3-hydroxypyrrolidin-1-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-methoxypyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(methylthio)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(3-hydroxyazetidin-1-yl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

(S)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(3-hydroxypyrrolidin-1-yl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*S)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(1-hydroxyethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 and
 1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;


or an enantiomer, solvate or pharmaceutically acceptable salt form thereof.

25. The compound of claim 24, wherein the compound is




or a solvate or pharmaceutically acceptable salt form thereof.

26. The compound of claim 24, wherein the compound is




or a solvate or pharmaceutically acceptable salt form thereof.

27. The compound of claim 24, wherein the compound is




or a solvate or pharmaceutically acceptable salt form thereof.

28. The compound of claim 23, wherein the compound is



or a solvate or pharmaceutically acceptable salt form thereof.

29. The compound of claim 23, wherein the compound is




or a solvate or pharmaceutically acceptable salt form thereof.

30. The compound of any one of claims 24 to 29, wherein the compound is a solvate.

31. The compound of claim 30, wherein the compound is a hydrate.

32. The compound according to claim 1, wherein the compound is:




or a solvate or pharmaceutically acceptable salt form thereof.

33. The compound of claim 32, wherein the compound is a solvate.

34. The compound of claim 33, wherein the compound is a hydrate.

35. The compound of claim 32, wherein the compound is:



36. The compound according to claim 1, wherein R₁ is selected from the group consisting of 1-oxo-1,2-dihydroisoquinolin-5-yl and 1-hydroxyisoquinolin-5-yl.

37. A pharmaceutical composition comprising a compound of claim 5 and at least one of a pharmaceutically acceptable carrier, a pharmaceutically acceptable excipient, and a pharmaceutically acceptable diluent.

38. The pharmaceutical composition of claim 37, wherein the composition is a solid oral dosage form.
39. The pharmaceutical composition of claim 37, wherein the composition is a syrup, an elixir or a suspension.
40. The compound of claim 5 for use in treating a disease, syndrome, condition, or disorder, wherein said disease, syndrome, condition, or disorder is affected by the inhibition of MALT1.
41. The compound of claim 5 for use in treating a disease, syndrome, condition or disorder, wherein said disease, syndrome, condition, or disorder is selected from the group consisting of diffuse large B-cell lymphoma (DLBCL), mantle cell lymphoma (MCL), follicular lymphoma (FL), and mucosa-associated lymphoid tissue (MALT) lymphoma rheumatoid arthritis (RA), psoritic arthritis (PsA), psoriasis (Pso), ulcerative colitis (UC), Crohn's disease, systemic lupus erythematosus (SLE), asthma, and chronic obstructive pulmonary disease (COPD).
42. The pharmaceutical composition of any of claims 37-39, for use in treating a disease, syndrome, condition, or disorder selected from the group consisting of diffuse large B-cell lymphoma (DLBCL), mantle cell lymphoma (MCL), follicular lymphoma (FL), and mucosa-associated lymphoid tissue (MALT) lymphoma rheumatoid arthritis (RA), psoritic arthritis (PsA), psoriasis (Pso), ulcerative colitis (UC), Crohn's disease, systemic lupus erythematosus (SLE), asthma, and chronic obstructive pulmonary disease (COPD).