

FIG. 1




FIG.2




FIG.3




FIG.4



POSITION OF DETECTION TARGET PLATE	RELATION BETWEEN OPTICAL AXES OF POSITION DETECTION SENSOR AND DETECTION TARGET PLATE				SPECIFIC OUTPUT PATTERN OF POSITION DETECTION SENSOR			
	11a	11b	11c	11d	11a	11b	11c	11d
SIXTH FLOOR					1	0	1	0
FIFTH FLOOR					1	0	0	1
FOURTH FLOOR					1	0	0	0
THIRD FLOOR					1	1	0	0
SECOND FLOOR					1	1	1	0
FIRST FLOOR					1	1	1	1

FIG.5




FIG.6




FIG.7




FIG.8




FIG.9







POSITION OF DETECTION TARGET PLATE	RELATION BETWEEN OPTICAL AXES OF POSITION DETECTION SENSOR AND DETECTION TARGET PLATE 11a 11b 11c 11d    	SPECIFIC OUTPUT PATTERN OF POSITION DETECTION SENSOR			
		11a	11b	11c	11d
SIXTH FLOOR		1	1	1	1
FIFTH FLOOR		1	0	1	0
FOURTH FLOOR		1	1	0	0
THIRD FLOOR		0	1	1	0
SECOND FLOOR		0	1	0	1
FIRST FLOOR		1	1	1	1

FIG.10




FIG.11

