






	Maximum value	EC50
Murine IgG1	N.A.	N.A.
MHG8	N.A.	N.A.
anti-hGARP	N.A.	N.A.
Anti-hTGF-β1	N.A.	N.A.
8H2D7B3	N.A.	N.A.

Fig.1A




	Maximum value	EC50
Murine IgG1	N.A.	N.A.
MHG8	N.A.	N.A.
anti-hGARP	201.513	0.072
Anti-hTGF-β1	N.A.	N.A.
8H2D7B3	N.A.	N.A.

Fig.1B




	Maximum value	EC50
Murine IgG1	N.A.	N.A.
MHG8	N.A.	N.A.
Anti-hGARP	N.A.	N.A.
Anti-TGF-β1	22.314	45.406
8H2D7B3	N.A.	N.A.

Fig.1C



	Maximum value	EC50
Murine IgG1	N.A.	N.A.
MHG8	227.444	0.120
8H2D7B3	219.834	0.108

Fig.1D



	Maximum value	EC50
Murine IgG1	N.A.	N.A.
MHG8	144.000	2.741
8H2D7B3	149.489	1.611

Fig.2




Fig.3A




Fig.3B




Fig.4




Fig.5




Fig.6A




Fig.6B




Fig.7A




Fig.7B




Fig.8A




Fig.8B




Fig. 9

Tumor volume




Fig. 10




Fig. 11