




FIG.1


FIG.2 (start)


FIG.2 (concluded)

Diagram illustrating a TDMA frame structure (100) with 5 slots (Slot 1 to Slot 5) and 7 nodes (Node 1 to Node 7). The slots are labeled 101, 102, 103, 104, and 105. The nodes are labeled 106, 107, 108, and 109. The frame is labeled 100. The calculation $7 \text{ Nodes} / 5 \text{ Slots} = 1.4$, $k=2$ is shown.

	Slot 1	Slot 2	Slot 3	Slot 4	Slot 5
Node 1	Transmission				
Node 2		Transmission			
Node 3		Transmission			
Node 4				Transmission	
Node 5			Transmission		
Node 6					Transmission
Node 7					Transmission

FIG.4

	121 Slot 1	122 Slot 2	123 Slot 3	124 Slot 4	
Node 1	Transmission				120
Node 2		Transmission			125
Node 3		Transmission			126
Node 4				Transmission	127
Node 5			Transmission		
Node 6				Transmission	128
Node 7				Transmission	129


7 Nodes / 4 Slots
 $7/4 = 1.75$
 $k=2.5$


FIG.5

	141 Slot 1	142 Slot 2	143 Slot 3	144 Slot 4	145 Slot 5	
Node 1	Transmission					
Node 2		Transmission				
Node 3		Transmission				
Node 4				Transmission		
Node 5			Transmission			
Node 6					Transmission	148
Node 7					Transmission	149
Node 8			Transmission			
Node 9		Transmission				
Node 10					Transmission	150

10 Nodes / 5 Slots
 $10/5 = 2$
 $k=2.6$

FIG.6

**FIG. 7**



170

	Slot 1	Slot 2	Slot 3	Slot 4
Node 1	Transmission			
Node 2				
Node 3				
Node 4				Transmission
Node 5				
Node 6				
Node 7				Transmission

Collision

FIG.8

180

	Slot 1	Slot 2	Slot 3	Slot 4
Node 1				
Node 2		Transmission		
Node 3				
Node 4				
Node 5			Transmission	
Node 6				
Node 7				

Frame 2




FIG. 9





FIG.10



191

	Slot 1	Slot 2	Slot 3	Slot 4
Node 2		Q=2		
Node 3			Q=4	

FIG.11







FIG.12

**FIG.13****FIG.14**

**FIG.15**

200

	Frame 14	Frame 15	Frame 16	Frame 17	Frame 18	Frame 19	Frame 20	Frame 21	Frame 22
N1 Q=2 q=4	E	E V(1)	E V'(1)	Tx	E	E V(1)	E V'(1)	Tx	E
N3 Q=4 q=3	V'(3)	Tx	E	E	E	E V(3)	E V'(3)	Tx	E
N7 Q=3 q=4	E V(7)	Tx	E	E	E V(7)	Tx	E	E	E V(7)

E

 Estimate


E
V(x)


 Estimation + Calculation of the neighborhood of the node x

Tx

 Transmission of a new constraint (after updating)

FIG.16

**FIG.17**



194 Node 1 : $q = 2$

Frame 12				
	Slot 1	Slot 2	Slot 3	Slot 4
Node 2	Tx Q=1 $q=1$			
Node 3				Tx Q=2 $q=1$
Node 4		Tx Q=1 $q=1$		
Node 5		Tx Q=3 $q=1$		

193

Node 5 : Detection of error :
 $Q(3) > q(2) \rightarrow$ "Node 1 has not received my constraint"

Frame 13				
	Slot 1	Slot 2	Slot 3	Slot 4
Node 1	Tx Q=3 $q=2$			
Node 6				
Node 7			Tx Q=1 $q=3$	
Node 8				

FIG.18

	Frame 13	Frame 14	Frame 15	
	Subjected to $q=2$ T_x	Subjected to $q=2$	Subjected to $q=2$ T_x	2nd Transmission during the period of estimation. Not to be taken into account
N1				
N6	Subjected to $q=3$	Subjected to $q=3$	Subjected to $q=3$ T_x	
N7	Subjected to $q=3$ T_x	Subjected to $q=3$	Subjected to $q=3$	195
N8	Subjected to $q=3$	Subjected to $q=3$ T_x	Subjected to $q=3$	

FIG.19




FIG.20




FIG.21




FIG.22