FIG. 1: XRPD diffractogram of 6-fluoro-5-[4-[(5-fluoro-2-methyl-3-oxo-4H-quinoxalin-6-yl)methyl]piperazin-1-yl]-N-methyl-pyridine-2-carboxamide Form B




FIG. 2: DSC trace of 6-fluoro-5-[4-[(5-fluoro-2-methyl-3-oxo-4H-quinoxalin-6-yl)methyl]piperazin-1-yl]-N-methyl-pyridine-2-carboxamide
Form B




FIG. 3 : XRPD diffractogram of 6-fluoro-5-[4-[(5-fluoro-2-methyl-3-oxo-4H-quinoxalin-6-yl)methyl]piperazin-1-yl]-N-methyl-pyridine-2-carboxamide Form D




FIG. 4: Single crystal structure of **6-fluoro-5-[4-[(5-fluoro-2-methyl-3-oxo-4H-quinoxalin-6-yl)methyl]piperazin-1-yl]-N-methyl-pyridine-2-carboxamide** -Form D (ORTEP50)




FIG. 5: XRPD diffractogram of 6-fluoro-5-[4-[(5-fluoro-2-methyl-3-oxo-4H-quinoxalin-6-yl)methyl]piperazin-1-yl]-N-methyl-pyridine-2-carboxamide MSA salt Form C




FIG. 6: DSC trace of 6-fluoro-5-[4-[(5-fluoro-2-methyl-3-oxo-4H-quinoxalin-6-yl)methyl]piperazin-1-yl]-N-methyl-pyridine-2-carboxamide MSA salt Form C

