

SEQUENCE LISTING

<110> Biosearch Technologies, Inc.
Cook, Ronald M.
Sowers, Ben
Beal, Marc P.

<120> DUAL QUENCHER PROBES

<130> 061873-5034-WO

<140> PCT/US2016/027964

<141> 2016-04-15

<150> US 62/147,695

<151> 2015-04-15

<160> 19

<170> PatentIn version 3.5

<210> 1

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> 21-base probe (end-labeled)

<220>

<221> misc_feature

<222> (1)..(1)

<223> Labeled with FAM

<220>

<221> misc_feature

<222> (21)..(21)

<223> Labeled with BHQ1

<400> 1

tcctttgggc tcctgccatc t

21

<210> 2

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> 21-base probe (I-BHQ0 + 3-BHQ1)

<220>

<221> misc_feature

<222> (1)..(1)

<223> Labeled with FAM

<220>

<221> misc_feature

<222> (9)..(10)

<223> Residues No. 9 and No. 10 are linked through a BHQ0 modification

<220>

<221> misc_feature

<222> (21)..(21)

<223> Labeled with BHQ1

<400> 2
tcctttgggc tcctgccatc t 21

<210> 3
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> 29-base probe (end-labeled)

<220>
<221> misc_feature
<222> (1)..(1)
<223> Labeled with FAM

<220>
<221> misc_feature
<222> (29)..(29)
<223> Labeled with BHQ1

<400> 3
aaaccacttt atgaaaatct aactggaca 29

<210> 4
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> 29-base probe (I-BHQ0 + 3-BHQ1)

<220>
<221> misc_feature
<222> (1)..(1)
<223> Labeled with FAM

<220>
<221> misc_feature
<222> (9)..(10)
<223> Residues No. 9 and No. 10 are linked through a BHQ0 modification

<220>
<221> misc_feature
<222> (29)..(29)
<223> Labeled with BHQ1

<400> 4
aaaccacttt atgaaaatct aactggaca 29

<210> 5
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> 35-base probe (end-labeled)

<220>
<221> misc_feature
<222> (1)..(1)
<223> Labeled with FAM

<220>
 <221> misc_feature
 <222> (35)..(35)
 <223> Labeled with BHQ1

 <400> 5
 aagagtagta gcctaagagt gtcagttgta catca 35

<210> 6
 <211> 35
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> 35-base probe (I-BHQ0 + 3-BHQ1)

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> Labeled with FAM

<220>
 <221> misc_feature
 <222> (9)..(10)
 <223> Residues No. 9 and No. 10 are linked through a BHQ0 modification

<220>
 <221> misc_feature
 <222> (35)..(35)
 <223> Labeled with BHQ1

<400> 6
 aagagtagta gcctaagagt gtcagttgta catca 35

<210> 7
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> 21-base probe (I-TBHQ1 + 3-Sp3)

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> Labeled with FAM

<220>
 <221> misc_feature
 <222> (11)..(11)
 <223> Modified with BHQ1

<220>
 <221> misc_feature
 <222> (21)..(21)
 <223> Modified with Spacer-C3

<400> 7
 tcctttgggc tcctgccatc t 21

<210> 8
 <211> 21

<212> DNA
 <213> Artificial Sequence

 <220>
 <223> 21-base probe (I-TBHQ1 + 3-BHQ1)

 <220>
 <221> misc_feature
 <222> (1)..(1)
 <223> Labeled with FAM

 <220>
 <221> misc_feature
 <222> (11)..(11)
 <223> Modified with BHQ1

 <220>
 <221> misc_feature
 <222> (21)..(21)
 <223> Labeled with BHQ1

 <400> 8
 tcctttgggc tcctgccatc t 21

 <210> 9
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> 21-base probe (I-BHQ1 + 3-BHQ1)

 <220>
 <221> misc_feature
 <222> (1)..(1)
 <223> Labeled with FAM

 <220>
 <221> misc_feature
 <222> (9)..(10)
 <223> Residues No. 9 and No. 10 are linked through a BHQ1 modification

 <220>
 <221> misc_feature
 <222> (21)..(21)
 <223> Labeled with BHQ1

 <400> 9
 tcctttgggc tcctgccatc t 21

 <210> 10
 <211> 35
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> 35-base probe (I-TDAB + 3-BHQ1)

 <220>
 <221> misc_feature
 <222> (1)..(1)
 <223> Labeled with FAM

<220>
 <221> misc_feature
 <222> (9)..(9)
 <223> Modified with DAB moiety

 <220>
 <221> misc_feature
 <222> (35)..(35)
 <223> Labeled with BHQ1

 <400> 10
 aagagtagta gcctaagagt gtcagttgta catca 35

 <210> 11
 <211> 35
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> 35-base probe (I-Aniline + 3-BHQ1)

 <220>
 <221> misc_feature
 <222> (1)..(1)
 <223> Labeled with FAM

 <220>
 <221> misc_feature
 <222> (9)..(10)
 <223> Residues No. 9 and No. 10 are linked through an aniline moiety

 <220>
 <221> misc_feature
 <222> (35)..(35)
 <223> Labeled with BHQ1

 <400> 11
 aagagtagta gcctaagagt gtcagttgta catca 35

 <210> 12
 <211> 35
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> 35-base probe (I-dRBHQ0 + 3-BHQ1)

 <220>
 <221> misc_feature
 <222> (1)..(1)
 <223> Labeled with FAM

 <220>
 <221> misc_feature
 <222> (9)..(10)
 <223> Residues No. 9 and No. 10 are linked through a dRBHQ0 moiety

 <220>
 <221> misc_feature
 <222> (35)..(35)
 <223> Labeled with BHQ1

 <400> 12
 aagagtagta gcctaagagt gtcagttgta catca 35

<210> 13
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> 35-base probe (I-gBHQ0 + 3-BHQ1)

<220>
<221> misc_feature
<222> (1)..(1)
<223> Labeled with FAM

<220>
<221> misc_feature
<222> (9)..(10)
<223> Residues No. 9 and No. 10 are linked through a gBHQ0 moiety

<220>
<221> misc_feature
<222> (35)..(35)
<223> Labeled with BHQ1

<400> 13
aagagtagta gcctaagagt gtcagttgta catca

35

<210> 14
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> 35-base probe (I-BHQ0 + 3-Sp3)

<220>
<221> misc_feature
<222> (1)..(1)
<223> Labeled with FAM

<220>
<221> misc_feature
<222> (9)..(10)
<223> Residues No. 9 and No. 10 are linked through a BHQ0 modification

<220>
<221> misc_feature
<222> (35)..(35)
<223> Modified with Spacer-C3

<400> 14
aagagtagta gcctaagagt gtcagttgta catca

35

<210> 15
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> 35-base probe (I-BHQ1 + 3-BHQ0)

<220>

<221> misc_feature
 <222> (1)..(1)
 <223> Labeled with FAM

<220>
 <221> misc_feature
 <222> (9)..(10)
 <223> Residues No. 9 and No. 10 are linked through a BHQ1 modification

<220>
 <221> misc_feature
 <222> (35)..(35)
 <223> Labeled with BHQ0

<400> 15
 aagagtagta gcctaagagt gtcagttgta catca 35

<210> 16
 <211> 35
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> 6/7 I-BHQ0 + 3-BHQ1 probe

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> Labeled with FAM

<220>
 <221> misc_feature
 <222> (6)..(7)
 <223> Residues No. 6 and No. 7 are linked through a BHQ0 modification

<220>
 <221> misc_feature
 <222> (35)..(35)
 <223> Labeled with BHQ1

<400> 16
 aagagtagta gcctaagagt gtcagttgta catca 35

<210> 17
 <211> 35
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> 7/8 I-BHQ0 + 3-BHQ1 probe

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> Labeled with FAM

<220>
 <221> misc_feature
 <222> (7)..(8)
 <223> Residues No. 7 and No. 8 are linked through a BHQ0 modification

<220>
 <221> misc_feature
 <222> (35)..(35)

<223> Labeled with BHQ1
 <400> 17
 aagagtagta gcctaagagt gtcagttgta catca 35

 <210> 18
 <211> 35
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> 8/9 I-BHQ0 + 3-BHQ1 probe

 <220>
 <221> misc_feature
 <222> (1)..(1)
 <223> Labeled with FAM

 <220>
 <221> misc_feature
 <222> (8)..(9)
 <223> Residues No. 8 and No. 9 are linked through a BHQ0 modification

 <220>
 <221> misc_feature
 <222> (35)..(35)
 <223> Labeled with BHQ1

 <400> 18
 aagagtagta gcctaagagt gtcagttgta catca 35

 <210> 19
 <211> 35
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> 11/12 I-BHQ0 + 3-BHQ1

 <220>
 <221> misc_feature
 <222> (1)..(1)
 <223> Labeled with FAM

 <220>
 <221> misc_feature
 <222> (11)..(12)
 <223> Residues No. 11 and No. 12 are linked through a BHQ0 modification

 <220>
 <221> misc_feature
 <222> (35)..(35)
 <223> Labeled with BHQ1

 <400> 19
 aagagtagta gcctaagagt gtcagttgta catca 35