

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : C07D 405/14, A61K 31/4196, A61P 31/10		A2	(11) International Publication Number: WO 00/66580
			(43) International Publication Date: 9 November 2000 (09.11.00)
(21) International Application Number: PCT/EP00/03740 (22) International Filing Date: 20 April 2000 (20.04.00) (30) Priority Data: 60/132,699 4 May 1999 (04.05.99) US (71) Applicant (for all designated States except US): JANSSEN PHARMACEUTICA N.V. [BE/BE]; Patent Department, Turnhoutseweg 30, B-2340 Beerse (BE). (72) Inventors; and (75) Inventors/Applicants (for US only): MEERPOEL, Lieven [BE/BE]; Kardinaal Cardijnlaan 55, B-2340 Beerse (BE). BACKX, Leo, Jacobus, Jozef [BE/BE]; Broekstraat 92, B-2370 Arendonk (BE). (74) Agent: QUAGHEBEUR, Luc; Janssen Pharmaceutica N.V., Patent Dept., Turnhoutseweg 30, B-2340 Beerse (BE).		(81) Designated States: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published Without international search report and to be republished upon receipt of that report.	
(54) Title: ANTIFUNGAL ETHERS			
(I)			
(57) Abstract The present invention concerns compounds of formula (I) the <i>N</i>-oxide forms, the salts, the quaternary amines and stereochemically isomeric forms thereof, wherein D represents a tetrahydrofuran or dioxolane ring substituted with aryl and azolmethyl; -A-B- represents an optionally substituted bivalent radical of formula -N=CH-, -CH=N-, -CH=CH-, -CH₂-CH₂; Alk represents C₁-alkanediyl; Y represents optionally substituted C₁-alkanediyl; R¹ and R² represent hydrogen, C₁-alkyl or arylC₁-alkyl; or R¹ and R² may be taken together to form an optionally substituted heterocyclic radical selected from morpholinyl, pyrrolidinyl, piperidinyl, homopiperidinyl, piperazinyl or phthalimid-1-yl; aryl represents phenyl, naphthalenyl, 1,2,3,4-tetrahydro-naphthalenyl, indenyl or indanyl; each of said aryl groups may optionally be substituted; having broad-spectrum antifungal activity; their preparation, compositions containing them and their use as a medicine.			