




FIG. 1

2 / 31




FIG. 2

3 / 31




FIG. 3A






FIG. 3A

4 / 31



5 / 31




FIG. 4C




FIG. 4D




FIG. 5A




FIG. 5B




FIG. 6

8 / 31




FIG. 7

9 / 31




FIG. 8

10 / 31




FIG. 9A




FIG. 9B

11 / 31




FIG. 9C






FIG. 9D

12 / 31



13 / 31




FIG. 10C






FIG. 10D





16 / 31




FIG. 13B

17 / 31




FIG. 14B

18 / 31




FIG. 15B

19 / 31




FIG. 17A




FIG. 17B





FIG. 17B






FIG. 18A




FIG. 18B

22 / 31




FIG. 19A






FIG. 19B

23 / 31



24 / 31




FIG. 20




FIG. 21A

26 / 31





FIG. 21B

27 / 31






FIG. 21C

28 / 31

**Key**

- 1 cranial end
- 2 0,2 ml injections of polar extract
- 3 0,2 ml injections of non-polar extract
- 4 0,2 ml injections of polar solvent control
- 5 0,2 ml injections of non-polar solvent control
- 6 caudal end

FIG. 22

29 / 31




FIG. 23




FIG. 24

31 / 31




FIG. 25A




FIG. 25B