



CLAIMS

1. A compound having the structure of Formula (I)



or a salt thereof, wherein:



each R^{1a} is independently H, F, Cl, -OH, C_{1-3} alkyl, C_{1-3} fluoroalkyl, C_{3-6} cycloalkyl, C_{1-3} alkoxy, or C_{1-3} fluoroalkoxy;

R^{1c} is H, C_{1-4} alkyl, C_{1-4} fluoroalkyl, or C_{3-6} cycloalkyl;

L^1 is - CHR^b -, - CHR^aCHR^b -, - $\text{CH}(\text{R}^a)\text{C}(\text{O})$ -, - $\text{C}(\text{R}^b)_2$ -, - $\text{C}(\text{R}^a)_2\text{CH}(\text{R}^b)$ -, or - $\text{CH}(\text{R}^a)\text{C}(\text{R}^b)_2$ -;

L^2 is - CH_2 -, - $\text{C}(\text{O})$ -, - $\text{CH}_2\text{-CH}_2$ -, or - $\text{C}(\text{R})_2$ -; wherein R is independently selected from hydrogen, F, C_{1-3} alkyl, C_{1-3} hydroxyalkyl, C_{1-3} alkoxyalkyl, or C_{1-3} fluoroalkyl;

R^a is H, halo, -OH, C_{1-4} alkyl, C_{1-3} fluoroalkyl, C_{1-3} hydroxyalkyl, C_{3-6} cycloalkyl, C_{1-3} alkoxy, $\text{OC}(\text{O})\text{-C}_{1-4}$ alkyl substituted with 0-1 OH, halo or NH_2 , $\text{NR}^{1e}\text{R}^{1e}$, or C_{1-3} fluoroalkoxy;

each R^{1e} is independently H, C_{1-6} alkyl, C_{1-6} fluoroalkyl, C_{3-6} cycloalkyl, C_{3-6} fluorocycloalkyl, $\text{C}(\text{O})\text{-C}_{1-6}$ alkyl, $\text{C}(\text{O})\text{-C}_{1-6}$ fluoroalkyl, $\text{C}(\text{O})\text{-C}_{3-6}$ cycloalkyl, $\text{C}(\text{O})$ heterocyclyl, $\text{C}(\text{O})\text{O-C}_{1-6}$ alkyl, $\text{C}(\text{O})\text{O-C}_{3-6}$ cycloalkyl, $\text{C}(\text{O})\text{O-C}_{1-6}$ fluoroalkyl, $\text{C}(\text{O})\text{O-C}_{3-6}$ fluorocycloalkyl, $\text{SO}_2\text{-C}_{1-6}$ alkyl, $\text{SO}_2\text{-C}_{3-5}$ cycloalkyl, $\text{SO}_2\text{-C}_{1-6}$ fluoroalkyl, $\text{SO}_2\text{-C}_{3-6}$ fluorocycloalkyl, $\text{C}(\text{O})\text{NR}^e\text{R}^e$, wherein the heterocyclyl is 5 or 6 membered ring having 1, 2, 3, or 4 heteroatoms selected from O, S, and N, and the alkyl, cycloalkyl, or heterocyclyl is substituted with 0-1 of halo, OH, CN, NH_2 , C_{1-3} alkyl, C_{1-3} alkoxy, C_{1-3} fluoroalkyl, C_{1-3}

fluoroalkoxy; or two R^{1e} along with the nitrogen atom to which they are attached form a 3-7 membered heterocyclyl having 1, 2, 3, or 4 heteroatoms selected from O, S, and N, and being substituted with 0-1 halo, C₁₋₃ alkyl, or =O;

R^b is H, C₁₋₄ alkyl, C₁₋₃ fluoroalkyl, C₁₋₃ hydroxyalkyl, C₃₋₆ cycloalkyl, C₁₋₃ alkoxyalkyl, or C₁₋₃ fluoroalkoxyalkyl;

Ring B is phenyl, pyridinyl, pyrimidinyl, pyrazolyl, indolyl, indazolyl, thiazolyl, imidazolyl, , pyridinonyl, , triazolyl, tetrazolyl, oxadiazolyl, thiadiazolyl, isothiazolyl, isoxazolyl, pyrazinyl, oxazolyl, pyridazinyl, furanyl, thiophenyl, pyrrolyl, triazinyl, azaindolyl, benzimidazolyl, bezoxazolyl, bezothiazolyl, benzofuranyl, or benzothiophenyl.

R² is a C₆₋₁₀ aryl, or a 5 to 10 membered heteroaryl ring containing 1 to 4 heteroatoms selected from N, O, and S, the heteroaryl optionally containing an oxo substitution, and the heteroaryl and aryl being substituted with 0-3 R^{2a};

R^{2a} is OH, =O, CN, halo, C(O)N(R^e)₂, C(O)O-C₁₋₄ alkyl, C₁₋₄alkyl, C₁₋₄ fluoroalkyl, C₁₋₄ alkoxy, C₁₋₄ fluoroalkoxy, C₃₋₆ cycloalkyl, C₃₋₆ cycloalkoxy, SO₂R^e, or a 4 to 6 membered heterocyclyl having 1, 2, 3, or 4 heteroatoms selected from O, S, and N, and wherein the heterocyclyl is substituted with 0-3 R^d;

each R³ is independently H, C₁₋₄ alkyl, C₁₋₄ fluoroalkyl, C₁₋₃ hydroxyalkyl, C₁₋₃ alkoxyalkyl, C₃₋₆cycloalkyl, -(CH₂)-C₃₋₆cycloalkyl, -(CH₂)-heterocyclyl, -SO₂R^e, -C(O)R^e, -C(O)OR^e, or -C(O)NR^eR^e, wherein the heterocyclyl is a 5-6 membered ring have 1, 2, or 3 heteroatoms selected from N, O, and S;

each R^d is independently H, C₁₋₃ alkyl, C₁₋₃ alkoxy, halo, OH, =O, CN OCF₃, OCHF₂, CHF₂ and CF₃; and

each R^e is independently H, C₁₋₃ alkyl, C₁₋₃ fluoroalkyl, C₃₋₆ cycloalkyl, C₃₋₆ fluorocycloalkyl, C₁₋₃ hydroxyalkyl, C₁₋₃ alkoxyalkyl, C₆₋₁₀ aryl, or a 5 to 10 membered heteroaryl having 1, 2, 3, or 4 heteroatoms selected from O, S, and N; or two R^e along with the nitrogen atom to which they are attached form a 3-7 membered heterocyclyl having 1, 2, 3, or 4 heteroatoms selected from O, S, and N; and


n is zero, 1 2 or 3.

2. A compound of claim 1, or salt thereof, wherein:
 R^2 is phenyl, pyridinyl, indolyl, indazolyl, benzo[d]oxazol-2(3H)-onyl, 1H-pyrazolo[4,3-b]pyridinyl, pyridin-2(1H)-onyl, 1H-pyrazolyl, [1,2,4]triazolo[1,5-a]pyridinyl, imidazo[1,2-b]pyridazinyl, pyrazinyl, pyrazolo[1,5-a]pyrimidinyl, thiazolyl, thiophenyl, 1H-1,2,3-triazolyl, 1H-benzo[d][1,2,3]triazolyl, [1,2,4]triazolo[4,3-b]pyridazinyl, 1H-benzo[d]imidazolyl, 1H-imidazolyl, 1H-pyrazolo[3,4-b]pyridinyl, 1H-pyrazolo[3,4-c]pyridinyl, 1H-pyrazolo[4,3-c]pyridinyl, 1H-pyrrolyl, 1H-pyrrolo[2,3-b]pyridinyl, 1H-pyrrolo[2,3-c]pyridinyl, 1H-pyrrolo[3,2-b]pyridinyl, 1H-pyrrolo[3,2-c]pyridinyl, pyrazolo[1,5-a]pyrimidinyl, 1H-tetrazolyl, 4H-1,2,4-triazolyl, isothiazolyl, isoxazolyl, oxazolyl, pyridazinyl, pyrimidinyl, or benzo[d]oxazol-2(3H)-only, each being substituted with with 0-3 R^{2a} .
3. A compound of claim 2, or salt thereof, wherein:
 R^2 is phenyl, pyridinyl, indolyl, indazolyl, benzo[d]oxazol-2(3H)-onyl, 1H-pyrazolo[4,3-b]pyridinyl, pyridin-2(1H)-onyl, 1H-pyrazolyl, [1,2,4]triazolo[1,5-a]pyridinyl, imidazo[1,2-b]pyridazinyl, pyrazinyl, pyrazolo[1,5-a]pyrimidinyl, thiophenyl, [1,2,4]triazolo[4,3-b]pyridazinyl, pyrazolo[1,5-a]pyrimidinyl, or benzo[d]oxazol-2(3H)-only, each being substituted with with 0-3 R^{2a} .
4. A compound of claim 3, or salt thereof, wherein:
 R^2 is phenyl, pyridinyl, indolyl, indazolyl, benzo[d]oxazol-2(3H)-onyl, 1H-pyrazolo[4,3-b]pyridinyl, or pyridin-2(1H)-onyl.
5. A compound of claims 1-4, or salt thereof, wherein:
Ring B is phenyl, pyridinyl, pyrimidinyl, pyrazolyl, indolyl, indazolyl, thiazolyl, imidazolyl, pyridinonyl, 1,2-dihydro-3H pyrazol-3-onyl, 1H-1,2,3-triazolyl, pyrazinyl or pyridazinyl, or oxazolyl.

6. A compound of claims 1-4, or salt thereof, wherein:

Ring B is phenyl, pyridinyl, pyrimidinyl, pyrazolyl, indolyl, or indazolyl.

7. A compound of claims 1-6, or salt thereof, wherein:



each R^{1a} is independently selected from F, Cl, C₁₋₃ alkyl, C₁₋₃ fluoroalkyl, and C₃₋₆ cycloalkyl;

R^{1c} is H, C₁₋₂ alkyl, or C₃₋₆ cycloalkyl;

n is zero, 1, or 2;

R^a is H, F, -OH, C₁₋₂ alkyl, -CHF₂, -CF₃, -CH₂OH, cyclopropyl, -OCH₃, -OCHF₂, or -OCF₃;


R^b is H, C₁₋₂ alkyl, C₁₋₂ hydroxyalkyl, or cyclopropyl;

R^c is H or -CH₃;

each R³ is independently H, C₁₋₄ alkyl, -(CH₂)-C₃₋₆cycloalkyl, -(CH₂)-heterocyclyl wherein the heterocyclyl is a 5-6 membered ring have 1, 2, or 3 heteroatoms selected from N, O, and S, or -C(O)-C₁₋₃alkyl ; and

each R^e is independently H, -CH₃, -CF₃, or C₃₋₆ cycloalkyl.

8. The compound according to claims 1-7 or a salt thereof, wherein:



L¹ is -CH₂-, -CH₂CH₂-, -CH(CH₂OH)-, or -CH(OH)CH₂-;

R³ is H.

9. The compound according to claims 1-8, or salt thereof, wherein:

Ring B is phenyl, pyridinyl, pyrimidinyl, indolyl, or pyrrazolyl, indazolyl;
and

R² is phenyl, indolyl, pyridinyl, benzo[d]oxazol-2(3H)-onyl,
pyridin-2(1H)-onyl, or indazolyl.

10. A compound of claim 1, or salt thereof, wherein the compound is selected from:

- 5-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)(methyl)amino)methyl)pyridin-2-yl)-3-methylbenzo[d]oxazol-2(3H)-one;
- 1-(5-(((2-hydroxy-1-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)(methyl)amino)methyl)pyrimidin-2-yl)-1H-indazole-4-carbonitrile;
- 2-fluoro-4-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)pyridin-2-yl)benzonitrile;
- 5'-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-4-methyl-[2,2'-bipyridine]-5-carbonitrile;
- 6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-4-methylnicotinonitrile;
- 5-(1-hydroxy-2-(((1-(1-oxo-1,3-dihydroisobenzofuran-5-yl)-1H-indol-5-yl)methyl)amino)ethyl)-4-methylisobenzofuran-1(3H)-one;
- 5-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)(methyl)amino)methyl)pyrimidin-2-yl)-3-methylbenzo[d]oxazol-2(3H)-one;
- 3-fluoro-4'-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-[1,1'-biphenyl]-4-carbonitrile;
- 3-fluoro-4'-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)(pyridin-3-yl)methyl)amino)methyl)-[1,1'-biphenyl]-4-carbonitrile;
- 1-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)(methyl)amino)methyl)phenyl)-1H-indole-3-carbonitrile;
- 5-(5-(((2-hydroxy-1-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)(methyl)amino)methyl)pyrimidin-2-yl)-3-methylbenzo[d]oxazol-2(3H)-one;
- 3-fluoro-3'-(2-(((2-hydroxy-1-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)ethyl)-[1,1'-biphenyl]-4-carbonitrile;

5-(2-(((1-(4-fluorophenyl)-1H-indazol-5-yl)methyl)amino)-1-hydroxyethyl)-4-methylisobenzofuran-1(3H)-one;

5-(2-(((2-(1H-pyrazolo[4,3-b]pyridin-1-yl)pyrimidin-5-yl)methyl)(methyl)amino)-1-hydroxyethyl)-4-methylisobenzofuran-1(3H)-one;

1-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)(methyl)amino)methyl)pyrimidin-2-yl)-1H-indazole-4-carbonitrile;

2-fluoro-4-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)(methyl)amino)methyl)pyrimidin-2-yl)benzonitrile;

3-fluoro-4'-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-[1,1'-biphenyl]-4-carbonitrile;

2-fluoro-4-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)(methyl)amino)methyl)pyridin-2-yl)benzonitrile;

5'-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)(methyl)amino)methyl)-4-methyl-[2,2'-bipyridine]-5-carbonitrile;

5-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)pyridin-2-yl)-3-methylbenzo[d]oxazol-2(3H)-one;

1-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)(methyl)amino)methyl)pyridin-2-yl)-1H-indole-4-carbonitrile;

3-fluoro-4'-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)(methyl)amino)methyl)-[1,1'-biphenyl]-4-carbonitrile;

1-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)(methyl)amino)methyl)phenyl)-1H-indole-4-carbonitrile;

3-fluoro-4'-((methyl((1-oxo-1,3-dihydroisobenzofuran-5-yl)methyl)amino)methyl)-[1,1'-biphenyl]-4-carbonitrile;

1-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)(methyl)amino)methyl)phenyl)-1H-indole-5-carbonitrile;

6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)(methyl)amino)methyl)phenyl)-4-methylnicotinonitrile;

1-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)(methyl)amino)methyl)phenyl)-1H-indole-5-carbonitrile;

6-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)(methyl)amino

o)methyl)-1H-indol-1-yl)-4-methylnicotinonitrile;

N-((4'-cyano-3'-fluoro-[1,1'-biphenyl]-4-yl)methyl)-N-(2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)acetamide;

(R)-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-5-methoxy-1H-pyrazol-1-yl)-4-methylnicotinonitrile;

(R)-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-5-oxo-2,5-dihydro-1H-pyrazol-1-yl)-4-methylnicotinonitrile;

(R)-5-(4-(2-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)propan-2-yl)-1H-pyrazol-1-yl)-3-methylbenzo[d]oxazol-2(3H)-one;

N-(2-(1-(5-cyano-4-methylpyridin-2-yl)-1H-pyrazol-4-yl)ethyl)-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)acetamide;

(R)-N-(2-(((1-(5-cyano-4-methylpyridin-2-yl)-1H-pyrazol-4-yl)methyl)amino)-1-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)acetamide;

(R)-6-(2-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)pyrimidin-5-yl)-4-methylnicotinonitrile;

(R)-5-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)pyrazine-2-carbonitrile;

(R)-6-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1-methyl-1H-1,2,4-triazol-3-yl)-4-methylnicotinonitrile;

(R)-5-(1-hydroxy-2-((2-(4-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)-1H-pyrazol-1-yl)ethyl)amino)ethyl)-4-methylisobenzofuran-1(3H)-one;

(R)-1-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)-2-(((1-(3-methyl-2-oxo-2,3-dihydrobenzo[d]oxazol-5-yl)-1H-pyrazol-4-yl)methyl)amino)ethyl D-valinate;

(R)-1-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)pyrimidin-2-yl)-1H-imidazole-4-carbonitrile;

6-(4-(((2-(4-cyclopropyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)2-hydroxyethyl)amino)methyl)-1H-pyrazol-1-yl)-4-methylnicotinonitrile;

(R)-5-(2-(((2-(3,5-dimethyl-4H-1,2,4-triazol-4-yl)pyrimidin-5-yl)methyl)amino)-1-hydroxyethyl)-4-methylisobenzofuran-1(3H)-one;

(R)-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-2-methoxynicotinonitrile;

(R)-2-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-5-methylisonicotinonitrile;
 (R)-2-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-4-methylpyrimidine-5-carbonitrile;
 (R)-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-imidazol-1-yl)-4-methoxynicotinonitrile;
 (R)-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-2-methyl-1H-imidazol-1-yl)-4-methoxynicotinonitrile;
 (R)-5-(1-hydroxy-2-(((6-(4-methyl-1H-imidazol-1-yl)pyridazin-3-yl)methyl)amino)ethyl)-4-methylisobenzofuran-1(3H)-one;
 (R)-5-(1-hydroxy-2-(((1-(6-(methylsulfonyl)pyridin-3-yl)-1H-pyrazol-4-yl)methyl)amino)ethyl)-4-methylisobenzofuran-1(3H)-one;
 ((R)-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-indazol-1-yl)-4-methoxynicotinonitrile;
 (R)-6-(4-(((2-((2-hydroxyethyl)amino)-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-4-methylnicotinonitrile;
 (R)-6-(4-(((2-((2-methoxyethyl)amino)-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-4-methylnicotinonitrile;
 (R)-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-5-methyl-2H-1,2,3-triazol-2-yl)-4-methylnicotinonitrile;
 6-(4-(1-(((R)-2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)ethyl)-2H-1,2,3-triazol-2-yl)-4-methylnicotinonitrile;
 methyl (R)-(2-(((1-(5-cyano-4-methylpyridin-2-yl)-1H-pyrazol-4-yl)methyl)amino)-1-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)carbamate;
 (R)-N-(2-(((1-(5-cyano-4-methylpyridin-2-yl)-1H-pyrazol-4-yl)methyl)amino)-1-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)methanesulfonamide;
 (R)-N-(2-(((1-(5-cyano-4-methylpyridin-2-yl)-1H-pyrazol-4-yl)methyl)amino)-1-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)cyclopropanesulfonamide;
 (R)-N-(2-(((1-(5-cyano-4-methylpyridin-2-yl)-1H-pyrazol-4-yl)methyl)amino)-1-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)-2-hydroxyacetamide;
 (R)-4-methyl-6-(4-(((2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)-2-

(methylamino)ethyl)amino)methyl)-1H-pyrazol-1-yl)nicotinonitrile;
 (R)-N-(2-(((1-(5-cyano-4-methylpyridin-2-yl)-1H-pyrazol-4-yl)methyl)amino)-1-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)-N-methylmethanesulfonamide;
 (R)-6-(4-(((2-(1,1-dioxidoisothiazolidin-2-yl)-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-4-methylnicotinonitrile;
 (R)-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-1,2,3-triazol-1-yl)-2-methoxy-4-methylnicotinonitrile;
 (R)-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-imidazol-1-yl)-2,4-dimethylnicotinonitrile;
 (R)-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-1,2,3-triazol-1-yl)-2,4-dimethylnicotinonitrile;
 (R)-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-4-methoxy-2-methylnicotinonitrile;
 (R)-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-2,4-dimethylnicotinonitrile;
 (R)-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-2,4-dimethylnicotinonitrile;
 (R)-5-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-3-methylpicolinonitrile;
 (R)-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-3-methyl-1H-pyrazol-1-yl)-4-methylnicotinonitrile;
 (R)-5-(1-hydroxy-2-(((1-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)-1H-pyrazol-4-yl)methyl)amino)ethyl)-4-methylisobenzofuran-1(3H)-one;
 (R)-5-(1-hydroxy-2-(((4-methyl-6-(4-methyl-1H-imidazol-1-yl)pyridin-3-yl)methyl)amino)ethyl)-4-methylisobenzofuran-1(3H)-one;
 (R)-5-(1-hydroxy-2-(((2-methyl-6-(4-methyl-1H-imidazol-1-yl)pyridin-3-yl)methyl)amino)ethyl)-4-methylisobenzofuran-1(3H)-one;
 (R)-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-5-methylnicotinonitrile;
 (R)-5-(2-(((1-([1,2,4]triazolo[4,3-b]pyridazin-6-yl)-1H-pyrazol-4-yl)methyl)amino)-1-

hydroxyethyl)-4-methylisobenzofuran-1(3H)-one;
 (R)-5-(1-hydroxy-2-(((1-(2-methoxypyridin-4-yl)-1H-pyrazol-4-yl)methyl)amino)ethyl)-
 4-methylisobenzofuran-1(3H)-one;
 (R)-5-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-
 yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-3-methylbenzo[d]oxazol-2(3H)-one;
 (R)-5'-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-
 yl)ethyl)amino)methyl)-4,6'-dimethoxy-[2,2'-bipyridine]-5-carbonitrile;
 (R)-5-(2-(((5-fluoro-6-(4-methyl-1H-imidazol-1-yl)pyridin-3-yl)methyl)amino)-1-
 hydroxyethyl)-4-methylisobenzofuran-1(3H)-one;
 (R)-5-(6-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-
 yl)ethyl)(methyl)amino)methyl)pyridin-3-yl)-3-methylbenzo[d]oxazol-2(3H)-one;
 6-(4-(((R)-2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-
 yl)ethyl)((tetrahydrofuran-3-yl)methyl)amino)methyl)-1H-pyrazol-1-yl)-4-
 methylnicotinonitrile;
 (R)-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-
 yl)ethyl)amino)methyl)-1-methyl-1H-imidazol-2-yl)-4-methylnicotinonitrile;
 (R)-2-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-
 yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-4,6-dimethylpyrimidine-5-carbonitrile;
 (R)-5-(2-(((2-(4,5-dimethyl-1H-imidazol-1-yl)pyrimidin-5-yl)methyl)amino)-1-
 hydroxyethyl)-4-methylisobenzofuran-1(3H)-one;
 (R)-5-(1-hydroxy-2-(((4-methoxy-6-(4-methyl-1H-imidazol-1-yl)pyridin-3-
 yl)methyl)amino)ethyl)-4-methylisobenzofuran-1(3H)-one;
 (R)-5-(2-(((2-(5-(difluoromethyl)-4-methyl-1H-imidazol-1-yl)pyrimidin-5-
 yl)methyl)amino)-1-hydroxyethyl)-4-methylisobenzofuran-1(3H)-one;
 6-(4-(((1-hydroxy-1-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)propan-2-
 yl)amino)methyl)-1H-1,2,3-triazol-1-yl)-4-methoxynicotinonitrile;
 (R)-1-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-
 yl)ethyl)amino)methyl)pyridin-2-yl)-4-methyl-1H-pyrazole-3-carbonitrile;
 (R)-6-(3-(difluoromethyl)-4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-
 5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-4-methylnicotinonitrile;
 (R)-1-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-

yl)ethyl)amino)methyl)pyrimidin-2-yl)-4-methyl-1H-pyrazole-3-carbonitrile;
 (R)-5-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl)-3-methylbenzo[d]oxazol-2(3H)-one;
 (R)-5-(1-hydroxy-2-(((2-(4-(trifluoromethyl)-1H-imidazol-1-yl)pyrimidin-5-yl)methyl)amino)ethyl)-4-methylisobenzofuran-1(3H)-one;
 (R)-6-(3-cyclopropyl-4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-4-methylnicotinonitrile;
 ethyl (R)-1-(5-cyano-4-methylpyridin-2-yl)-4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazole-3-carboxylate;
 (R)-5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-4'-methyl-2-oxo-2H-[1,2'-bipyridine]-5'-carbonitrile;
 (R)-5-(3-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1-methyl-1H-pyrazol-5-yl)-3-methylbenzo[d]oxazol-2(3H)-one;
 (R)-5-(2-(((6-(1H-1,2,4-triazol-1-yl)pyridin-3-yl)methyl)amino)-1-hydroxyethyl)-4-methylisobenzofuran-1(3H)-one;
 (R)-5-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1-methyl-1H-pyrazol-3-yl)-3-methylbenzo[d]oxazol-2(3H)-one;
 (R)-3-ethyl-1-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)pyridin-2-yl)-1H-pyrazole-4-carbonitrile;
 (R)-1-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)pyridin-2-yl)-3-methoxy-1H-pyrazole-4-carbonitrile;
 (R)-1-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)pyrimidin-2-yl)-3-methyl-1H-pyrazole-4-carbonitrile;
 (R)-5-(1-hydroxy-2-(((2-(4-methyl-1H-imidazol-1-yl)pyrimidin-5-yl)methyl)amino)ethyl)-4-methylisobenzofuran-1(3H)-one;
 (R)-7-fluoro-5-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-3-methylbenzo[d]oxazol-2(3H)-one carbonitrile;

(R)-5-(1-hydroxy-2-(((6-(4-methyl-1H-imidazol-1-yl)pyridin-3-yl)methyl)amino)ethyl)-4-methylisobenzofuran-1(3H)-one;

(R)-5-(2-(((6-(1H-imidazol-1-yl)pyridin-3-yl)methyl)amino)-1-hydroxyethyl)-4-methylisobenzofuran-1(3H)-one;

(R)-1-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)pyrimidin-2-yl)-3-(trifluoromethyl)-1H-pyrazole-4-carbonitrile;

(R)-5-(1-hydroxy-2-(((6-(2-methylthiazol-5-yl)pyridin-3-yl)methyl)amino)ethyl)-4-methylisobenzofuran-1(3H)-one;

(R)-5-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-7-methoxy-3-methylbenzo[d]oxazol-2(3H)-one;

(R)-1-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)pyrimidin-2-yl)-3-methoxy-1H-pyrazole-4-carbonitrile;

(R)-3-ethyl-1-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)pyrimidin-2-yl)-1H-pyrazole-4-carbonitrile;

(R)-3-(difluoromethyl)-1-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)pyrimidin-2-yl)-1H-pyrazole-4-carbonitrile;

(R)-3-cyclopropyl-1-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)pyridin-2-yl)-1H-pyrazole-4-carbonitrile;

(R)-3-cyclopropyl-1-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)pyrimidin-2-yl)-1H-pyrazole-4-carbonitrile;

(R)-5-(1-hydroxy-2-(((6-(4-methyl-1H-1,2,3-triazol-1-yl)pyridin-3-yl)methyl)amino)ethyl)-4-methylisobenzofuran-1(3H)-one;

(R)-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-4-(pyrrolidin-1-yl)nicotinonitrile;

(R)-5-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)pyridin-3-yl)-3-methylbenzo[d]oxazol-2(3H)-one;

(R)-5-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)benzo[d]oxazol-2(3H)-one;

(R)-6-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-

yl)ethyl)amino)methyl)pyridin-2-yl)-2-methylpyridazin-3(2H)-one;
 (R)-5-(1-hydroxy-2-(((2-(3-methyl-1H-1,2,4-triazol-1-yl)pyrimidin-5-yl)methyl)amino)ethyl)-4-methylisobenzofuran-1(3H)-one;
 (R)-5-(1-hydroxy-2-(((6-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)methyl)amino)ethyl)-4-methylisobenzofuran-1(3H)-one;
 (R)-3-ethyl-5-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)benzo[d]oxazol-2(3H)-one;
 (R)-5-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-imidazol-2-yl)-3-methylbenzo[d]oxazol-2(3H)-one;
 (R)-5-(1-hydroxy-2-(((6-(5-methyl-2H-tetrazol-2-yl)pyridin-3-yl)methyl)amino)ethyl)-4-methylisobenzofuran-1(3H)-one;
 (R)-6-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)thiazol-2-yl)-4-methylnicotinonitrile;
 (R)-6-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)thiazol-2-yl)-4-methoxynicotinonitrile;
 (R)-5'-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-4-methoxy-[2,2'-bipyridine]-5-carbonitrile;
 (R)-1-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)pyridin-2-yl)-1H-imidazole-4-carbonitrile;
 (R)-1-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)pyridin-2-yl)-1H-1,2,4-triazole-3-carbonitrile;
 (R)-5-(6-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)pyridin-2-yl)-3-methylbenzo[d]oxazol-2(3H)-one;
 (R)-6-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)pyrimidin-2-yl)-4-methoxynicotinonitrile;
 (R)-5-(5-((ethyl(2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)pyridin-2-yl)-3-methylbenzo[d]oxazol-2(3H)-one;
 (R)-N-(2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)-2-(3-methyl-2-oxo-2,3-dihydrobenzo[d]oxazol-5-yl)thiazole-5-carboxamide;
 (R)-6-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)isoxazol-3-yl)-4-methoxynicotinonitrile;

(R)-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-1,2,3-triazol-1-yl)-4-methoxynicotinonitrile;

(R)-5-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-1,2,3-triazol-1-yl)-3-methylbenzo[d]oxazol-2(3H)-one;

(R)-6-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)isoxazol-3-yl)-4-methylnicotinonitrile;

(R)-5-(1-hydroxy-2-(((5-(4-methyl-1H-imidazol-1-yl)pyrazin-2-yl)methyl)amino)ethyl)-4-methylisobenzofuran-1(3H)-one;

(R)-N-(2-(((1-(5-cyano-4-methylpyridin-2-yl)-1H-pyrazol-4-yl)methyl)amino)-1-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)cyclopropanecarboxamide;

(R)-3-(2-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)pyridin-4-yl)oxazolidin-2-one;

(R)-2-(((1-(5-cyano-4-methylpyridin-2-yl)-1H-pyrazol-4-yl)methyl)amino)-1-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl methylcarbamate;

(R)-5-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-3-methyloxazolo[4,5-b]pyridin-2(3H)-one;

(R)-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-4-(methylamino)nicotinonitrile;

(R)-6-(4-(((2-methoxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-4-methylnicotinonitrile;

(R)-4-cyclopropyl-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)nicotinonitrile;

(R)-5-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-imidazol-1-yl)-3,4-dimethylbenzo[d]oxazol-2(3H)-one;

(R)-6-(4-(((2-hydroxy-2-(4-methoxy-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-4-methoxynicotinonitrile;

(R)-1-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)pyridin-2-yl)-1H-pyrazole-3-carbonitrile;

(R)-4-ethoxy-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)nicotinonitrile;

(R)-5-(2-(((2-(2-cyclopropyl-4-methyl-1H-imidazol-1-yl)pyrimidin-5-yl)methyl)amino)-

1-hydroxyethyl)-4-methylisobenzofuran-1(3H)-one;
 (R)-1-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)pyridin-2-yl)-1H-pyrazole-4-carboxamide;
 (R)-4-ethoxy-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-2H-1,2,3-triazol-2-yl)nicotinonitrile;
 (R)-4-ethoxy-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-1,2,3-triazol-1-yl)nicotinonitrile;
 (R)-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-4-isopropoxynicotinonitrile;
 (R)-3-(3-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)phenyl)oxazolidin-2-one;
 (R)-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-3-methyl-2-oxo-2,3-dihydro-1H-imidazol-1-yl)-4-methylnicotinonitrile;
 (R)-4-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)benzonitrile;
 (R)-3-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)benzonitrile;
 (R)-5-(5-(((cyclopropylmethyl)(2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)pyridin-2-yl)-3-methylbenzo[d]oxazol-2(3H)-one;
 (R)-5-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)(4,4,4-trifluorobutyl)amino)methyl)pyridin-2-yl)-3-methylbenzo[d]oxazol-2(3H)-one;
 (R)-5-(2-(((1-(2,6-dimethylpyridin-4-yl)-1H-pyrazol-4-yl)methyl)amino)-1-hydroxyethyl)-4-methylisobenzofuran-1(3H)-one;
 (R)-5-(1-hydroxy-2-(((1-(pyrazin-2-yl)-1H-pyrazol-4-yl)methyl)amino)ethyl)-4-methylisobenzofuran-1(3H)-one;
 (R)-5-(1-hydroxy-2-(((1-(1-methyl-1H-pyrrolo[2,3-b]pyridin-4-yl)-1H-pyrazol-4-yl)methyl)amino)ethyl)-4-methylisobenzofuran-1(3H)-one;
 (R)-6-(4-(((2-fluoro-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-4-methylnicotinonitrile;
 (R)-6-(3-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-

yl)ethyl)amino)methyl)-1H-pyrrolo[3,2-b]pyridin-1-yl)-4-methylnicotinonitrile;
 (R)-6-(3-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrrolo[2,3-b]pyridin-1-yl)-4-methylnicotinonitrile;
 6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)propyl)amino)methyl)-1H-pyrazol-1-yl)-4-methylnicotinonitrile;
 (R)-3-(6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)pyridin-3-yl)-4-methyl-1,2,4-oxadiazol-5(4H)-one;
 6-(4-(((2-(3,4-dimethyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)-2-hydroxyethyl)amino)methyl)-1H-pyrazol-1-yl)-4-methylnicotinonitrile;
 (R)-6-(4-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-4-methoxynicotinonitrile;
 (R)-6-(4-(((2-(dimethylamino)-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)-1H-pyrazol-1-yl)-4-methylnicotinonitrile;
 (R)-3-(difluoromethoxy)-1-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)pyridin-2-yl)-1H-pyrazole-4-carbonitrile;
 6-(4-(((1-hydroxy-1-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)propan-2-yl)amino)methyl)-1H-pyrazol-1-yl)-4-methylnicotinonitrile;
 ((R)-1-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)pyridin-2-yl)-1H-pyrazole-4-carbonitrile; and
 (R)-1-(5-(((2-hydroxy-2-(4-methyl-1-oxo-1,3-dihydroisobenzofuran-5-yl)ethyl)amino)methyl)pyridin-2-yl)-3-methyl-1H-pyrazole-4-carbonitrile.

11. A compound selected from

5-[5-[[[2-hydroxy-2-(3-methyl-2-oxo-1,3-benzoxazol-5-yl)ethyl]-methyl-amino]methyl]-2-pyridyl]-3-methyl-1,3-benzoxazol-2-one; and
 2-fluoro-4-(5-(((2-hydroxy-2-(3-methyl-2-oxo-2,3-dihydrobenzo[d]oxazol-5-yl)ethyl)(methyl)amino)methyl)pyridin-2-yl)benzonitrile;
 or a salt thereof.

12. A pharmaceutical composition comprising one or more compounds according to claims 1 to 11, or a salt thereof; and a pharmaceutically acceptable carrier or diluent.
13. A compound according to claims 1-11 for use in therapy in treating of cardiovascular disease.
14. The compound according to claim 13, wherein said disease is selected from hypertension, coronary heart disease, stroke, heart failure, systolic heart failure, diastolic heart failure, diabetic heart failure, acute-decompensated heart failure, post-operative volume overload, idiopathic edema, pulmonary hypertension, pulmonary arterial hypertension, cardiac insufficiency, nephrotic syndrome, and acute kidney insufficiency.
15. Use of a compound according to any one of claims 1-11 in the manufacture of a medicament for the treatment of cardiovascular disease.
16. A compound according to any one of claims 1-11 for use in prophylaxis and/or treatment of diuresis or natriuresis.
17. Use of compound according to any one of claims 1-11 in the manufacture of a medicament for the prophylaxis and/or treatment of diuresis or natriuresis.