
CLAIMS

What is claimed is:

1. A compound of Formula (I):




(I)


or stereoisomers, tautomer, solvates or salts thereof, wherein:


one of Q_1 and Q_2 is A and the other of Q_1 and Q_2 is R_5;

G is:


(i) phenyl substituted with 1 to 2 substituents independently selected from F, Cl, Br, –CN, C_{1-3} alkyl, C_{1-2} fluoroalkyl, C_{1-3} alkoxy, C_{1-2} fluoroalkoxy, C_{3-6} cycloalkyl, $-NR_xR_x$,$-C(O)NR_yR_y$, $-S(O)_2(C_{1-3}$ alkyl), $-S(O)_2$(phenyl), $-S(O)_2NR_xR_x$, $-NR_xS(O)_2(C_{1-3}$ alkyl), $-S(O)(NH)NR_xR_x$, and $-P(O)(OCH_2CH_3)_2$;


((ii)  ;


(iii)  ;






















(iv)  ;






(v) a 9-membered heterocyclic ring selected from:







































5 





and 
; or

(vi) 10-membered heterocyclic ring selected from:









and ;

A is piperidinyl, phenyl, pyridinyl, pyrimidinyl, 6-azabicyclo[3.2.1]octanyl, or azabicyclo[3.2.1]octanyl, each substituted with –L–R_4 and zero to 3 R_{4b};

L is a bond, –$(CR_xR_x)_{1–2}$–, –O–, or –$C(O)(CR_xR_x)_{0-2}$–;

R_1 is hydrogen, C_{1-3} alkyl, C_{1-2} fluoroalkyl, or C_{3-4} cycloalkyl;

each R_2 is independently halo, –CN, –OH, –NO_2, $C_{1–4}$ alkyl, $C_{1–2}$ fluoroalkyl, $C_{1–2}$ cyanoalkyl, $C_{1–3}$ hydroxyalkyl, $C_{1–3}$ aminoalkyl, –$O(CH_2)_{1–2}OH$, –$(CH_2)_{0–4}O(C_{1–4}$ alkyl), $C_{1–3}$ fluoroalkoxy, –$(CH_2)_{1–4}O(C_{1–3}$ alkyl), –$O(CH_2)_{1–2}OC(O)(C_{1–3}$ alkyl), –$O(CH_2)_{1–2}NR_xR_x$, –$C(O)O(C_{1–3}$ alkyl), –$(CH_2)_{0–2}C(O)NR_yR_y$, –$C(O)NR_x(C_{1–5}$ hydroxyalkyl), –$C(O)NR_x(C_{2–6}$ alkoxyalkyl), –$C(O)NR_x(C_{3–6}$ cycloalkyl), –NR_yR_y, –$NR_y(C_{1–3}$ fluoroalkyl), –$NR_y(C_{1–4}$ hydroxyalkyl), –NR_xCH_2(phenyl), –$NR_xS(O)_2(C_{3–6}$ cycloalkyl), –$NR_xC(O)(C_{1–3}$ alkyl), –$NR_xCH_2(C_{3–6}$ cycloalkyl), –$S(O)_2(C_{1–3}$ alkyl), –$S(O)_2N(C_{1-3}$ alkyl)$_2$, –$S(O)(NH)N(C_{1-3}$ alkyl)$_2$, –$(CH_2)_{0–2}(C_{3–6}$ cycloalkyl), –$(CH_2)_{0–2}$(phenyl), morpholinyl, dioxothiomorpholinyl, dimethyl pyrazolyl, methylpiperidinyl, methylpiperazinyl, amino-oxadiazolyl, imidazolyl, triazolyl, or –C(O)(thiazolyl);

R_{2a} is $C_{1–6}$ alkyl, $C_{1–3}$ fluoroalkyl, $C_{1–6}$ hydroxyalkyl, $C_{1–3}$ aminoalkyl, –$(CH_2)_{0–4}O(C_{1–3}$ alkyl), $C_{3–6}$ cycloalkyl, –$(CH_2)_{1–3}C(O)NR_xR_x$, –$CH_2(C_{3–6}$ cycloalkyl), –CH_2(phenyl), tetrahydrofuranyl, tetrahydropyranyl, or phenyl;

each R_{2b} is independently hydrogen, halo, –CN, –NR_xR_x, $C_{1–6}$ alkyl, $C_{1–3}$ fluoroalkyl, $C_{1–3}$ hydroxyalkyl, $C_{1–3}$ fluoroalkoxy, –$(CH_2)_{0–2}O(C_{1–3}$ alkyl), –$(CH_2)_{0–3}C(O)NR_xR_x$, –$(CH_2)_{1–3}(C_{3-6}$ cycloalkyl), –$C(O)O(C_{1–3}$ alkyl), –$C(O)NR_x(C_{1–3}$ alkyl),

$-CR_x=CR_xR_x$, or $-CR_x=CH(C_{3-6}$ cycloalkyl);


R_{2c} is R_{2a} or R_{2b};

R_{2d} is R_{2a} or R_{2b}; provided that one of R_{2c} and R_{2d} is R_{2a}, and the other of R_{2c} and R_{2d} is R_{2b};

R_4 is:

(i) $-N(CH_3)_2$;

(ii) pyrrolidinyl, piperidinyl, piperazinyl, or pyridinyl, each substituted with zero to 2 R_{4a}; or

(iii) 

;

each R_{4a} is independently C_{1-6} alkyl, C_{1-3} fluoroalkyl, $-(CH_2)_{1-2}O(C_{1-2}$ alkyl), C_{3-6} cycloalkyl, $-CH_2(C_{3-6}$ cycloalkyl), $-CH_2$(oxetanyl), $-C(O)(C_{1-4}$ alkyl), $-C(O)(C_{3-6}$ cycloalkyl), $-C(O)$(phenyl), $-C(O)CH_2(C_{3-6}$ cycloalkyl), $-C(O)CH_2$(phenyl), $-C(O)O(C_{1-4}$ alkyl), $-NR_x(C_{1-3}$ alkyl), $-NR_x(C_{3-6}$ cycloalkyl), azetidinyl, oxetanyl, tetrahydropyranyl, pyrrolidinyl, phenyl, or piperidinyl substituted with zero to 2 substituents selected from $-OH$ or $-CH_3$;

R_{4b} is F, Cl, or $-CH_3$;

each R_{4c} is independently C_{1-6} alkyl, C_{1-3} fluoroalkyl, $-CH_2(C_{3-6}$ cycloalkyl), $-C(O)(C_{1-4}$ alkyl), $-C(O)$(phenyl), $-C(O)CH_2$(phenyl), $-C(O)OCH_2CH_3$, or C_{3-6} cycloalkyl;

each R_5 is independently hydrogen, F, Cl, C_{1-2} alkyl, C_{1-2} fluoroalkyl, or cyclopropyl;

each R_x is independently hydrogen or $-CH_3$;

each R_y is independently hydrogen or C_{1-6} alkyl;

m is zero, 1, or 2;

n is zero, 1, or 2;

p is zero, 1, 2, 3, or 4; and

q is 1 or 2.




2. The compound according to claim 1 or stereoisomers, tautomer, solvates or salts thereof, wherein Q_1 is R_5 and Q_2 is A.



3. The compound according to claim 1 or stereoisomers, tautomer, solvates or salts thereof, wherein Q_1 is A and Q_2 is R_5.





4. The compound according to claim 1 or stereoisomers, tautomer, solvates or salts thereof, wherein:

G is:





(i) phenyl substituted with 1 to 2 substituents independently selected from F, Cl, Br, –CN, $–CH_3$, $–OCH_3$, $–OCHF_2$, $–OCF_3$, cyclopropyl, $–C(O)NR_yR_y$, $–N(CH_3)_2$, $–S(O)_2CH_3$, $–S(O)_2$(phenyl), $–S(O)_2NR_xR_x$, $–NHS(O)_2CH_3$, $–S(O)(NH)NR_xR_x$, and $–P(O)(OCH_2CH_3)_2$;



(ii)   or  ;

(iii)  or  ;






(iv)     ; or

(v) a 9-membered heterocyclic ring selected from:

 and  ; or

(vi) 10-membered heterocyclic ring selected from:





and

;

A is piperidinyl, phenyl, pyridinyl, pyrimidinyl, or azabicyclo[3.2.1]octanyl, each substituted with –L–R_4 and zero to 2 R_{4b};

L is a bond, –CH_2–, –CH_2CH_2–, –O–, or –C(O)$(CH_2)_{0-2}$–;

R_1 is hydrogen, C_{1-3} alkyl, or C_{1-2} fluoroalkyl;


each R_2 is independently F, Cl, –CN, –OH, $C_{1–3}$ alkyl, $C_{1–2}$ fluoroalkyl, $C_{1–2}$ cyanoalkyl, $C_{1–3}$ hydroxyalkyl, $C_{1–2}$ aminoalkyl, –$(CH_2)_{0–2}$O($C_{1–3}$ alkyl), $C_{3–6}$ cycloalkyl, –NR_xR_x, –$(CH_2)_{0–2}$C(O)NR_xR_x, –CH_2($C_{3–6}$ cycloalkyl), –CH_2(phenyl), or phenyl;

R_{2a} is $C_{1–4}$ alkyl, $C_{1–2}$ fluoroalkyl, $C_{1–4}$ hydroxyalkyl, –$(CH_2)_{1–3}OCH_3$, $C_{3–6}$ cycloalkyl, –CH_2C(O)NR_xR_x, –CH_2($C_{3–6}$ cycloalkyl), –CH_2(phenyl), tetrahydrofuranyl, or phenyl;

each R_{2b} is independently hydrogen, F, Cl, –CN, –NR_xR_x, $C_{1–6}$ alkyl, $C_{1–2}$ fluoroalkyl, $C_{1–3}$ hydroxyalkyl, –$(CH_2)_{0–2}$O($C_{1–2}$ alkyl), –$(CH_2)_{0–2}$C(O)NR_xR_x, –$(CH_2)_{1–3}$(cyclopropyl), –C(O)O($C_{1–2}$ alkyl), –C(O)NR_x($C_{1–3}$ alkyl), –CR_x=CH_2, or –CH=CH($C_{3–6}$ cycloalkyl);

R_4 is:

(i) pyrrolidinyl, piperidinyl, piperazinyl, pyridinyl, azaspiro[3.3]heptanyl, or azabicyclo[3.2.1]octanyl, each substituted with zero to 2 R_{4a}; or

(ii) 

each R_{4a} is independently C_{1-6} alkyl, C_{1-3} fluoroalkyl, –$(CH_2)_{1–2}OCH_3$, C_{3-6} cycloalkyl, –CH_2(C_{3-6} cycloalkyl), –CH_2(oxetanyl), –C(O)(C_{1-4} alkyl), –C(O)(C_{3-6} cycloalkyl), –C(O)(phenyl), –C(O)CH_2(C_{3-6} cycloalkyl), –C(O)CH_2(phenyl), –C(O)O(C_{1-4} alkyl),

$-NR_x(C_{1-3}$ alkyl), $-NR_x$(cyclopropyl), azetidinyl, oxetanyl, tetrahydropyranyl, pyrrolidinyl, phenyl, or piperidinyl substituted with zero to 2 substituents selected from $-OH$ or $-CH_3$;

R_{4b} is F or $-CH_3$;




each R_{4c} is independently C_{1-6} alkyl, C_{1-3} fluoroalkyl, $-CH_2(C_{3-6}$ cycloalkyl), $-C(O)(C_{1-4}$ alkyl), $-C(O)$(phenyl), $-C(O)CH_2$(phenyl), $-C(O)OCH_2CH_3$, or C_{3-6} cycloalkyl; and

each R_5 is independently hydrogen, F, Cl, C_{1-2} alkyl, C_{1-2} fluoroalkyl, or cyclopropyl.





5. The compound according to claim 1 or stereoisomers, tautomer, solvates or salts thereof, wherein:



G is:

(i) phenyl substituted with zero to 2 substituents independently selected from F, Cl, Br, $-CN$, $-CH_3$, $-OCH_3$, $-OCHF_2$, $-OCF_3$, cyclopropyl, $-N(CH_3)_2$, $-S(O)_2CH_3$, $-S(O)_2$(phenyl), $-NHS(O)_2CH_3$, and $-P(O)(OCH_2CH_3)_2$;





(ii)   or ;


(iii) a 9-membered heterocyclic ring selected from:

 and ; or

(iv) 10-membered heterocyclic ring selected from:

    and



;

A is piperidinyl, phenyl, pyridinyl, or azabicyclo[3.2.1]octanyl, each substituted with –L–R_4 and zero to 2 R_{4b};

L is a bond, –CH_2–, –CH_2CH_2–, or –O–;

R_1 is hydrogen, –CH_3, –CH_2CH_3, –$CH(CH_3)_2$, –CH_2CHF_2, or cyclopropyl;

each R_2 is independently F, –CH_3, or –OCH_3;

R_4 is pyrrolidinyl, piperidinyl, piperazinyl, azepanyl, diazepanyl, pyridinyl, azaspiro[3.3]heptanyl, azabicyclo[3.2.1]octanyl, diazaspiro[3.3]heptanyl, or hexahydropyrrolo[3,4-c]pyrrolyl, each substituted with zero to 2 R_{4a};

R_{4a} is independently –CH_3, –CH_2CH_3, –$CH(CH_3)_2$, –$CH_2CH(CH_3)_2$, –$CH_2CH_2OCH_3$, –$C(O)CH(CH_3)_2$, cyclopropyl, cyclobutyl, –CH_2(cyclopropyl), –CH_2(cyclobutyl), –CH_2(oxetanyl), –$N(CH_3)_2$, –$N(CH_3)(CH_2CH_3)$, –$N(CH_3)$(cyclopropyl), azetidinyl, oxetanyl, tetrahydropyranyl, pyrrolidinyl, phenyl, or piperidinyl substituted with zero to 2 substituents selected from –OH or –CH_3; and

each R_5 is independently hydrogen, –CH_3, or –CF_3.

6. The compound according to claim 5 or stereoisomers, tautomer, solvates or salts thereof, wherein:

Q_1 is R_5;

Q_2 is A.

7. The compound according to claim 1 or stereoisomers, tautomer, solvates or salts thereof, wherein:

Q_1 is A;

Q_2 is R_5;

G is dimethoxyphenyl;

A is piperidinyl substituted with –L–R_4;

L is a bond;

R_1 is hydrogen, –CH_3, –CH_2CH_3, –$CH(CH_3)_2$, or –CH_2CHF_2;

each R_2 is independently F, $-CH_3$, or $-OCH_3$;

R_4 is piperidinyl substituted with R_{4a};

R_{4a} is independently $-CH(CH_3)_2$, $-CH_2CH(CH_3)_2$, or cyclopropyl; and

each R_5 is independently hydrogen or $-CF_3$.

8. The compound according to claim 1 or stereoisomers, tautomer, solvates or salts thereof, wherein said compound is:

2-(3,4-dimethoxyphenyl)-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-1-methyl-1H-benzo[d]imidazole (26);

6-(1'-cyclopropyl-[1,4'-bipiperidin]-4-yl)-2-(3,4-dimethoxyphenyl)-1-methyl-1H-benzo[d]imidazole (27);

2-(3,4-dimethoxyphenyl)-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (28);

6-(1'-cyclopropyl-[1,4'-bipiperidin]-4-yl)-2-(3,4-dimethoxyphenyl)-1H-benzo[d]imidazole (29);

2-(3,4-dimethoxyphenyl)-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-1-isopropyl-1H-benzo[d]imidazole (30);

6-(1'-cyclopropyl-[1,4'-bipiperidin]-4-yl)-2-(3,4-dimethoxyphenyl)-1-isopropyl-1H-benzo[d]imidazole (31);

1-(2,2-difluoroethyl)-2-(3,4-dimethoxyphenyl)-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (32);

6-(1'-cyclopropyl-[1,4'-bipiperidin]-4-yl)-1-(2,2-difluoroethyl)-2-(3,4-dimethoxyphenyl)-1H-benzo[d]imidazole (33);

2-(3,4-dimethoxyphenyl)-5-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-1-methyl-1H-benzo[d]imidazole (34);

5-(1'-cyclopropyl-[1,4'-bipiperidin]-4-yl)-2-(3,4-dimethoxyphenyl)-1-methyl-1H-benzo[d]imidazole (35);

2-(3,4-dimethoxyphenyl)-5-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-1-isopropyl-1H-benzo[d]imidazole (36);

5-(1'-cyclopropyl-[1,4'-bipiperidin]-4-yl)-2-(3,4-dimethoxyphenyl)-1-isopropyl-1H-benzo[d]imidazole (37);

1-(2,2-difluoroethyl)-2-(3,4-dimethoxyphenyl)-5-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (38);

5-(1'-cyclopropyl-[1,4'-bipiperidin]-4-yl)-1-(2,2-difluoroethyl)-2-(3,4-dimethoxyphenyl)-1H-benzo[d]imidazole (39);

2-(3,4-dimethoxyphenyl)-1-ethyl-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (40);

2-(3,4-dimethoxyphenyl)-1-ethyl-5-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (41);

2-(3,4-dimethoxyphenyl)-5-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-6-(trifluoromethyl)-1H-benzo[d]imidazole (42);

2-(3,4-dimethoxyphenyl)-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-1H-benzo[d]imidazole tris(2,2,2-trifluoroacetate) (43);

6-(1'-cyclopropyl-[1,4'-bipiperidin]-4-yl)-2-(3,4-dimethoxyphenyl)-4-methyl-1H-benzo[d]imidazole (44);

2-(3,4-dimethoxyphenyl)-6-(1'-isopropyl-[1,4'-bipiperidin]-4-yl)-1,4-dimethyl-1H-benzo[d]imidazole (45);

6-(1'-cyclopropyl-[1,4'-bipiperidin]-4-yl)-2-(3,4-dimethoxyphenyl)-1,4-dimethyl-1H-benzo[d]imidazole tris(2,2,2-trifluoroacetate) (46);

2-(3,4-dimethoxyphenyl)-6-(1-(2-isobutyl-2-azaspiro[3.3]heptan-6-yl)piperidin-4-yl)-1,4-dimethyl-1H-benzo[d]imidazole tris(2,2,2-trifluoroacetate) (47);

6-(1-(2-(cyclopropylmethyl)-2-azaspiro[3.3]heptan-6-yl)piperidin-4-yl)-2-(3,4-dimethoxyphenyl)-1,4-dimethyl-1H-benzo[d]imidazole (48);

6-(1-(2-cyclobutyl-2-azaspiro[3.3]heptan-6-yl)piperidin-4-yl)-2-(3,4-dimethoxyphenyl)-1,4-dimethyl-1H-benzo[d]imidazole (49);

2-(3,4-dimethoxyphenyl)-6-(8-(1-isobutylpiperidin-4-yl)-8-azabicyclo[3.2.1]octan-3-yl)-1,4-dimethyl-1H-benzo[d]imidazole (50);

6-(8-(1-cyclopropylpiperidin-4-yl)-8-azabicyclo[3.2.1]octan-3-yl)-2-(3,4-dimethoxyphenyl)-1,4-dimethyl-1H-benzo[d]imidazole (51);

6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (52);

6-(1'-cyclopropyl-[1,4'-bipiperidin]-4-yl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (53);

2-(3-fluoro-4-methoxyphenyl)-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-1,4-dimethyl-1H-benzo[d]imidazole (54);

6-(1'-cyclopropyl-[1,4'-bipiperidin]-4-yl)-2-(3-fluoro-4-methoxyphenyl)-1,4-dimethyl-1H-benzo[d]imidazole (55);

2-(3-fluoro-4-methoxyphenyl)-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-1H-benzo[d]imidazole (56);

6-(1'-cyclopropyl-[1,4'-bipiperidin]-4-yl)-2-(3-fluoro-4-methoxyphenyl)-4-methyl-1H-benzo[d]imidazole (57);

6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole tris(2,2,2-trifluoroacetate) (58);

4-(6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-1H-benzo[d]imidazol-2-yl) quinoline (59);

2-(2,6-dimethylpyridin-4-yl)-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-1H-benzo[d]imidazole (60);

6-(6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-1H-benzo[d]imidazol-2-yl)-8-methoxy-[1,2,4]triazolo[1,5-a]pyridine tris(2,2,2-trifluoroacetate) (61);

2-(2,3-dihydrobenzo[b][1,4]dioxin-6-yl)-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-1H-benzo[d]imidazole (62);

6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-2-(4-(trifluoromethoxy)phenyl)-1H-benzo[d]imidazole (63);

2-(3-chloro-4-methoxyphenyl)-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-1H-benzo[d]imidazole (64);

2-(2,2-difluorobenzo[d][1,3]dioxol-5-yl)-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-1H-benzo[d]imidazole tris(2,2,2-trifluoroacetate) (65);

2-(3-fluoro-4-(methylsulfonyl)phenyl)-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-1H-benzo[d]imidazole (66);

2-(3-bromo-4-(methylsulfonyl)phenyl)-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-1H-benzo[d]imidazole (67);

2-(4-cyclopropylphenyl)-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-1H-benzo[d]imidazole (68);

2-(4-(difluoromethoxy)-3-fluorophenyl)-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-1H-benzo[d]imidazole tris(2,2,2-trifluoroacetate) (69);

2-(6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-1H-benzo[d]imidazol-2-yl) benzo[d]thiazole tris(2,2,2-trifluoroacetate) (70);

4-(6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-1H-benzo[d]imidazol-2-yl)-3,5-dimethylisoxazole (71);

5-(6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-1H-benzo[d]imidazol-2-yl) quinoline tris(2,2,2-trifluoroacetate) (72);

2-(3-chloro-4-(trifluoromethoxy)phenyl)-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-1H-benzo[d]imidazole tris(2,2,2-trifluoroacetate) (73);

6-(6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-1H-benzo[d]imidazol-2-yl) isoquinoline (74);

6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-2-(4-(phenylsulfonyl)phenyl)-1H-benzo[d]imidazole tris(2,2,2-trifluoroacetate) (75);

2-(3-(difluoromethoxy)phenyl)-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-1H-benzo[d]imidazole (76);

7-(6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-1H-benzo[d]imidazol-2-yl) benzo[d]thiazole (77);

2-(4-(difluoromethoxy)phenyl)-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-1H-benzo[d]imidazole (78);

2-(6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-1H-benzo[d]imidazol-2-yl)thiazole (79);

6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-2-(2-(trifluoromethoxy)phenyl)-1H-benzo[d]imidazole tris(2,2,2-trifluoroacetate) (80);

6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-2-(1H-pyrrolo[2,3-b]pyridin-5-yl)-1H-benzo[d]imidazole (81);

8-(6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-4-methyl-1H-benzo[d]imidazol-2-yl) quinoline (82);

2-(3,4-dimethoxyphenyl)-4-fluoro-6-(1'-isopropyl-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (83);

6-(1-(8-isopropyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (84-85);

6-(4-(4-isopropylpiperazin-1-yl)phenyl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (86);

7-fluoro-6-(1'-isopropyl-[1,4'-bipiperidin]-4-yl)-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (87);

4-fluoro-5-(1'-isopropyl-[1,4'-bipiperidin]-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (88);

4-fluoro-5-(1-(8-isopropyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (89-90);

7-fluoro-5-(1'-isopropyl-[1,4'-bipiperidin]-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (91);

7-fluoro-5-(1-(8-isopropyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (92-93);

7-fluoro-6-(1-(8-isopropyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (94-95);

5-fluoro-6-(1'-isopropyl-[1,4'-bipiperidin]-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (96);

5-fluoro-6-(1-(8-isopropyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (97-98);

6-fluoro-5-(1'-isopropyl-[1,4'-bipiperidin]-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (99);

6-fluoro-5-(1-(8-isopropyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (100-101);

7-fluoro-6-(1'-isopropyl-[1,4'-bipiperidin]-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (102);

7-fluoro-6-(1-(8-isopropyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (103-104);

4-fluoro-6-(1'-isopropyl-[1,4'-bipiperidin]-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (105);

4-fluoro-6-(1-(8-isopropyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (106-107);

4-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-6-(1-(1-(oxetan-3-yl)azepan-4-yl) piperidin-4-yl)-1H-benzo[d]imidazole (108-109);

6-(1-(1-cyclobutylazepan-4-yl)piperidin-4-yl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (110-111);

4-(6-(1'-isopropyl-[1,4'-bipiperidin]-4-yl)-1,4-dimethyl-1H-benzo[d]imidazol-2-yl) benzenesulfonamide (112);

7-fluoro-6-(1-(1-isopropylazepan-4-yl)piperidin-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (113-114);

1-cyclopropyl-4-fluoro-6-(1'-isopropyl-[1,4'-bipiperidin]-4-yl)-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (115);

1-cyclopropyl-4-fluoro-6-(1-(8-isopropyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (116-117);

6-(1-(8-isobutyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (118);

6-(1'-isopropyl-[1,4'-bipiperidin]-4-yl)-1,7-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (119);

6-(1'-isopropyl-[1,4'-bipiperidin]-4-yl)-1,5-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (120);

6-(1-(8-isobutyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-4-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (121);

2-(3-fluoro-4-(methylsulfonyl)phenyl)-6-(1'-isopropyl-[1,4'-bipiperidin]-4-yl)-1,4-dimethyl-1H-benzo[d]imidazole (122);

6-(1-(8-cyclobutyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-2-(3-fluoro-4-(methylsulfonyl)phenyl)-1,4-dimethyl-1H-benzo[d]imidazole (123-124);

6-(6-(1'-isopropyl-[1,4'-bipiperidin]-4-yl)-1,4-dimethyl-1H-benzo[d]imidazol-2-yl)-8-methoxy-[1,2,4]triazolo[1,5-a]pyridine (125);

6-(6-(1-(8-isobutyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1,4-dimethyl-1H-benzo[d]imidazol-2-yl)-8-methoxy-[1,2,4]triazolo[1,5-a]pyridine (126);

2-(3,4-dimethoxyphenyl)-4-fluoro-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (127);

6-(1'-cyclopropyl-[1,4'-bipiperidin]-4-yl)-2-(3,4-dimethoxyphenyl)-4-fluoro-1H-benzo[d]imidazole (128);

2-(3,4-dimethoxyphenyl)-5-fluoro-6-(1'-isopropyl-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (129);

2-(3,4-dimethoxyphenyl)-5-fluoro-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (130);

6-(1'-cyclopropyl-[1,4'-bipiperidin]-4-yl)-2-(3,4-dimethoxyphenyl)-5-fluoro-1H-benzo[d]imidazole (131);

2-(3,4-dimethoxyphenyl)-7-fluoro-6-(1'-isopropyl-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (132);

2-(3,4-dimethoxyphenyl)-7-fluoro-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (133);

6-(1-(1-isopropylazepan-4-yl)piperidin-4-yl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (134);

6-(1-(1-cyclobutylazepan-4-yl)piperidin-4-yl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (135);

6-(1-(1-isobutylazepan-4-yl)piperidin-4-yl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (136);

6-(1-(1-(cyclopropylmethyl)azepan-4-yl)piperidin-4-yl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (137);

6-(1-(1-(cyclobutylmethyl)azepan-4-yl)piperidin-4-yl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (138);

6-(1-(2-isopropyl-2-azaspiro[3.3]heptan-6-yl)piperidin-4-yl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (139);

6-(1-(2-cyclobutyl-2-azaspiro[3.3]heptan-6-yl)piperidin-4-yl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (140);

6-(1-(2-isobutyl-2-azaspiro[3.3]heptan-6-yl)piperidin-4-yl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (141);

6-(1-(2-(cyclopropylmethyl)-2-azaspiro[3.3]heptan-6-yl)piperidin-4-yl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (142);

6-(1-(2-(cyclobutylmethyl)-2-azaspiro[3.3]heptan-6-yl)piperidin-4-yl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (143);

2-(3,4-dimethoxyphenyl)-6-(1-(8-isopropyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1,4-dimethyl-1H-benzo[d]imidazole (144-145);

6-(1-(8-cyclobutyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-2-(3,4-dimethoxyphenyl)-1,4-dimethyl-1H-benzo[d]imidazole (146-147);

6-(1-(8-(cyclopropylmethyl)-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-2-(3,4-dimethoxyphenyl)-1,4-dimethyl-1H-benzo[d]imidazole (148-149);

6-(1-(8-(cyclobutylmethyl)-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-2-(3,4-dimethoxyphenyl)-1,4-dimethyl-1H-benzo[d]imidazole (150-151);

6-(1-(8-cyclobutyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (152-153);

6-(1-(8-(cyclopropylmethyl)-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (154-155);

6-(1-(8-(cyclobutylmethyl)-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (156-157);

1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-6-(1-(8-(oxetan-3-yl)-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1H-benzo[d]imidazole (158-159);

1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-6-(1-(8-(tetrahydro-2H-pyran-4-yl)-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1H-benzo[d]imidazole (160-161);

6-(1-(8-(2-methoxyethyl)-8-azabicyclo[3.2.1]octan-3-yl) piperidin-4-yl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (162-163);

2-(3,4-dimethoxyphenyl)-1,4-dimethyl-6-(1-(8-(oxetan-3-yl)-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1H-benzo[d]imidazole (164-165);

2-(3,4-dimethoxyphenyl)-1,4-dimethyl-6-(1-(8-(tetrahydro-2H-pyran-4-yl)-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1H-benzo[d]imidazole (166-167);

2-(3,4-dimethoxyphenyl)-6-(1-(8-(2-methoxyethyl)-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1,4-dimethyl-1H-benzo[d]imidazole (168-169);

6-(4-(4-isobutylpiperazin-1-yl)phenyl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (170);

6-(4-(4-(cyclopropylmethyl)piperazin-1-yl)phenyl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (171);

6-(4-(4-(cyclobutylmethyl)piperazin-1-yl)phenyl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (172);

6-(4-(4-(2-methoxyethyl)piperazin-1-yl)phenyl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (173);

6-(4-(4-cyclobutylpiperazin-1-yl)phenyl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (174);

6-(1'-cyclopropyl-[1,4'-bipiperidin]-4-yl)-2-(3,4-dimethoxyphenyl)-7-fluoro-1H-benzo[d]imidazole (175);

1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-6-(4-(4-(tetrahydro-2H-pyran-4-yl)piperazin-1-yl)phenyl)-1H-benzo[d]imidazole (176);

7-fluoro-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (177);

6-(1'-cyclopropyl-[1,4'-bipiperidin]-4-yl)-7-fluoro-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (178);

6-(1'-(cyclopropylmethyl)-[1,4'-bipiperidin]-4-yl)-7-fluoro-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (179);

6-(1'-cyclobutyl-[1,4'-bipiperidin]-4-yl)-7-fluoro-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (180);

7-fluoro-2-(4-(methylsulfonyl)phenyl)-6-(1'-(oxetan-3-yl)-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (181);

7-fluoro-2-(4-(methylsulfonyl)phenyl)-6-(1'-(tetrahydro-2H-pyran-4-yl)-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (182);

7-fluoro-2-(4-(methylsulfonyl)phenyl)-6-(1'-(oxetan-3-ylmethyl)-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (183);

4-fluoro-5-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (184);

5-(1'-cyclopropyl-[1,4'-bipiperidin]-4-yl)-4-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (185);

4-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-5-(1'-(oxetan-3-yl)-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (186);

4-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-5-(1'-(tetrahydro-2H-pyran-4-yl)-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (187);

4-fluoro-5-(1'-(2-methoxyethyl)-[1,4'-bipiperidin]-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (188);

4-fluoro-5-(1-(8-isobutyl-8-azabicyclo[3.2.1]octan-3-yl) piperidin-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (189-190);

5-(1-(8-(cyclopropylmethyl)-8-azabicyclo[3.2.1]octan-3-yl) piperidin-4-yl)-4-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (191-192);

4-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-5-(1-(8-(oxetan-3-ylmethyl)-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1H-benzo[d]imidazole (193-194);

4-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-5-(1-(8-(oxetan-3-yl)-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1H-benzo[d]imidazole (195-196);

4-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-5-(1-(8-(tetrahydro-2H-pyran-4-yl)-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1H-benzo[d]imidazole (197-198);

4-fluoro-5-(1-(8-(2-methoxyethyl)-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (199-200);

7-fluoro-5-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (201);

5-(1'-cyclopropyl-[1,4'-bipiperidin]-4-yl)-7-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (202);

5-(1'-(cyclopropylmethyl)-[1,4'-bipiperidin]-4-yl)-7-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (203);

7-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-5-(1'-(oxetan-3-ylmethyl)-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (204);

5-(1'-cyclobutyl-[1,4'-bipiperidin]-4-yl)-7-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (205);

7-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-5-(1'-(oxetan-3-yl)-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (206);

7-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-5-(1'-(tetrahydro-2H-pyran-4-yl)-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (207);

7-fluoro-5-(1'-(2-methoxyethyl)-[1,4'-bipiperidin]-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (208);

7-fluoro-5-(1-(8-isobutyl-8-azabicyclo[3.2.1]octan-3-yl) piperidin-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (209-210);

7-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-5-(1-(8-(tetrahydro-2H-pyran-4-yl)-8-azabicyclo[3.2.1]octan-3-yl) piperidin-4-yl)-1H-benzo[d]imidazole (211-212);

7-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-5-(1-(8-(oxetan-3-yl)-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1H-benzo[d]imidazole (213-214);

5-(1-(8-cyclobutyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-7-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (215-216);

5-(1-(8-(cyclopropylmethyl)-8-azabicyclo[3.2.1]octan-3-yl) piperidin-4-yl)-7-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (217-218);

7-fluoro-6-(1-(8-isobutyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (219-220);

5-fluoro-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (221);

6-(1'-cyclopropyl-[1,4'-bipiperidin]-4-yl)-5-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (222);

6-(1'-cyclobutyl-[1,4'-bipiperidin]-4-yl)-5-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (223);

6-(1'-(cyclopropylmethyl)-[1,4'-bipiperidin]-4-yl)-5-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (224);

5-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-6-(1'-(oxetan-3-yl)-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (225);

5-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-6-(1'-(tetrahydro-2H-pyran-4-yl)-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (226);

5-fluoro-6-(1'-(2-methoxyethyl)-[1,4'-bipiperidin]-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (227);

5-fluoro-6-(1-(8-isobutyl-8-azabicyclo[3.2.1]octan-3-yl) piperidin-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (228-229);

6-(1-(8-(cyclopropylmethyl)-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-5-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (230-231);

6-(1-(8-cyclobutyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-5-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (232-233);

5-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-6-(1-(8-(oxetan-3-yl)-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1H-benzo[d]imidazole (234-235);

5-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-6-(1-(8-(tetrahydro-2H-pyran-4-yl)-8-azabicyclo[3.2.1]octan-3-yl) piperidin-4-yl)-1H-benzo[d]imidazole (236-237);

5-fluoro-6-(1-(8-(2-methoxyethyl)-8-azabicyclo[3.2.1]octan-3-yl) piperidin-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (238-239);

6-fluoro-5-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (240);

5-(1'-cyclopropyl-[1,4'-bipiperidin]-4-yl)-6-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (241);

5-(1'-(cyclopropylmethyl)-[1,4'-bipiperidin]-4-yl)-6-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (242);

5-(1'-cyclobutyl-[1,4'-bipiperidin]-4-yl)-6-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (243);

6-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-5-(1'-(oxetan-3-yl)-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (244);

6-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-5-(1'-(tetrahydro-2H-pyran-4-yl)-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (245);

6-fluoro-5-(1'-(2-methoxyethyl)-[1,4'-bipiperidin]-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (246);

6-fluoro-5-(1-(8-isobutyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (247-248);

5-(1-(8-(cyclopropylmethyl)-8-azabicyclo[3.2.1]octan-3-yl) piperidin-4-yl)-6-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (249-250);

5-(1-(8-cyclobutyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-6-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (251-252);

6-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-5-(1-(8-(oxetan-3-yl)-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1H-benzo[d]imidazole (253-254);

6-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-5-(1-(8-(tetrahydro-2H-pyran-4-yl)-8-azabicyclo[3.2.1]octan-3-yl) piperidin-4-yl)-1H-benzo[d]imidazole (255-256);

6-fluoro-5-(1-(8-(2-methoxyethyl)-8-azabicyclo[3.2.1]octan-3-yl) piperidin-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (257-258);

7-fluoro-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (259);

6-(1'-cyclopropyl-[1,4'-bipiperidin]-4-yl)-7-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (260);

6-(1'-(cyclopropylmethyl)-[1,4'-bipiperidin]-4-yl)-7-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (261);

6-(1'-cyclobutyl-[1,4'-bipiperidin]-4-yl)-7-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (262);

7-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-6-(1'-(oxetan-3-yl)-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (263);

7-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-6-(1'-(tetrahydro-2H-pyran-4-yl)-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (264);

7-fluoro-6-(1'-(2-methoxyethyl)-[1,4'-bipiperidin]-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (265);

7-fluoro-6-(1-(8-isobutyl-8-azabicyclo[3.2.1]octan-3-yl) piperidin-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (266-267);

6-(1-(8-(cyclopropylmethyl)-8-azabicyclo[3.2.1]octan-3-yl) piperidin-4-yl)-7-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (268-269);

6-(1-(8-cyclobutyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-7-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (270-271);

7-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-6-(1-(8-(oxetan-3-yl)-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1H-benzo[d]imidazole (272-273);

7-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-6-(1-(8-(tetrahydro-2H-pyran-4-yl)-8-azabicyclo[3.2.1]octan-3-yl) piperidin-4-yl)-1H-benzo[d]imidazole (274-275);

7-fluoro-6-(1-(8-(2-methoxyethyl)-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (276-277);

4-fluoro-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (278);

4-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-6-(1'-(oxetan-3-yl)-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (279);

4-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-6-(1'-(tetrahydro-2H-pyran-4-yl)-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (280);

4-fluoro-6-(1'-(2-methoxyethyl)-[1,4'-bipiperidin]-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (281);

6-(1-(8-(cyclopropylmethyl)-8-azabicyclo[3.2.1]octan-3-yl) piperidin-4-yl)-4-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (282-283);

4-fluoro-6-(1-(8-isobutyl-8-azabicyclo[3.2.1]octan-3-yl) piperidin-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (284-285);

4-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-6-(1-(8-(oxetan-3-yl)-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1H-benzo[d]imidazole (286-287);

4-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-6-(1-(8-(tetrahydro-2H-pyran-4-yl)-8-azabicyclo[3.2.1]octan-3-yl) piperidin-4-yl)-1H-benzo[d]imidazole (288-289);

4-fluoro-6-(1-(8-(2-methoxyethyl)-8-azabicyclo[3.2.1]octan-3-yl) piperidin-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (290-291);

6-(1-(8-cyclobutyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-4-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (292-293);

4-fluoro-6-(1-(1-isopropylazepan-4-yl)piperidin-4-yl)-1-methyl-2-(4-(methylsulfonyl) phenyl)-1H-benzo[d]imidazole (294-295);

4-fluoro-6-(1-(1-isobutylazepan-4-yl)piperidin-4-yl)-1-methyl-2-(4-(methylsulfonyl) phenyl)-1H-benzo[d]imidazole (296-297);

6-(1-(1-(cyclopropylmethyl)azepan-4-yl)piperidin-4-yl)-4-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (298-299);

4-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-6-(1-(1-(tetrahydro-2H-pyran-4-yl) azepan-4-yl)piperidin-4-yl)-1H-benzo[d]imidazole (300-301);

4-fluoro-6-(1-(1-(2-methoxyethyl)azepan-4-yl)piperidin-4-yl)-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (302-303);

1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-6-(1-(1-(oxetan-3-yl) azepan-4-yl) piperidin-4-yl)-1H-benzo[d]imidazole (304-305);

1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-6-(1-(1-(tetrahydro-2H-pyran-4-yl) azepan-4-yl)piperidin-4-yl)-1H-benzo[d]imidazole (306-307);

6-(1-(1-(2-methoxyethyl)azepan-4-yl)piperidin-4-yl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (308-309);

7-fluoro-6-(1-(1-isobutylazepan-4-yl)piperidin-4-yl)-1-methyl-2-(4-(methylsulfonyl) phenyl)-1H-benzo[d]imidazole (310-311);

6-(1-(1-cyclobutylazepan-4-yl)piperidin-4-yl)-7-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (312-313);

7-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-6-(1-(1-(oxetan-3-yl)azepan-4-yl)piperidin-4-yl)-1H-benzo[d]imidazole (314-315);

7-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-6-(1-(1-(tetrahydro-2H-pyran-4-yl) azepan-4-yl)piperidin-4-yl)-1H-benzo[d]imidazole (316-317);

1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-6-(1'-phenyl-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (318);

1-cyclopropyl-4-fluoro-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-2-(4-(methylsulfonyl) phenyl)-1H-benzo[d]imidazole (319);

1-cyclopropyl-6-(1'-(cyclopropylmethyl)-[1,4'-bipiperidin]-4-yl)-4-fluoro-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (320);

1-cyclopropyl-4-fluoro-2-(4-(methylsulfonyl)phenyl)-6-(1'-(tetrahydro-2H-pyran-4-yl)-[1,4'-bipiperidin]-4-yl)-1H-benzo[d]imidazole (321);

1-cyclopropyl-4-fluoro-6-(1-(8-isobutyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (322-323);

1-cyclopropyl-6-(1-(8-(cyclopropylmethyl)-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-4-fluoro-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (324-325);

6-(1-(8-cyclobutyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1-cyclopropyl-4-fluoro-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (326-327);

1-cyclopropyl-4-fluoro-2-(4-(methylsulfonyl)phenyl)-6-(1-(8-(tetrahydro-2H-pyran-4-yl)-8-azabicyclo[3.2.1]octan-3-yl) piperidin-4-yl)-1H-benzo[d]imidazole (328-329);

6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-1,7-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (330);

6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-1,5-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (331);

6-(1-(8-isopropyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-4-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (332-333);

6-(1-(8-cyclobutyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-4-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (334);

6-(1-(8-(cyclopropylmethyl)-8-azabicyclo[3.2.1]octan-3-yl) piperidin-4-yl)-4-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (335-336);

6-(1'-cyclobutyl-[1,4'-bipiperidin]-4-yl)-2-(3-fluoro-4-(methylsulfonyl)phenyl)-1,4-dimethyl-1H-benzo[d]imidazole (337);

6-(1'-(cyclopropylmethyl)-[1,4'-bipiperidin]-4-yl)-2-(3-fluoro-4-(methylsulfonyl) phenyl)-1,4-dimethyl-1H-benzo[d]imidazole (338);

6-(1'-cyclopropyl-[1,4'-bipiperidin]-4-yl)-2-(3-fluoro-4-(methylsulfonyl)phenyl)-1,4-dimethyl-1H-benzo[d]imidazole (339);

6-(1-(8-(cyclopropylmethyl)-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-2-(3-fluoro-4-(methylsulfonyl)phenyl)-1,4-dimethyl-1H-benzo[d]imidazole (340-341);

2-(3-fluoro-4-(methylsulfonyl)phenyl)-6-(1-(8-isobutyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1,4-dimethyl-1H-benzo[d]imidazole (342);

2-(3-fluoro-4-(methylsulfonyl)phenyl)-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-1,4-dimethyl-1H-benzo[d]imidazole (343);

2-(3-fluoro-4-(methylsulfonyl)phenyl)-6-(1-(8-isopropyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1,4-dimethyl-1H-benzo[d]imidazole (344);

6-(1-(8-cyclopropyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-2-(3-fluoro-4-(methylsulfonyl)phenyl)-1,4-dimethyl-1H-benzo[d]imidazole (345);

2-(3-fluoro-4-(methylsulfonyl)phenyl)-6-(1-(8-isobutyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-4-methyl-1H-benzo[d]imidazole (346);

6-(1-(8-cyclopropyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-2-(3-fluoro-4-(methylsulfonyl)phenyl)-4-methyl-1H-benzo[d]imidazole (347);

2-(3-fluoro-4-(methylsulfonyl)phenyl)-6-(1-(8-isopropyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-4-methyl-1H-benzo[d]imidazole (348);

6-(1-(8-cyclobutyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-2-(3-fluoro-4-(methylsulfonyl)phenyl)-4-methyl-1H-benzo[d]imidazole (349-350);

6-(1-(8-(cyclopropylmethyl)-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-2-(3-fluoro-4-(methylsulfonyl)phenyl)-4-methyl-1H-benzo[d]imidazole (351-352);

6-(6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-1,4-dimethyl-1H-benzo[d]imidazol-2-yl)-8-methoxy-[1,2,4]triazolo[1,5-a]pyridine (353);

6-(6-(1-(8-cyclopropyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1,4-dimethyl-1H-benzo[d]imidazol-2-yl)-8-methoxy-[1,2,4]triazolo[1,5-a]pyridine (354);

6-(6-(1-(8-cyclobutyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1,4-dimethyl-1H-benzo[d]imidazol-2-yl)-8-methoxy-[1,2,4]triazolo[1,5-a]pyridine (355-356);

6-(6-(1-(8-isopropyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1,4-dimethyl-1H-benzo[d]imidazol-2-yl)-8-methoxy-[1,2,4]triazolo[1,5-a]pyridine (357);

6-(6-(1-(8-(cyclopropylmethyl)-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-1,4-dimethyl-1H-benzo[d]imidazol-2-yl)-8-methoxy-[1,2,4]triazolo[1,5-a]pyridine (358);

6-(6-(1-(8-isobutyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-4-methyl-1H-benzo[d]imidazol-2-yl)-8-methoxy-[1,2,4]triazolo[1,5-a]pyridine (359);

6-(6-(1-(8-cyclopropyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-4-methyl-1H-benzo[d]imidazol-2-yl)-8-methoxy-[1,2,4]triazolo[1,5-a]pyridine (360);

6-(6-(1-(8-cyclobutyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-4-methyl-1H-benzo[d]imidazol-2-yl)-8-methoxy-[1,2,4]triazolo[1,5-a]pyridine (361);

6-(6-(1-(8-isopropyl-8-azabicyclo[3.2.1]octan-3-yl)piperidin-4-yl)-4-methyl-1H-benzo[d]imidazol-2-yl)-8-methoxy-[1,2,4]triazolo[1,5-a]pyridine (362);

1,4-dimethyl-6-(4-(1-methylpiperidin-4-yl)phenyl)-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (363);

1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-6-(4-(1-(tetrahydro-2H-pyran-4-yl) piperidin-4-yl)phenyl)-1H-benzo[d]imidazole (364);

6-(6-(1-isopropylpiperidin-4-yl)pyridin-3-yl)-1,4-dimethyl-2-(4-(methylsulfonyl) phenyl)-1H-benzo[d]imidazole (365);

1-(4-(1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazol-6-yl) phenethyl)-4-methylpiperidin-4-ol (366);

1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-6-(4-(4-(pyrrolidin-1-yl)piperidin-1-yl) phenyl)-1H-benzo[d]imidazole (367);

1-(4-(1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazol-6-yl)phenyl)-N,N-dimethylpiperidin-4-amine (368);

1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-6-(4-((4-(pyrrolidin-1-yl)piperidin-1-yl) methyl)phenyl)-1H-benzo[d]imidazole (369);

1,4-dimethyl-6-(4-((6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)methyl)phenyl)-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (370);

6-(4-((6-isobutyl-2,6-diazaspiro[3.3]heptan-2-yl)methyl)phenyl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (371);

1-cyclopropyl-4-methyl-2-(4-(methylsulfonyl)phenyl)-6-(4-((4-(pyrrolidin-1-yl) piperidin-1-yl)methyl)phenyl)-1H-benzo[d]imidazole (372);

N,N-dimethyl-1-(4-(1-methyl-2-phenyl-1H-benzo[d]imidazol-6-yl)benzyl)piperidin-4-amine (374);

N,N-dimethyl-1-(4-(1-methyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazol-6-yl)benzyl)piperidin-4-amine (375);

1-(4-(2-(4-methoxyphenyl)-1-methyl-1H-benzo[d]imidazol-6-yl)benzyl)-N,N-dimethylpiperidin-4-amine (376);

1-(4-(2-(3-fluorophenyl)-1-methyl-1H-benzo[d]imidazol-6-yl)benzyl)-N,N-dimethylpiperidin-4-amine (377);

1-(4-(2-(4-fluorophenyl)-1-methyl-1H-benzo[d]imidazol-6-yl)benzyl)-N,N-dimethylpiperidin-4-amine (378);

N,N-dimethyl-1-(4-(1-methyl-2-(2-(methylsulfonyl)phenyl)-1H-benzo[d]imidazol-6-yl)benzyl)piperidin-4-amine (379);

1-(4-(2-(2-fluoro-4-(methylsulfonyl)phenyl)-1-methyl-1H-benzo[d]imidazol-6-yl)benzyl)-N,N-dimethylpiperidin-4-amine (380);

1-(4-(2-(3,5-difluorophenyl)-1-methyl-1H-benzo[d]imidazol-6-yl)benzyl)-N,N-dimethylpiperidin-4-amine (381);

1-(4-(2-(3,4-difluorophenyl)-1-methyl-1H-benzo[d]imidazol-6-yl)benzyl)-N,N-dimethylpiperidin-4-amine (382);

4-(6-(4-((4-(dimethylamino)piperidin-1-yl)methyl)phenyl)-1-methyl-1H-benzo[d]imidazol-2-yl)benzonitrile (383);

N,N-dimethyl-1-(4-(1-methyl-2-(3-(methylsulfonyl)phenyl)-1H-benzo[d]imidazol-6-yl)benzyl)piperidin-4-amine (384);

1-(4-(1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazol-6-yl)benzyl)-N,N-dimethylpiperidin-4-amine (385);

1-(4-(1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazol-6-yl)phenyl)-N-ethyl-N-methylpiperidin-4-amine (386);

6-(3-fluoro-4-((4-(pyrrolidin-1-yl)piperidin-1-yl)methyl) phenyl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (387);

6-(3-fluoro-4-((cis-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)methyl)phenyl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (388);

6-(4-((4-ethyl-1,4-diazepan-1-yl)methyl)-3-fluorophenyl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (389);

1-(4-(1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazol-6-yl)-2-fluorobenzyl)-N,N-dimethylpiperidin-4-amine (390);

6-(3,5-difluoro-4-((4-(pyrrolidin-1-yl)piperidin-1-yl)methyl)phenyl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (391);

1-(4-(1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazol-6-yl)-2,6-difluorobenzyl)-N,N-dimethylpiperidin-4-amine (392);

N-cyclopropyl-1-(4-(1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazol-6-yl)benzyl)-N-methylpiperidin-4-amine (393);

N-cyclopropyl-1-(4-(1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazol-6-yl)-2-fluorobenzyl)-N-methylpiperidin-4-amine (394);

1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-6-(4-(pyrrolidin-1-ylmethyl)phenyl)-1H-benzo[d]imidazole (395);

6-(4-((cis-5-isobutylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)methyl)phenyl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (396);

6-(4-((cis-5-isopropylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)methyl)phenyl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (397);

1,4-dimethyl-6-(4-((cis-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl) methyl)phenyl)-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (398);

6-(4-((6-isopropyl-2,6-diazaspiro[3.3]heptan-2-yl)methyl)phenyl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (399);

1,4-dimethyl-6-(4-(1'-methyl-[1,4'-bipiperidin]-4-yl)phenyl)-2-(4-(methylsulfonyl) phenyl)-1H-benzo[d]imidazole (400);

6-(4-(1'-cyclopropyl-[1,4'-bipiperidin]-4-yl)phenyl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (401);

6-(4-((4-(azetidin-1-yl)piperidin-1-yl)methyl)phenyl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (402);

6-(4-((4-(azetidin-1-yl)piperidin-1-yl)methyl)-3-fluorophenyl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (403);

6-(3-fluoro-4-((6-isopropyl-2,6-diazaspiro[3.3]heptan-2-yl)methyl)phenyl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (404);

6-(3-fluoro-5-((4-(pyrrolidin-1-yl)piperidin-1-yl)methyl)phenyl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (405);

6-(3-((4-(azetidin-1-yl)piperidin-1-yl)methyl)-5-fluorophenyl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (405);

1-cyclopropyl-4-methyl-2-(4-(methylsulfonyl)phenyl)-6-(3-((4-(pyrrolidin-1-yl) piperidin-1-yl)methyl)phenyl)-1H-benzo[d]imidazole (407);

1-cyclopropyl-4-fluoro-2-(4-(methylsulfonyl)phenyl)-6-(4-((4-(pyrrolidin-1-yl) piperidin-1-yl)methyl)phenyl)-1H-benzo[d]imidazole (408);

4-fluoro-1-methyl-2-(4-(methylsulfonyl)phenyl)-6-(4-((4-(pyrrolidin-1-yl)piperidin-1-yl)methyl)phenyl)-1H-benzo[d]imidazole (409);

1-cyclopropyl-4-fluoro-6-(4-((6-isopropyl-2,6-diazaspiro[3.3]heptan-2-yl)methyl) phenyl)-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (410);

1-cyclopropyl-4-fluoro-6-(4-((6-isobutyl-2,6-diazaspiro[3.3]heptan-2-yl)methyl) phenyl)-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (411);

1-cyclopropyl-4-fluoro-2-(4-(methylsulfonyl)phenyl)-6-(4-((6-(tetrahydro-2H-pyran-4-yl)-2,6-diazaspiro[3.3]heptan-2-yl)methyl)phenyl)-1H-benzo[d]imidazole (412);

6-(4-((4-isopropylpiperazin-1-yl)methyl)phenyl)-1,4-dimethyl-2-(4-(methylsulfonyl) phenyl)-1H-benzo[d]imidazole (413);

6-(4-((4-isobutylpiperazin-1-yl)methyl)phenyl)-1,4-dimethyl-2-(4-(methylsulfonyl) phenyl)-1H-benzo[d]imidazole (414);

1-cyclopropyl-7-fluoro-6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-2-(4-(methylsulfonyl) phenyl)-1H-benzo[d]imidazole (415);

6-(4-((1-isopropylpiperidin-4-yl)oxy)phenyl)-1,4-dimethyl-2-(4-(methylsulfonyl) phenyl)-1H-benzo[d]imidazole (416);

6-(4-((1-isobutylpiperidin-4-yl)oxy)phenyl)-1,4-dimethyl-2-(4-(methylsulfonyl) phenyl)-1H-benzo[d]imidazole (417);

6-(1-((2,6-dimethylpyridin-4-yl)methyl)piperidin-4-yl)-1,4-dimethyl-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (418);

1,4-dimethyl-6-(1-((6-methylpyridin-3-yl)methyl)piperidin-4-yl)-2-(4-(methylsulfonyl)phenyl)-1H-benzo[d]imidazole (419);

diethyl (4-(6-(1'-isopropyl-[1,4'-bipiperidin]-4-yl)-1,4-dimethyl-1H-benzo[d]imidazol-2-yl)phenyl)phosphonate (420);

diethyl (4-(6-(1'-isobutyl-[1,4'-bipiperidin]-4-yl)-1,4-dimethyl-1H-benzo[d]imidazol-2-yl)phenyl)phosphonate (421);

diethyl (4-(6-(1'-cyclopropyl-[1,4'-bipiperidin]-4-yl)-1,4-dimethyl-1H-benzo[d]imidazol-2-yl)phenyl)phosphonate (422);

1-((4-(1-(1l5-ethyl)-2-(p-tolyl)-1H-benzo[d]imidazol-6-yl)phenyl)methyl)-N,N-dimethylpiperidin-4-amine (423);

N-(4-(6-(4-((4-(dimethylamino)piperidin-1-yl)methyl)phenyl)-1-methyl-1H-benzo[d]imidazol-2-yl)phenyl)methanesulfonamide (424);

1-(4-(2-(4-(dimethylamino)phenyl)-1-methyl-1H-benzo[d]imidazol-6-yl)benzyl)-N,N-dimethylpiperidin-4-amine (425);

1-(4-(2-(4-(1H-imidazol-1-yl)phenyl)-1-methyl-1H-benzo[d]imidazol-6-yl)benzyl)-N,N-dimethylpiperidin-4-amine (426); or

N-(3-(6-(4-((4-(dimethylamino)piperidin-1-yl)methyl)phenyl)-1-methyl-1H-benzo[d]imidazol-2-yl)phenyl)methanesulfonamide (427).

9. A pharmaceutical composition comprising one or more compounds according to any one of claims 1 to 8 or stereoisomers, tautomer, solvates or pharmaceutically-acceptable salts thereof; and a pharmaceutically acceptable carrier.

10. A compound according to any one of claims 1 to 8 or stereoisomers, tautomers, solvates or pharmaceutically-acceptable salts thereof, for use in treating pathological fibrosis.

11. The compound or stereoisomers, tautomers, solvates or a pharmaceutically-acceptable salt thereof, or pharmaceutically-acceptable salts thereof, for use according to claim 10 wherein said pathological fibrosis is liver fibrosis, renal fibrosis, biliary fibrosis, or pancreatic fibrosis.

12. A compound according to any one of claims 1 to 8 or stereoisomers, tautomers, solvates or pharmaceutically-acceptable salts thereof, for use in treating nonalcoholic steatohepatitis (NASH), non-alcoholic fatty liver disease (NAFLD), chronic kidney disease, diabetic kidney disease, primary sclerosing cholangitis (PSC), or primary biliary cirrhosis (PBC).

13. A compound according to any one of claims 1 to 8 or stereoisomers, tautomers, solvates or pharmaceutically-acceptable salts thereof, for use in treating idiopathic pulmonary fibrosis (IPF).

14. Use of the compound according to any one of claims 1 to 8 or stereoisomers, tautomers, solvates or pharmaceutically-acceptable salts thereof, in the manufacture of a medicament for treating pathological fibrosis.

15. The use according to claim 14, wherein said pathological fibrosis is liver fibrosis, renal fibrosis, biliary fibrosis, or pancreatic fibrosis.

16. Use of the compound according to any one of claims 1 to 8 or stereoisomers, tautomers, solvates or pharmaceutically-acceptable salts thereof, in the manufacture of a medicament for treating nonalcoholic steatohepatitis (NASH), non-alcoholic fatty liver disease (NAFLD), chronic kidney disease, diabetic kidney disease, primary sclerosing cholangitis (PSC), or primary biliary cirrhosis (PBC).

17. Use of the compound according to any one of claims 1 to 8 or stereoisomers, tautomers, solvates or pharmaceutically-acceptable salts thereof, in the manufacture of a medicament for treating idiopathic pulmonary fibrosis (IPF).

18. A compound according to any one of claims 1 to 8 or stereoisomers, tautomers, solvates or pharmaceutically-acceptable salts thereof, for use in therapy.