
CLAIMS





1. A compound of formula I



I,

wherein:

A is selected from


, 
, 
, and 
;

each ----- is a single or a double bond, provided two adjacent ----- are not both double bonds;

R_1 is selected from halogen, -OR_{11}, -$NR_{11}R_{12}$, C_1-C_4 alkyl, C_1-C_4 heteroalkyl, and C_1-C_3 haloalkyl;

R_2 is selected from halogen, -OR_{11}, -$NR_{11}R_{12}$, C_1-C_4 alkyl, C_1-C_4 heteroalkyl, and C_1-C_3 haloalkyl;

each instance of R_3 is independently selected from halogen, -OR_{11}, -$NR_{11}R_{12}$, C_1-C_6 alkyl, C_1-C_6 heteroalkyl, and C_1-C_6 haloalkyl;

R_4 is selected from halogen, -OR_{11}, -$NR_{11}R_{12}$, C_1-C_4 alkyl, C_1-C_4 heteroalkyl, and C_1-C_3 haloalkyl;

R_{4P} is selected from halogen, -OR_{11}, -$NR_{11}R_{12}$, C_1-C_4 alkyl, C_1-C_4 heteroalkyl, and C_1-C_3 haloalkyl;

R_5 is selected from -C(=O)R_6, -C(=O)OR_7, -C(=O)NR_7R_8, -C(=NR_9)NR_7R_8, -SR_7, -S(=O)R_6, -S(=O)$_2R_6$, -S(=O)$_2$NR_7R_8, -S(=O)(=NR_9)R_6, and -S(=O)(=NR_9)NR_7R_8;

R_6 is selected from C_1-C_6 alkyl, C_1-C_6 heteroalkyl, C_3-C_6 cycloalkyl, 4- to 6-membered heterocyclyl, C_1-C_3 4- to 6-membered heterocyclylalkyl, phenyl, C_1-C_3 phenylalkyl, monocyclic heteroaryl, and C_1-C_3 monocyclic heteroarylalkyl, which groups are unsubstituted or substituted with one, two, or three of halogen, cyano, C_1-C_4 alkyl, -OR_{11}, -N$R_{11}R_{12}$, -N$^+$(O$^-$)$R_{11}R_{12}$, -SR_{11}, -C(=O)R_{10}, -C(=O)OR_{11}, -C(=O)N$R_{11}R_{12}$, -OC(=O)R_{10}, -OC(=O)OR_{11}, -OC(=O)N$R_{11}R_{12}$, -NR_9C(=O)R_{10}, -NR_9C(=O)OR_{11}, -NR_9C(=O)N$R_{11}R_{12}$, -NR_9C(=NR_9)N$R_{11}R_{12}$, -S(=O)R_{10}, -S(=O)$_2R_{10}$, -S(=O)$_2$N$R_{11}R_{12}$, -S(=O)(=NR_9)R_{10}, -S(=O)(=NR_9)N$R_{11}R_{12}$, -NR_9S(=O)$_2R_{10}$, -NR_9S(=O)$_2$N$R_{11}R_{12}$, -(CH_2)$_p$OR_{11}, -(CH_2)$_p$N$R_{11}R_{12}$, -(CH_2)$_p$C(=O)R_{10}, -(CH_2)$_p$C(=O)OR_{11}, -(CH_2)$_p$C(=O)N$R_{11}R_{12}$, -(CH_2)$_p$(phenylene)R_{13}, 4- to 6-membered heterocyclyl, or -(4- to 6-membered heterocyclene)R_{13}; and

R_7 and R_8 are independently selected from hydrogen, C_1-C_6 alkyl, C_1-C_6 heteroalkyl, C_3-C_6 cycloalkyl, 4- to 6-membered heterocyclyl, C_1-C_3 4- to 6-membered heterocyclylalkyl, phenyl, C_1-C_3 phenylalkyl, monocyclic heteroaryl, and C_1-C_3 monocyclic heteroarylalkyl, which groups are unsubstituted or substituted with one, two, or three of halogen, cyano, C_1-C_4 alkyl, -OR_{11}, -N$R_{11}R_{12}$, -N$^+$(O$^-$)$R_{11}R_{12}$, -SR_{11}, -C(=O)R_{10}, -C(=O)OR_{11}, -C(=O)N$R_{11}R_{12}$, -OC(=O)R_{10}, -OC(=O)OR_{11}, -OC(=O)N$R_{11}R_{12}$, -NR_9C(=O)R_{10}, -NR_9C(=O)OR_{11}, -NR_9C(=O)N$R_{11}R_{12}$, -NR_9C(=NR_9)N$R_{11}R_{12}$, -S(=O)R_{10}, -S(=O)$_2R_{10}$, -S(=O)$_2$N$R_{11}R_{12}$, or -S(=O)(=NR_9)N$R_{11}R_{12}$;

each instance of R_9 is independently selected from hydrogen and C_1-C_4 alkyl;

each instance of R_{10} is independently selected from C_1-C_4 alkyl, C_1-C_4 heteroalkyl, C_3-C_6 cycloalkyl, C_1-C_3 3-to 6-membered cycloalkylalkyl, 4- to 6-membered heterocyclyl, C_1-C_3 4- to 6-membered heterocyclylalkyl, monocyclic heteroaryl, C_1-C_3 monocyclic heteroarylalkyl, and -N=S(Me)$_2$=O, which groups are unsubstituted or substituted with one or two R_{13};

each instance of R_{11} and R_{12} is independently selected from hydrogen, C_1-C_4 alkyl, C_1-C_4 heteroalkyl, C_3-C_6 cycloalkyl, C_1-C_3 3-to 6-membered cycloalkylalkyl, 4- to 6-membered heterocyclyl, C_1-C_3 4- to 6-membered heterocyclylalkyl, monocyclic heteroaryl, C_1-C_3 monocyclic heteroarylalkyl, C_1-C_4 acyl, and C_1-C_4 sulfonyl provided R_{11} is not C_1-C_3 sulfonyl when R_{11} is bonded to an oxygen or sulfur atom, which groups are unsubstituted or substituted with one or two R_{13};

each instance of R_{13} is independently selected from halogen, C_1-C_4 alkyl, C_1-C_4 haloalkyl, -OH, -O(C_1-C_4 alkyl), -NH_2, -NH(C_1-C_4 alkyl), -N(C_1-C_4 alkyl)(C_1-C_4 alkyl), -C(=O)(C_1-C_4 alkyl), -C(=O)OH, -C(=O)O(C_1-C_4 alkyl), -C(=O)NH_2, -C(=O)NH(C_1-C_4 alkyl), -C(=O)N(C_1-C_4 alkyl)(C_1-C_4 alkyl), -OC(=O)(C_1-C_4 alkyl), -OC(=O)OH, -OC(=O)O(C_1-C_4 alkyl), -OC(=O)NH_2, -OC(=O)NH(C_1-C_4 alkyl), -OC(=O)N(C_1-C_4 alkyl)(C_1-C_4 alkyl), -NHC(=O)(C_1-C_4 alkyl), -NHC(=O)OH, -NHC(=O)O(C_1-C_4 alkyl), -NHC(=O)NH_2, -NHC(=O)NH(C_1-C_4 alkyl), -NHC(=O)N(C_1-C_4 alkyl)(C_1-C_4 alkyl), -N(C_1-C_4 alkyl)C(=O)(C_1-C_4 alkyl), -N(C_1-C_4 alkyl)C(=O)OH, -N(C_1-C_4 alkyl)C(=O)O(C_1-C_4 alkyl), -N(C_1-C_4 alkyl)C(=O)NH_2, -N(C_1-C_4 alkyl)C(=O)NH(C_1-C_4 alkyl), -N(C_1-C_4 alkyl)C(=O)N(C_1-C_4 alkyl)(C_1-C_4 alkyl), -$(CH_2)_q$OH, -$(CH_2)_q$O(C_1-C_4 alkyl), -$(CH_2)_q$$NH_2$, -$(CH_2)_q$NH($C_1$-$C_4$ alkyl), -$(CH_2)_q$N(C_1-C_4 alkyl)(C_1-C_4 alkyl), -$(CH_2)_q$C(=O)(C_1-C_4 alkyl), -$(CH_2)_q$C(=O)OH, -$(CH_2)_q$C(=O)O(C_1-C_4 alkyl), -$(CH_2)_q$C(=O)NH_2, -$(CH_2)_q$C(=O)NH(C_1-C_4 alkyl), -$(CH)_q$C(=O)N(C_1-C_4 alkyl)(C_1-C_4 alkyl), and -$S(=O)_2$(C_1-C_4 alkyl), and wherein two R_{13} groups substituting the same carbon of a heterocyclyl ring may be taken together with the carbon to which they are attached to form a 4- to 6-membered heterocyclyl ring;

m is 0 or 1;


n is 1;

each p is 1; and


each q is 1;

or an enantiomer, diastereomer, or tautomer thereof, or a mixture thereof, or a pharmaceutically acceptable salt thereof,

provided the compound of formula I is not of formula




or





.


2. The compound of formula I according to claim 1, wherein:

A is selected from



,


,


, and


;

R_1 is selected from halogen;

R_2 is selected from halogen and C_1-C_4 alkyl;

R_4 is selected from halogen and C_1-C_4 alkyl;

R_{4P} is selected from hydrogen and C_1-C_4 alkyl;

R_5 is selected from -C(=O)R_6, -C(=O)OR_7, -C(=O)NR_7R_8, -SR_7, -S(=O)R_6, -S(=O)$_2R_6$, -S(=O)$_2$NR_7R_8, and -S(=O)(=NR_9)R_6;

R_6 is selected from C_1-C_6 alkyl, C_1-C_6 heteroalkyl, C_3-C_6 cycloalkyl, 4- to 6-membered heterocyclyl, C_1-C_3 4- to 6-membered heterocyclylalkyl, monocyclic heteroaryl, and C_1-C_3 monocyclic heteroarylalkyl, which groups are unsubstituted or substituted with one, two, or three of halogen, C_1-C_4 alkyl, -OR_{11}, -N$R_{11}R_{12}$, -C(=O)R_{10}, -C(=O)OR_{11}, -C(=O)N$R_{11}R_{12}$, -OC(=O)R_{10}, -NR_9C(=O)R_{10}, -S(=O)$_2R_{10}$, -S(=O)$_2$N$R_{11}R_{12}$, -NR_9S(=O)$_2R_{10}$, -NR_9S(=O)$_2$N$R_{11}R_{12}$, -(CH_2)$_p$OR_{11}, -(CH_2)$_p$C(=O)OR_{11}, -(CH_2)$_p$(phenylene)R_{13}, or –(4- to 6-membered heterocyclene)R_{13};

R_7 and R_8 are independently selected from hydrogen, C_1-C_6 alkyl, C_1-C_6 heteroalkyl, 4- to 6-membered heterocyclyl, C_1-C_3 4- to 6-membered heterocyclylalkyl, monocyclic heteroaryl, and C_1-C_3 monocyclic heteroarylalkyl, which groups are unsubstituted or substituted with one, two, or three of halogen, C_1-C_4 alkyl, -OR_{11}, -N$R_{11}R_{12}$, -C(=O)R_{10}, -C(=O)OR_{11}, -C(=O)N$R_{11}R_{12}$, -OC(=O)R_{10}, -OC(=O)OR_{11}, -OC(=O)N$R_{11}R_{12}$, -NR_9C(=O)R_{10}, -NR_9C(=O)OR_{11}, -NR_9C(=O)N$R_{11}R_{12}$, -S(=O)$_2R_{10}$, -S(=O)$_2$N$R_{11}R_{12}$, -NR_9S(=O)$_2R_{10}$;

each instance of R_9 is independently selected from hydrogen and C_1-C_4 alkyl;

each instance of R_{10} is independently selected from C_1-C_4 alkyl, C_1-C_4 heteroalkyl, C_3-C_6 cycloalkyl, 4- to 6-membered heterocyclyl, and -N=S(Me)$_2$=O, which groups are unsubstituted or substituted with one or two R_{13};

each instance of R_{11} and R_{12} is independently selected from hydrogen, C_1-C_4 alkyl, C_1-C_4 heteroalkyl, C_3-C_6 cycloalkyl, C_1-C_3 3-to 6-membered cycloalkylalkyl, 4- to 6- membered heterocyclyl, C_1-C_3 4- to 6-membered heterocyclylalkyl, monocyclic heteroaryl, C_1-C_4 acyl, and C_1-C_4 sulfonyl provided R_{11} is not C_1-C_4 sulfonyl when R_{11} is bonded to an oxygen or sulfur atom, which groups are unsubstituted or substituted with one or two R_{13};

each instance of R_{13} is independently selected from halogen, C_1-C_4 alkyl, C_1-C_4 haloalkyl, -OH, -O(C_1-C_4 alkyl), -NH$_2$, -C(=O)(C_1-C_4 alkyl), -C(=O)OH, -C(=O)O(C_1-C_4 alkyl), -C(=O)NH$_2$, -OC(=O)(C_1-C_4 alkyl), -OC(=O)O(C_1-C_4 alkyl), -$(CH_2)_q$OH, and -S(=O)$_2$(C_1-C_4 alkyl), and wherein two R_{13} groups substituting the same carbon of a heterocyclyl ring may be taken together with the carbon to which they are attached to form a 4-membered heterocyclyl ring;

m is 0;

n is 1;


each p is 1; and


each q is 1;


or an enantiomer, diastereomer, or tautomer thereof, or a mixture thereof, or a pharmaceutically acceptable salt thereof.


3. The compound of formula I according to claim 1 or 2, wherein:

A is selected from



,


,


, and


;

R_1 is fluoro;

R_2 is selected from chloro, bromo, methyl, and ethyl;

R_4 is selected from fluoro, chloro, and methyl;

R_{4P} is selected from hydrogen and methyl;

R_5 is selected from -C(=O)R_6, -C(=O)OR_7, -C(=O)NR_7R_8, -SR_7, -S(=O)R_6, -S(=O)$_2R_6$, -S(=O)$_2$NR_7R_8, and -S(=O)(=NR_9)R_6;

R_6 is selected from C_1-C_4 alkyl, C_1-C_4 heteroalkyl, C_3-C_6 cycloalkyl, 4- to 6-membered heterocyclyl, C_1-C_3 4- to 6-membered heterocyclylalkyl, monocyclic heteroaryl, and C_1-C_3 monocyclic heteroarylalkyl which groups are unsubstituted or substituted with one, two, or three of halogen, C_1-C_4 alkyl, -OR_{11}, -N$R_{11}R_{12}$, -C(=O)R_{10}, -C(=O)OR_{11}, -C(=O)N$R_{11}R_{12}$, -NHC(=O)R_{10}, -S(=O)$_2R_{10}$, or -S(=O)$_2$N$R_{11}R_{12}$, -NR_9S(=O)$_2R_{10}$, -NR_9S(=O)$_2$N$R_{11}R_{12}$, -(CH$_2$)OR_{11}, -(CH$_2$)C(=O)OR_{11}, -(CH$_2$)(phenylene)R_{13}, or –(4- to 6-membered heterocyclene)R_{13};


R_7 and R_8 are independently selected from hydrogen, C_1-C_4 alkyl, C_1-C_4 heteroalkyl, 4 to 6-membered heterocyclyl, and C_1-C_3 monocyclic heteroarylalkyl, which groups are unsubstituted or substituted with one, two, or three of C_1-C_4 alkyl, -OR_{11}, -N$R_{11}R_{12}$, -C(=O)R_{10}, -C(=O)OR_{11}, or -C(=O)N$R_{11}R_{12}$,;

each instance of R_9 is independently selected from hydrogen and C_1-C_4 alkyl;

each instance of R_{10} is independently selected from C_1-C_4 alkyl, C_1-C_4 heteroalkyl, C_3-C_6 cycloalkyl, 4- to 6- membered heterocyclyl, and -N=S(Me)$_2$=O, which groups are unsubstituted or substituted with one or two R_{13};

each instance of R_{11} and R_{12} is independently selected from hydrogen, C_1-C_4 alkyl, C_1-C_4 heteroalkyl, C_3-C_6 cycloalkyl, C_1-C_3 3- to 6-membered cycloalkylalkyl, 4- to 6- membered

heterocyclyl, C_1-C_3 4- to 6-membered heterocyclylalkyl, monocyclic heteroaryl, C_1-C_4 acyl, and C_1-C_4 sulfonyl provided R_{11} is not C_1-C_4 sulfonyl when R_{11} is bonded to an oxygen or sulfur atom, which groups are unsubstituted or substituted with one or two R_{13};


each instance of R_{13} is independently selected from halogen, C_1-C_4 alkyl, C_1-C_4 haloalkyl, -OH, -OMe, -NH_2, -C(=O)Me, -C(=O)OH, -C(=O)OMe, -C(=O)NH_2, -C(=O)OtBu, -OC(=O)Me, -OC(=O)OMe, -OC(=O)OEt, -(CH_2)OH, and -S(=O)$_2$(Me), and wherein two R_{13} groups substituting the same carbon of a heterocyclyl ring may be taken together with the carbon to which they are attached to form: ;

m is 0; and

n is 1;

or an enantiomer, diastereomer, or tautomer thereof, or a mixture thereof, or a pharmaceutically acceptable salt thereof.


4. The compound of formula I according to any one of claims 1-3, wherein the compound is of formula I-A



I-A,

or an enantiomer, diastereomer, or tautomer thereof, or a mixture thereof, or a pharmaceutically acceptable salt thereof.


5. The compound of formula I according to any one of claims 1-3, wherein the compound is of formula I-B



I-B,

or an enantiomer, diastereomer, or tautomer thereof, or a mixture thereof, or a pharmaceutically acceptable salt thereof.


6. The compound of formula I according to any one of claims 1-3, wherein the compound is of formula I-D



I-D,

or an enantiomer, diastereomer, or tautomer thereof, or a mixture thereof, or a pharmaceutically acceptable salt thereof.

7. The compound of formula I according to any one of claims 1-3, wherein the compound is of formula I-G1



I-G1,

wherein:


L_1 is selected from $-CH_2-$ and $-N(R_{11})-$;

G_1 is selected from $-OR_{11}$, $NR_{11}R_{12}$, $-C(=O)R_{10}$, $-C(=O)OR_{11}$, $-C(=O)NR_{11}R_{12}$,, $-S(=O)_2R_{10}$, $-S(=O)_2NR_{11}R_{12}$, 4- to 6-membered heterocyclyl, and monocyclic heteroaryl; and

j is 0, 1, or 2;

or an enantiomer, diastereomer, or tautomer thereof, or a mixture thereof, or a pharmaceutically acceptable salt thereof.


8. The compound of formula I according to any one of claims 1-3, wherein the compound is of formula I-H




I-H,

or an enantiomer, diastereomer, or tautomer thereof, or a mixture thereof, or a pharmaceutically acceptable salt thereof.


9. The compound of formula I according to any one of claims 1-3, wherein the compound is of any one of formulas I-J1 to I-J5,




I-J1,




I-J2,



I-J3,



I-J4,



I-J5,

wherein:

z is 0, 1, or 2 where valency permits;

each instance of Z_1 is independently selected from halogen, cyano, C_1-C_4 alkyl, -OR_{11}, -$NR_{11}R_{12}$, -$N^+(O^-)R_{11}R_{12}$, -SR_{11}, -$C(=O)R_{10}$, -$C(=O)OR_{11}$, -$C(=O)NR_{11}R_{12}$, -$C(=NR_9)NR_{11}R_{12}$, -$OC(=O)R_{10}$, -$OC(=O)OR_{11}$, -$OC(=O)NR_{11}R_{12}$, -$NR_9C(=O)R_{10}$, -$NR_9C(=O)OR_{11}$, -$NR_9C(=O)NR_{11}R_{12}$, -$NR_9C(=NR_9)NR_{11}R_{12}$, -$S(=O)R_{10}$, -$S(=O)_2R_{10}$, -$S(=O)_2NR_{11}R_{12}$, -

$S(=O)(=NR_9)R_{10}$, $-S(=O)(=NR_9)NR_{11}R_{12}$, $-NR_9S(=O)_2R_{10}$, $-NR_9S(=O)_2NR_{11}R_{12}$, $-(CH_2)_pOR_{11}$, $-(CH_2)_pNR_{11}R_{12}$, $-(CH_2)_pC(=O)R_{10}$, $-(CH_2)_pC(=O)OR_{11}$, $-(CH_2)_pC(=O)NR_{11}R_{12}$, $-(CH_2)_p$(arylene)R_{13}, heterocyclyl, or -(heterocyclene)R_{13};


each instance of E_1 is independently selected from -CH- and -N-;

E_2 is selected from -NH-, -O-, and -S-; and


E_3 is selected from $-CH_2-$, -NH-, and -O-;

or an enantiomer, diastereomer, or tautomer thereof, or a mixture thereof, or a pharmaceutically acceptable salt thereof.


10. The compound of formula I according to any one of claims 1-3, wherein the compound is of any one of formulas I-K1 to I-K8




I-K1,




I-K2,




I-K3,




I-K4,




I-K5,



I-K6,



I-K7,



I-K8

wherein:

y is 0, 1, or 2 where valency permits;

each instance of E_1 is independently selected from -CH- and -N-;

E_2 is selected from -NH-, -O-, and -S-; and

E_3 is selected from -CH_2-, -NH-, and -O-;

or an enantiomer, diastereomer, or tautomer thereof, or a mixture thereof, or a pharmaceutically acceptable salt thereof.

11. The compound of formula I according to any one of claims 1 to 10, wherein

R_1 is selected from halogen and C_1-C_4 alkyl;

R_2 is selected from halogen and C_1-C_4 alkyl; and

n is 1;

or an enantiomer, diastereomer, or tautomer thereof, or a mixture thereof, or a pharmaceutically acceptable salt thereof.

12. The compound of formula I according to any one of claims 1 to 11, wherein

R_1 is fluoro;

R_2 is chloro; and

n is 1;

or an enantiomer, diastereomer, or tautomer thereof, or a mixture thereof, or a pharmaceutically acceptable salt thereof.

13. The compound of formula I according to any one of claims 1 to 5, wherein

R_4 is selected from halogen and C_1-C_4 alkyl;

or an enantiomer, diastereomer, or tautomer thereof, or a mixture thereof, or a pharmaceutically acceptable salt thereof.

14. The compound of formula I according to any one of claims 1 to 3, 6, and 8-12, wherein

R_{4P} is selected from hydrogen and C_1-C_4 alkyl;

or an enantiomer, diastereomer, or tautomer thereof, or a mixture thereof, or a pharmaceutically acceptable salt thereof.

15. The compound of formula I according to any one of claims 1 to 14, wherein








R_5 is selected from $-C(=O)R_6$, $-C(=O)OR_7$, $-C(=O)NR_7R_8$, $-S(=O)R_6$, $-S(=O)_2R_6$, $-S(=O)_2NR_7R_8$, and $-S(=O)(=NR_9)R_6$;



















or an enantiomer, diastereomer, or tautomer thereof, or a mixture thereof, or a pharmaceutically acceptable salt thereof.




16. The compound of formula I according to claim 15, wherein R_5 is $-S(=O)_2R_6$;

















or an enantiomer, diastereomer, or tautomer thereof, or a mixture thereof, or a pharmaceutically acceptable salt thereof.











17. The compound of formula I according to claim 15, wherein R_5 is selected from










,

,

,

,

,

,

,

















,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

















,

,

,










,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,










,

,

,

,

,

,

,

,

,

,














,

,

,

,

,

,

,

,
















,

,

,

,

,

,

,

,

,

,

,

,

,

,

,
















,

,

,

,

,

,

,

,

,

,

,

,

,

,

,













,

,

,

,

,

,

,

,

















,

,

,

,

,

,

,

,
















,

,

,

,

,

,

,

,

,

,

,

,






,

,

,

,

,

,

,

,

,

,

,

,

,

,


,

,

,

,

,

,

,

,

,

,

,

,

,

,
- 528 -

,
,
,
,
,
,
,
,
,
,
,
,
,


,

,

,

,

,

,

,

,

,

,

,

,

,

,

,


,

,

,

,

,

,

,

,

,

,

,

,

,



,

,

, and

;

or an enantiomer, diastereomer, or tautomer thereof, or a mixture thereof, or a pharmaceutically acceptable salt thereof.

18. A compound selected from:

Tert-butyl 4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]piperidine-1-carboxylate;

1-[4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-1-piperidyl]ethenone;

2-[4-Chloro-5-(1-methylsulfonyl-4-piperidyl)-1H-imidazol-2-yl]-5-fluoro-pyridine;

(3R,4R)-4-(4-Chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)-3-methylpiperidine-1-sulfonamide;

(3S,4S)-4-(4-Chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)-3-methylpiperidine-1-sulfonamide;

(3R*,4S*/3S*,4R*)-4-(4-Chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)-3-methylpiperidine-1-sulfonamide;

4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-4-methylpiperidine-1-sulfonamide;

(3R,4R)-4-(4-Chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)-N-(2-hydroxyethyl)-3-methylpiperidine-1-sulfonamide;

(3R,4R)-4-(4-Chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)-3-methylpiperidine-1-carboxamide;

2-(4-Chloro-5-((3R,4R)-3-methyl-1-(methylsulfonyl)piperidin-4-yl)-1H-imidazol-2-yl)-5-fluoropyridine;

1-((3R,4R)-4-(4-Chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)-3-methylpiperidin-1-yl)ethan-1-one;

(3S*,4S*)-4-(4-Ethyl-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)-3-methylpiperidine-1-sulfonamide;

(3R*,4R*)-4-(4-Ethyl-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)-3-methylpiperidine-1-sulfonamide;

Methyl (((3R,4R)-4-(4-chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)-3-methylpiperidin-1-yl)sulfonyl)glycinate;

(((3R,4R)-4-(4-Chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)-3-methylpiperidin-1-yl)sulfonyl)glycine;

2-(4-Chloro-5-((3S,4S)-3-methyl-1-(methylsulfonyl)piperidin-4-yl)-1H-imidazol-2-yl)-5-fluoropyridine;

2-(4-Chloro-5-((3R*,4S*/3S*,4R*)-3-methyl-1-(methylsulfonyl)piperidin-4-yl)-1H-imidazol-2-yl)-5-fluoropyridine;

1-(((3R,4R)-4-(4-Chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)-3-methylpiperidin-1-yl)sulfonyl)azetidine-3-carboxamide;

(S*)-2-(4-Chloro-5-(3-methyl-1-(methylsulfonyl)-1,2,3,6-tetrahydropyridin-4-yl)-1H-imidazol-2-yl)-5-fluoropyridine;

(R*)-2-(4-Chloro-5-(3-methyl-1-(methylsulfonyl)-1,2,3,6-tetrahydropyridin-4-yl)-1H-imidazol-2-yl)-5-fluoropyridine;

(S*)-4-(4-Chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)-3-methyl-3,6-dihydropyridine-1(2H)-sulfonamide;

(R*)-4-(4-Chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)-3-methyl-3,6-dihydropyridine-1(2H)-sulfonamide;

2-(5-((3R,4R)-1-((1H-Pyrazol-4-yl)sulfonyl)-3-methylpiperidin-4-yl)-4-chloro-1H-imidazol-2-yl)-5-fluoropyridine;

Methyl 1-(((3R,4R)-4-(4-chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)-3-methylpiperidin-1-yl)sulfonyl)azetidine-3-carboxylate;

1-(((3R,4R)-4-(4-Chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)-3-methylpiperidin-1-yl)sulfonyl)azetidine-3-carboxylic acid;

2-(4-Bromo-5-(2,3-difluorophenyl)-1H-imidazol-2-yl)-5-fluoropyridine;

2-(4-Bromo-5-(2-chlorophenyl)-1H-imidazol-2-yl)-5-fluoropyridine;

2-[4-Chloro-5-(2-chloro-4-methylsulfinyl-phenyl)-1H-imidazol-2-yl]-5-fluoro-pyridine;

2-[4-Chloro-5-(2-chloro-4-methylsulfonyl-phenyl)-1H-imidazol-2-yl]-5-fluoro-pyridine;

2-[4-Chloro-5-(2-chloro-4-(methylsulfonimidoyl)phenyl)-1H-imidazol-2-yl]-5-fluoro-pyridine;

Methyl 3-chloro-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]benzoate;

3-Chloro-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]benzoic acid;

3-Chloro-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]benzenesulfonamide;

2-[[3-Chloro-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]phenyl]sulfonylamino]acetic acid;

3-Chloro-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-N-(2-hydroxyethyl)benzenesulfonamide;

2-[5-(2-Chloro-4-methylsulfonyl-phenyl)-4-methyl-1H-imidazol-2-yl]-5-fluoro-pyridine;

Methyl 1-((3-chloro-4-(4-chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)phenyl)sulfonyl)azetidine-3-carboxylate;

1-((3-Chloro-4-(4-chloro-2-(5-fluoro-pyridin-2-yl)-1H-imidazol-5-yl)-phenyl) sulfonyl)azetidine-3-carboxylic acid;

1-((3-Chloro-4-(4-chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)phenyl)sulfonyl)azetidine-3-carboxamide;

Methyl 2-chloro-3-(4-chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)benzoate;

2-Chloro-3-(4-chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)benzoic acid;

4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-2,3-dihydro-1,2-benzothiazole 1,1-dioxide;

3-(4-Chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)-2-methylbenzenesulfonamide;

2-Chloro-3-(4-chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)benzamide;

2-(4-Chloro-5-(2-fluoro-6-methylphenyl)-1H-imidazol-2-yl)-5-fluoropyridine;

Methyl 3-(4-chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)-4-fluoro-2-methylbenzoate;

3-(4-Chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)-4-fluoro-2-methylbenzoic acid;

3-(4-Chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)-4-fluoro-2-methylbenzamide;

2-(4-Chloro-5-(2-fluoro-6-methyl-4-(methylthio)phenyl)-1H-imidazol-2-yl)-5-fluoropyridine;

2-[4-Chloro-5-(2-fluoro-6-methyl-4-methylsulfonyl-phenyl)-1H-imidazol-2-yl]-5-fluoro-pyridine;

3-[3-Chloro-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]phenyl]sulfonylpropan-1-ol;

3-(4-Chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)-4-fluoro-2-methylbenzenesulfonamide;

3-[3-Chloro-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]phenyl]sulfonylpropanamide;

4-(4-Chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)-3-methylbenzoic acid;

Methyl 4-(4-chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)-3-methylbenzoate;

4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-benzamide;

N-(2-Amino-2-oxo-ethyl)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-benzamide;

2-(4-Chloro-5-(2-methyl-4-(methylthio)phenyl)-1H-imidazol-2-yl)-5-fluoropyridine;

N-(2-Amino-2-oxo-ethyl)-3-chloro-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]benzamide;

3-Chloro-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]benzamide;

2-[4-Chloro-5-(2-methyl-4-methylsulfonyl-phenyl)-1H-imidazol-2-yl]-5-fluoro-pyridine;

2-[4-Chloro-5-(2-methyl-4-methylsulfinyl-phenyl)-1H-imidazol-2-yl]-5-fluoro-pyridine;

Tert-butyl (S*)-4-(4-chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)-3-methyl-3,6-dihydropyridine-1(2H)-carboxylate;

Tert-butyl (R*)-4-(4-chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl)-3-methyl-3,6-dihydropyridine-1(2H)-carboxylate;

(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-N,N,3-trimethyl-piperidine-1-carboxamide;

Methyl (3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-piperidine-1-carboxylate;

[2-(Dimethylamino)-2-oxo-ethyl] (3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-piperidine-1-carboxylate;

Methyl 3-[[(3S*)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-3,6-dihydro-2H-pyridin-1-yl]sulfonyl]propanoate;

2-[4-Chloro-5-[(3R,4R)-3-methyl-1-(3-pyridylsulfonyl)-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

2-[4-Chloro-5-[(3R,4R)-3-methyl-1-(3-pyridylsulfonyl)-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-1-oxido-pyridin-1-ium;

2-[4-Chloro-5-[(3R,4R)-3-methyl-1-(1-oxidopyridin-1-ium-3-yl)sulfonyl-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

2-[5-[(3R,4R)-1-(Azetidin-3-ylsulfonyl)-3-methyl-4-piperidyl]-4-chloro-1H-imidazol-2-yl]-5-fluoro-pyridine;

1-[3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]azetidin-1-yl]ethanone;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]azetidine-1-carboxamide;

Methyl 4-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]butanoate;

Methyl 3-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-2,2-dimethyl-propanoate;

Tert-butyl 3-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonylmethyl]azetidine-1-carboxylate;

2-[5-[(3R,4R)-1-(Azetidin-3-ylmethylsulfonyl)-3-methyl-4-piperidyl]-4-chloro-1H-imidazol-2-yl]-5-fluoro-pyridine;

5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-2-methyl-pyridine;

2-[2-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]ethoxy]ethanol;

4-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]butanoic acid;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-2,2-dimethyl-propanoic acid;

2-[4-Chloro-5-[(3R,4R)-1-[(6-methoxy-3-pyridyl)sulfonyl]-3-methyl-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

4-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]butanamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-2,2-dimethyl-propanamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonylmethyl]azetidine-1-carboxamide;

5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1H-pyridin-2-one;

2-[2-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]ethoxy]acetic acid;

2-[4-Chloro-5-[(3R,4R)-3-methyl-1-tetrahydrofuran-3-ylsulfonyl-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

2-[4-Chloro-5-[(3R,4R)-3-methyl-1-(oxetan-3-ylsulfonyl)-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

2-[4-Chloro-5-[(3R,4R)-1-[(2-methoxy-4-pyridyl)sulfonyl]-3-methyl-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

4-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1H-pyridin-2-one;

Methyl 3-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]propanoate;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]propanoic acid;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]propenamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]cyclobutanecarboxylic acid (isomer 1);

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]cyclobutanecarboxylic acid (isomer 2);

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-methyl-propanamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]cyclobutanecarboxamide (isomer 1);

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]cyclobutanecarboxamide (isomer 2);

(3R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-N,N-bis(2-hydroxyethyl)-3-methyl-3,6-dihydro-2H-pyridine-1-sulfonamide;

(3R,4R)-1-[[(3R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-3,6-dihydro-2H-pyridin-1-yl]sulfonyl]pyrrolidine-3,4-diol;

(3R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-N-(1H-tetrazol-5-ylmethyl)-3,6-dihydro-2H-pyridine-1-sulfonamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]propyl acetate;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]propan-1-ol;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1-(3-hydroxyazetidin-1-yl)propan-1-one;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-methylsulfonyl-propanamide;

(5R)-5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonylmethyl]imidazolidine-2,4-dione;

(3R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-N-[2-hydroxy-1-(hydroxymethyl)ethyl]-3-methyl-3,6-dihydro-2H-pyridine-1-sulfonamide;

4-[[(3R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-3,6-dihydro-2H-pyridin-1-yl]sulfonyl]piperazin-2-one;

(2S)-2-[[(3R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-3,6-dihydro-2H-pyridin-1-yl]sulfonylamino]propenamide;

1-[[(3R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-3,6-dihydro-2H-pyridin-1-yl]sulfonyl]azetidin-3-ol;

(3R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-N-(2-oxopyrrolidin-3-yl)-3,6-dihydro-2H-pyridine-1-sulfonamide;

2-[[(3R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-3,6-dihydro-2H-pyridin-1-yl]sulfonyl-methyl-amino]acetic;

5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-2-methoxy-pyrimidine acid;

Methyl 2-[4-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyrazol-1-yl]acetate;

2-[[(3R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-3,6-dihydro-2H-pyridin-1-yl]sulfonyl-methyl-amino]acetamide;

5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyrimidine;

4-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1-methyl-pyridin-2-one;

2-[4-Chloro-5-[(3R,4R)-1-[2-[2-[(4-methoxyphenyl)methyl]tetrazol-5-yl]ethylsulfonyl]-3-methyl-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

2-[4-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyrazol-1-yl]acetic acid;

5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyrimidin-2-ol;

2-[4-Chloro-5-[(3R,4R)-3-methyl-1-[2-(2H-tetrazol-5-yl)ethylsulfonyl]-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

Methyl 3-[[4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-5-methyl-3,6-dihydro-2H-pyridin-1-yl]sulfonyl]propanoate;

3-[[4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-5-methyl-3,6-dihydro-2H-pyridin-1-yl]sulfonyl]propenamide;

3-[[4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-5-methyl-3,6-dihydro-2H-pyridin-1-yl]sulfonyl]-1-(3-hydroxyazetidin-1-yl)propan-1-one;

3-[[4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-5-methyl-3,6-dihydro-2H-pyridin-1-yl]sulfonyl]-N-cyclopropyl-propanamide;

(3R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-N-[(5-methyl-1,3,4-oxadiazol-2-yl)methyl]piperidine-1-sulfonamide;

[1-[[(3R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-3,6-dihydro-2H-pyridin-1-yl]sulfonyl]azetidin-3-yl]methanol;

N-[[(3R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-3,6-dihydro-2H-pyridin-1-yl]sulfonyl]piperidine-3-carboxamide;

(3R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-N-[(2S)-2-hydroxypropyl]-3-methyl-3,6-dihydro-2H-pyridine-1-sulfonamide;

2-[[(3R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-3,6-dihydro-2H-pyridin-1-yl]sulfonylamino]-N,N-dimethyl-acetamide;

2-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonylamino]-N,N-dimethyl-acetamide;

Tert-butyl (3S,4S)-4-[4-chloro-2-(5-fluoropyridin-2-yl)-1H-imidazol-5-yl]-3-methylpiperidine-1-carboxylate;

4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-5-methyl-3,6-dihydro-2H-pyridine-1-sulfonamide;

2-Chloro-5-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyrimidine;

2-[4-Chloro-5-[(3R,4R)-3-methyl-1-(1-methylpyrazol-4-yl)sulfonyl-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-N,3-dimethyl-piperidine-1-carboxamide;

1-[5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyrimidin-2-yl]azetidin-3-ol;

2-[[5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyrimidin-2-yl]amino]ethanol;

2-[4-Chloro-5-[(3R,4R)-3-methyl-1-[2-(1-methyltetrazol-5-yl)ethylsulfonyl]-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyrimidin-2-amine;

5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyridin-2-amine;

5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-cyclopropyl-pyrimidin-2-amine;

4-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1-methyl-pyrrolidin-2-one;

5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-methyl-pyrimidin-2-amine;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N,N-bis(trideuteriomethyl)propenamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-(2-hydroxy-2-methyl-propyl)propenamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-cyclopropyl-propanamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1-[(3R)-3-hydroxypyrrolidin-1-yl]propan-1-one;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1-[(3S)-3-hydroxypyrrolidin-1-yl]propan-1-one;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1-(3-methoxyazetidin-1-yl)propan-1-one;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1-(3-hydroxy-3-methyl-azetidin-1-yl)propan-1-one;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1-(4-hydroxy-1-piperidyl)propan-1-one;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-(2-methoxyethyl)propenamide;

2-[4-Chloro-5-[(3R,4R)-3-methyl-1-[2-(2-methyltetrazol-5-yl)ethylsulfonyl]-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

Tert-butyl 3-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]azetidine-1-carboxylate;

2-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]acetamide;

Tert-butyl N-[4-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonylmethyl]thiazol-2-yl]carbamate;

2-[4-Chloro-5-[(3R,4R)-3-methyl-1-[(1-methylsulfonylazetidin-3-yl)methylsulfonyl]-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

2-[4-Chloro-5-[(3R,4R)-3-methyl-1-(1-methylsulfonylazetidin-3-yl)sulfonyl-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

4-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonylmethyl]thiazol-2-amine;

1-[3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonylmethyl]azetidin-1-yl]ethenone;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-(trideuteriomethyl)propenamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-(oxetan-3-yl)propenamide;

2-[4-Chloro-5-[(3R,4R)-1-(1H-imidazol-4-ylsulfonyl)-3-methyl-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-ethyl-propanamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1-(4-hydroxy-4-methyl-1-piperidyl)propan-1-one;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1-morpholino-propan-1-one;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-(cyclopropylmethyl)propenamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1-pyrrolidin-1-yl-propan-1-one;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-(2,2,2-trifluoroethyl)propenamide;

Methyl 3-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonylmethyl]azetidine-1-carboxylate;

Methyl 3-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]azetidine-1-carboxylate;

N-[2-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]ethyl]acetamide;

N-[2-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]ethyl]methanesulfonamide;

Methyl 5-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]furan-2-carboxylate;

5-[2-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]ethyl]-3-methyl-1,2,4-oxadiazole;

Tert-butyl N-[2-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]ethyl]carbamate;

2-[4-Chloro-5-[(3R,4R)-1-[2-[1-[(4-methoxyphenyl)methyl]triazol-4-yl]ethylsulfonyl]-3-methyl-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

2-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]ethanamine;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-[(1-hydroxycyclopropyl)methyl]propenamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1-[3-hydroxy-3-(trifluoromethyl)pyrrolidin-1-yl]propan-1-one;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-(oxetan-3-ylmethyl)propenamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1-(2-oxa-7-azaspiro[3.5]nonan-7-yl)propan-1-one;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1-(4-methoxy-1-piperidyl)propan-1-one;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-tetrahydropyran-4-yl-propanamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-[(3S)-tetrahydropyran-3-yl]propenamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1-(2-oxa-6-azaspiro[3.3]heptan-6-yl)propan-1-one;

2-[4-Chloro-5-[(3R,4R)-1-(2-methoxyethylsulfonyl)-3-methyl-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

2-[4-Chloro-5-[(3R,4R)-3-methyl-1-tetrahydropyran-4-ylsulfonyl-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

2-[4-Chloro-5-[(3R,4R)-3-methyl-1-(tetrahydrofuran-3-ylmethylsulfonyl)-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

N-[5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]thiazol-2-yl]acetamide;

N-[5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-4-methyl-thiazol-2-yl]acetamide;

Methyl 5-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyridine-2-carboxylate;

Tert-butyl 3-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyrrolidine-1-carboxylate;

Tert-butyl 4-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]piperidine-1-carboxylate;

2-[4-Chloro-5-[(3R,4R)-3-methyl-1-[2-(1H-triazol-4-yl)ethylsulfonyl]-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

2-[4-Chloro-5-[(3R,4R)-3-methyl-1-(4-piperidylsulfonyl)-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

2-[4-Chloro-5-[(3R,4R)-3-methyl-1-pyrrolidin-3-ylsulfonyl-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

Tert-butyl N-[2-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]ethylsulfamoyl]carbamate;

5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]thiazol-2-amine;

5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-4-methyl-thiazol-2-amine;

5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyridine-2-carboxylic acid;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonylmethyl]-5-methyl-1,2,4-oxadiazole;

1-[4-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1-piperidyl]ethenone;

2-[4-Chloro-5-[(3R,4R)-3-methyl-1-[(1-methylsulfonyl-4-piperidyl)sulfonyl]-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

2-[4-Chloro-5-[(3R,4R)-3-methyl-1-[2-(sulfamoylamino)ethylsulfonyl]-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

2-[4-Chloro-5-[(3R,4R)-3-methyl-1-(1-methylsulfonylpyrrolidin-3-yl)sulfonyl-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

1-[3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyrrolidin-1-yl]ethenone;

5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyridine-2-carboxamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyrrolidine-1-carboxamide;

2-[4-Chloro-5-[(3R,4R)-3-methyl-1-(1H-triazol-4-ylsulfonyl)-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]furan-2-carboxamide;

2-[4-Chloro-5-[(3R,4R)-3-methyl-1-(methylsulfonylmethylsulfonyl)-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

2-[4-Chloro-5-[(3R,4R)-3-methyl-1-(3-methylsulfonylpropylsulfonyl)-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

[5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-2-furyl]-(3-hydroxyazetidin-1-yl)methanone;

3-[2-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]ethyl]-1,4-dihydro-1,2,4-triazol-5-one;

Tert-butyl N-[6-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyridazin-3-yl]carbamate;

6-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyridazin-3-amine;

Methyl 5-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyrimidine-2-carboxylate;

5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyrimidine-2-carboxylic acid;

5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyrimidine-2-carboxamide;

[1-[3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]propanoyl]azetidin-3-yl] methyl carbonate;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1-(3-methoxy-3-methyl-azetidin-1-yl)propan-1-one;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1-[(3S)-3-methoxypyrrolidin-1-yl]propan-1-one;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-[dimethyl(oxo)-¿6-sulfanylidene]propenamide;

[2-(Aminomethyl)-3-hydroxy-2-methyl-propyl] 3-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]propanoate;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-(3-methyloxetan-3-yl)propenamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-(1-methylcyclopropyl)propenamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-(2-methoxy-2-methyl-propyl)propenamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1-[(3R)-3-methoxypyrrolidin-1-yl]propan-1-one;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-[[(2S)-oxetan-2-yl]methyl]propenamide;

2-[4-Chloro-5-[(3R,4R)-1-[2-[4-[(4-methoxyphenyl)methyl]-1,2,4-triazol-3-yl]ethylsulfonyl]-3-methyl-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

N-[2-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]ethyl]cyclopropanesulfonamide;

[5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]thiazol-2-yl]urea;

2-[4-Chloro-5-[(3R,4R)-3-methyl-1-[2-(4H-1,2,4-triazol-3-yl)ethylsulfonyl]-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

2-[4-Chloro-5-[(3R,4R)-3-methyl-1-[(3-methyloxetan-3-yl)methylsulfonyl]-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

Tert-butyl 3-[3-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]propanoylamino]azetidine-1-carboxylate;

[1-[3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]propanoyl]-4-piperidyl] methyl carbonate;

[(3R)-1-[3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]propanoyl]pyrrolidin-3-yl] methyl carbonate;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-[[(2S)-tetrahydrofuran-2-yl]methyl]propenamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-[[(2R)-tetrahydrofuran-2-yl]methyl]propenamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-[(3R)-tetrahydrofuran-3-yl]propenamide;

1-[3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]propanoyl]piperidin-4-one;

1-(Azetidin-1-yl)-3-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]propan-1-one;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1-(3-methylsulfonylazetidin-1-yl)propan-1-one;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-[1-(hydroxymethyl)cyclobutyl]propenamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-[1-(hydroxymethyl)cyclopentyl]propenamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-(4-hydroxycyclohexyl)propenamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-(5-methyl-1,3,4-oxadiazol-2-yl)propenamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-(5-fluoro-2-pyridyl)propenamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-(2-methylpyrazol-3-yl)propenamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1-[4-(hydroxymethyl)-1-piperidyl]propan-1-one;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1-(3-fluoroazetidin-1-yl)propan-1-one;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1-(6-oxa-1-azaspiro[3.3]heptan-1-yl)propan-1-one;

[1-[3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]propanoyl]-4-piperidyl] acetate;

5-[[(3S,4S)-4-[4-Fluoro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyrimidin-2-amine;

5-[[(3R,4R)-4-[4-Fluoro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyrimidin-2-amine;

N-(Azetidin-3-yl)-3-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]propanamide;

2-[4-Chloro-5-[(3R,4R)-1-[[1-[(4-methoxyphenyl)methyl]triazol-4-yl]methylsulfonyl]-3-methyl-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

2-[4-Chloro-5-[(3R,4R)-3-methyl-1-(1H-triazol-4-ylmethylsulfonyl)-4-piperidyl]-1H-imidazol-2-yl]-5-fluoro-pyridine;

5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-3-methoxy-pyridazine;

5-Fluoro-2-[4-fluoro-5-[(3S,4S)-3-methyl-1-methylsulfonyl-4-piperidyl]-1H-imidazol-2-yl]pyridine;

5-Fluoro-2-[4-fluoro-5-[(3R,4R)-3-methyl-1-methylsulfonyl-4-piperidyl]-1H-imidazol-2-yl]pyridine;

N-[5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyrimidin-2-yl]acetamide;

Methyl 5-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]thiazole-2-carboxylate;

Methyl 4-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]thiazole-2-carboxylate;

N-[5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyrimidin-2-yl]methanesulfonamide;

5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]thiazole-2-carboxylic acid;

4-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]thiazole-2-carboxylic acid;

Methyl 3-[3-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]propanoylamino]azetidine-1-carboxylate;

N-(1-Acetylazetidin-3-yl)-3-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]propenamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-(1-methylsulfonylazetidin-3-yl)propenamide;

N-[5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1,3,4-thiadiazol-2-yl]acetamide;

5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]thiazole-2-carboxylic acid;

2-[[5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyrimidin-2-yl]amino]propane-1,3-diol;

Methyl 2-[[5-[[(3R,4R)-4-[4-chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyrimidin-2-yl]amino]acetate;

5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-1,3,4-thiadiazol-2-amine;

N-[5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]thiazol-2-yl]azetidine-3-carboxamide;

2-[[5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyrimidin-2-yl]amino]acetic acid;

5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]thiazole-2-carboxamide;

2-[[5-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]pyrimidin-2-yl]amino]acetamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-(2-hydroxy-1,1-dimethyl-ethyl)propenamide;

3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]-N-(3,3-difluorocyclobutyl)propenamide;

[1-[3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]propanoyl]-3-methyl-azetidin-3-yl] acetate;

[1-[3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]propanoyl]-3-methyl-azetidin-3-yl] methyl carbonate; and

[1-[3-[[(3R,4R)-4-[4-Chloro-2-(5-fluoro-2-pyridyl)-1H-imidazol-5-yl]-3-methyl-1-piperidyl]sulfonyl]propanoyl]azetidin-3-yl] ethyl carbonate;

or an enantiomer, diastereomer, or tautomer thereof, or a mixture thereof, or a pharmaceutically acceptable salt thereof.

19. A pharmaceutical composition comprising a therapeutically effective amount of the compound of formula I according to any one of claims 1 to 18, or an enantiomer, diastereomer, or tautomer thereof, or a mixture thereof, or a pharmaceutically acceptable salt thereof, and at least one pharmaceutically acceptable excipient.

20. A compound of formula I according to any one of claims 1 to 18, or an enantiomer, diastereomer, or tautomer thereof, or a mixture thereof, or a pharmaceutically acceptable salt thereof, for use as a medicament.

21. A compound of formula I according to any one of claims 1 to 18, or an enantiomer, diastereomer, or tautomer thereof, or a mixture thereof, or a pharmaceutically acceptable salt thereof, for use in the treatment of a disease, disorder, or condition selected from an inflammatory disorder, an allergic disorder, skin disorder, a mast cell disorder, a pain disorder, and an itch disorder.