98/04256-2

IPOS's

PCT WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) **International Patent Classification** 6 :
A61K 31/195, A23L 1/305, 1/03 // (A61K 31/195, 38:13) (A61K 31/195, 31:435)

A1

(11) **International Publication Number:** **WO 98/04256**

(43) **International Publication Date:** 5 February 1998 (05.02.98)

(21) **International Application Number:** PCT/EP97/04125

(22) **International Filing Date:** 29 July 1997 (29.07.97)

(30) **Priority Data:**
08/690,476 30 July 1996 (30.07.96) US

(71) **Applicant** *(for all designated States except US)*: NOVARTIS NUTRITION AG [CH/CH]; Monbijoustrasse 118, CH-3001 Bern (CH).

(72) **Inventors; and**
(75) **Inventors/Applicants** *(for US only)*: SCHNEIDER, Heinz [CH/CH]; Buillard, CH-1792 Cordast (CH). THURMAN, Ronald, G. [US/US]; 810 Mt. Creek Road, Chapel Hill, NC 27516 (US).

(74) **Agents:** SMOLDERS, Walter et al.; Novartis AG, Patent- und Markenabteilung, CH-4002 Basel (CH).

(81) **Designated States:** AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published
With international search report.
Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) **Title:** AMINO ACID COMPOSITIONS AND USE THEREOF IN IMMUNOSUPPRESSION

(57) **Abstract**

The present invention provides for the use of glycine in the preparation of a medicament or nutritional formulation for the prophylaxis and/or therapy of renal dysfunction induced by cyclosporins or ascomycins.