
What is claimed is:

1. A compound according to Formula (I)



(I)

or a pharmaceutically acceptable salt thereof, wherein

R^1 is halogen or hydrogen;

R^2 is halogen or hydrogen;

R^3 is

$C_{1\text{-}6}$ alkyl, said alkyl is optionally substituted with one or two substituents independently selected from the group consisting of 4 to 6-membered heterocycloalkyl and -OH,

5 to 6-membered heteroaryl,

3 to 6-membered cycloalkyl, said cycloalkyl is optionally substituted with one -OH,

5 to 6-membered heterocycloalkyl, said heterocycloalkyl is optionally substituted with one -OH, or

$-OR^4$;

R^4 is

$-CF_3$,



$-CF_2H$,

$C_{1\text{-}6}$ alkyl, said alkyl is optionally substituted with one or two R^6,

3 to 6-membered cycloalkyl,

4 to 7-membered heterocycloalkyl, said heterocycloalkyl is optionally substituted with one R^6,

5 to 6-membered heteroaryl, or

R^4 is one of the following groups:  or ;

R^5 is halogen or hydrogen;

each R^6 is

independently halogen,

-OH,

$-CF_3$,

$-CF_2H$,

cyano,

$-OCF_3$,

$-OCH_3$,



-O-heterocycloalkyl,

C_1-C_4 alkyl,

4 to 7-membered heterocycloalkyl, said heterocycloalkyl is optionally substituted with one or two substituents independently selected from the group consisting of halogen, -OH, and C_{1-3} alkyl,

5 to 6-membered heteroaryl, said heteroaryl is optionally substituted with one or two C_{1-3} alkyl,

3 to 6-membered cycloalkyl, said cycloalkyl is optionally substituted with one -CF^3, or

each of R^6 is independently one of the following groups: , , or ;

R^7 is

a 5 to 6-membered heteroaryl, said heteroaryl is optionally substituted with one substituent selected from the group consisting of C_1-C_6 alkyl, -CF_3, and halogen, or


C(O)R^8; and

R^8 is

3 to 6-membered cycloalkyl, said cycloalkyl is optionally substituted with one halogen, or

4 to 6-membered heterocycloalkyl.


2. The compound according to claim 1 of Formula (Ia)



(Ia)


or a pharmaceutically acceptable salt or stereoisomer thereof.


3. The compound according to claim 1 of Formula (Ib)




(Ib)


or a pharmaceutically acceptable salt or stereoisomer thereof.

4. The compound according to any one of claims 1-3, wherein R^1 is selected from the group consisting of H, chloro, and fluoro.
5. The compound according to any one of claims 1-4, wherein R^2 is H or fluoro.
6. The compound according to any one of claims 1-5, wherein R^5 is H or fluoro.
7. The compound according to any one of claims 1-3, wherein R^1, R^2, and R^5 are H.
8. The compound according to any one of claims 1-7, wherein R^3 is selected from the group consisting of: .
9. The compound according to any one of claims 1-7, wherein R^3 is $-OR^4$.
10. The compound according to any one of claims 1-9, wherein R^4 is selected from the group consisting of $-CH_3$, $-CF_3$, $-CF_2H$, $-CH_2CH_3$, $-CH(CH_3)_2$, $-CH_2CF_2H$, $-CH_2CH_2F$, $-(CH_2)_2CF_3$, $-CH_2C(CH_3)_2F$, $-(CH_2)_2OCF_3$, $-(CH_2)_2OH$, $-(CH_2)_2OCH_3$, $-CH_2C(CH_3)_2OH$, $-(CH_2)_2C(CH_3)_2OH$, $-(CH_2)_2C(CH_3)_2OCH_3$, $-CH_2C(CH_3)_2OCH_3$, $-(CH_2)_2CN$, and $-CH_2CH(CH_3)_2$.
11. The compound according to any one of claims 1-9, wherein R^4 is selected from the group consisting of:





12. The compound according to any one of claims 1-10, wherein R^7 is 5 to 6-membered heteroaryl or -C(O)R^8.

13. The compound according to any one of claims 1-12, wherein R^7 is .

14. The compound according to any one of claims 1-12, wherein R^7 is -C(O)R^8.

15. The compound according to claim 14, wherein R^8 is 4 to 6-membered heterocycloalkyl or 3 to 6-membered cycloalkyl.

16. The compound according to claim 14 or 15, wherein R^8 is 4 to 6-membered heterocycloalkyl.

17. The compound according to any one of claims 14-16, wherein R^8 is .

18. The compound according to claim 14 or 15, wherein R^8 is 3 to 6-membered cycloalkyl, said 3 to 6-membered cycloalkyl is substituted with one halogen.

19. A compound selected from the group consisting of:

(R)-2-(6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;

(R)-2-(6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;

2-((R)-6-(4-(2-(((R)-1,4-dioxan-2-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;

(R)-2-(6-(4-(2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;

2-((R)-6-(4-(2-(((S)-1,4-dioxan-2-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;

(R)-ethyl 5-(6-(4-(2-hydroxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole-2-carboxylate;

(R)-2-(6-(4-(2-(oxetan-3-ylmethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(R)-2-(6-(4-(2-((3-fluorooxetan-3-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(R)-2-(6-(4-(2-((tetrahydro-2H-pyran-4-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(R)-2-(6-(4-(2-((4-fluorotetrahydro-2H-pyran-4-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(R)-6-(4-(2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(R)-2-(pyrimidin-5-yl)-6-(4-(2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octane;
(R)-2-(pyrimidin-5-yl)-6-(4-(2-((tetrahydro-2H-pyran-4-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-(oxetan-3-ylmethoxy)phenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)phenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(R)-2-(pyrimidin-5-yl)-6-(4-(2-(((R)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octane;
(R)-1-(2-(1-(2-(1,3,4-oxadiazol-2-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)-2-methylpropan-2-ol;
2-((R)-6-(4-(2-(((R)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;
(R)-ethyl 5-(6-(4-(2-(2-methoxyethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole-2-carboxylate;
(R)-2-(6-(4-(2-((4-fluorotetrahydro-2H-pyran-4-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;
(R)-2-(6-(4-(2-((4-methyltetrahydro-2H-pyran-4-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;

(R)-2-(6-(4-(2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;
(R)-2-(6-(4-(2-((tetrahydro-2H-pyran-4-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;
(R)-2-(6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;
(R)-2-(6-(4-(5-fluoro-2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;
2-((6R)-6-(4-(5-fluoro-2-(tetrahydrofuran-3-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;
2-((6R)-6-(4-(2-(tetrahydrofuran-3-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;
(R)-2-(6-(4-(2-((tetrahydro-2H-pyran-4-yl)methyl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;
(R)-2-(6-(4-(2-(oxazol-2-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;
(1S,4s)-4-(2-(1-((R)-2-(1,3,4-oxadiazol-2-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenyl)cyclohexan-1-ol;
(1R,4r)-4-(2-(1-((R)-2-(1,3,4-oxadiazol-2-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenyl)cyclohexan-1-ol;
(1s,4r)-4-(2-(1-((R)-2-(1,3,4-oxadiazol-2-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenyl)cyclohexan-1-ol;
(1r,4r)-4-(2-(1-((R)-2-(1,3,4-oxadiazol-2-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenyl)cyclohexan-1-ol;
(R)-2-(6-(4-(2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
2-((R)-6-(4-(2-(((R)-1,4-dioxan-2-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
2-((R)-6-(4-(2-(((S)-1,4-dioxan-2-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(R)-2-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;

(R)-2-(6-(4-(3-fluoro-2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(R)-2-(6-(4-(2-(2-methoxyethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(R)-1-(2-(1-(2-(1,3,4-thiadiazol-2-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)-2-methylpropan-2-ol;
(R)-4-(2-(1-(2-(1,3,4-thiadiazol-2-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)-2-methylbutan-2-ol;
(R)-5-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)isothiazole;
(R)-5-(6-(4-(2-(2-methoxyethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,2,4-thiadiazole;
(R)-1-(2-(1-(2-(1,2,4-thiadiazol-5-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)-2-methylpropan-2-ol;
(R)-4-(2-(1-(2-(1,2,4-thiadiazol-5-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)-2-methylbutan-2-ol;
(R)-5-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-3-methyl-1,2,4-thiadiazole;
(R)-1-(5-fluoro-2-(1-(2-(4-methyloxazol-2-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)-2-methylpropan-2-ol;
(R)-2-methyl-1-(2-(1-(2-(4-methyloxazol-2-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)propan-2-ol;
(R)-3-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,2,4-oxadiazole;
(R)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane formate salt;
(R)-2-methyl-1-(2-(1-(2-(pyrimidin-5-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)propan-2-ol formate salt;
(R)-2-methyl-1-(2-(1-(2-(4-methylpyrimidin-5-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)propan-2-ol formate salt;
(R)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(6-methylpyridin-3-yl)-2-azaspiro[3.4]octane formate salt;

(R)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(2-methylpyrimidin-5-yl)-2-azaspiro[3.4]octane;
(R)-2-(5-fluoropyridin-3-yl)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(6-methylpyrazin-2-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(pyrazin-2-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(3-(trifluoromethyl)pyrazin-2-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(3-methylpyrazin-2-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(pyridin-3-yl)-2-azaspiro[3.4]octane;
(R)-2-(6-methylpyridin-3-yl)-6-(4-(2-(((R)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(4-methyl-1,3,5-triazin-2-yl)-2-azaspiro[3.4]octane;
(R)-2-(6-chloropyridazin-3-yl)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(pyridazin-3-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(5-chloro-2-methoxyphenyl)piperidin-1-yl)-2-(pyridazin-4-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-((tetrahydro-2H-pyran-4-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,5-triazin-2-yl)-2-azaspiro[3.4]octane;
(R)-2-(3,6-dichloropyridazin-4-yl)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(pyridazin-4-yl)-2-azaspiro[3.4]octane;
(R)-2-methyl-1-(2-(1-(2-(3-methylpyrazin-2-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)propan-2-ol;
(R)-1-(2-(1-(2-(1,3,5-triazin-2-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)-2-methylpropan-2-ol;
(R)-6-(4-(5-fluoro-2-methoxyphenyl)piperidin-1-yl)-2-(pyridazin-4-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(3-fluoro-2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;

(R)-6-(4-(2-(2-methoxyethoxy)phenyl)piperidin-1-yl)-2-(pyridazin-3-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-(2-methoxyethoxy)phenyl)piperidin-1-yl)-2-(5-methylpyrazin-2-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-(2-methoxyethoxy)phenyl)piperidin-1-yl)-2-(pyridazin-4-yl)-2-azaspiro[3.4]octane;
(R)-2-(5-fluoropyridin-3-yl)-6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octane;
(R)-2-(pyrimidin-5-yl)-6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octane;
(R)-2-(6-fluoropyridin-3-yl)-6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(5-methylpyrazin-2-yl)-2-azaspiro[3.4]octane;
(R)-(6-(4-(5-fluoro-2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(2-(difluoromethoxy)-4-fluorophenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(4-fluoro-2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(4-fluoro-2-isopropoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(2-cyclopropoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(2-(2-fluoro-2-methylpropoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-oxetan-3-yl(6-(4-(2-(thiazol-2-yloxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-3-(2-(1-(2-(oxetane-3-carbonyl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)propanenitrile;
oxetan-3-yl((R)-6-(4-(2-(((R)-tetrahydrofuran-3-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;

(R)-(6-(4-(2-isobutoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(2-(cyclopentyloxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(2-cyclobutoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(2-(cyclopropylmethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(2-ethoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(2-isopropoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(2-(2-hydroxy-2-methylpropoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-(pyrimidin-2-ylmethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-(pyrimidin-2-ylmethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-(2-hydroxyethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-(2-hydroxyethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(6-(4-(2-(cyclopropylmethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(6-(4-(2-(cyclopropylmethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-1-(2-(2-(1-(2-(1-fluorocyclopropane-1-carbonyl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)ethyl)pyrrolidin-2-one formate salt;
(S)-1-(2-(2-(1-(2-(1-fluorocyclopropane-1-carbonyl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)ethyl)pyrrolidin-2-one formate salt;

(R)-(1-fluorocyclopropyl)(6-(4-(2-((tetrahydro-2H-pyran-4-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-((tetrahydro-2H-pyran-4-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-((5-methyl-1,3,4-thiadiazol-2-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-((5-methyl-1,3,4-thiadiazol-2-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(6-(4-(2-ethoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(2-ethoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(6-(4-(2-(cyclopropylmethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(6-(4-(2-(cyclopropylmethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(6-(4-(2-((3,5-dimethylisoxazol-4-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(2-((3,5-dimethylisoxazol-4-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-((2-methyloxazol-5-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-((2-methyloxazol-5-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-((5-methyl-1,3,4-oxadiazol-2-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-((5-methyl-1,3,4-oxadiazol-2-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-((5-methyl-1,2,4-oxadiazol-3-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;

(S)-(1-fluorocyclopropyl)(6-(4-(2-((5-methyl-1,2,4-oxadiazol-3-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-((5-methyl-1,3,4-oxadiazol-2-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-((5-methyl-1,3,4-oxadiazol-2-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-((5-methyl-1,2,4-oxadiazol-3-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-((5-methyl-1,2,4-oxadiazol-3-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-(3,3,3-trifluoropropoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-(3,3,3-trifluoropropoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-(3-hydroxy-3-methylbutoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-(3-hydroxy-3-methylbutoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(6-(4-(2-(3-hydroxy-3-methylbutoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-oxetan-3-yl(6-(4-(2-(2-(trifluoromethoxy)ethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-oxetan-3-yl(6-(4-(2-(2-(oxetan-3-yloxy)ethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-(3-methoxy-3-methylbutoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-(3-methoxy-3-methylbutoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-oxetan-3-yl(6-(4-(2-(3,3,3-trifluoropropoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;

(R)-(6-(4-(2-(2-methoxy-2-methylpropoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-oxetan-3-yl(6-(4-(2-((1-(trifluoromethyl)cyclopropyl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(6-(4-(2-(2,2-difluoroethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-oxetan-3-yl(6-(4-(2-(2-(oxetan-3-yl)ethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(6-(4-(5-chloro-2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(6-(4-(5-chloro-2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(5-chloro-2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(6-(4-(5-chloro-2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(S)-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(S)-(6-(4-(2-(difluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(2-(difluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone citrate salt;
(S)-(6-(4-(2-(difluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;

(R)-(6-(4-(2-(difluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone citrate salt;
(S)-oxetan-3-yl(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-oxetan-3-yl(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(6-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(6-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;

(R)-(1-fluorocyclopropyl)(6-(4-(2-(4-hydroxytetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-(4-hydroxytetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-(4-hydroxytetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-(4-hydroxytetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(6-(4-(5-fluoro-2-(4-hydroxytetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(5-fluoro-2-(4-hydroxytetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(6-(4-(5-fluoro-2-(4-hydroxytetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(5-fluoro-2-(4-hydroxytetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(6-(4-(5-fluoro-2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(5-fluoro-2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(6-(4-(5-fluoro-2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(5-fluoro-2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-6-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(5-fluoropyridin-3-yl)-2-azaspiro[3.4]octane;

(S)-6-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(5-fluoropyridin-3-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(5-fluoropyridin-3-yl)-2-azaspiro[3.4]octane;
(S)-6-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(5-fluoropyridin-3-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(5-fluoro-2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(S)-6-(4-(5-fluoro-2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(5-fluoro-2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(S)-6-(4-(5-fluoro-2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(S)-6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(S)-6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(S)-6-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(S)-6-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(S)-2-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)oxazole;


(R)-2-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)oxazole;
(S)-2-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)oxazole;
(R)-2-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)oxazole;
(R)-2-(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)oxazole;
(S)-2-(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)oxazole;
(R)-2-(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)oxazole;
(S)-2-(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)oxazole;
(R)-2-(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(S)-2-(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(R)-2-(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(S)-2-(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(R)-2-(6-(4-(2-(difluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(S)-2-(6-(4-(2-(difluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(R)-2-(6-(4-(2-(difluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(S)-2-(6-(4-(2-(difluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(R)-5-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,2,4-thiadiazole;
(S)-5-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,2,4-thiadiazole;
(R)-5-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,2,4-thiadiazole;
(S)-5-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,2,4-thiadiazole;
(R)-(6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;

(R)-(6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone; and
(S)-(6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone, or a pharmaceutically acceptable salt thereof.

20. The compound according to claim 19, wherein the compound is selected from the group consisting of:
(R)-2-(6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;
(S)-2-(6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;
(R)-(1-fluorocyclopropyl)(6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-2-(pyrimidin-5-yl)-6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octane;
(S)-oxetan-3-yl(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone; and
(R)-oxetan-3-yl(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone, or a pharmaceutically acceptable salt thereof.


21. The compound according to claims 19 or 20, wherein the compound is selected from the group consisting of:

(R)-2-(6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole, having the following structure:




;

(R)-(1-fluorocyclopropyl)(6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone, having the following structure:




;

(R)-2-(pyrimidin-5-yl)-6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octane, having the following structure:



; and

(R)-oxetan-3-yl(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone, having the following structure:



, or a pharmaceutical acceptable salt thereof.

22. A pharmaceutical composition comprising a compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof.

23. ~~A method for the treatment of a M4 related a condition, disease or disorder comprising administration of a therapeutically effective amount of a~~ The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof for use in the treatment of a M4 related a condition, disease or disorder, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a patient in need of treatment thereof.

24. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of a M4 related a condition, disease or disorder, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a patient in need of treatment thereof.

~~24.~~25. ~~A method for the treatment of psychosis comprising administration of a therapeutically effective amount of a~~ The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof for use in the treatment of psychosis, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a patient in need of treatment thereof.

26. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of psychosis, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a patient in need of treatment thereof.

~~25.~~27. The ~~method~~ use according to claim ~~24~~24, wherein the psychosis is associated with schizophrenia, schizoaffective disorder, psychotic depression, bipolar disorder with psychotic features, Alzheimer's disease, Parkinson's Disease, post-traumatic stress disorder or frontotemporal dementia.

~~26.~~28. The use ~~method~~ according to claim ~~25~~27, wherein the psychosis is associated with Alzheimer's disease.

29. ~~A method for the treatment of cognitive dysfunction comprising administration of a therapeutically effective amount of a~~ The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof for use in the treatment of cognitive dysfunction, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a subject in need of treatment thereof.

~~27.~~30. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of cognitive dysfunction, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a patient in need of treatment thereof.

31. ~~A method for the treatment of a hyperkinetic movement disorder comprising administration of a therapeutically effective amount of a~~ The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof for use in the treatment of a hyperkinetic movement disorder, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a subject in need of treatment thereof.

~~28.~~32. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of a hyperkinetic movement disorder, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a patient in need of treatment thereof.

33. ~~A method for treatment of substance use disorders comprising administration of a therapeutically effective amount of a~~ The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof for use in the treatment of substance use disorders, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a subject in need of treatment thereof.

~~29.~~34. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of substance use disorders, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a patient in need of treatment thereof.

35. ~~A method of treating a condition, disease or disorder which is treated with a M4 receptor agonist comprising administration of a therapeutically effective amount of a~~ The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof and an antidepressant for use in the treatment of a condition, disease or disorder which is treated with a M4 receptor agonist, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof and the antidepressant is to be administered to a subject in need of treatment thereof.

~~30.~~36. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof and an antidepressant in the manufacture of a medicament for the treatment of a condition, disease or disorder which is treated with a M4 receptor agonist, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof and the antidepressant is to be administered to a subject in need of treatment thereof.

37. ~~A method for the treatment of a condition, disease or disorder which is treated with a M4 receptor agonist comprising administration of a therapeutically effective amount of a~~ The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof for use in the treatment of a condition, disease or disorder which is treated with a M4 receptor agonist, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered in conjunction with computer-assisted psychosocial or behavioral therapy.

~~31.~~38. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament forthe treatment of a condition, disease or disorder which is treated with a M4 receptor agonist, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered in conjunction with computer-assisted psychosocial or behavioral therapy.